

BIBLIOGRAPHY

(* original paper not seen by the author)

- Barnard, K. 1916. Contributions to the Crustacean fauna of South Africa. No. 5. The Amphipoda. S. African Mus., Ann. 15:105-302, pls. 26-28.
- _____. 1925. Ibid. No. 8. Further additions to the list of Amphipoda. S. African Mus., Ann. 20:319-380, pl. 34.
- _____. 1930. Crustacea. Part XI. Amphipoda. British Antarctic ("Terra Nova") Expedition, 1910. Zool. 8(4):307-454, 63 figs.
- _____. 1931. Great Barrier Reef Expedition 1928-1929, Amphipoda. Scientific Reports, 4(4):111-135, 4 figs.
- _____. 1932. Amphipoda. Discovery Reports, 5:1-236, 1 pl., 174 figs.
- Barnes, R. 1969. Invertebrate Zoology. 2nd ed. W.B. Saunders Company, Philadelphia, x + 743 pp.
- Bary, B. 1959. Ecology and distribution of some pelagic Hyperiidia (Crustacea, Amphipoda) from New Zealand waters. Pacific Sc., 13:317-334, 9 figs.
- Bate, C. 1862. Catalogue of the specimens of Amphipodous Crustacea in the Collection of the British Museum. Taylor and Francis, London, 399 pp., pl. LVIII.
- Bate, C. and J. Westwood. 1868. A history of the British sessile-eyed Crustacea. John van Voorst, Paternoster

- Row, London, Vol. 1, 507 pp.
- Bousfield, E. 1951. Pelagic Amphipoda of the Belle Isle Strait Region. Fish. Res. Bd. Canada, Journ. 8:134-163, 14 figs., 7 tables.
- Bovallius, C. 1887a. Systematical list of the Amphipoda Hyperiiidea. Bih. t. K. Sv. Vet. Akad. Handl., 11(16):1-50.
- _____. 1887b. Contributions to a Monograph of the Amphipoda Hyperiiidea. Part. I, 1. The families Tyronidae, Lanceolidae, and Vibiliidae. K. Sv. Vet. Akad. Handl., 21(5):1-72, 10 pls.
- _____. 1889. Contributions to a Monograph of the Amphipoda Hyperiiidea. Part I, 2. The families Cyllopodidae, Paraphronimidae, Thaumatopsidae, Mimonectidae, Hyperiididae, Phronimidae and Anchylomeridae. K. Sv. Vet. Akad. Handl., 22(7):1-434, pls. 1-18.
- Bowman, T. 1953. The systematics and distribution of pelagic Amphipoda of the families Vibiliidae, Paraphronimidae, Hyperiididae, Dairellidae and Phrosinidae from the northeastern Pacific. Ph. D. Dissertation, Univ. of Calif., Los Angeles, 430 pp.
- Bowman, T. et al. 1963. Notes on associations between Hyperiid Amphipods and Medusae in Chesapeake and Narragansett Bays and the Niantic River. Chesapeake Sc., 4(3):141-146, 2 figs.
- Brinton, E. 1963. Zooplankton abundance in the Gulf of

- Thailand and South China Sea. Naga Reports, 1:53-58, figs. 85-90.
- Chevreaux, E. 1900. Amphipodes provenant des campagnes de l'"Hirondelle" (1885-1888). Résultats des campagnes scientifiques accomplies sur son yacht, par Albert I^{er} Prince souverain de Monaco, 16:1-195, 18 pls.
- Chevreaux, E. and L. Fage. 1925. Amphipodes. Fauna de France, 9:1-488, figs. 1-438.
- *Chilton, C. 1912. The Amphipoda of the Scottish National Antarctic Expedition. Roy. Soc. Edinburgh, Trans., vol. 48, part II.
- *Claus, C. 1879. Die Gattungen und Arten der Platysceliden. Zool. Inst. Wien, Arb. 2(3):147-198.
- *Claus, C. 1887. Die Platysceliden. Alfred Hölder, Wien, pp. 1-77, pls. 1-25.
- Dakin, W. and A. Colefax. 1940. The plankton of the Australian coastal waters off New South Wales. Part I. Univ. of Sydney, Dept. of Zool., Publ. Monograph No. 1:1-214, figs. 1-300, pls. 1-4.
- *Dana, J. 1852a. On the classification of the Crustacea Choristopoda or Tetradeapoda. Amer. J. Sci. & Arts., 14(41):297-316.
- *Dana, J. 1852b. United States Exploring Expedition, during the years 1838, 1839, 1840, 1841, 1842, under the command of Charles Wilkes, U.S.N., Crustacea, Amphipoda, 14(2):805-1018. (Folio Atlas of 96 plates published

in 1855).

- Evans, F. 1961. The planktonic Crustacea of the Petula Transatlantic Expedition. Linn. Soc. London, Proc., pt. 2:189-207.
- Giles, G. 1888. No. 9. Further notes on the Amphipoda of Indian waters. Asiatic Soc. Bengal, Journ. 57(3): 220-254, pls. 6-12.
- *Guérin-Méneville, F. 1836. Description de quelques genres nouveaux de Crustacés appartenant à la famille des Hyperines. Mag. de Zool., 6(7):1-12, pls. 17-19.
- Hart, J. 1961. Records of distribution of some Crustacea in British Columbia. Prov. Mus. B.C., Reports, 1961: 17-19, 1 fig.
- *Holmes, S. 1905. The Amphipoda of Southern New-England. Bull. Bureau of Fisheries, Washington, 24:457.
- Hurley, D. 1955. Pelagic Amphipoda of the Sub-order Hyperiidea in New Zealand waters. I. Systematics. Roy. Soc. N.Z., Trans. 83:119-194, 1 map, 17 figs.
- _____. 1956. Bathypelagic and other Hyperiidea from Californian waters. Allan Hancock Found., Occas. Papers, No. 18:1-25.
- _____. 1960. Pelagic Amphipoda of the N.Z.O.I. Pacific Cruise, March 1958. N.Z. Journ. of Sc., 3(2):274-289.
- Irie, H. 1951. 25 Species of pelagic Amphipods, Hyperiidea, in the adjacent seas of Japan. Suisangaku Shusie, March 1957, Tokyo Univ. Press, pp. 345-355, 25 figs.

(in Japanese).

Irie, H. 1959. Studies on pelagic Amphipods in the adjacent seas of Japan. Fac. Fish. Nagasaki Univ., Bull., No. 8:20-42. (in Japanese).

_____. 1967. Breeding and life cycle of Amphipoda. Information Bull. on Planktonology in Japan. No. 14: 25-32.

Lafond, E. 1963. Physical Oceanography and its relation to the margin production in the South China Sea. Naga Reports, 1:5- 3, figs. 1-26.

*Lo Bianco. 1903-1904. Le pesche abyssali eseguite da F.A. Krupp col yacht Puritan nelle adiacenze di Capri ed in altre localita del mare Mediterraneo. Mit. Zool. Sta. zu Neapel, vol. 16.

*Milne-Edwards, H. 1830. Extrait de recherches pour servir à l'Historie naturelle des Crustacés Amphipodes. Ann. des Sc. Nat., 20:1-48, pls. 10, 11.

*_____. 1840. Histoire naturelle des Crustacés, comprenant l'anatomie, la physiologie, et la classification de ces animaux. Vol. 3, Paris.

*Monod, Th. 1927. Tanaidacés, Isopodes et Amphipodes de l'Expédition Antarctique Belge de la Belgica, 1897-1899. Rapports Scientifiques. Anvers 1926.

*Pesta. 1920. Ueber einige für die Fauna der Adria neue oder seltene Amphipodenarten. Zoolog. Anzeiger, vol. 51.

- Pirlot, J. 1929. Résultats zoologiques de la Croisière Atlantique de l'"Armauer Hansen" en 1922. I. Les Amphipodes Hypérides. Soc. Sc. de Liège, Mém. III, 15(2):1-196, 8 figs., map.
- _____. 1930. Les Amphipodes de l'Expedition du SIBOGA. Première Partie: Les Amphipodes Hypérides (à l'exception des Thaumatopsidae et des Oxycephalidae). Siboga Expéditie, 33a:1-54, 11 figs.
- _____. 1932. Introduction à l'étude des Amphipodes Hypérides. Inst. Oceanogr., N.Z., Ann. 12(1):1-36, 18 figs.
- _____. 1939. Sur les Amphipodes Hypérides provenant des Croisières du Prince Albert 1er de Monaco. Résultats des campagnes scientifiques accomplies sur son yacht par Albert 1er, Prince souverain de Monaco, 102 :1-63, pls. 1, 2.
- Reid, D. 1955. Amphipoda (Hyperiididae) of the coast of tropical West Africa. Atlantide Reports, No. 3:7-40, 9 figs.
- Risso, A. 1822. Mémoire sur quelques nouveaux Crustacés observés dans la Mer de Nice. de Physique, de Chimie et d'Hist. Nat., Journ. 60:127-151.
- Robinson, M. 1963. Physical Oceanography of the Gulf of Thailand. Naga Reports, 1:34-50, figs. 27-84.
- Sars, G. 1893. An account of the Crustacea of Norway with short descriptions and figures of all the species.

Vol. 1, Amphipoda, pp. 1-711, pls. 1-240, suppl. pls. 1-8.

*Schellenberg, A. 1929. Amphipoda des Nordischen Plankton, in Nordisches Plankton von K. Brandt u c. Apstein Lief., 20:589-722, 104 figs.

*Shoemaker, C. 1925. The Amphipoda collected by the United States Fisheries Steamer "Albatross" in 1911 chiefly in the Gulf of California. Amer. Mus. Nat. Hist., Bull. 52:21-61.

Shoemaker, C. 1945. The Amphipoda of the Bermuda Oceanographic Expeditions 1929-1931. Zoologica, New York, 30(4):185-266.

Spandl, H. 1924a. Amphipoda Hyperiidea aus der Adria. Zool., Anz., 58:261-272, 2 figs.

_____. 1924b. Die Amphipoden des Roten Meeres. Expedition S.M. Schiff POLA in das Rote Meer, nördliche und südliche hälfte, 1895-1898. Zool. Klasse, 99:19-73, 23 figs., 5 maps.

_____. 1927. Die Hyperiidien (exkl. Hyperiidea, Gammaroidea und Phronimidae), in: Deutsche Südpolar Exped. 1901-1903, 19(Zool. 11):145-287, 1 pl., 63 figs.

Stebbing, T. 1888. Report on the Amphipoda collected by H.M.S. "Challenger" during the year 1873-1876. Reports Zool. Challenger Exped., 29(1-2):xxiv+1737, 210 pls., 1 map.

*_____. 1895. Descriptions of nine species of Amphi-

podous Crustaceans from the tropical Atlantic. Zool. Soc. London, Trans. 13(14):349-371.

Stebbing, T. 1904. Biscayan plankton collected during a cruise of H.M.S. "Research" 1900. Part. II. The Amphipoda and Cladocera, with notes on a larval Thyrostracan, by T. Stebbing, and an appendix on their distribution by G. Fowler. Linn. Soc. London, Trans. II, 10(2):13-54, pls. 2, 3, 7 figs.

_____. 1910. Crustacea, Part V. Amphipoda. Scientific results of the Trawling Expedition of H.M.A.S. "Thetis" off the coast of New South Wales in February and March 1898. Australian Mus. Sydney, Mem. 4(12): 567-658, pls. 47-60.

Stephensen, K. 1924. Hyperiidea Amphipoda. (Part 2: Paraphronimidae, Hyperiidae, Dairellidae, Phronimidae, Anchylomeridae). Danish Oceanographical Expeditions, 1908-1910, to the Mediterranean and adjacent Seas. Vol. 2, Biology, D. 4, pp. 73-149, 20 figs., 15 charts.

_____. 1925. Hyperiidea Amphipoda (Part 3: Lycaeopsidae, Pronoidae, Lycaeidae, Brachyscelidae, Oxycephalidae, Parascelidae, Platyscelidae). Danish Oceanographical Expeditions, 1908-1910, to the Mediterranean and adjacent Seas. Vol. 2, Biology, D. 5, pp. 151-252, 35 figs., 8 charts.

*Steuer, A. 1911. Adriatische Planktonamphipoden. Sitzungsberichte der Kais. Akademie der Wissenschaften zu

Wien, Math. Naturwiss. Klasse.

- *Stewart, D. 1913. A report on the Extra-Antarctic Amphipoda Hyperiidea collected by the "Discovery". Ann. Mag. Nat. Hist. (VIII), 12:245-265.
- *Streets, T. 1877. Contributions to the Natural History of the Hawaiian and fanning islands and Lower California, made in connection with the United States North Pacific Surveying Expedition, 1873-1875. U.S. Nat. Mus., Bull. 13(7):1-172.
- *_____ . 1878. Pelagic Amphipoda. Acad. Nat. Sc. Phila., Proc., pp. 276-290, pl. 2.
- Sudara, S. 1971. The identification and distribution of selected families of planktonic Hyperiids (Crustacea, Amphipoda) in the Gulf of Thailand and the South China Sea. Ph.D. Dissertation, Univ. of Hawaii, 347 pp., 74 figs.
- *Sverdrup, H. et al. 1942. The oceans. Their Physics, Chemistry, and General Biology. Prentice-Hall, Inc., Englewood Cliffs, N.J., x+1087 pp.
- *Tattersall, W. 1906. Pelagic Amphipods of the Irish Atlantic slope. Fish. Ireland Sc. Invest., 1905, No. 4, pp. 1-39, 5 pls.
- Thomson, G. 1879. New Zealand Crustacea with descriptions of new species. N.Z. Inst., Trans. 11:230-248.
- Thomson, G. and C. Chilton. 1886. Critical list of the Crustacea Malacostraca of New Zealand. N.Z. Inst.,

Trans. 18:141-159.

- Thorsteinsen, E. 1941. New or noteworthy Amphipods from the North Pacific coast. Univ. of Wash. Publ. Oceano., 4(2):50-96, 9 pls., 102 figs.
- Vinogradov, M. 1956. Hyperiid (Amphipoda-Hyperidea) of the western region of Bering Sea. Zool. Journ. Acad. Nauk SSSR, 35(2):194-218, 10 figs. (in Russian).
- _____. 1957. Hyperiid (Amphipoda-Hyperidea) of the northwestern region of Pacific Ocean. Trud. Inst. Okeanol., 20:187-227, 19 figs. (in Russian).
- _____. 1960. Hyperidea Physosomata of the tropical Pacific Ocean. Trud. Inst. Okeanol., 41:198-247, 20 figs. (in Russian).
- _____. 1962. Hyperiid collected by the Soviet Antarctic Expedition with the R.V. "Ob" southward from 40°S. Academy of Sc. of the USSR, Zoological Institute. Explorations of the fauna of the seas 1(9), Biological results of the Soviet Antarctic Expedition (1955-1958), 1:5-35, 9 figs. (in Russian).
- _____. 1964. The Hyperidea Physosomata from the northern part of the Indian Ocean. Trud. Inst. Okeanol., 65:107-151, 21 figs. (in Russian, English Summary).
- Vosseler, J. 1901. Die Amphipoden der Plankton-Expedition. I. Theil, Hyperidea 1. Ergebnisse der Plankton-Expedition der Humboldt-Stiftung. Kiel, Leipzig. 2 (G.e.):viii+129, 11 pls.

- *Walker, A. 1904. Report on the Amphipoda collected by Prof. Herdman at Ceylon in 1902. Rept. to Govt. of Ceylon on Pearl Oyster Fisheries in Gulf of Manaar, Roy. Soc. London, 2.
- _____. 1909. The Percy Sladen Trust Expedition to the Indian Ocean in 1905 under the leadership of Mr. J. Stanley Gardiner. Amphipoda Hyperiidea of the "Sealark" Expedition to the Indian Ocean. Linn. Soc. London, Trans. II, Zoology, 13(1):49-55.
- Wilmoth, J. 1967. Biology of Invertebrata. Prentice-Hall, Inc., Englewood Cliffs, N.J., xiii+465 pp.
- Wyrteki, K. 1961. Physical Oceanography of the Southeast Asian waters. Naga Reports, 2:1-195.



VITA

Name: Rachanee Siriyong

Date of birth: October 12, 1949

Place of birth: Bangkok, Thailand

Parentage: Mr. Prasert and Mrs. Boonsong Siriyong

Education: a) Primary education: Mater Dei School
b) Secondary education: Mater Dei School
c) University education: Chulalongkorn
University, Bangkok, Thailand, from
1967 to present

Degrees received: B.Sc. in Marine Biology and Fisheries
(July, 1971)