



เอกสารอ้างอิง

1. ประพاس วีระเทพ ความรู้เรื่องข้าว. งานเผยแพร่และบริการทางวิทยาการ กองวิทยาการ กรมวิชาการเกษตร, 2517.
2. Bourgin, J.P., and Nitsch, J.P. "Obtention de Nicotiana haploids a parties d'etamines culture in vitro." Ann. Physiol. Veg. 9(1967):377 - 382.
3. Chaleff, R.S. "Anther culture as a breeding technique." IRRN. 3(December 1978):2 - 3.
4. Chang, H.Y., Liu, T.M., and Wang, Y.L. "A preliminary observation on histogenesis and organogenesis of the in vitro development from rice microspore into plantlets." Science press (1978):125 - 132.
5. Chen, C.C. "In vitro development of plants from microspore of rice." In Vitro 13 (1977):484 - 489.
6. Chen, C.C., and Lin, M.H. "Induction of rice plantlets from anther culture." Bot. Bull. Acad. Sin 17 (1976):18 - 24.
7. Chu, C.C., Wang, C.C., and Sun, C.S. "Establishment of an efficient medium for anther culture of rice through comparative on the nitrogen source." Scientia Sinica 18 (September 1975):659 - 668.

8. Clapham, D. "In vitro development of callus from the pollen of *Lolium* and *Hordeum*." Z. Pflzücht 65(1971):285 - 292.
9. Guha-Mukherjee, S. "Genotypic differences in the in vitro formation of embryoids from rice pollen." J. Exp. Bot. 24(1973):139 - 144.
10. Guha, S., and Maheshwari, S.C. "In vitro production of embryos from anther of *Datura*." Nature 204 (1964):497.
11. Harn, C. "Studies on the anther culture of rice." Korean J. Breed. (1969):1 - 11.
12. Harn, C. "Studies on anther culture in Solanum nigrum." Sabrao Newsletter 3 (1971):39 - 42.
13. Hu, C., et al. "On the induction condition of rice pollen plantlets in anther culture." Science Press (1978):87 - 95.
14. Iyer, R.D., and Raina, S.K. "The early ontogeny of embryoids and callus from pollen and subsequent organogenesis in anther culture of Datura metel and rice." Planta 104(1972):146 - 156.
15. Konar, R.N. "A haploid tissue from pollen of Ephedra foliata (Boiss.)." Phytomorphology 13 (1963): 170 - 174.

16. Murashige, T., and Skoog, F. "A revised medium for rapid growth and bioassays with tobacco tissue culture." Physiol. Plant. 15 (1962): 473 - 497.
17. Nakata, K., and Tanaka, M. "Differentiation of embryoids from developing germ cells in anther culture of tobacco." Jap. J. Genet. 43 (1968): 65 - 71.
18. Niizeki, H., and Oono, K. "Induction of haploid rice plant from anther culture." Proc. Japan Acad. 44 (June 1968): 554 - 557.
19. Niizeki, H., and Oono, K. "Rice plants obtained by anther culture. In: Les Cultures de tissue de plants." Colloques Internationaux du C.N.R.S. (Paris), No. 193 (1971): 251 - 257.
20. Nitsch, J.P. "Experimental androgenesis in Nicotiana." Phytomorphology 19 (1969): 389 - 404.
21. Sharp, W.R., Dougall, D.K., and Paddock, E.F. "Haploid plantlets and callus from immature pollen grains of Nicotiana and Lycopersicon." Bull. Torry Bot. Club 98 (1971): 219 - 222.
22. Sunderland, N., and Dunwell, J.M. "Pathways in pollen embryogenesis." In Tissue Culture and Plant Science, pp. 141 - 167, 1974.

23. Sunderland, N., and Wicks, F.M. "Embryoid formation in pollen grains of Nicotiana tabacum." J. Exp. Bot. 22 (1971):213 - 226.
24. Tulecke, W.R. "A tissue derived from the pollen of Gingko biloba." Science, N.Y. 117 (1953): 599 - 600.
25. Tulecke, W. "The pollen cultures of C.D. La Rue:A tissue from the pollen of toxin." Bull. Torrey Bot. Club 86 (1959):283 - 289.
26. Tulecke, W.R., and Sehgal, N. "Cell proliferation from the pollen of Torreya nucifera." Contr. Boyce Thompson Inst. Pl. Res. 22 (1963):153 - 163.
27. Wang, C.C., et al. "Studies on the albino plantlets of rice." Science Press (1978):149 - 160.
28. Wenzel, G., Hoffman, F., and Thomas, E. "Increased induction and doubling of androgenetic haploid rye." Theor. Appl. Genet. 15 (1977):19 - 24.
29. Woo, S.C., Mok, T., and Huang, J.Y. "Anther culture of Oryza sativa L. and Oryza perennis Moench hybrids." Bot Bull. Acad. Sin. 19 (May 1978): 171 - 178.

ประวัติการศึกษา

นายอุ่น นวนันชย์ สำเร็จการศึกษาชั้นวิทยาศาสตรบัณฑิตจากมหาวิทยาลัย
ศิลปากร ในปีการศึกษา 2519 และได้รับปริญญามหาบัณฑิตทางวิทยาศาสตร์
ภาควิชาพฤกษศาสตร์ เมื่อปีการศึกษา 2520 โดยได้รับทุนอุดหนุนการวิจัยจากบัณฑิตวิทยาลัย
ชุมพลงกรณ์มหาวิทยาลัย

