

#### REFERENCES

- Ashton, J.H., Iwamoto, G.A. and Longhurst, J.C.(1982). Reflex cardiovascular depression induced by capsaicin injection into canine liver. Am. J. Physiol. 242 : H 955 - H 960.
- Bond, S.M., Cervero, F. and McQueen, D.S.(1982). Influence of neonatally administered capsaicin on baroreceptor and chemoreceptor reflexes in the adult rat. Br. J. Pharmacol. 77 : 517 - 524.
- Buck, S.H. and Burks, T.F.(1983). Capsaicin : hot new pharmacological tool. Trends Pharmacol. Sci. 4 : 84 - 87.
- Chudapongse, P. and Janthasoot, W.(1976). Studies on the effect of capsaicin on metabolic reactions of isolated rat liver mitochondria. Toxicol. Appl. Pharmacol. 37 : 263 - 270.
- Coleridge, H.M., Coleridge, J.C.G. and Kidd, C.(1964). Role of the pulmonary arterial baroreceptors in the effects produced by capsaicin in the dog.J. Physiol. (Lond.) 170 : 272 - 285.
- Coote, J.H., Hilton, S.M. and Perez-Gonzalez, J.F.(1971). The reflex nature of the pressor response to muscular exercise. J. Physiol. (Lond.) 215 : 789 - 804.
- Crayton, S.C., Aung-Din, R., Fixler, D.E. and Mitchell, J.H.(1979). Distribution of cardiac output during isometric exercise. Am. J. Physiol. 236 : H 218 - H 224.

- Crayton, S.C., Mitchell, J.H. and Payne, F.C.(1981). Reflex cardiovascular response during injection of capsaicin into skeletal muscle. Am. J. Physiol. 240 : H 315 - H 319.
- Cuello, A.C. and Kanazawa, I.(1978). The distribution of substance P immunoreactive fibers in the rat central nervous system. J. Comp. Neurol. 178 : 129 - 156.
- Fleckenstein, A.(1977). Specific pharmacology of calcium in myocardium, Cardiac Pacemakers, and vascular smooth muscle. Annu. Rev. Pharmacol. Toxicol. 17 : 149 - 166.
- Fukuda, N. and Fujiwara, M.(1969). Effect of capsaicin on the guinea-pig isolated atrium. J. Pharm. Pharmac. 21 : 622 - 624.
- Furness, J.B., Elliott, J.M., Murphy, R., Costa, M. and Chalmers, J.P.(1982 a). Baroreceptor reflexes in conscious guinea-pigs are unaffected by depletion of cardiovascular substance P nerves. Neurosci. Lett. 32 : 285 - 290.
- Furness, J.B., Papka, R.E., Della, N.G., Costa, M. and Eskay, R.L. (1982 b). Substance P - like immunoreactivity in nerves associated with the vascular system of guinea-pigs. Neuroscience 7 : 447 - 459.
- Gamse, R., Holzer, P. and Lembeck, F.(1980). Decrease of substance P in the primary afferent neurons and impairment of neurogenic plasma extravasation by capsaicin. Brit. J. Pharmacol. 68 : 207 - 213.

Gamse, R., Leeman, S.E., Holzer, P. and Lembeck, F.(1981). Differential effects of capsaicin on the content of somatostatin, substance P, and neurotensin in the nervous system of the rat. Naunyn-Schmied. Arch. Pharmacol. 317 : 140 - 148.

Gillis, R.A., Helke, C.J., Hamilton, B.L., Norman, W.P. and Jacobowitz, D.M.(1980). Evidence that substance P is a neurotransmitter of baro- and chemoreceptor afferents in nucleus tractus solitarius. Brain Res. 181 : 476 - 481.

Guzman, F., Braun, C. and Lim, RKS.(1962). Visceral pain and the pseudoaffective response to intra-arterial injection of bradykinin and other algescic agents. Arch. Int. Pharmacodyn. 136 ; 353 - 384.

Haeusler, G. and Osterwalder, R.(1980 a). Is substance P the transmitter at the first synapse of the baroreceptor reflex in rats and cats ? Clin. Sci. 59 : 295 - 297s.

Haeusler, G. and Osterwalder, R.(1980 b). Evidence suggesting a transmitter of neuromodulatory role for substance P at the first synapse of the baroreceptor reflex. Naunyn-Schmied. Arch. Pharmacol. 314 : 111 - 121.

Helke, C.J., O' Donohue, T.L. and Jacobowitz, D.M.(1980). Substance P as a baro- and chemoreceptor afferent neurotransmitter : immunocytochemical and neurochemical evidence in the rat. Peptides 1 : 1 - 9.

- Higgins, T.J.C., Allsopp, D. and Bailey, P.J.(1981). Mechanisms of stimulation of rat cardiac muscle by 5-hydroxytryptamine. Biochem. Pharmacol. 30 : 2703 - 2707.
- Hodge, F.D.(1941). The Chemistry of capsicum. Drug Cosmet. Ind. 49 : 516.
- Jancsó, G., Kiraly, E. and Jancsó - Gabor, A.(1977). Pharmacologically induced selective degeneration of chemosensitive primary sensory neurons. Nature 270 : 741 - 743.
- Jancsó, G. and Such, G.(1983). Effects of capsaicin applied perineurally to the vagus nerve on cardiovascular and respiratory functions in the cat. J. Physiol. (Lond.) 341 : 359 - 370.
- Jessell, T.M., Iversen, L.L. and Cuello, A.C.(1978). Capsaicin induced depletion of substance P from primary sensory neurons. Brain Res. 152 : 183 - 188.
- Kaufman, M.P., Inwamoto, G.A., Longhurst, J.C. and Mitchell, J.H. (1982). Effects of capsaicin and bradykinin on afferent fibers with ending in skeletal muscle. Circ. Res. 50 : 133 - 139.
- Kulakowski, E.C., Lampson, W.G., Schaffer, S.W. and Lovenberg, W. (1983). Action of substance P on the working rat heart. Biochem. Pharmacol. 32 : 1097 - 1100.
- Lille, J. de. and Ramirez, E.(1935). Pharmacodynamic action of the active principles of chillie (Capsicum annum I.) Anales. Inst. Biol. (Mex.) 6 : 23 - 27.



- Limlomwongse, L., Chaitaichong, C. and Tongyai, S.(1979). Effect of capsaicin on gastric acid secretion and mucosal blood flow in the rat. J. Nutr. 109 : 773 - 777.
- Ljungdahl, A., Hokfelt, T. and Nilsson, G.(1978). Distribution of substance P-like immunoreactivity in the central nervous system of the rat. 1. Cell bodies and nerve terminals. Neurosci. 3 : 861 - 943.
- Longhurst, J.C., Ashton, J.H. and Iwamoto, G.A.(1980). Cardiovascular reflexes resulting from capsaicin-stimulated gastric receptors in anesthetized dogs. Circ. Res. 46 : 780 - 788.
- Lopez, H.P., Haeusler, G. and Aepli, L.(1981). The capsaicin treated rat : a suitable model to study the role of substance P in baroreceptor reflex function ? Neurosci. Lett. Suppl. 7 : 520s.
- Lundberg, J.M., Hokfelt, T., Nilsson, G., Terenius, L., Rehfeld, J., Elde, R. and Said, S.(1978). Peptide neurons in the vagus, splanchnic and sciatic nerves. Acta Physiol. Scand. 104 : 449 - 501.
- McCloskey, D.I. and Mitchell, J.H.(1972). Reflex cardiovascular and respiratory responses originating in exercising muscle. J. Physiol. (Lond.) 224 : 173 - 186.
- Mitchell, J.H., Reardon, W.C. and McCloskey, D.I.(1977). Reflex effects on circulation and respiration from contracting skeletal muscle. Am. J. Physiol. 233 : H 374 - H 378.

- ✓ Molnar, J., Gyorgy, L., Unyi, G. and Kenyers, J. (1969). Effect of capsaicin on the isolated ileum and auricle of the guinea-pig. Acta Physiol. Acad. Sci. Hung. 35 : 369 - 374.
- Nagy, J.I. (1982). Capsaicin's action on the nervous system. Trends Neurosci. 5 : 362 - 365.
- Nagy, J.I., Vincent, S.R., Staines, W.A., Fibiger, H.C., Reisine, T.D. and Yamamura, H.I. (1980). Neurotoxic action of capsaicin on spinal substance P neurons. Brain Res. 186 : 435 - 444.
- ✓ Nelson, E.K. and Dawson, L.E. (1923). The constitution of capsaicin, the pungent principle of capsicum. J. Amer. Chem. Soc. 45 : 2179.
- \*Ordway, G.A. and Longhurst, J.C. (1983). Cardiovascular reflexes arising from the gallbladder of the cat. Effects of capsaicin, bradykinin and distension. Circ. Res. 52 : 26 - 35.
- ✓ Pang, D.C. and Sperelakis, N. (1983). Nifedipine, Diltiazem, bepridil and verapamil uptakes into cardiac and smooth muscles. Eur. J. Pharmacol. 87 : 199 - 207.
- Pang, D.C. and Sperelakis, N. (1984). Uptake of calcium antagonistic drugs into muscles as related to their lipid solubilities. Biochem. Pharmacol. 33 : 821 - 826.
- Papka, R.E., Furness, J.B., Della, N.G. and Costa, M. (1981). Depletion by capsaicin of substance P - immunoreactivity and acetylcholinesterase activity from nerve fibers in the guinea-pig heart. Neurosci. Lett. 27 : 47 - 54.

- Pongprayoon, U.(1983). Cardiac actions of capsaicin. M.S. Thesis, Mahidol University.
- Porszasz, J., Gyorgy, L. and Porszasz - Gibiszer, K.(1955). Cardiovascular and respiratory effects of capsaicin. Acta. Physiol. Acad. Sci. Hung. 8 : 61 - 76.
- Porszasz, J., Such, G. and Porszasz - Gibiszer, K.(1957). Circulatory and respiratory chemoreflexes. I, Analysis of the site of action and receptor types of capsaicin. Acta Physiol. Acad. Sci. Hung. 12 : 189 - 205.
- Reinecke, M., Weihe, E. and Forssmann, W.G.(1980). Substance P - immunoreactive nerve fibers in the heart. Neurosci. Lett. 20 : 265 - 269.
- Scadding, J.W.(1980). The permanent anatomical effects of neonatal capsaicin on somatosensory nerves. J. Anat. 131 : 473 - 484.
- Singh, B.N., Collett, J.T. and Chew, C.Y.C.(1980). New perspectives in the pharmacologic therapy of cardiac arrhythmias. Prog. Cardiovasc. Dis. 22 : 243 - 268.
- Sirsat, S.M. and Khanolkar, V.R.(1960). Submucous fibrosis of the palate in diet-preconditioned wistar rats. (Introduction by local painting of capsaicin - An optical and electron microscope study). Arch. Pathol. 70 : 171 - 179.
- Talman, W.J. and Reis, D.J.(1981). Baroreflex actions of substance P microinjected into the nucleus tractus solitarius in rat : a consequence of local distortion. Brain Res. 220 : 402 - 407.

- Tantipongse, G.(1983). Effect of capsaicin on the rate and contractile force of isolated rat atria. M.S. Thesis, Chulalongkorn University.
- Toda, N., Usui, H., Nishino, N. and Fujiwara, M.(1972). Cardiovascular effects of capsaicin in dogs and rabbits. J. Pharmacol. Exp. Ther. 181 : 512 - 521.
- Toh, C.C., Lee, T.S. and King, A.K.(1955). The pharmacological actions of capsaicin and analogues. Br. J. Pharmacol. 10 : 175 - 182.
- Ueno, A.(1971). Cardiovascular action of capsaicin in anesthetized dogs and unanesthetized dogs with radiotelemeter. Nippon Yakurigaku Zasshi 67 : 572 - 579.
- Virus, R.M. and Gebhart, G.F.(1979). Pharmacologic actions of capsaicin : apparent involvement of substance P and serotonin. Life Sci. 25 : 1273 - 1284.
- Webb - Peplow, M.D., Brender, D. and Shepherd, J.T.(1972). Vascular responses to stimulation of receptors in muscle by capsaicin. Am. J. Physiol. 222 : 189 - 195.
- Yaksh, T.L., Farb, D.H., Leeman, S.E. and Jessel, T.M.(1979). Intrathecal capsaicin depletes substance P in the rat spinal cord and produces prolonged thermal analgesia. Science 206 : 481 - 483.
- Zsoter, T.T.(1980). Appraisal and reappraisal of cardiac therapy. Am. Heart J. 99 : 805 - 810.



VITA

Miss Rachanee Naiwatanakul was born on 27<sup>th</sup> August 1958 in Bangkok, Thailand. She received her high school certificate from Triam-Udom Suksa School, Bangkok in 1976 and her B.Sc. from Mahidol University, Bangkok in 1980.

