

องค์ประกอบทางเคมีในลำต้นสะคานพู

นาย สันทิภูมิ เลิศยนต์ชีพ



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต

ภาควิชาเคมี

บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

พ.ศ. 2539

ISBN 974-633-265-1

ลิขสิทธิ์ของบัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

I 16990584

CHEMICAL CONSTITUENTS OF THE STEMS OF
Piper ribesoides Wall.

Mr.Santast Lertyoncheap

A Thesis Submitted in Partial Fulfillment of the Requirement
for the Degree of Master of Science

Department of Chemistry

Graduate School

Chulalongkon University

1996

ISBN 974-633-265-1

Thesis Title CHEMICAL CONSTITUENTS OF THE STEMS OF
Piper ribesoides Wall.
By Mr. Santast Lertyoncheap
Department Chemistry
Thesis Advisor Assistant Professor Somchai Pengprecha, Ph.D.

.....
Accepted by the Graduate School, Chulalongkorn University in Partial
Fulfillment of the Requirements for the Master's Degree

Thesis Committee

Siri Varothai

Chairman

(Associate Professor Siri Varothai, Ph.D.)

Somchai Pengprecha

Thesis Advisor

(Assistant Professor Somchai Pengprecha, Ph.D.)

Padet Sidisunthorn

Member

(Professor Padet Sidisunthorn, Ph.D.)

Supa Thebpatiphat

Member

(Associate Professor Supa Thebpatiphat)

พิมพ์ต้นฉบับทั้งหมดโดยวิทยานิพนธ์ภายนอกในกรอบสีเขียวนี้เพียงแผ่นเดียว

ต้นหัวข้อ เลิศยนดีชีพ : องค์ประกอบทางเคมีของลำต้นสะคานพลู

(CHEMICAL CONSTITUENTS OF THE STEMS OF *Piper ribesoides* Wall.)

อาจารย์ที่ปรึกษา : ผศ.ดร.สมใจ เพ็งปรีชา, 140 หน้า . ISBN 974-633-265-1

นำลำต้นสะคานพลูที่แห้ง มาสกัดด้วยตัวทำละลายอินทรีย์ นำสิ่งสกัดที่ได้มาแยกด้วยcold-matting chromatographyแบบรวดเร็ว สามารถแยกสารประกอบได้ 7 ชนิด จากสมบัติทางกายภาพและข้อมูลทางสเปกโตรสโคปีสามารถทราบโครงสร้างทางเคมีของสารประกอบได้ 7 ชนิด คือ methyl-5-(3',4'-methylenedioxyphenyl)penta-2,4-dienoate (m.p. 141-143°C, C₁₃H₁₂O₄, ผลีกรูปเป็นสีเหลือง), 2-(3'-hydroxy-4'-methoxyphenyl)-3-methyl-5-trans-propenyl-7-methoxybenzofuran (m.p. 102-105°C, C₂₀H₂₀O₄, ของแข็งสีขาว), 2-(3',4'-methylenedioxphenyl)-3-methyl-5-trans-propenyl-7-methoxybenzofuran (m.p. 146-148°C, C₂₀H₁₈O₄, ผลีกรูปเป็นสีขาว), (-)-borneol p-hydroxycinnamide (m.p. 153-154°C, C₁₉H₂₄O₃, ผลีกรูปเป็นสีขาว), heteropeucenin-8-methyether (m.p. 105-107°C, C₁₆H₁₈O₄, ผลีกรูปเป็นสีเหลือง), crotepoxide (m.p. 149-150°C, C₁₈H₁₈O₈, ของแข็งสีขาว) และ N-isobutyl-13-(3,4-methylenedioxyphenyl)trideca-2,4,12-trinamide (m.p. 116-117°C, C₂₄H₃₃N₀₃, ผลีกรูปเป็นสีขาว)

ภาควิชา กก
สาขาวิชา กก
ปีการศึกษา ๒๕๓๘

ลายมือชื่อนิสิต พันธุ์รุ๊ฟ พันธุ์พันธุ์
ลายมือชื่ออาจารย์ที่ปรึกษา สล. ID
ลายมือชื่ออาจารย์ที่ปรึกษาร่วม

C625146 MAJOR CHEMISTRY

KEY WORD: CHEMICAL CONSTITUENTS/ Piper ribesoides Wall.

SANTAST LERTYONCHEAP : CHEMICAL CONSTITUENTS OF
THE STEMS OF Piper ribesoides Wall. THESIS

ADVISOR : ASSIST. PROF. SOMCHAI PENGPRECHA,
Ph.D. 140 pp. ISBN 974-633-265-1

The dried stems of Piper ribesoides Wall. were extracted by organic solvents. The crude extracts were separated by flash column chromatography and 7 compounds were obtained. From their physical properties and spectroscopic data. These 7 compounds were identified as a methyl-5-(3',4'-methylenedioxophenyl)penta-2,4-dienoate(m.p.141-143°C, C₁₃H₁₂O₄, yellow needle), 2-(3'-hydroxy-4'-methoxyphenyl)-3-methyl-5-trans-propenyl-7-methoxybenzofuran(m.p.102-105°C, C₂₀H₂₀O₄, white solid), 2-(3',4'-methylenedioxophenyl)-3-methyl-5-trans-propenyl-7-methoxybenzofuran(m.p.146-148°C, C₂₀H₁₈O₄, white needle), (-)-borneol p-hydroxycinnamate(m.p.153-154°C, C₁₉H₂₄O₃, white needle), heteropeucenin-8-methylether(m.p.105-107°C, C₁₆H₁₈O₄, yellow needle), crotepoxide(m.p.149-150°C, C₁₈H₁₈O₃, white solid) and N-isobutyl-13-(3,4-methylenedioxophenyl)trideca-2,4,12-trinamide(m.p.116-117°C, C₂₄H₃₃N₀₃, white needle).

ภาควิชา.....เคมี
สาขาวิชา.....เคมี
ปีการศึกษา.....๒๕๓๘

ลายมือชื่อนิสิต.....ธนกร ภูมิพงษ์
ลายมือชื่ออาจารย์ที่ปรึกษา.....ดร. ใจดี
ลายมือชื่ออาจารย์ที่ปรึกษาร่วม.....

ACKNOWLEDGEMENT



The author would like to express his sincere gratitude to his advisor, Assistant Professor Dr. somchai Pengprecha for his kind help, guidance, correction and encouragement throughout the course of this study. Great appreciation are to all instructors for their comments and suggestions. Moreover, thanks are extended to the Department of Chemistry, Faculty of Science, and the Graduate School, Chulalongkorn University for the financial support.

Deep and sincere gratitude is extended to his parents, his three young sisters and brother and his friends for their understanding, guidance and encouragement throughout the entire period of study.

CONTENTS

	Page
ABSTRACT IN THAI.....	iv
ABSTRACT IN ENGLISH.....	v
ACKNOWLEDGEMENT.....	vi
LIST OF FIGURES.....	ix
LIST OF SCHEMES.....	xii
LIST OF TABLES.....	xiii
LIST OF ABBREVIATIONS.....	xv

CHAPTER

I INTRODUCTION.....	1
II EXPERIMENTALS.....	16
PLANT MATERIALS.....	16
INSTRUMENT AND EQUIPMENT.....	16
CHEMICAL SUBSTANCES.....	17
SEPARATION TECHNIQUES.....	18
DISTILLATION.....	19
EXTRACTION.....	20
ISOLATION TECHNIQUE.....	21
Separation crude hexane extract.....	21
Separation crude chloroform extract.....	23
Separation crude n-butanol extract.....	24

**PURIFICATION AND PROPERTIES OF SUBSTANCES FROM
Piper ribesoides Wall.**

Purification and properties of A.....	25
Purification and properties of B.....	26
Purification and properties of C.....	27
Purification and properties of D.....	28
Purification and properties of E.....	29
Purification and properties of F.....	30
Purification and properties of G.....	31

III RESULT AND DISCUSSION

Structural elucidation of A.....	33
Structural elucidation of B.....	40
Structural elucidation of C.....	37
Structural elucidation of D.....	42
Structural elucidation of E.....	46
Structural elucidation of F.....	50
Structural elucidation of G.....	54

IV CONCLUSION.....	60
---------------------------	----

REFERENCES.....	62
------------------------	----

APPENDIX.....	64
----------------------	----

VITA.....	134
------------------	-----

LIST OF FIGURES

Figure	Page
1 The UV spectrum of A in CHCl ₃	65
2 The IR spectrum of A (KBr).....	66
3 The MASS spectrum of A.....	67
4 The ¹ H-NMR spectrum of A in CDCl ₃	68
5 The ¹³ C-NMR spectrum of A in CDCl ₃	69
6 The ¹³ C-NMR DEPT-135 spectrum of A in CDCl ₃	70
7 The ¹³ C-NMR DEPT-90 spectrum of A in CDCl ₃	71
8 The ¹ H- ¹ H COSY spectrum of A.....	72
9 The ¹ H- ¹ H NOESY spectrum of A.....	73
10 The UV spectrum of B in CHCl ₃	74
11 The IR spectrum of B (KBr).....	75
12 The MASS spectrum of B.....	76
13 The ¹ H-NMR spectrum of B in CDCl ₃	77
14 The ¹³ C-NMR spectrum of B in CDCl ₃	78
15 The ¹³ C-NMR DEPT-135 spectrum of B in CDCl ₃	79
16 The ¹³ C-NMR DEPT-90 spectrum of B in CDCl ₃	80
17 The ¹ H- ¹ H COSY spectrum of B.....	81
18 The ¹ H- ¹ H NOESY spectrum of B.....	82
19 The UV spectrum of C in CHCl ₃	83
20 The IR spectrum of C (KBr).....	84
21 The MASS spectrum of C.....	85
22 The ¹ H-NMR spectrum of C in CDCl ₃	86
23 The ¹³ C-NMR spectrum of C in CDCl ₃	87

Figure	Page
24 The ^{13}C -NMR DEPT-135 spectrum of C in CDCl_3	88
25 The ^{13}C -NMR DEPT-90 spectrum of C in CDCl_3	89
26 The ^1H - ^1H COSY spectrum of C.....	90
27 The ^1H - ^1H NOESY spectrum of C.....	91
28 The UV spectrum of D in CHCl_3	92
29 The IR spectrum of D (KBr).....	93
30 The MASS spectrum of D.....	94
31 The ^1H -NMR spectrum of D in CDCl_3	95
32 The ^{13}C -NMR spectrum of D in CDCl_3	96
33 The ^{13}C -NMR DEPT-135 spectrum of D in CDCl_3	97
34 The ^{13}C -NMR DEPT-90 spectrum of D in CDCl_3	98
35 The ^1H - ^1H COSY spectrum of D.....	99
36 The ^1H - ^1H NOESY spectrum of D.....	100
37 The UV spectrum of E in CHCl_3	101
38 The IR spectrum of E (KBr).....	102
39 The MASS spectrum of E.....	103
40 The ^1H -NMR spectrum of E in CDCl_3	104
41 The ^{13}C -NMR spectrum of E in CDCl_3	105
42 The ^{13}C -NMR DEPT-135 spectrum of E in CDCl_3	106
43 The ^{13}C -NMR DEPT-90 spectrum of E in CDCl_3	107
44 The ^1H - ^1H COSY spectrum of E.....	108
45 The ^1H - ^1H NOESY spectrum of E.....	109
46 The UV spectrum of F in CHCl_3	110
47 The IR spectrum of F (KBr).....	111
48 The MASS spectrum of F.....	112

Figure	Page
49 The ^1H -NMR spectrum of F in CDCl_3	113
50 The ^{13}C -NMR spectrum of F in CDCl_3	114
51 The ^{13}C -NMR DEPT-135 spectrum of F in CDCl_3	115
52 The ^{13}C -NMR DEPT-90 spectrum of F in CDCl_3	116
53 The ^1H - ^1H COSY spectrum of F.....	117
54 The ^1H - ^1H NOESY spectrum of F.....	118
55 The UV spectrum of G in CHCl_3	119
56 The IR spectrum of G (KBr).....	120
57 The MASS spectrum of G.....	121
58 The ^1H -NMR spectrum of G in CDCl_3	122
59 The ^{13}C -NMR spectrum of G in CDCl_3	123
60 The ^{13}C -NMR DEPT-135 spectrum of G CDCl_3	124
61 The ^{13}C -NMR DEPT-90 spectrum of G CDCl_3	125
62 The ^1H - ^1H COSY spectrum of G.....	126
63 The ^1H - ^1H NOESY spectrum of G.....	127
64 <i>Piper ribesoides</i> Wall.	133

LIST OF SCHEMES

Schemes	Page
1 The procedure of extraction.....	21
2 Fragmentation of A.....	128
3 Fragmentation of C.....	129
4 Fragmentation of D.....	130
5 Fragmentation of E.....	131
6 Fragmentation of G.....	132

LIST OF TABLES

Table	Page
1 Summary of research in Chemistry of Piper genus.....	1
2 The result of separation of crude hexane extract.....	22
3 The result of separation of crude chloroform extract.....	23
4 The result of separation of crude n-butanol extract.....	25
5 The Infrared absorption band assignments of A.....	33
6 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of A with those of methyl piperate.....	35
7 Comparison of chemical shifts of ^{13}C -NMR spectrum of A with those of methyl piperate.....	35
8 The Infrared absorption band assignments of C.....	37
9 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of C with those of eupomatene.....	38
10 Comparison of chemical shifts of ^{13}C -NMR spectrum of C with those of eupomatene.....	39
11 The Infrared absorption band assignments of B.....	41
12 The Infrared absorption band assignments of D.....	43
13 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of D with those of (-)-borneol p-hydroxycinnamate.....	44
14 Comparison of chemical shifts of ^{13}C -NMR spectrum of D with those of (-)-borneol p-hydroxycinnamate.....	45
15 The Infrared absorption band assignments of E.....	47
16 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of E with those of heteropeucenin-8-methylether.....	48

Table	Page
17 Comparison of chemical shifts of ^{13}C -NMR spectrum of E with those of heteropeucenin-8-methylether.....	49
18 The Infrared absorption band assignments of F.....	51
19 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of F with those of crotepoxide.....	52
20 Comparison of chemical shifts of ^{13}C -NMR spectrum of F with those of crotepoxide.....	53
21 The Infrared absorption band assignments of G.....	55
22 Comparison of chemical shifts and coupling constants of ^1H -NMR spectrum of G with those of N-isobutyl-13-(3,4-methylenedioxyphenyl)trideca-2,4-trienamide.....	56
23 Comparison of chemical shifts of ^{13}C -NMR spectrum of G with those of N-isobutyl-13-(3,4-methylenedioxyphenyl)trideca-2,4-trienamide.....	57

LIST OF ABBREVIATIONS

Fig.	Figure
R_f	Retardation factor
TMS	Tetramethylsilane
δ	Chemical shift
J	Coupling constant
ppm	Part per million
m.p.	Melting point
TLC	Thin layer chromatography
PTLC	Preparative thin layer chromatography
λ_{\max}	The wavelength at maximum absorption
cm^{-1}	Unit of wavenumber
M^+	Molecular ion in mass spectrum
m/e	Mass to charge ratio
s	Singlet
d	Doublet
dd	Doublet of doublet
ddd	Doublet of doublet of doublet
m	Multiplet
t	triplet
tt	triplet of triplet