



## REFERENCES

- Alloway, B.J.. 1995. The origins of heavy metals in soils. In. Heavy Metals in Soils, Blackie Academic and Professional, London, pp. 38–57.
- AMC, 1999. Chambishi Baseline Environmental Study, vol. 1. African Mining Consultants, Kitwe. 54 pp.
- Bajracharya, R., Lal, R., and Kimble, J.M., 1998. Use of radioactive fallout cesium-137 to estimate soil erosion on three farms in west central Ohio. Soil Science 163, 133–142.
- Beasley, D.B., Huggins, L.F. 1982. ANSWERS. Department of Agricultural Engineering, Purdue University, West Lafayette, USA.
- Bennett, J.P. 1974. Concepts of mathematical modelling of sediment yield. Water Resources Research 10, 485–492.
- Blasco, J., Saenz, V., Gomez-Parra, A. 2000. Heavy-metal fluxes at the sediment– water interface of three coastal ecosystems from south-west of the Iberian Peninsula. Science of the Total Environment 247, 189– 199.
- Boardman, J. and Favis-Mortlock, D.T. 1993. Simple methods of characterising erosive rainfall with reference to the South Downs, southern English. In: Wicherck, S. (eds), Farm Land Erosion in Temperate Plains Environment and Hills, Elsevier, Amsterdam, pp 17-29.
- Brack K., Johammesson L.T., and Stevens R.L. 2001. Accumulation rates and mass calculations of Zn and Hg in recent sediments, Gota alv estuary, Sweden, Environmental Geology 40, 1232-1241.
- Bull L. 1997. Magnitude and variation in the contribution of bank erosion to the suspended sediment load of the river Severn, UK. Earth Surface Processes and Landforms 22: 1109-1123.
- Callaway J.C., Delaune R.D., Patrick JR W.H. 1998. Heavy Metal Chronologies in Selected Coastal Wetlands from Northern Europe, Marine Pollution Bulletin, 36(1). 82-96

- Chague-Goff, C., Rosen, M.R., 2001. Using sediment chemistry to determine the impact of treated wastewater discharge on a natural wetland in New Zealand. Environmental Geology 40 (11 – 12), 1411 – 1423.
- Chappell, A. 1995. The spatial variability of net soil flux in the south– west Niger, West Africa. PhD Thesis, Department of Geography, University College London.
- Chappell, A. 1998. Using remote sensing and geostatistics to map Cs-137-derived net soil flux in the south-west Niger. Journal of Arid Environments 39, 441-455
- Chappell, A. 1999. The limitations of using 137-Cs for estimating soil redistribution in semi-arid environments. Geomorphology 29, 135-152
- Chappell, A., Oliver, M., Warren, A. 1996. Net soil flux derived from multivariate soil property classification in the southwest Niger: a quantified approach based on Cs-137. In: Buerkert, B., Allison, B.E., von Oppen, M. (Eds.), Proceedings of the International Symposium 'Wind Erosion in West Africa: The Problem and Its Control'. Margraf Verlag, Weikersheim, 69– 85.
- Chappell, A., Warren, A., Oliver, M., Charlton, M. 1998. The utility of 137-Cs for measuring soil redistribution rates in south-west Niger. Geoderma 81, 313-337.
- Cheevaporn, V., Jacinto, G.S., San Diego-McGlone, M.L. 1995. Heavy metal fluxes in Bang Pakong River Estuary, Thailand: sedimentary vs. diffusive fluxes. Marine Pollution Bulletin 31 (4– 12), 290– 294.
- Chen, M., Ma, L.Q. and Harris, W.G. 1999. aseline concentrations of 15 trace elements in Florida surface soils. Journal of Environmental Quality 28, pp. 1173–1181.
- Chitrakarn T. et al., 1998. The mathematical model for determination of sedimentation rate in the Songkhla Lake. Songkhla University. [In Thai]
- Chitrakarn T., Pornpinatepong S., Pongsuwan T., Nualnin P. 1997, Mathematical model study for determination of sedimentation rate in Thalaee Sap Songkhla, Songkhla University. [In Thai].
- Collins, A.L., Walling, D.E., Sichingabula, H.M., Leeks, G.J.L. 2001. Using Cs-137 measurements to quantify soil erosion and redistribution rates for areas under land use in the upper Kaleya river basin, Southern Zambia. Geoderma 104, 299– 323.

- Craswell, E.T. 1993. The management of world soil resources for sustainable agricultural production. Pimentel, D. (eds) World Soil Erosion and Conservation. Cambridge University Press, Cambridge. pp 257-276.
- Crowe, A.U., Plant, A.L., Kermod, A.R. 2002. Effects of an industrial effluent on plant colonisation and on germination and post-germinative growth of seeds of terrestrial and aquatic plant species. Environmental Pollution 117, 179–189.
- de Jong, E., Wang, C., Rees, H.W. 1986. Soil redistribution on three cultivated New Brunswick hillslopes calculated from Cs-137 measurements, solum data and the USLE. Canadian Journal of Soil Science 66, 721– 730.
- De Roo, A.P.J. 1993. Modelling Surface Runoff and Soil Erosion in Catchments Using Geographical Information Systems. Faculteit Ruimtelijke Wetenschappen, Universiteit Utrecht, Netherlands.
- Dearing J.A., Jones R. T. 2003. Coupling temporal and spatial dimensions of global sediment flux through lake and marine sediment records. Global and Planetary Change 39, 147–168.
- Dickinson, A., Collins, R. 1998. Predicting erosion and sediment yield at the catchment scale. Soil erosion at multiple scales. CAB Int., 317–342.
- DMR. 2006. The study of Songkhla Lake Watershed Management Project (Geochemical and Surface Erosion Investigation), Department of Mineral Resources, Thailand [In Thai].
- Dunbabin, J.S., Bowmer, K.H. 1990. Potential use of constructed wetlands for treatment of industrial wastewater containing metals. Science of the Total Environment 111, 151– 168.
- ESRI. 2004. Manual of ArcGIS9.0. ESRI. USA.
- European Environment Agency. 1999. Nutrients in European ecosystems, Thyssen N (Ed.). Environmental assessment report 4, European Environment Agency: Copenhagen, Denmark.
- Evans, K.G., Loch, R.J., Aspinall, T.O., Bell, L.C. 1992. Spoil pile erosion prediction— How far have we advanced? In: Third Large Open Pit Mining Conference, Mackay, Queensland, pp. 201–205.

- Evans, R. 1992. Assessing erosion in England and Wales. In: Proceedings 7th ISCO Conference. Sydney, vol. 1 pp 82-91.
- Evans, R. 1993. Extent, frequency and rates of rilling of arable land in localities in Eland and Wales. In: Wicherck, S. (eds), Farm Land Erosion in Temperate Plains Environment and Hills. Elsevier. Amsterdam. pp 177-190.
- Facchinelli A., Sacchi E., and Mallen L. 2000. Multivariate statistical and GIS-based approach to identify heavy metal in soils, Environmental Pollution 114. 313-324.
- Fischer, G., Heilig, G.K., 1997. Population momentum and the demand on land and water resources. Philosophical Transactions of the Royal Society of London, 352, 869– 889.
- Flanagan, D.C., Nearing, M.A. 1995. USDA-Water Erosion Prediction project: Hillslope profile and watershed model documentation, NSERL Report no. 10. USDA-ARS National Soil Erosion Research Laboratory. West Lafayette. IN 47097- 1196.
- Forstner, U. 1983. Assessment of metal pollution in rivers and estuaries. In: Thornton, I. (Ed.), Applied Environmental Geochemistry. Academic Press, London, pp. 395–423.
- Foth HD. 1990. Fundamentals of soil science. Wiley: New York
- Frere, M.H., Ross, J.D., Lane, L.J. 1980. CREAMS, A field scale model for chemicals, runoff, and erosion from agricultural management systems. USDA Conserv. Res. Report 26 (1), 65–85.
- Gabriele, S., Gaudio, R. 1998. Utilizzo di tecniche di telerilevamento per la stima della produzione di sedimenti in un bacino. Proceedings of the XXVI Convegno di Idraulica e Costruzioni Idrauliche. I, Catania, Italy. pp. 295–307.
- Gill, T.E. 1996. Eolian sediments generated by anthropogenic disturbance of playas: human impacts on the geomorphic system and geomorphic impacts on the human system. Geomorphology 17, 207–228.
- Gough, L.P., Severson, L.C. and Jackson, L.L., 1994. Baseline element concentration in soils and plants, Bull Island, Cape Romain, National Wildlife Refuge, South Carolina, USA. Water, Air and Soil Pollution 74, pp. 1–17

- Gregory M. and Schofield I., 2000. Dating methods in the Lake Bonneville Basin, University of Utha.
- Griffin, M.L., Beasley, D.B., Fletcher, J.J., Foster, G.R., 1988. Estimating soil loss on topographically non-uniform field and farm units. J. Soil Water Conserv. 43, 326–331.
- Hairsine, P. & Rose, C., 1992a. Modelling water erosion due to overland flow using physical principles: 2. Rill flow. Water Resources Research 28 (1), 245–250.
- Hairsine, P., Rose, C., 1992b. Modelling water erosion due to overland flow using physical principles: 1. Sheet flow. Water Resources Research 28 (1), 237–293.
- Hammer, D.A., 1990. Constructed Wetlands for Wastewater Treatment: Municipal, Industrial and Agricultural. Lewis Publishers, Chelsea. 831 pp.
- Harper, R.J., Gilkes, R.J., 1994. Evaluation for the Cs-137 technique for estimating wind erosion losses for some sandy western Australian soils. Australian Journal of Soil Science 105, 1369– 1387.
- Harpstead M.I. 2001. Soil science simplified. Iowa State University Press: Ames
- He Q., Walling D.E., Owens P.N. 1995. Interpreting the 137Cs profiles observed in several small lakes and reservoirs in southern England. Chemical Geology 129, 115-131.
- Hensel, H., Bork, H.R., 1988. Computer aided construction of soil erosion and deposition maps. Geol. Jahrb. A 104, 357–371.
- Hillel D. 2004. Introduction to environmental soil physics. Sydney : Elsevier/Academic Press: Amsterdam.
- Holdgate, M.W. 1979. A perspective of environmental pollution. Cambridge.
- Hurni, H. 1985. Soil Conservation Manual for Ethiopia, first draft. Ministry of agriculture, natural resources conservation and development main department, community forests and soil conservation development department. Addis Abeba, Ethiopia, p86.
- Husza`r, T., 1999. Field scale soil erosion modelling using GIS database for a Hungarian watershed, Expert meeting on European watershed characterisation and modelling, JRC, ISPRA.

- Ip C.C.M., Li X.D., Zhang G., Farmer J.G., Waia O.W.H., Lia Y.S. 2004. Over one hundred years of trace metal fluxes in the sediments of the Pearl River Estuary, South China, Environmental Pollution (), 988-999
- Isaksson, S., Sařvestad, A. 1996. Environmental effects from the mining industry on the sediment quality in the Kafue River, Zambia: a geochemical investigation of a tropical river. Master's thesis, Lulea° University of Technology, Lulea°. 83 pp.
- Johns, C. 1995. Contamination of riparian wetlands from past copper mining and smelting in the headwaters region of the Clark-Fork River, Montana, USA. Journal of Geochemical Exploration 52 (1– 2), 193– 203.
- Julien, P.Y., Frenette, M. 1987. Macroscale analysis of upland erosion. Hydrol. Sci. J. 32(3), 347–358.
- Julien, P.Y., Gonzales del Tanago, M. 1991. Spatially varied soil erosion under different climates. Hydrol. Sci. J. 36(6), 511–524.
- Kadlec, R.H., Knight, R.L. 1996. Treatment Wetlands. Lewis Publishers/ CRC Press, New York. 893 pp.
- Kerteřsz, A., Markus, B., Richter, G., 1995. Assessment of soil erosion in small watershed covered by loess. GeoJournal 36(2/3), 285–288. (In Italy with English abstract)
- Kinnell, P., Risse, L. 1998. USLE-M: Empirical modelling rainfall erosion through runoff and sediment concentration. Soil Sci Soc Am J 62 (6), 1667–1672.
- Kohnke H. 1995. 'Soil science simplified. Waveland Press: Prospect Heights, Ill.
- Komex International, 2002. Environmental Assessment of Copper-belt Environment Project. Komex International, Calgary. 173 pp.
- Kosmas, C. et al. 1997. The effect of land use on runoff and soil erosion rates under Mediterranean conditions. Catena, 29:45-59.
- Kothyari, U.C., Jain, S.K. 1997. Sediment yield estimation using GIS. Hydrol. Sci. J. 42(6), 833–843.
- Kronvang, B. 1996. Suspended sediment and nutrient loads: diffuse sources, delivery pathways, fate and management. Ph.D. thesis. National Environmental Research Institute, Denmark.

- Kwong, Y.T.J., Van Stempvoort, D.R. 1994. Attenuation of acid rock drainage in a natural wetland system. *Environmental Geochemistry of Sulphide Oxidation ACS Symposium Series, American Chemical Society*, vol. 550, pp. 382–392.
- Lal, R. 1993. Soil erosion and conservation in West Africa. In: Pimentel, D. (ed) *World Soil Erosion and Conservation. Cambridge University Press*, Cambridge, pp.7-25.
- Lane, L., Nichols, M., Paige, G. 1995. Modeling erosion on hillslopes: Concepts, theory and data. In: *International Congress on Modelling and Simulation Proceedings (Agriculture, Catchment Hydrology and Industry)*, 1. pp. 1–17.
- Lane, L.J., Nearing, M.A. (Eds.). 1989. *Water Erosion Prediction Project Landscape Profile Model Documentation NSERL, Report No. 2*. National Soil Erosion Research laboratory, Agriculture Research Service, U.S. Department of Agriculture, Purdue University, West Lafayette, Indiana.
- Lee S. V., and Cundy A. B., 2001. Heavy Metal Contamination and Mixing Processes in Sediments from the Humber Estuary, Eastern England. *Estuarine, Coastal and Shelf Science* 53, 619–636
- Leeper GW. 1993. *Soil science : an introduction*. Melbourne University Press: Carlton, Vic.
- Li, X., et al. 2000. Heavy metal distribution in sediment profiles of the Pearl River estuary, South China. *Applied Geochemistry* 15, 567–581.
- Limpitlaw, D. 1996. Sediments as indicators of wetland efficacy in ameliorating acid mine drainage. *Journal of the South African Institute of Mining and Metallurgy* 97 (7), 309–316.
- Loch, R.J. & Silburn, D.M. 1996. Constraints to sustainability—soil erosion. In: Clarke, L., Wylie, P.B. (Eds.), *Sustainable Crop Production in the Sub-tropics: an Australian Perspective*. QDPI.
- Lowrance, R., McIntyre, S., Lance, C. 1988. Erosion and deposition in a field/forest system estimated using cesium-137. *Journal of Soil and Water Conservation* 43, 195–199.

- Lu, H., J. Gallant, I.P. Prosser, C. Moran and G. Priestly. 2001. Prediction of sheet and rill erosion over the Australian continent, incorporating monthly soil loss distribution, Technical Report 13/01, CSIRO Land and Water, Canberra, Australia,
- Ludwig, W., Probst, J.-L., Kempe, S. 1996. Predicting the oceanic input of organic carbon by continental erosion. Global Biogeo-chemical Cycles 10, 23– 41.
- Maas, R.P., Smolen, M.D., Dressing, S.A. 1985. Selecting critical areas for non-point source pollution control. J. Soil Water Conserv. 40 (1), 68–71.
- Mays, P.A., Edwards, G.S. 2001. Comparison of heavy metal accumulation in a natural wetland and constructed wetlands receiving acid mine drainage. Ecological Engineering 16 (4), 487– 500.
- Merrit, W.S., Letcher, R.A. & Jakeman, A.J. 2003. A review of erosion and sediment transport models. Environmental Modelling and software 18: 761-799.
- Mesfin Wolde-Mariam. 1972. An Introductory Geography of Ethiopia. Berhanena Selam H.S.I. Printing Press, Addis Abeba, Ethiopia.
- Milliman, J.D. 1990. Fluvial sediment in coastal seas: flux and fate. Nature and Resources 26, 12–22.
- Milliman, J.D., Syvitski, J.P.M. 1992. Geomorphic/tectonic control of sediment discharge to the ocean: the importance of small mountainous rivers. Journal of Geology 100, 525– 544.
- Mohammed H., Yohannes F., Zeleke G. 2004. Validation of agricultural non-point source (AGNPS) pollution model in Kori watershed, South Wollo, Ethiopia. International Journal of Applied Earth Observation and Geoinformation, 6, 97–109
- Moore, R.R. 1979. Rainfall erosivity in east Africa: Kenya, Tanzania, Uganda. Geografiska Annaler, Series A. Physical Geography 61, 147–156.
- Morgan, R.P.C. 1986. Soil Erosion and Conservation. , Longman Scientific & Technical, Hong Kong.
- Mungur, A.S., Shutes, R.B.E., Revitt, D.M., House, M.A. 1995. An assessment of metal removal from highway runoff by a natural wetland. Water Science and Technology 32 (3), 169– 175.



- Nearing, M.A., Lane, L.J., Lopes, V.L. 1994. Modelling soil erosion. In: Lad, R. (Ed.), Soil Erosion: Research Methods, pp. 127–156.
- Newson, M. 1994. Hydrology and the river environment. Oxford University Press.
- Newson, M.D. 1991. Space, time and pollution control: geographical principles in UK public policy. *Area* 23 (1): 5-10.
- Owen, R. B., Sandhu N. 2000. Heavy Metal Accumulation and Anthropogenic Impacts on Tolo Harbour, Hong Kong. Marine Pollution Bulletin. 40 (2), 174-180.
- Owens, P.N., Waling, D.E. & Leeks, G.J.L. 1999. Use of floodplain sediment cores to investigate recent historical changes in overbank sedimentation rates and sediment sources in the catchment of the river Ouse, Yorkshire, UK. Catena 36:21-47.
- Pettersson, U.T., Ingri, J. 2001. The geochemistry of Co and Cu in the Kafue River as it drains the Copperbelt mining area, Zambia. Chemical Geology 177, 399–414.
- Pettersson, U.T., Ingri, J., Andersson, P.S. 2000. Hydrogeochemical processes in the kafue River upstream from the Copperbelt Mining Area, Zambia. Aquatic Geochemistry 6 (4), 385– 411.
- Pilotti, M., Gandolfi, C., Bischetti, G.B., Bacchi, B. 1996. Determinazione distribuita del contributo di versante al trasporto solido in sospensione per un bacino alpino, Proceedings of the XXV Convegno di Idraulica e Costruzioni Idrauliche, Torino, Italy, 1, 438–449. [In Italy with English abstract].
- Pimentel, D. 1993. World Soil Erosion and Conservation. Cambridge University Press, Cambridge.
- Pongsuwan, T., Pongsuwan D. 2003. Heavy metals variation in outer part of Songkhla Lake. Songkhla University.
- Pu, L.J., Bao, H.S., Peng, B.Z., Higgitt, D.L. 1998. Preliminary study on the potential of using Cs-137 to estimate soil erosion rates in wind eroded area, China: case study on the Korla, Xinjiang Autonomous Region. Acta Pedologica Sinica 35, 441– 449 (in Chinese with English abstract).

- Renard, K.G., et al., 1997. Predicting soil erosion by water: a guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE), USDA-ARS, Agricultural Handbook, no. 703.
- Renard, K.G., Foster, G.R., Weesies, G.A., Porter, J.P., 1991. Revised universal soil loss equation (RUSLE). J. Soil Water Conserv. 46(1): 30–33.
- Renard, K.G., J.M. Laflen, G.R. Foster and D.K. McCool. 1994. The revised universal soil loss equation, Soil Erosion Research Methods, 2nd ed, Soil and Water Conservation Society and St. Lucie press, 105 – 124, USA.,
- Ritchie, J.C., and McHenry, J.R., 1990. Application of Radioactive fallout-caesium-137 for measuring soil erosion and sediment accumulation rates and patterns: a review. Journal of Environmental Quality 19, 215-233.
- Ritchie, J.C., Spraberry, J.A., McHenry, J.R., 1974. Estimating soil erosion from the redistribution of fallout Cs- 137. Soil Science Society of America Proceedings 38, 137–139.
- Rogowski, A.S., Tamura, T., 1965. Movement of cesium-137 by runoff, erosion and infiltration on the alluvial Captina silt loam. Health Physics 11, 1333–1340.
- Rose, C.W., 1993. Erosion and sedimentation. In: Bonell, M., Hufschmidt, M.M., Gladwell, J.S. (Eds.), Hydrology and Water Management in the Humid Tropics: Hydrological Research Issues and Strategies for Water Management. Cambridge University Press, p. 301–343.
- Rosewell, C.J., 1993. SOILOSS: a program to assist in the selection of management practices to reduce erosion, Department of Conservation and Land Management, Gunnedah, Australia,
- Rubæk, G.H., Djurhuus, J., Heckrath, G., Olesen, S.E. & Østergaard, H.S. 2000. Are Danish soils saturated with phosphorus? In: Jacobsen, O.H. & Kronvang, B. (Eds.), Phosphorus loss from agricultural areas to the aquatic environment. DJF report no. 34, p. 17-30 (In Danish).
- Ryan, P.J., McKenzie, N.J. 1997. Digital terrain attributes and erosion modelling for forests. In: Erosion in Forests Workshop, Cooperative Research Centre for Catchment Hydrology,

- Ryszkowski, L. 1993. Soil erosion and conservation in Poland. Pimentel, D. (eds) World Soil Erosion and Conservation. Cambridge University Press, Cambridge. pp 217-232.
- Santschi, P.H. and Honeyman, B.D. 1989. Radionuclides in aquatic environments. Radiat. Phys. Chem. 34(2), pp. 213–240.
- Schauble. 1999. Erosionsprognosen mit GIS und EDV—Ein Vergleich verschiedener Bewertungskonzepte am Beispiel einer Ga'ulandschaft. Geographisches Institut, Universität Tübingen, Germany. (in German)
- Singh, V.P. (Ed.), 1995. Computer Models of Watersheds Hydrology. Water Resources Publications, Colorado, 1119 p.
- Sivertun A. , Prange L. 2003. Non-point source critical area analysis in the Gisselo" watershed using GIS. Environmental Modelling & Software 18, 887–898.
- Small, C., Gornitz, V., Cohen, J.E. 2000. Coastal hazards and the global distribution of human population. Environmental Geosciences 7, 3–12.
- Smith A., Woodroffe C., and Baumber A. 2002. Modelling of sediment input Coastal Lakes. Coast to Coast 2002. Queensland, Australia.
- Sobolewski, A. 1996. Metal species indicate the potential of constructed wetlands for long-term treatment of metal mine drainage. Ecological Engineering 6, 259–271.
- Sutherland, R.A., de Jong, E. 1990. Estimation of sediment redistribution within agricultural fields using caesium-137, Crystal Springs, Saskatchewan, Canada. Applied Geography 10, 205– 213.
- Sutherland, R.A., Kowalchuk, T., de Jong, E. 1991. Cesium-137 estimates of sediment redistribution by wind. Soil Science 151, 387– 396.
- Swan, A. S, 1995. Introduction to geological data analysis, Blackwe; Science Ltd. USA. 446 pp.
- Tessier, A., Campbell, P. 1988. Partitioning of trace metals in sediments. In: Kramer, J.R., Allen, H.E. (Eds.), Metal Speciation: Theory, Analysis and Application. Lewis Publishers, Chelsea, MI, USA, pp. 183– 199.

- Vallius H. 1999. Heavy metal deposition and variation in sedimentation rate within a sedimentary basin in central gulf of Finland. Chemosphere. Vol.38 No. 9. Pergamond. 1959-1972.
- VROM. Intervention and target values-soil quality standards [online]. 2001. Available from <http://www.minvrom.nl/minvrom/docs/docs/bodem/annexS&I2000.pdf>
- Walling, D.E., Quine, T.A., 1992. The use of caesium-137 measurements in soil erosion surveys. In: Bogen, J., Walling, D.E., Day, T. (Eds.), Erosion and Sediment Transport Monitoring Programmes in River Basins (Proceedings of Oslo Symposium, August 1982) IAHS Publication, vol. 210. International Association of Hydrological Sciences, Wallingford, Oxfordshire, UK, 143– 152.
- Wang X. S, Qin Y., Sang S. X. 2005. Accumulation and sources of heavy metals in urban topsoils: a case study from the city of Xuzhou, China. Environmental geology 48: 101–107.
- Wen, D. 1993. Soil erosion and conservation in China. Pimentel, D. (eds) World Soil Erosion and Conservation. Cambridge University Press, Cambridge. pp 63-86.
- Williams, J.R., Berndt, H.D., 1972. Sediment yield computed with Universal Equation. J. Hydrol. Div., ASCE 98(12), 2087–2098.
- Williams, J.R., Berndt, H.D., 1977. Sediment yield prediction based on watershed hydrology. Trans. ASAE, 1100–1104.
- Wilson, J.P., 1986. Estimating the topographic factor in the Universal Soil Loss Equation for watershed. J. Soil Water Conserv. 41(3), 179–184.
- Wischmeier, W.H., Smith, D.D., 1978. Predicting Rainfall Erosion Losses. Agricultural Handbook 537. US Department of Agriculture, Washington, DC, USA.
- Wise, G.J. 1980. Caesium-137 and lead-219: a review of the techniques and some applications in geomorphology. In: Cullingford, R.A., Davison, D.A., Lewin, J (Eds.), Timescales in Geomorphology, Wiley, Chichester, 109-127.
- Yan, P., Dong, Z., Dong, G., Zhang, X., Zhang, Y. 2001. Preliminary results of using Cs-137 to study wind erosion in the Qinghai–Tibet Plateau. Journal of Arid Environments 47, 443– 452.

- Young R. A., Onstad C. A., Bosch D. D. and Anderson W. P., 1986. AGNPS Agricultural Nonpoint Source Pollution Model, a watershed analysis tool. Conservation Research Report 35, US Department of Agriculture, Washington, DC, USA
- Young, R.A., Onstand, C.A., Bosch, D.D., Anderson, W.P., 1989. AGNPS. A non-point source pollution model for evaluating agricultural watersheds. J. Soil Water Conserv. 44 (2), 168–173
- Zhang C., Selinus O., and Kjellstrom G. 1999. Discrimination between natural background and anthropogenic pollution in environmental geochemistry - exemplified in an area of south-eastern Sweden. The Science of Total Environment 243. 129 – 140.

## BIOGRAPHY

Mr. Rottana Ladachart was born on June 6, 1979 in Hat Yai, Songkhla, Thailand. He obtained his B.Sc. (Geology) in 1999 and M.Sc. (Geology) in 2002 from Department of Geology, Faculty of Science, Chulalongkorn University. He started his Ph.D. degree in International Programs in Environmental Management, Chulalongkorn University in 2004.

