

## References

- Barros J.E., French J.C., Martin W.N., Kelly P.M. and Cannon T.M. Using the triangle inequality to reduce the number of comparisons required for similarity-based retrieval. In Storage and Retrieval for Image and Video Databases (SPIE). pp. 392–403.
- Belongie S. and Malik J. Matching with shape contexts. Content-based Access of Image and Video Libraries, 2000. Proceedings. IEEE Workshop on (2000): 20–26.
- Chatpatanasiri R., Korsrilabutr T., Tangchanachaianan P. and Kijirikul B. On kernelization of supervised mahalanobis distance learners (2008). URL <http://www.citebase.org/abstract?id=oai:arXiv.org:0804.1441>.
- Chen L. and Ng R. On The Marriage of Lp-norms and Edit Distance (2004).
- Ciaccia P., Patella M. and Zezula P. M-tree: An efficient access method for similarity search in metric spaces. In VLDB '97: Proceedings of the 23rd International Conference on Very Large Data Bases. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA. ISBN 1-55860-470-7, pp. 426–435.
- Cover T. and Hart P. Nearest neighbor pattern classification. IEEE Transactions on Information Theory, 13(1) (January 1967): 21–27.
- Devroye L., Györfi L. and Lugosi G. A Probabilistic Theory of Pattern Recognition. Springer (1996).
- Dohnal V., Gennaro C., Savino P. and Zezula P. D-index: Distance searching index for metric data sets. Multimedia Tools Appl., 21(1) (2003): 9–33.
- Espinola R. and Khamsi M. Introduction to hyperconvex spaces. Handbook of Metric Fixed Point Theory (2001): 391–435.
- Fagin R. and Stockmeyer L. Relaxing the triangle inequality in pattern matching. Int. J. Comput. Vision, 30(3) (1998): 219–231.
- Fix E. and Hodges J. L. J. Discriminatory analysis: Nonparametric discrimination: Consistency properties. Technical Report Project 21-49-004, Re-

- port Number 4, USAF School of Aviation Medicine, Randolph Field, Texas (1951).
- Fix E. and Hodges J. L. J. Discriminatory analysis. nonparametric discrimination: Consistency properties. International Statistical Review / Revue Internationale de Statistique, 57(3) (1989): 238–247 URL <http://www.jstor.org/stable/1403797>.
- Goldberger J., Roweis S., Hinton G. and Salakhutdinov R. Neighbourhood components analysis. In L.K. Saul, Y. Weiss and I. Bottou, editors, Advances in Neural Information Processing Systems 17. MIT Press, Cambridge, MA (2005): pp. 513–520.
- Guttman A. R-trees: a dynamic index structure for spatial searching. In SIGMOD '84: Proceedings of the 1984 ACM SIGMOD international conference on Management of data. ACM, New York, NY, USA. ISBN 0-89791-128-8, pp. 47–57.
- Itakura F. Minimum prediction residual principle applied to speech recognition. IEEE Trans. Acoustics, Speech and Signal Processing, ASSP-23(1) (February 1975): 67–72.
- Keogh E. and Ratanamahatana A. Everything you know about dynamic time warping is wrong. 3rd Workshop on Mining Temporal and Sequential Data, in conjunction with 10th ACM SIGKDD Int. Conf. Knowledge Discovery and Data Mining (KDD-2004), Seattle, WA.
- Keogh E. and Ratanamahatana C.A. Exact indexing of dynamic time warping. Knowl. Inf. Syst., 7(3) (2005): 358–386.
- Keogh E., Xi X., Wei L. and Ratanamahatana C.A. The UCR Time Series Classification/Clustering Homepage (2006). URL [www.cs.ucr.edu/~eamonn/time\\_series\\_data/](http://www.cs.ucr.edu/~eamonn/time_series_data/).
- Levenshtein V.I. Binary Codes Capable of Correcting Deletions, Insertions and Reversals. Soviet Physics Doklady, 10 (February 1966): 707–+.
- Rabiner L.R., Rosenberg A.E. and Levinson S.E. Considerations in dynamic time warping algorithms for discrete word recognition. The Journal of the Acoustical Society of America, 63(S1) (1978): S79–S79.

- Roussopoulos N., Kelley S. and Vincent F. Nearest neighbor queries. In SIGMOD '95: Proceedings of the 1995 ACM SIGMOD international conference on Management of data. ACM Press, New York, NY, USA. ISBN 0-89791-731-6, pp. 71–79.
- Sakoe H. and Chiba S. Dynamic programming algorithm optimization for spoken word recognition. IEEE Trans. Acoustics, Speech and Signal Processing, 26(1) (February 1978): 43–49.
- von Luxburg U. and Bousquet O. Distance-based classification with lipschitz functions. J. Mach. Learn. Res., 5 (2004): 669–695 URL <http://portal.acm.org/citation.cfm?id=1005332.1005357>.
- Waterman M., Smith T. and Beyer W. Some biological sequence metrics. Adv. Math, 20(4) (1976): 367–387.
- Weinberger K., Blitzer J. and Saul L. Distance metric learning for large margin nearest neighbor classification. Advances in Neural Information Processing Systems, 18 (2006): 1473–1480 URL [http://books.nips.cc/papers/files/nips18/NIPS2005\\\_0265.pdf](http://books.nips.cc/papers/files/nips18/NIPS2005\_0265.pdf).
- Welch B.L. Note on discriminant functions. Biometrika, 31(1/2) (1939): 218–220 URL <http://www.jstor.org/stable/2334985>.
- Zhang W., Xue X., Sun Z., Guo Y.F. and Lu H. Optimal dimensionality of metric space for classification. In ICML '07: Proceedings of the 24th international conference on Machine learning. ACM Press, New York, NY, USA. ISBN 9781595937933, pp. 1135–1142. URL <http://portal.acm.org/citation.cfm?id=1273496.1273639>.

## Biography

Teesid Korsrilabutr was born in Khon-Kaen, Thailand, on February 23, 1983. He received Bachelor Degree of Engineering from Chulalongkorn University since April, 2005. His interests include Mahalanobis metric learning, metric learning in more general senses, dimensionality reduction, kernel methods for pattern recognition, and inductive logic programming.