

REFERENCES

- Afonso, A., Hunt, P., Cheesman, S., Alves, A. C., Cunha, C. V., do Rosa'rio, V. and Cravo, P. 2006. Malaria Parasites Can Develop Stable Resistance to Artemisinin but Lack Mutations in Candidate Genes *atp6* (Encoding the Sarcoplasmic and Endoplasmic Reticulum Ca₂₊ ATPase), *tctp*, *mdr1*, and *cg10*. *ANTIMICROBIAL AGENTS AND CHEMOTHERAPY* :480–489.
- Andreas Kaunzner. 1998. http://members.aol.com/akaunzner/karten/thail_m.htm
- Bannister, L. H., Hopkins, J. M., Dluzewski, A. R., Margos, G., Williams, I. T., Blackman, M. J., Kocken, C. H., Thomas, A. W. and Mitchell, G. H. 2003. Plasmodium falciparum apical membrane antigen 1 (PfAMA-1) is translocated within micronemes along subpellicular microtubules during merozoite development. *Journal of Cell Science* 116 (18) :3825 -3834.
- Bannister, L. H., Hopkins, J. M., Fowler, R. E., Krishna, S. and Mitchell, G. H. 2001. A brief illustrated guide to the ultrastructure of *Plasmodium falciparum* asexual blood stages. *Parasitol Today* 16: 427-433.
- Basco, L.K., Marquet, F., Makler, M.M. and Le Bras, J. 1995. *Plasmodium falciparum* and *Plasmodium vivax*: lactate dehydrogenase activity and its application for in vitro drug susceptibility assay. *Exp. Parasitol* 80: 260–271.
- Benet, A., Tavul, L., Reeder, J.C. and Costes, A. 2004. Diversity of the *Plasmodium falciparum* vaccine candidate merozoite surface protein (MSP4) in a natural population. *Mol Biochem Parasitol* 134(2): 275-280.
- Bjorkman, A. and Phillips-Howard, P.A. 1990. The epidemiology of drug-resistant malaria. *Trans R Soc Trop Med Hyg* 84: 177–80.
- Blair, P.L., Witney, A., Haynes, J. D., Moch, J.K., Carucci, D.J., Adams, J.H. 2002. Transcripts of developmentally regulated Plasmodium falciparum genes quantified by real-time RT-PCR. *Nucleic Acids Res.* 15;30(10):2224-31.
- Bray, P. G., Howells, R. E., Ritchie, G. Y., & Ward, S. A. 1992. Rapid chloroquine efflux phenotype in both chloroquine-sensitive and chloroquine- resistant Plasmodium falciparum. *Biochem Pharmacol* 44: 1317-1324.
- Carlton, J. MR., Fidock, D. A., Djimde, A., Plowe, C. V. and Wellems, T. E. 2001. Conservation of a novel vacuolar transporter in Plasmodium species and its

- central role in chloroquine resistance of *P. falciparum*. Current Opinion in Microbiology 4: 415-420.
- Chandre, F., Darrier, F., Manga, L., Akogbeto, M., Faye, O., Mouchet, J. and Guillet, P. 1999. Status of pyrethroid resistance in *Anopheles gambiae* sensu lato. Bull. World Health Org. 77, 230–234.
- Chen, A. and Rogan, W. J. 2003. Nonmalarial Infant Deaths and DDT Use for Malaria Control. Emerging Infectious Diseases . 9(8): 960-964.
- Collins, W.E., Walduck, A., Sullivan, J.S., Andrews, K., Stowers, A., Morris, C.L., Jennings, V., Yang, C., Kendall, J., Lin, Q., Martin, L.B., Diggs, C. and Saul, A. 2000. Efficacy of vaccines containing rhoptry-associated proteins RAP1 and RAP2 of *Plasmodium falciparum* in *Saimiri boliviensis* monkeys. Am. J. Trop. Med. Hyg. 62 (4): 466-479.
- Cowman, A. F., Karcz, S., Galatis, D., and Culvenor, J. C. 1991. A P-glycoprotein homologue of *Plasmodium falciparum* is located on the digestive vacuole. J Cell Biol 113: 1033-1042.
- David, J., Sullivan, Jr., Hugues, M., Ridley, R. G., and Goldberg, D. E. 1998. A Common Mechanism for Blockade of Heme Polymerization by Antimalarial Quinolines. THE JOURNAL OF BIOLOGICAL CHEMISTRY 273(47): 31103–31107.
- Desjardins, R.E., Canfield, C.J., Haynes, J.D. and Chulay, J.D. 1979. Quantitative assessment of anti-malarial activity in vitro by a semi-automated microdilution technique. Antimicrob. Agents Chemother 16: 710–718.
- Dorsey, G., Fidock, D., Wellem, T. and Rosenthal, P. 2001. Mechanisms of Action, Resistance and New Directions in Drug Discovery. Antimalarial Chemotherapy 153–172.
- Eckstein-Ludwig, U., Webb R. J., van Goethem, I. D. A., East J. M., Lee, A. G., Kimura, M., O'Neill, P.M., Bray, P. G., Ward, S. A. and Krishna, S. 2003. Artemisinins target the SERCA of *Plasmodium falciparum*. NATURE 424: 957-961.
- Elabbadi, N., Ancelin, M.L. and Vial, H.J. 1992. Use of radioactive ethanolamine incorporation into phospholipids to assess in vitro antimalarial activity by the semiautomated microdilution technique. Antimicrob. Agents Chemother 36: 50–55.

- Fidock, D. A., Rosenthal, P. J., Croft, S. L., Brun, R. and Nwaka, .S. 2004. Antimalarial Drug Discovery: Efficacy Models for Compound Screening. NATURE REVIEWS 3: 509-520.
- Foley, M., Ranford-Cartwright, L.C., Babiker, H.A. 1992. Rapid and simple method for isolating malaria DNA from fingerprick samples of blood. Mol Biochem Parasitol 53(1-2):241-4.
- Foote, S. J., Kyle, D. E., Martin, R. K., Oduola, A. M. J., Forsyth, K., Kemp, D. J. and Cowman, A. F. 1990. Several alleles of the multidrug-resistance gene are closely linked to chloroquine resistance in *Plasmodium falciparum*. Nature. 345: 255-258.
- Gardner, M.J., Feagin, J.E., Moore, D.J., Spencer, D.F., Gray, M.W., Williamson, D.H. and Wilson, R.J. 1991. Organization and expression of small subunit ribosomal RNA genes encoded by a 35-kilobase circular DNA in *Plasmodium falciparum*. Mol. Biochem. Parasitol 48 (1), 77-88.
- Gottesman, M. M., and Pastan, I. 1993. Biochemistry of multidrug resistance mediated by the multidrug transporter. Annu Rev Biochem 62: 385- 427.
- Greenwood, B. and Mutabingwa, T. 2002. Malaria in 2002. Nature 415: 670-672.
- Guerin PJ, Olliaro P, Nosten F, Druilhe P, Laxminarayan R, Binka F, Kilama WL, Ford N, White NJ. 2002. Malaria: current status of control, diagnosis, treatment, and a proposed agenda for research and development. Lancet Infect Dis 2(9): 564-73.
- Henning, L., Felger, I., Beck, Hans-Peter. 1999. Rapid DNA extraction for molecular epidemiological studies of malaria. Acta Tropica 72: 149–155.
- Hermsen, C., Telgt,D., Linders, E., van ae Locht, L., Eling, W., Mensink, E. and Sauerwein, R. 2001. Detection of *Plasmodium falciparum* malaria parasites in vivo by real-time quantitative PCR. Mol.Biochem.Parasitol 118: 247-251.
- Howard, R. F., D. L. Narum, M. Blackman, and J. Thurman. 1998. Analysis of the processing of *Plasmodium falciparum* rhoptry-associated protein 1 and localization of Pr86 to schizont rhoptries and p67 to free merozoites. Mol. Biochem. Parasitol 92:111–122.
- Howard, R. J., Uni, S., Aikawa, M., Aley, S. B., Leech, J. H., Lew, A. M., Wellem, T.E., Rener, J., Taylor, D. W. 1986. Secretion of a malarial histidine-rich

- protein (PfHRPII) from *Plasmodium falciparum*-infected erythrocytes. J Cell Biol 103: 1269–1277.
- Hurwitz, E.S., Johnson, D., Campbell, C.C. 1981. Resistance of *Plasmodium falciparum* malaria to sulphadoxine-pyrimethamine ('Fansidar') in a refugee camp in Thailand. Lancet 1: 1068–1070.
- Inselburg J, Bzik DJ, Horii T. 1987. Pyrimethamine resistant *Plasmodium falciparum*: overproduction of dihydrofolate reductase by a gene duplication. Mol Biochem Parasitol 26(1-2):121-134.
- John E. Hyde. 2002. Mechanisms of resistance of *Plasmodium falciparum* to antimalarial drugs. Microbes and Infection 4: 165–174.
- Kain, K.C., Shanks, G.D. and Keystone, J.S. 2001. Malaria Chemoprophylaxis in the Age of Drug Resistance. I. Currently Recommended Drug Regimens. Clinical Infectious Diseases 33:226-234.
- Kamchonwongpaisan, S. and Meshnick, S. R. 1996. The Mode of Action of the Antimalarial Artemisinin and its Derivatives. Gen. Pharmac. 27(4): 587-592.
- KG Scopel, K., JF Fontes, C., Nunes, Á. C., Horta, M.F. and Braga, É. M. 2004. Low sensitivity of nested PCR using *Plasmodium* DNA extracted from stained thick blood smears: an epidemiological retrospective study among subjects with low parasitaemia in an endemic area of the Brazilian Amazon region. Malaria Journal 3.
- Knell, A. J. 1991. MALARIA Oxford University Press, New York.
- Li, Y. and Wu, Y.-L. 1998. How chinese scientists discovered qinghaosu (artemisinin) and developed its derivatives. What are the future perspectives? Med. Trop 58: 9–12.
- Looareesuwan, S., Chulay, J. D., Canfield, C. J., & Hutchinson, D. B. 1999. Malarone (atovaquone and proguanil hydrochloride): a review of its clinical development for treatment of malaria. Malarone Clinical Trials Study Group. Am J Trop Med Hyg 60: 533-541.
- Machado, R.L.D., Garret, D.O., Adagu, I., S, et al. 1998. Simplified diagnosis of malaria infection GFM/PCR/ELISA a simplified nucleic acid amplification technique by PCR/ELISA. Rev. Inst. Med. trop. S. Paulo 40(5).
- Makler, M.T. and Hinrichs, D.J. 1993. Measurement of the lactate dehydrogenase activity of *Plasmodium falciparum* as an assessment of parasitemia. Am. J. Trop. Med. Hyg 48: 205–210.

- Makler, M.T., Ries, J.M., Williams, J.A., Bancroft, J.E., Piper, R.C., Gibbins, B.L. and Hinrichs, D.J. 1993. Parasite lactate dehydrogenase as an assay for *Plasmodium falciparum* drug sensitivity. Am. J. Trop. Med. Hyg 48: 739–741.
- Malaria Foundation International (online). Available from:<http://www.malaria.org>
- Malaria Cluster, Department of Disease Control (Online). Available from: <http://www.thaivbd.org>
- Mayxay, M., S. Pukittayakamee, K. Chotivanich, S. Looareesuwan, and N. J. White. 2001. Persistence of *Plasmodium falciparum* HRP-2 in successfully treated acute falciparum malaria. Trans. R. Soc. Trop. Med. Hyg 95:179–182.
- McCusker, J., Dawson, M. T., Noone, D., Gannon, F. and Smith, T. 1992. Improved method for direct PCR amplification from whole blood. Nucleic Acids Research 20(24): 1647.
- Mercier, B., Gaucher, C., Feugeas, O. and Mazurier, C. 1990. Direct PCR from whole blood, without DNA extraction. Nucleic Acids Research 18(19): 5908.
- Mercier, B., Gaucher, C., Feugeas, O. and Mazurier, C. 1990. Direct PCR from whole blood, without DNA extraction. Nucleic Acids Research 18(19): 5908.
- Milne, L. M., Kyi, M. S., Chiodini, P. L., Warhurst, D. C. 1994. Accuracy of routine laboratory diagnosis of malaria in the United Kingdom. Clin Pathol 47:740-742.
- Mullis, K.B. 1990. The unusual origin of the polymerase chain reaction. Scientific American 36-43.
- Ndao M, Bandyayera E, Kokoskin E, Diemert D, Gyorkos TW, MacLean JD, St John R, Ward BJ. 2005. Malaria "epidemic" in Quebec: diagnosis and response to imported malaria. CMAJ 4;172(1):46-50.
- Nelson, D. L. and Cox, M. M. 2000. Lehninger principles of biochemistry. Worth Publishers, New York.
- Nicholls, H. 2004. Milking goats for malaria vaccine. DDT 9(6): 248.
- Niederwieser, I., Felger, I., Beck, H.P. 2000. *Plasmodium falciparum*: expression of gametocyte-specific genes in monolayer cultures and malaria-positive blood samples. Exp Parasitol 95(3):163-9.
- Oduola, A.M., Omitowoju, G.O., Sowunmi, A., Makler, M.T., Falade, C.O., Kyle, D.E., Fehintola, F.A., Ogundahunsi, O.A., Piper, R.C., Schuster, B.G. and

- Milhous, W.K. 1997. *Plasmodium falciparum*: evaluation of lactate dehydrogenase in monitoring therapeutic responses to standard antimalarial drugs in Nigeria. *Exp. Parasitol.* 87: 283–289.
- Olliaro, P. 2001. Mode of action and mechanisms of resistance for antimalarial drugs. *Pharmacology & Therapeutics.* 89: 207- 219.
- Ophardt, c, 2003. <http://www.elmhurst.edu/~chm/vchembook/653sulfa.html>
- Phillips, R. S. 2001. Current Status of Malaria and Potential for Control. *Clinical Microbiology Reviews* 14(1): 208-226.
- Piper, R., Lebras, J., Wentworth, L., Hunt-Cooke, A., Houze, S., Chiodini, P. and Makler, M. 1999. Immunocapture diagnostic assays for malaria using Plasmodium lactate dehydrogenase (pLDH). *Am. J. Trop. Med. Hyg* 60: 109–118.
- Plowe, C., Kublin, J. G., and Doumbo, O. K. 1998. *P. falciparum* dihydrofolate reductase and dihydropteroate synthase mutations: epidemiology and role of clinical resistance to antifolates. *Drug Resistance Updates* 1: 389- 396.
- Pongchai Harnyuttanakorn, “Epitope mapping studies on a highly conserved rhoptry antigen from *Plasmodium falciparum*,” (Doctoral dissertation, Institute of Cell and Molecular Biology, University of Edinburgh, 1993).
- Reed, M. B., Saliba, K. J., Caruana, S. R., Kirk, K., and Cowman, A. F. 2000. Pg1 modulates sensitivity and resistance to multiple antimalarials in *Plasmodium falciparum*. *Nature.* 403: 906-909.
- Rhee, M., Sissoko, M., Perry, S., McFarland, W., Parsonnet, J. and Doumbo, O. 2005. Use of insecticide-treated nets (ITNs) following a malaria education intervention in Piron, Mali: a control trial with systematic allocation of households. *Malaria Journal* 4:35
- Ridley, R. G., Takacs, B., Lahm, H.-W., Delves, C. J., Goman, M, Certa, U., Matile, H., Woollett, G. R. and Scaife, J. G. 1990. Characterisation and sequence of a protective rhoptry antigen from *Plasmodium falciparum*. *Molecular and Biochemical Parasitology* 41:125-134.
- Ridley, R., Dorn, A., Vippagunta, S. and Vennerstrom, J. 1997. Haematin (haem) polymerisation and its inhibition by quinoline antimalarials. *Ann. Trop. Med. Parasitol.* 91: 559–566.
- Roberts, D. R., Manguin, S. and Mouchet, J. 2000. DDT house spraying and re-emerging malaria. *Lancet* 356, 330–332.

- Rock, E. P., Marsh, K., Saul, A. J., Wellemes, T. E., Taylor, D. W., Maloy, W. L. and R. J. Howard. 1987. Comparative analysis of the *Plasmodium falciparum* histidine-rich proteins HRP-I, HRP-II and HRP-III in malaria parasites of diverse origin. *Parasitology* 95:209–227.
- Sachs, J. and Malaney, P. 2002. The economic and social burden of malaria. *NATURE* 415: 680 – 685.
- Saito-Ito, A., Akai, Y., He, S., Kimura, M., Kawabata, M. 2001. A rapid, simple and sensitive flow cytometric system for detection of *Plasmodium falciparum*. *Parasitol Int* 50: 249–257.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. 1989. *Molecular Cloning: A laboratory Manual*, Second Edition Cold Spring Habor University Press, Cold Spring Habor, NY.
- Scopel, K.K., Fontes, C.J., Nunes, A.C., Horta, M.F. and Braga, E.M. 2004. High prevalence of Plamodiummalariae infections in a Brazilian Amazon endemic area (Apiacas-Mato GrossoState) as detected by polymerase chain reaction. *Acta Trop* 90(1):61-4.
- Schoone, G.J., Oskam, L., Kroon, N.C., Schallig, H.D. and Omar, S.A. 2000. Detection and quantification of *Plasmodium falciparum* in blood samples using quantitative nucleic acid sequence-based amplification. *J Clin Microbiol* 38(11):4072-5.
- Sethuraman, V. and Muthiah, P. T. 2002. Hydrogen-bonded supramolecular ribbons in the antifolate drug pyrimethamine. *Acta Cryst* E58: 817-818.
- Snounou, G., Viriyakosol, S., Jarra, W., Thaithong, S., Brown, K.N. 1993. Identification of the four human malaria parasite species in field samples by the polymerase chain reaction and detection of a high prevalence of mixed infections. *Mol Biochem Parasitol* 58:283-289.
- Snounou, G., Viriyakosol, S., Zhu, X.P., Jarra, W., Pinheiro, L., do Rosario, V.E., Thaithong, S. and Brown, K.N. 1993. High sensitivity of detection of human malaria parasites by the use of nested polymerase chain reaction. *Mol Biochem Parasitol*. 61(2):315-20.
- Srivastava, I. K., Rottenberg, H., and Vaidya, A. B. 1997. Atovaquone, a broad spectrum antiparasitic drug, collapses mitochondrial membrane potential in a malarial parasite. *J Biol Chem* 272: 3961-3966.

- Takayama S, Sieber SM, Dalgard DW, Thorgeirsson UP, Adamson RH. 1999. Effects of long-term oral administration of DDT on nonhuman primates. J Cancer Res Clin Oncol 125:219–125.
- Thaithong, S. and Beale, G. 1992. Malaria Parasite. Chulalongkorn University Report Series . No 1.
- Thaithong, S., Beale, G.H., Chutmongkonkul, M. 1983. Susceptibility of *Plasmodium falciparum* to five drugs: an *in vitro* study of isolates mainly from Thailand. Trans R Soc Trop Med Hyg 77:228-231.
- Thaithong, S., Ranford-Cartwright, LC., Siripoon, N., Harnyuttanakorn, P., Kanchanakhan, NS., Seugorn, A., Rungsihirunrat, K., Cravo, PV., and Beale, GH. 2001. Plasmodium falciparum: gene mutations and amplification of dihydrofolate reductase genes in parasites grown in vitro in presence of pyrimethamine. Exp Parasitol 98:59–70.
- Tomatis L, Huff J. 2000 Evidence of carcinogenicity of DDT in nonhuman primates. J Cancer Res Clin Oncol 126:246.
- Trager, W., and J. B. Jensen. 1976. Human malaria parasites in continuous culture. Science 193:673-675.
- van Vianen, P.H., Thaithong, S., Reinders, P.P., van Engen, A., van der Keur, M., Tanke, H.J., van der Kaay, H.J. and Mons, B. 1990. Automated flow cytometric analysis of drug susceptibility of malaria parasites. Am. J. Trop. Med. Hyg. 43,602–607.
- Volkman, S. K., Wilson, C. M., and Wirth, D. F. .1993. Stage-specific transcripts of *Plasmodium falciparum* pfmdr1 gene. Mol Biochem Parasitol. 57: 203-212.
- Walker, K. 2000. Cost-comparison of DDT and alternative insecticides for malaria control. Medical & Veterinary Entomology. Review Article. 14(4).
- Warhurst, D. C. and Williams, J. E. 1996. Laboratory diagnosis of malaria. J Clin Pathol 49(7): 533–538.
- Wataya, Y., Arai, M., Kubochi, F., Mizukoshi, C., Kakutani, T., Ohta, N. and Ishii, A. 1993. DNA diagnosis of falciparum malaria using a double PCR technique: a field trial in the Solomon Islands. Molecular and Biochemical Parasitology 58: 165-168.
- Wernsdorfer WH. 1994 Epidemiology of drug resistance in malaria. Acta Trop 56: 143–56.

- Wernsdorfer, W.H. and Payne, D. 1988 Drug sensitivity tests in malaria parasites. In Malaria. Principles and Practice of Malariology, 1765–1800, Churchill Livingstone.
- Wernsdorfer, W.H. and Payne, D. 1991. The dynamics of drug resistance in *Plasmodium falciparum*. Pharmacol Ther 50: 95–121.
- White, N. J. 1992. Antimalarial drug resistance: the pace quickens. J. Antimicrob. Chemother. 30:S71–S78.
- White, N. J. 1997. Assessment of the pharmacodynamic properties of antimalarial drugs in vivo. Antimicrob Agents Chemother. 41:1413-1422.
- Wongsrichanalai, C. 2001. Rapid diagnostic techniques for malaria control. Trends Parasitol 17: 307–309.
- Wongsrichanalai, C., Pickard, A. L., Wernsdorfer, W. H., and Meshnick, S. R. 2002. Epidemiology of drug-resistant malaria. THE LANCET Infectious Diseases.
- Wongsrichanalai, C., Sirichaisinthop, J., Karwacki, J.J., Congpuong, K., Miller, R.S., Pang, L. and Thimasarn, K. 2001. Drug resistant malaria on the Thai-Myanmar and Thai-Cambodian borders. Southeast Asian J Trop Med Public Health 32: 41–49.
- World Health Organization. 1973. Chemotherapy of Malaria and Resistance to Antimalarials. Report of a WHO scientific group. WHO Technical Report Series No. 529. Geneva, WHO.
- World Health Organization. 1996. Investing in health research and development Document TDR/Gen/96.1. Ad Hoc Committee of Health Research Relating to Future Intervention Options, World Health Organization, Geneva, Switzerland.
- World Health Organization. 2005 (online). Available from:
<http://w3.who.int/en/Section10/Section21/Section1987.htm>
- Zalis, M.G., Ferreira-da-Cruz, M.F., Balthazar-Guedes, H.C., Banic, D.M., Alecrim, W., Souza, J.M., Druilhe, P., and Daniel-Ribeiro, C.T. 1996. Malaria diagnosis: standardization of a polymerase chain reaction for the detection of *Plasmodium falciparum* parasites in individuals with low-grade parasitemia. Parasitol Res .82:612–616.
- Zhang, J. K. M, Ginsburg, H. 1999. The fate of ferriprotoporphyrin IX in malaria infected erythrocytes in conjunction with the mode of action of antimalarial drugs. Mol Biochem Parasitol 99(1):129-141.

BIOGRAPHY

Miss. Punnarai Wuthipanyarattanakun was born on November 25, 1981 in Bangkok, Thailand. She attended Horwang School in Bangkok and graduated in 1999. She received her Bachelor's Degree in Biology from Faculty of Science, Chulalongkorn University, Bangkok, Thailand in 2003. She pursued her Master Degree study in Zoology, Chulalongkorn University, Bangkok, Thailand in May 2003. She finished her Master Degree of Science in Zoology in May 2006.

