REFERENCES

- Akelah, A., Salahuddin, N., Hiltner, A., Baer, E., and Moet, A. (1994)

 Morphological hierarchy of butadieneacrylonitrile/montmorillonite

 nanocomposite. Nanostructure Materials, 4, 965.
- Ayers, M., and Hunt, A.J. (2001) Synthesis and properties of chitosan-silica hybrid aerogels. <u>Journal of Non-crystalline Solids</u>, 285, 123-127.
- Bautista-Ban, S., Hernandez-Lopez, M., Bosquez-Molina, E., and Wilson, C.L. (2003) Effects of chitosan and plant extracts on growth of Colletotrichum gloeosporioides, anthracnose levels and quality of papaya fruit. Crop Protection, 22, 1087-1092.
- Bodmeier, R., Oh, K.H., and Pramar, Y. (1989) Preparation and evaluation of drug containing chitosan beads. <u>Drug Development and Industrial Pharmacy</u>, 6, :413-417.
- Borges, O., Borchard, G., Verhoef, J.C., Sousa, A., and Junginger, H.E. (2005)

 Preparation of coated nanoparticles for a new mucosal vaccine delivery system. <u>International Journal of Pharmaceutics</u>, 299, 155-166.
- Chen, K., Ku, Y.A., Lee, C.H., Lin, H.R., Lin, F.H., and Chen, T.M. (2005)

 Immobilization of chitosan gel with cross-linking reagent on PNIPAAm gel/PP nonwoven composites surface. Materials Science and Engineering C, 25, 472-478.
- Chen, X.-G., and Park, H.-J. (2003) Chemical characteristics of O-carboxymethyl chitosans related to the preparation conditions. <u>Carbohydrate Polymer</u>, 53, 355-359.
- Chandy, T. and Sharma, C.P. (1992) Chitosan beads and granules for oral sustained delivery of nifedipine: *in vitro* studies. <u>Biomaterials</u>, 13, 949-952.
- Chung, L.Y., Schmidt, R.J., Hamlyn, P.F., Sagar, B.F., Andrews, A.M., Turner, T.D. (1994) Biocompatibility of potential wound management products: Fungal mycelia as a source of chitin/chitosan and their effect on the proliferation of human F1000 fibroblasts in culture. <u>Journal of Biomedical Materials</u>
 Research, 28, 463-469.

- Deshpande, M.V. (1986) Enzymatic degradation of chitin and its biological applications. <u>Journal of Science and Industrial Research</u>, 45, 273-281.
- Dumitriu, S., Popa, M.I., Cringu, A., and Stratone, A. (1989) Bioactive polymer 61.

 Synthesis and characterization of some retard antibiotics. Colloid and Polymer Science, 267, 595-599.
- Fangkangwanwong, J., Akashi, M., Kida, T., and Chirachanchai, S. (2006) Chitosan-Hydroxybenzoletriazole aqueous solution: a novel water-based system for chitosan functionalization. <u>Macromolecular Rapid Communications</u>, in press.
- Felse, P.A., and Panda, T. (1999) Study of applications of chitin and its derivatives.

 <u>Bioprocess Engineering</u>, 20, 505-512.
- Fricke, J., and Tillotson, T. (1997) Aerogels: production, characterization, and applications. Thin Solid Films, 297, 212-223.
- Giannelis, E.P., Krishnamoorti, R., and Manias, E. (1996) Polymer layered silicate nanocomposites. <u>Advanced Materials</u>, 8, 29-35.
- Kande, M., Katayama, H., Tsuzaki, S., and Kuramoto, H. (1998) Application of chitin and chitosan to pharmaceutical preparations. I. Film preparation *in vitro* evaluation. Chemical and Pharmaceutical Bulletin, 37, 523-525.
- Kim Xu, and Yumin Du. (2003). Effect of molecular of chitosan on protein delivery properties of chitosan nanoparticles. <u>International Journal of Pharmaceutics</u>, 250, 215-226.
- Koide, S.S. (1998) Chitin-chitosan: properties, benefits and risks. Nutr. Res., 18, 1091-1101.
- Krause, T.J., Goldsmith, N.K., Ebner, S., Zazanis, G.A., and McKinnon, R.D. (1998)

 An inhibitor of cell proliferation associated with adhesion formation is suppressed by N,o-carboxymethyl chitosan. <u>Journal of Investigative Surgery: the Official Journal of the Academy of Surgical Research</u>, 11, 105-113.
- Kurita, K. (1998) Preparation and biodegradability of chitin derivatives having mercapto groups. <u>Carbohydrate Polymer</u>, 20, 239-245.

- Leong, K.W., Mao, H.-Q., Truong-Le, V.L., Roy, K., Walsh, S.M., and August, J.T. (1998) DNA-polycation nanospheres as non-viral gene delivery vehicles.

 <u>Journal of Controlled Release</u>, 53,183-193.
- Lin, Y., Qing C., and Hongbing L. (2006) Preparation and characterization of N-(2-carboxybenzyl)chitosan as a potential pH-sensitive hydrogel for drug delivery. <u>Carbohydrate Research</u>, 342, 87-95.
- Lifeng, Q., Zirong, X., Xia, J., Caihong, H., and Xiangfei, Z. (2004) Preparation and antibacterial activity of chitosan nanoparticles. <u>Carbohydrate Research</u>, 339, 2693-2700.
- Mao, V.R., Singla, A.K., Wadhawan, S., Kaushik, R., Kumria, R., Bansal, k., and Dhawan, S. (2001). Chitosan microspheres as a potential carrier for drugs. International Journal of Pharmaceutics, 274, 1-33.
- Margarita, D., and Montsevrat, C. (2003) Biopolymer-clay nanocomposites based on chitosan intercalated in montmorillonite. <u>Chemistry of Materials</u>. 15, 3774-3780.
- Martinac, A., Filipovic, J., Voinovich, D., Perissutti, B., and Franceschinis, E. (2005). Development and bioadhesive properties of chitosan-ethylcellulose microspheres for nasal delivery. <u>International Journal of Pharmaceutics</u>, 291, 69-77.
- Mascia, L., and Kioul, A. (1995) Influence of siloxane composition and morphology on properties of polyimide-silica hybrids. <u>Polymers</u>, 36, 3649-3659.
- Messersmith, P.B., and Giannelis, E.P. (1995) Synthesis and barrier properties of poly(ε-caprolactone) layered-silicate nanocomposites. <u>Journal of Polymer Science</u>, Part A: Polymer Chemistry, 33,1047-1057.
- Miller, R.W., and Donahue, R.L. (1990) Soils. <u>An introduction to soils and plant growth.</u> New York, Prentice-Hall International, 342.
- Muzzarelli, R.A.A., Ilari, P., and Petrarulo, M. (1994) Solubility and structure of N-carboxymethylchitosan. <u>International Journal of Biological Macromolecules</u>, 16, 177-180.
- Nishimura, S.I., Kohgo, O., Kurita, K., and Kuzahara, H. (1991) Chemospecific manipulations of a rigid polysaccharide: Syntheses of novel chitosan

- derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. <u>Macromolecules</u>, 24, 4745-4748.
- Ohya, K., Saiki, I., Matsumoto, Y., and Azuma, I. (1992) Abtimetastatic acivity of neocarzinostatin incorporated into controlled release gels of CM-chitin.

 <u>Carbohydrate Polymers</u>, 17, 29-33.
- Park, I.K., Yang, J., Jeong, H.J., Bom, H.S., Harada, I., Akaike, T., Kim, S.I., and Cho, C.S. (2003) Galactosylated chitosan as a synthetic extracellular matrix for hepatocytes attachment. <u>Biomaterials</u>, 24, 2331-2337.
- Peniche-covas, C., Alwarez, L.W., and Argulles-monal, W. (1987) The absorption of mercuric ions by chitosan. <u>Journal of Applied Polymer Science</u>, 46, 1147.
- Pinnavaia, T. J., Lan, T., Wang, Z., Shi, H., and Kaviatna, P.D. (1996) Clayreinforced epoxy nanocomposites: Synthesis, properties, and mechanism of formation. <u>Journal of the American Chemical Society Symposium Series</u>, 622, 250-261.
- Raphael M. Ottenbrite. (1994). <u>Polymeric Drugs and Drug Administration</u>. Washington, D.C.: American Chemical Society.
- Richardson, S.C.W., Kolbe, H.V.J. and Duncan, R. (1999) Potantial of low molecular mass chitosan as a DNA delivery system: biocompatibility, body distribution and ability to complex and protect DNA. <u>International Journal of Pharmaceutics</u>, 178, 231-243.
- Rao, S.B. and Sharma, C.P. (1997) Use of chitosan as a biomaterial: Studies on its safety and hemostatic potential. <u>Journal of Biomedicl Materials Research</u>, 34, 21-28.
- Shi, F., Wang, L., and Liu, J. (2006) Synthesis and characterization of silica aerogels by a novel fast ambient pressure drying process. Material Letters, in press.
- Sugimoto, M., Morimoto, M., Sashiwa, H., Saimoto, H., and Shigemasa, Y. (1998)

 Preparation and characterization of water-soluble chitin and chitosan derivatives. <u>Carbohydrate Polymer</u>, 36, 49-59.
- Sunil, A., Nadagouda, N., and Tejraj, M. (2004). Recent advances on chitosan-based micro- and nanopaticles in drug delivery. <u>Journal of Controlled Release</u>, 100, 5-28.

- Tomihata, K. and Ikada, Y. (1997) *In vitro* and *in vivo* degradation of films of chitin and its deacetylated derivatives. <u>Biomaterial</u>, 18, 567-575.
- Wang, T., Turhan, M., Gunasekaran, S. (2004) Selected properties of pH-sensitive, biodegradable chitosan-poly(vinyl alcohol) hydrogel. <u>Journal of Applied Polymer Science</u>, 53, 911-918.
- Yamamoto, H. and Amaike, M. (1997) Biodegradation of cross-linked chitosan gels by a microorganism. <u>Macromolecules</u>, 30, 3936-3937.
- Xiangyang, X., Li, L., Zhou, J., Lu, S., Yang, J., Yin, X., and Ren, R. (2007)

 Preparation and characterization of *N*-succinyl-*N*_-octyl chitosan micelles as doxorubicin carriers for effective anti-tumor activity. Colloids and Surfaces, 24, 257-264.
- Zhang, C., Ya, D., Liangli, Y., and Qineng, P. (2006) Polymeric micelle systems of hydroxycamptothecin based on amphiphilic *N*-alkyl-*N*-trimethyl chitosan derivatives. Colloids and Surfaces, 29, 63-71.

CURRICULUM VITAE

Name: Ms. Tidarat Ponyomma

Date of Birth: January 16, 1982

Nationality: Thai

University Education:

2000-2004 Bachelor Degree of Science, Faculty of Science,

Chulalongkorn University, Bangkok, Thailand.

