

REFERENCES

- Ashokkumar, M. (1998). An overview on semiconductor particulate systems for photoproduction of hydrogen. International Journal of Hydrogen Energy, 23, 427-438.
- Arabatzis, I.M., Stergiopoulos, T., Andreeva, D., Kitova, S., Neophytides, S.G., and Falaras, P. (2003). Characterization and photocatalytic activity of Au/TiO₂ thin films for azo-dye degradation. Journal of Catalysis, 220, 127-135.
- Aristizabal, B., Gonzalez, C.A., Barrio, I., Mario, M., and Correa, C.M. (2004). Screening of Pd and Ni supported on sol-gel derived oxides for dichloromethane hydrodechlorination. Journal of Molecular Catalysis A: Chemical, 222, 189-198.
- Cavalcante, L.S., Simões, A.Z., Sczancoski, J.C., Longo, V.M., Erlo, R., Escote, M.T., Longo, E., and Varela, J.A. (2007). SrZrO₃ powders obtained by chemical method: Synthesis, characterization and optical absorption behavior. Solid State Sciences, 9, 1020-1027.
- Chang, S.H., Wang, K.S., Chao, S.J., Peng, T.H., and Huang, L.C. (2009). Degradation of azo and anthraquinone dyes by a low-cost Fe⁰/air process. Journal of Hazardous Materials, 166, 1127-1133.
- Chen, L., Zhang, S., Wang, Liqiu., Xue, D., and Yin, S. (2008). Photocatalytic activity of Zr:SrTiO₃ under UV illumination. Journal of Crystal Growth, 311, 735-737
- Feng, Z., Hu, H., Cui, S., and Bai, C. (2001). First-principles study of optical properties of SrZrO₃ in cubic phase. Solid State Communications, 148, 472-475.
- Gonzalez, I.D., Navarro, R.M., Wen, W., Marinkovic, N., Rodríguez, J.A., Rosa, F., and Fierro, J.L.G. (2010). A comparative study of the water gas shift reaction over platinum catalysts supported on CeO₂, TiO₂ and Ce-modified TiO₂. Catalysis Today, 149, 372-379.

- Hinda, L., Puzenat, E., Houas, A., Ksibi, M., Elaloui, E., Guillard, C., and Herrmann, J.M. (2002). Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania. Applied Catalysis B: Environmental, 39, 75–90.
- Hu, L., Flanders, M.P., Miller, L.P., and Strathmann, J.T. (2007). Oxidation of sulfamethoxazole and related antimicrobial agents by TiO₂ photocatalysis. Water Research, 41, 2612 – 2626.
- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). Porous Materials Process Technology and Applications, Kluwer Academic Publisher, London.
- Jantawasu, P. (2008). Photocatalytic Decomposition of Methyl Orange Azo Dye Using Nanostructured TiO₂ Photocatalyst. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University.
- Jeffrey, C., Wu, S., and Chen, C.H. (2004). A visible-light response vanadium-doped titania nanocatalyst by sol–gel method. Journal of Photochemistry and Photobiology A: Chemistry, 163, 509-515.
- Jia, A., Liang, X., Su, Z., Zhu, T., and Liu, S., (2010). Synthesis and the effect of calcination temperature on the physical–chemical properties and photocatalytic activities of Ni,La codoped SrTiO₃. Journal of Hazardous Materials, In Press.
- Kamat, P.V. (1995). Tailoring Nanostructured Thin Films, Chemtech.
- Kitiyanan, A., Sakulphaemaruehai, S., Suzuki, Y., and Yoshikawa, S. (2005). Structural and photovoltaic properties of binary TiO₂–ZrO₂ oxides system prepared by sol–gel method. Composites Science and Technology, 66, 1259–1265.
- Konstantinou, K.I., and Albanis, A.T. (2004). TiO₂-assisted photocatalytic degradation of azo dyes in aqueous solution: kinetic and mechanistic investigations. Applied Catalysis B: Environmental, 49, 1–14.
- Liu, Y., Chen, X., Li, J., and Burda, C. (2005). Photocatalytic degradation of azo dyes by nitrogen-doped TiO₂ nanocatalysts. Chemosphere, 61, 11-18.

- Mary Howe-Grant. (1991). Encyclopedia of Chemical Technology, Vol.3. New York: A Wiley-Interscience Publication.
- Moreira, M.L., Andr s, J., Longo, V.M., Li, M.S., Varela, J.A., and Longo, E. (2009). Photoluminescent behavior of SrZrO₃/SrTiO₃ multilayer thin films. Chemical Physics, 473, 293-298.
- Murakami, Y., Matsumoto, T., and Takasu, Y. (1999). Salt catalysts containing basic anions and acidic cations for the sol-gel process of titanium alkoxide: Controlling the kinetics and dimensionality of the resultant titanium oxide. Journal of Physical Chemistry B, 103, 1836-1840.
- Ohno, T., Tsubota, T., Nakamura, Y., and Sayama, K. (2005). Preparation of S, C cation-codoped SrTiO₃ and its photocatalytic activity under visible light. Applied Catalysis A: General, 288, 74-79.
- Ollis, D.F., Pelizzetti, E., and Serpone, N. (1991). Destruction of water contaminants. Environmental Science and Technology, 25, 1523-1529.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2008). Synthesis and photocatalytic activity in methyl orange degradation of mesoporous-assembled SrTiO₃ nanocrystals prepared by sol-gel method with the aid of structure-directing surfactant. Journal of Molecular Catalysis A: Chemical, 287, 70-79.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2009). Hydrogen production from photocatalytic water splitting over mesoporous-assembled SrTiO₃ nanocrystal-based photocatalyst. Journal of Molecular Catalysis A: Chemical, 312, 97-106.
- Robertson P.K.J. (1996). Semiconductor photocatalysis: an environmentally acceptable alternative production technique and effluent treatment process. Journal of Cleaner Production, 4(3-4), 203-212.
- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). Adsorption by Powders and Porous Solid: Principle, Methodology and Applications, Academic Press, San Diego.

- Saratale, R.G., Saratale, G.D., Kalyani, D.C., Chang, J.S., and Govindwar, S.P. (2009). Enhanced decolorization and biodegradation of textile azo dye Scarlet R by using developed microbial consortium-GR. Bioresource Technology, 100, 2493–2500.
- Savage, N., Chwieroth, B., Ginwalla, A., Patton, B.R., Akbar, S.A., and Dutta, P.K. (2001). Composite n-p semiconducting titanium oxides as gas sensors. Sensors and Actuators B: Chemical, 79, 17-27.
- Sökmen, M., and Özkan, A. (2001). Decolourising textile wastewater with modified titania: the effects of inorganic anions on the photocatalysis. Journal of Photochemistry and Photobiology A: Chemistry, 147, 77-81.
- Sreethawong, T., Suzuki, Y., and Yoshikawa S. (2005). Synthesis, characterization, and photocatalytic activity for hydrogen evolution of nanocrystalline mesoporous titania prepared by surfactant-assisted templating sol-gel process. Journal of Solid State Chemistry, 178, 329-338.
- Sreethawong, T., and Yoshikawa, S. (2005). Comparative investigation on photocatalytic hydrogen evolution over Cu-, Pd-, and Au-loaded mesoporous TiO₂ photocatalysts. Catalysis Communications, 6, 661-668.
- Subramanian, V., Karki, A., Gnanasekar, K.I., Eddy, F., and Rambabu, B., (2006) Nanocrystalline TiO₂ (anatase) for Li-ion batteries. Journal of Power Sources, 159, 186–192
- Sun, J.H., Sun, S.P., Sun, J.Y., Sun, R.X., Qiao, L.P., n Guo, H.Q., and Fan, M.H., (2007). Degradation of azo dye Acid black 1 using low concentration iron of Fenton process facilitated by ultrasonic irradiation Ultrasonics Sonochemistry, 14, 761-766.
- Vali, R. (2007). Band structure and dielectric properties of orthorhombic SrZrO₃. Solid State Communications, 145, 497-501.
- Vamathevan, V., Tse, H., Amala, R., Lowb, G., and McEvoy, S. (2001). Effects of Fe³⁺ and Ag⁺ ions on the photocatalytic degradation of sucrose in water. Catalysis Today, 68, 201-208.

- Venkata, K., Rao, S., Lavédrine, B., and Boule, P. (2002). Influence of metallic species on TiO₂ for the photocatalytic degradation of dyes and dye intermediates. Journal of Photochemistry and Photobiology A: Chemistry, 154, 189-193.
- Wang, C.C., and Ying J. (1999). Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals. Chemistry of Materials, 11, 3113-3120.
- Wang, Y. M., Liu, S. W., Lu, M. K., Wang, S. F., Gub, F., Gai, X. Z., Cui, X. P., and Pan, J. (2004). Preparation and photocatalytic properties of Zr⁴⁺-doped TiO₂ nanocrystals. Journal of Molecular Catalysis A: Chemical, 215, 137-142.
- Wong, T., Kennedy, B., Howard, C., Hunter, B., and Vogt, T. (2001). Crystal structures and phase transitions in the SrTiO₃-SrZrO₃ solid solution. Journal of Solid State Chemistry, 156, 255-263.
- Wurm, R., Dernovsek, O., and Greil, P. (1999). Sol-gel derived SrTiO₃ and SrZrO₃ coatings on SiC and C-fibers. Journal of Materials Science, 34, 4031 – 4037.
- Ying, Y., Li, X.J., Chen, J.T., and Wang, L.Y. (2004). Effect of doping mode on the photocatalytic activities of Mo/TiO₂. Journal of Photochemistry and Photobiology A: Chemistry, 163, 517-522.
- Yang, Y., Guo, Y., Hua, C., Wang, Y., and Wang, E. (2004). Preparation of surface modifications of mesoporous titania with monosubstituted Keggin units and their catalytic performance for organochlorine pesticide and dyes under UV irradiation. Applied Catalysis A: General, 273, 201-210.
- Yao, W.F., Xu, X.H., Wang, H., Zhou, T.J., Yang, N.X., Zhang, Y., Shang, X.S., and Huang, B.B. (2004). Photocatalytic property of perovskite bismuth titanate. Applied Catalysis B: Environmental, 52, 109-116.
- Yu, P., Cui, B., and Shi, Q. (2008). Preparation and characterization of BaTiO₃ powders and ceramics by sol-gel process using oleic acid as surfactant. Materials Science and Engineering A, 473, 34–41.

- Zhang, M., An, T., Hu, X., Wang, C., Sheng, G., and Fu, J. (2004). Preparation and photocatalytic properties of a nanometer ZnO–SnO₂ coupled oxide. Applied Catalysis A: General, 260, 215–222.
- Zhang, X., Zhang, F., and Chan, K.Y. (2005). The synthesis of Pt-modified titanium dioxide thin films by microemulsion templating, their characterization and visible-light photocatalytic properties. Materials Chemistry and Physics, 97, 384-389.
- Zhang, Z., Wang, C.C., Zakaria, R., and Ying, J.Y. (1998). Role of particle size in nanocrystalline TiO₂-based photocatalysts. Journal of Physical Chemistry B, 102, 10871-10878.
- Zielińska B., Borowiak-Palen E., and Kalenczuk R. (2008). Photocatalytic hydrogen generation over alkaline-earth titanates in the presence of electron donors. International Journal of Hydrogen Energy, 33, 1797 – 1802.

CURRICULUM VITAE

Name: Ms. Pattharin Khunrattanaphon

Date of Birth: August 3, 1985

Nationality: Thai

University Education:

2004-2008 Bachelor Degree of Engineering, Faculty of Chemical Engineering, Srinakharinwirot University, Bangkok, Thailand

Working Experience:

2007 Position: Student Internship

Company name: Thai Namtip Company, Thailand

Proceedings:

1. Khunrattanaphon, P., Sreethawong, T., and Chavadej, S. (2010, April 22) Degradation of Azo Dye in Wastewater Using Mesoporous-Assembled $\text{SrTi}_x\text{Zr}_{1-x}\text{O}_3$ ($x = 0-1$) Nanocrystal Photocatalysts. Proceedings of The 1st National Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 16th PPC Symposium on Petroleum, Petrochemicals, and Polymers. Bangkok, Thailand.

