



## REFERENCES

- Alvarez, W.E., Pompeo, F., Herrera, J.E., Balzano, L., and Resasco, D.E. (2002). Characterization of single-walled carbon nanotubes (SWNTs) produced by CO disproportionation on Co-Mo catalysts. Chemistry of Materials, 14, 1853-1858.
- Bethune, D.S., Kiang, C.H., Devries, M.S., Gorman, G., Savoy, R., and Beyers, R. (1993). Cobalt-catalysed growth of carbon nanotubes with single-atomic-layer walls. Nature, 363, 605.
- Cassel, A.M., Raymakers, J.A., Kong, J. and Dai, H. (1999). Large scale CVD synthesis of single-walled carbon nanotubes. Journal of Physical Chemistry B, 103, 6484-6492.
- Cheng, H.M., Li, F., Su, G., Pan, H.Y., He, L.L., Sun, X., and Dresselhaus, M.S. (1998). Large-scale and low-cost synthesis of single-walled carbon nanotubes by the catalytic pyrolysis of hydrocarbons. Applied Physics Letters, 72 (25), 3282-3284.
- Colomer, J.-F., Stephan, F., Lefrant, S., Tendeloo, G.V., Willems, I., Konya, Z., Fonseca, A., Laurent, Ch., and Nagy, J.B. (2000). Large-scale synthesis of single-wall carbon nanotubes by catalytic chemical vapor deposition (CCVD) method. Chemical Physics Letters, 317, 83-89.
- Flahaut, E., Govindaraj, A., Peigney, A., Laurent, C., and Rao, C.N. (1999). Synthesis of single-wall carbon nanotubes using binary (Fe, Co, Ni) alloy nanoparticles prepared in situ by the reduction of oxide solid solutions. Chemical Physics Letters, 300, 236-242.
- Guo, T., Nikolaev, P., Rinzler, A.G., Tomanek, D., Colbert, D.T., and Smalley, R.E. (1995). Catalytic growth of single-walled nanotubes by laser vaporization. Chemical Physics Letters, 243, 45.
- Hafner, J.H., Bronikowski, M.J., Nikolaev, P., Rinzler, A.G., Colbert, D.T., Smith, K.A., and Smalley, R.E. (1998). Catalytic growth of single-wall carbon nanotubes from metal particles. Chemical Physics Letters, 296, 195-202.
- Harris, P.J.R. (1999). Carbon Nanotubes and Related Structures. Cambridge University Press, Cambridge, United Kingdom.

- Harutyunyan, A.R., Pradhan, B.K., Kim, U.J., Chen, G., and Eklund, P.C. (2002). CVD synthesis of single wall carbon nanotubes under “soft” conditions. Nano Letters, 90, 225-231.
- Hornyak, G.L., Grigorian, L., Dillon, A.C., Parilla, P.A., Jones, K.M., and Heben M.J. (2001). A temperature window for chemical vapor decomposition growth of single-wall carbon nanotubes. Journal of Physical Chemistry B, 112, 977-1003.
- Iijima, S. (1991). Helical microtubules of graphitic carbon. Nature, 354,56.
- Iijima, S., and Ichihashi, T. (1993). Single-shell carbon nanotubes of 1-nm diameter. Nature, 363, 603.
- Journet, C., Maser, W., Bernier, P., Loiseau, A., Delachapelle, M., Lefrant, S., Deniard, P., Lee, R., and Fischer, J. (1997). Large-scale production of single-wall carbon nanotubes by the electric arc technique. Nature, 388, 756-758.
- Kitiyanan, B. (2000). Single-wall carbon nanotubes production by heterogeneous catalytic reaction. Ph.D. Dissertation, The School of Chemical Engineering and Materials Science, University of Oklahoma.
- Kitiyanan, B., Alvarez, W.E., Haerwll, J.H., and Resasco, D.E. (2000). Controlled production of single-wall carbon nanotubes by catalytic decomposition of CO on bimetallic Co-Mo catalysts. Chemical Physics Letters, 317, 497-503.
- Kong, J., Cassel, A.M., and Dai, H. (1998). Chemical vapor deposition of methane for single-walled carbon nanotubes. Chemical Physics Letters, 292, 567-574.
- Nikolaev, P., Bronikowski, M.J., Bradley, R.K., Rohmund, F., Colbert, D.T., Smith, K.A., and Smalley, R.E. (1999). Gas-phase catalytic growth of single-walled carbon nanotubes from carbon monoxide. Chemical Physics Letters, 313, 91-97.
- Qingwen, L., Hao, Y., Yan, C., Jin, Z., and Zhongfan, L. (2002). Ascalable CVD synthesis of high-purity single-wall carbon nanotubes with porous MgO as support material. Materials Chemistry, 12, 1179-1183.

- Su, M., Zheng, B., and Liu, J. (2000). A scalable CVD method for the synthesis of single-walled carbon nanotubes with high catalyst productivity. Chemical Physics Letters, 322, 321-326.
- Tang, S., Zhong, Z., Xiong, Z., Sun, F., Liu, L., Lin, J., Shen, Z., and Tan, K.L. (2001). Controlled growth of single-walled carbon nanotubes by catalytic decomposition of CH<sub>4</sub> over Mo/Co/MgO catalysts. Chemical Physics Letters, 350, 19-26.
- Treacy, M.M.J., Ebbesen, T.W., and Gibson, J.M. (1996). Exceptionally high Young's modulus observed for individual carbon nanotubes. Nature, 381, 678.
- Xuto, S. (2002). Catalytic synthesis of carbon nanotubes by methane decomposition. M.S. thesis in the Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University.
- Yokobson, B.I., and Smalley, R.E. (1997). Fullerene nanotubes: C<sub>1,000,000</sub> and beyond. American Science, 85, 324-377.

## CURRICULUM VITAE

**Name:** Mr. Teerakun Boonphyoong

**Date of Birth:** February 8, 1979

**Nationality:** Thai

**University Education:**

1997-2001 Bachelor Degree of Science in Chemical Engineering,  
Department of Chemical Technology, Faculty of Science,  
Chulalongkorn University, Bangkok, Thailand.

**Presentation:**

2002 The 3<sup>rd</sup> National Symposium on Graduate Research,  
Suranaree University of Technology, Nakhon Ratchasima,  
Thailand.

