

บรรณานุกรม

1. Niyomdham, C., Preliminary revision of tribe Sophoreae (Leguminosae Faboideae) in Thailand, Thai Forest Bulletin Vol.13, P.1-22, 1980.
2. Soladoye, M.O., A revision of Baphia (Leguminosae Papilinoideae), Kew Bulletin. Vol.40, P.291-394, 1985.
3. เสจีym พงษ์บุญรอด "ไม้เทศเมืองไทย", เกษมบรรณกิจ, ใชยวัฒน์การพิมพ์, หน้า 91, 2519.
4. บุพิน จินตภากර "The Chemical Constituents of *Sophora exigua* Craib Root" วิทยานิพนธ์มหาบัณฑิต บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 1991.
5. Zhao, B.G., Studies on the alkaloid of *Sophora alopecuroides* L. Yao Hsueh Pao. Vol.15, P.182-183, 1980.
6. Orekhov, A.P., Proskurnina, N., and Konovalova, R., Ber. Vol.68 B, P.431-436, 1935.
7. Zhao, B., Liu, X., and Yan, Z. TLC determination of the main alkaloids in foxtail-like *Sophora* (*Sophora alopecuroides*) Zhongcaovao Vol.15, P.559-560, 1984.
8. Monakhova, T.E., Proskurnina, N.F., Tolkaehev, O.N., Kabanov, V.S., and Perel son, M.E., Alkaloids of *Sophora alopecuroides* L. Khim. Prir. Soedin. Vol.9, P.59-64, 1973.
9. Qi, Z., Wang, Z., and Han, J. HPTLC densitometric analysis of alkaloids of foxtail-like *Sophora* (*Sophora alopecuroides*) Zhonger Zhongcaovao Vol.20, P.495-496, 1989.

10. Kuchkarov, S. Novol quinolizidine alkaloids of *Sophora alopecuroides* L. Tezisy Dokl.-Sov.-Indiiskii Simp. Khim.-Prir. Soedin., 5th. Yerevan, USSR : Akad. Nauk Armyanskoi SSR, 1978.
11. Kuchkarov, S. and Kushmuradov, Yu. K., Aslanov, Kh. A., and Sadykov. A.S. Alkaloids from *Sophora alopecuroides*. Khim. Prir. Soedin. Vol.4, P.541-544, 1977.
12. Pu, q., Li, y., Yang, J., and Yan, S. Mass spectra of the alkaloids from *Sophora alopecuroides* L. Vol.22, P.438-444, 1987.
13. Cui, J. and Zhang, G. Analysis of alkaloid constituents in four *Sophora* species. Zhongyao Tongbao. Vol.11, P.102-103, 1986.
14. Plekhanova, N.V. and Smirnova, M.I. Alkaloids from *Goebelia alopecuroides*, growing in Chuya Valley. Issled. Flory - Kirgizii na Alkaloidonosnost. Akad. Nauk Kirg. SSR. Inst. Organ.Khim. P.62-64, 1965.
15. Tolkachev, O.N., Monakhova, T.E., Sheichenko, V.I., Kabanov, V.S., Fesenko, O.G., and Proskurnina, N.F. New types of alkaloid from *Sophora alopecuroides*. Khim. Prir. Soedin. Vol.11, p.30-37, 1975.
16. Monakhova, T.E., Tolkachev, O.N., Kabanov, V.S., Perel son, M.E. and Proskurnina, N.F. Alkaloides of *Sophora alopecuroides*, Neosophoramine, a new isomer of Sophoramine. Khim. Prir. Soedin. Vol.4, P.472-476, 1974 a.

17. Kuchkarov, S. and Kushmuradov, Yu. K. Lupinine alkaloids from *Sophora alopecuroides*. Khim. Prir. Soedin. Vol.3, P.413-414, 1979.
18. Southon, I.W., and Buckingham, J.(eds.) Dictionary of alkaloides. London : Chapman and Hall, 1989.
19. Monakhova, T.E., Tolkachev, O.N., Perelson, M.E., Kabanov, V.S., and Proskurnina, N.F. Alkaloides of *Sophora alopecuroides*, Tricrotonyltetramine. Khim. Prir. Soedin. Vol.6, P.752-754, 1974 b.
20. Ter-Karapetyan, M.A. and Akopyan, B.A. Carbohydrate and protein synthesis in *Sophora alopecuroides* under high salinity condition. Fiziol. Ustoichivosti Rastenii (Moscow : Akad.-Nauk s.s.r.) Sbornick. P.632-635, 1960.
21. Ter-Karapetyan, M.A. and Akopyan, B.A. The change of amino acid composition in leaves of *Goebelia alopecuroides* (*Sophora alopecuroides*) under saline soil conditions. Doklady Akad. Nauk Armyan S.S.R. Vol.25, P.117-120, 1957.
22. Artamonova, N.A., Nikonov, G.K., Nusipbekova, K., and Nosul Chak, V.A. Glyceridic oils from seeds of plants belonging to the Fabaceae. Khim. Prir. Soedin. Vol.5, p.750-752. 1987.
23. Pakanave, Y.I. and Kattaev, N.Sh. Determination of organic acids in *Sophora alopecuroides*. Uzbeksk. Khim. Zh. Vol.10, P.49-51, 1966.
24. Akramova, A.S., Glushenkova, A.I., Markman, A.I., Stepanenko, G.A., Umarov, A.V. and Chernenko, T.V. Seed oils of a few species of leguminous plants. Uzbeksk. Khim. Zh. Vol.8, P.31-36, 1964.

25. Huang, Q. et al. Studies on *Sophora alopecuroides* Gum.
Zhiwu Xuebao. Vol.26, P.195-201, 1984.
26. Yusupova, S.S., Batirov, E. Kh., Abdullaev , Sh.V. And Malikov, V.M. Flavonoids of *Vexibia alopecuroides*. Khim. Prir. Soedin. Vol.2, P.250-251, 1984.
27. Batirov, E. Kh., Yusupova, S.S., Abdullaev, Sh.v., Vdovin, A.D., and Malikov, V.M. Structure of two new flavanones from *Vexibia alopecuroides*. Khim. Prir. Soedin. Vol.1, P.35-41, 1985.
28. Murakoshi, I., Ito, M., Haginiwa, J., Ohmiya, S., Otomasu, H. and Hirano, R.T. Lupin alkaloides from *Sophora chrysophylla*. Phytochemistry Vol.23, P.887-891, 1984.
29. Briggs, L.H., and Russell, Wm. E. *Sophora* alkaloides. III.
The alkaloides of the seeds of *Sophora chrysophylla*.
J. Chem. Soc. P.507-509, 1942.
30. Shirataki, Yoshiaki,. Tsuzuku, Tomohide,. Yokoe, Ichio,. studies on the constituents of *Sophora* species.
Chem. Pharm. Bull., 38(6), P.1712-1716, 1990.
31. Faugeras, G., Paris R.R., Alexis, M.N. and Dobremez, J.F.
Plants from Nepal. IV. Alkaloides from *Sophora moorcroftiana* Benth., Papilionaceae. Plant. Med. Phytother. Vol.10, P.85-90, 1976.
32. Murakoshi, I., Kidoguchi, E., Haginiwa, J., Ohmiya, S., Higashiyama, K., and Otomasu, H. Isokuramine and (-)-7, 11-Dehydromatrine, lupin alkaloides from flowers of *Sophora flavescens*. Phytochemistry. Vol.21, P.2379-2384, 1982 a.

33. Ueno, A., Morinaga, K., Fukushima, S. and Okuda, S. Studies on the lupin alkaloides. VII. Isolation and structure of (-)-7-Dehydrosophoramine. Chem. Pharm. Bull.. Vol.26, P.1832-1836, 1978 b.
34. Ueno, A., Morinaga, K., Fukushima, S., Iitaka, Y., Koiso, Y. and Okuda, F. Lupin alkaloides. VI. Isolation and structure of (+)-isomatrine. Chem. Pharm. Bull.. Vol.23, P.2560-2566, 1975.
35. Murakoshi, I., Kidoguchi, E., Haginiwa, J., Ohmiya, S., Higashiyama, K., and Otomasu, H. (+)-Kuraramine, a possible metabolite of (-)-N-methylcytisine in flowers of *Sophora flavescens*. Phytochemistry. Vol.20, P.1407-1409, 1981.
36. Wei, H., Li, Z., Wang, D., Hao, C. and Fan, G. Distribution and determination of alkaloides in the aerial parts of *Sophora flavescens* Ait. Hebei. Yixueyuan. Xuebao. Vol.9, P.241-243, 1988.
37. Bai, S., He, J., Yang, Z. and Rao, E. Stidies on alkaloide components of Ku Shen (*Sophora flavescens* Ait.) II. Isolation of Oxymatrine and other alkaloides. Zhongcaoyao. Vol.13, P.8-9, 1982.
38. Ueno, A., Hirakawa, K., Fukushima, S., Noro, T. and Moninaga, K. Studies on the constituents of *Sophora flavescens* Aiton. Chem. Pharm. Bull.. Vol.26, P.2407-2410, 1978 a.
39. Wu, L.J., Stiudies on the constituents of *Sophora flavescens* Ait. V. Yakugaku Zasshi. Vol.106, P.22-26, 1986.

40. Kyogoku, K., Hatayama, K. and Komatsu, M. Constituents of a Chinese crude drug Kushen (the root of *Sophora flavescens*). Isolation of five new flavonoides and formononetin. Chem. Pharm. Bull.. Vol.21, P.2733-2738, 1973 a.
41. Wu, L.J., Miyase, T., Uneno, A., Kuroyanagi, M., Noro, T. and Fukushima, S. Studies on the constituents of *Sophora flavescens* Aiton. II. Chem. Pharm. Bull.. Vol.33, P.3231-3236, 1985 a.
43. Wu, L.J., Studies on the constituents of *Sophora flavescens* Ait. IV. Yakugaku Zasshi. Vol.105, P.1034-1039, 1985 c.
44. Yagi, A.. Fukunaga,M., Okuzako, N., Mifuchi, I. and Kawamoto, F. Antifungal substances from *Sophora flavescens*. Shoyakugaku Zasshi Vol.43, P.343-347, 1989.
45. Yoshikawa, M., Wang, H.K., Kayakiri, H., Taniyama, T. and Kitagawa, I. Saponin and Sapogenol. XI. Structure of Sophoraflavoside I, a bisdesmoside of Soyasapogenol B, from Sophorae radix, the root of *Sophora flavescens* Aiton. Chem. Pharm. Bull.. Vol.33, P.4267-4274, 1985.
46. Kashimoto, T. Vegetable oils and fats. IV. Nippon Nagaku Zasshi Vol.78, P.123-125, 1957.
47. Komatsu, M., Tommimori, T., Hatayama, K. and Mikuriya, N. Constituents of *Sophora angustifolia*. Yakugaku Zasshi Vol.90, P.463-468, 1970 d.
48. Hatayama, K. and Komasu, M. Constituents of *Sophora* species V. Constituents of the roots of *Sophora angustifolia*. Chem. Pharm.Bull.. Vol.19, P.2126-2131, 1971.

49. Nakaoki, T., Morita, N., Mototsune, H., Hiraki, A. and Takeuchi, T. Medicinal resources. II. Components of the leaves of *Sophora angustifolia*, *Vicia hirsuta*, and *Linaria japonica*. J. Pharm. Soc. Japan Vol.75, P.127-176, 1955.
50. Furuya, T. and Ikuta, A. Presence of 1-Maackiain and Pterocarpin in callus tissue of *Sophora angustifolia*. Chem. Pharm. Bull. Vol.16, P.771, 1968.
51. Honda, G. and Tabata, M. Antidermatophytic substance from *Sophora angustifolia*. Planta Med. Vol.46, P.122-123, 1982.
52. Kyogoku, Kazuaki., Tachi, Yasuhide., Hatayama, Katsuo., Ohtake, Tateo.(Taisho Pharmaceutical Co., Ltd.) Japan Kokai, 1974.
53. Ohmiya, S., Higashiyama, K., Otomasu, H., Haginiwa, J. and Murakoshi, I. Two cage-type lupin alkaloides from *Sophora franchetiana*. Phytochemistry Vol.20, P.1997-2001, 1981.
54. Bordner, J., Ohmiya, S., Otomasu, H., Haginiwa, J. and Murakoshi, I. The absolute configuration of Tsukushinamine-A. A new cage-type lupin alkaloide from *Sophora franchetiana*. Chem. Pharm. Bull. Vol.28, P.1965-1968, 1980.
55. Komatsu, M., Studies on the constituents of *Sophora* species XIV. Constituents of the root of *Sophora franchetiana* Dunn (1) Chem. Pharm. Bull. Vol.29, P.532-538, 1981 a.
56. Komatsu, M., Studies on the constituents of *Sophora* species XV. Constituents of the root of *Sophora franchetiana* Dunn. Chem. Pharm. Bull. Vol.29, P.2069-2072, 1981 b.
57. Chen, Y. and Liu, G. Chemical constituents of *Sophora glauca* Lesch. Zhongyao Tongbao Vol.12, P.611-612, 1987.

58. Abdusalamov, B.A., Aslanov, Kh. A., Sadykov, A.S., and Khoroshkova, O.A. Level of alkaloides in *Sophora japonica*. Khim. Prir. Soedin. Vol.5, P.658, 1972.
59. Wink, M., Witte, L., Hartmann, T., Theuring, C. and Volz. V. Accumulation of quinolizidine alkaloides in plants and cell suspension cultures : Genera *Lupinus*, *Cytisus*, *Baptisia*, *Genista*, *Laburnum* and *Sophora*. Planta Medica Vol.48, P.253-257, 1983.
60. Yashida, Y. and Hasegawa, M. Distribution of Stizolamine in some leguminous plants. Phytochemistry Vol.16, P.131-132, 1977.
61. Yakov, S.I. Comparative study of amino acid composition of *Tilia* leaf and buds of *Sophora japonica*. Doke. Akad. Nauk.sssr. Vol.142, P.1203-1204, 1962.
62. Grdzelidze, A.M. and Kiknadze, N.M. Amino acid composition of *Sophora japonica* fruits. Tr. Gruz. Nauch. Issled. Inst. - Pishch. Prom. Vol.5, P.175-178, 1971.
63. Winter, H.C. and Dekker, E.E. An unusual distribution of 4-substituted glutamic acids in *Sophora japonica*. Phytochemistry Vol.26, P.2477-2480, 1987.
64. Kashimoto, T. Vegetable oils and fats. II. Nippon Nagaku Zasshi Vol.75, P.1110-1115, 1954.
65. Cornea, I. and Rudenco, A. New raw materials for industry from the vegetable oils of Rumania. II. Analysis and evalution of the oil, fatty acids, and extraction residue from the seeds of *Sophora japonica*. Bul. Inst. Natl. Cercetari Tehnol. Vol.3 P.48-54, 1948.

66. Komatsu, Yokoe, I. and Shirataki, Y. Studies on the constituents of *Sophora* species. X. Constituents of the root of *Sophora japonica* L. (1). Vol.96, P.254-257, 1976 a.
67. Takeda, T., Ishiguro, I., Masegi, M. and Ogihara, Y. New isoflavone glycosides from the woods of *Sophora japonica*. Phytochemistry Vol.16, P.619-620, 1977.
68. Ho, L., Xu, Y. and Xue, H. Studies on antifertility constituents of Hual Jiao. II. Separation and identification of four compounds V-VIII. Shengzhi Yu Biyun Vol.4, P.51-54, 1984.
69. Szabo, V., Bogner, R., Farkas, E. and Litkei, G. The glycosides of the fruit of *Sophora japonica*. VII. Acta Univ. Debrecen.-Ludovico. Kossuth Nominatae, Ser. Phys. Chem. Vol.13, P.129-144, 1967.
70. Ishida, H. Studies on the antihemostatic substances in herbs classified as hemostatics in traditional Chinese medicine. I. On the antihemostatic principle in *Sophora japonica* L. Chem. Pharm. Bull. Vol.37, P.1616-1618, 1989.
71. Kimura, M. and Yamada, H. Interaction in the antibacterial activity of flavonoides from *Sophora japonica* L. to *Propionibacterium*. Yakugaku Zasshi Vol.104, P.340-346, 1984.
72. Akhmedkhodzhaeva, N.N., Svechnikova, A.N., Bandyukova, V.A. and Kambraova, D.M. Detrmination of flavones in *Sophora japonica* fruit. Farmatsiya (Moscow). Vol.35, P.60-61, 1986.
73. Vanetten, H.D., Mathews, P.S. and Mercer, E.H. Maackiain and (+)-Medicarpin as phytoalexins in *Sophora japonica* and identification of the (-)-isomers by biotransformation. Phytochemistry Vol.22, P.2291-2295, 1983.

74. Shibata, S. and Nishikawa, Y. Constituents of Japanese and Chinese crude druge. VII. Constituents of the roots of *Sophora subprostrata* and *Sophora japonica*. Chem. Pharm. Bull. Vol.11, P.167-177, 1963.
75. Komatsu, M. Studies on the constituents of *Sophora* species. XII. Constituents of the aerial parts of *Sophora tomentosa* L. Chem. Pharm. Bull Vol.26, P.1274-1278, 1978 a.
76. Mizuno, M., Iinuma, M. and Tanaka, T. Constituents of the genus *Sophora*. Ann. Proc. Gifu. Pharm. Univ. Vol.38, P.22-32, 1989.
77. Ishida, H., Umino, T., Tsuji, K. and Kosuge, T. Studies on anti hemorrhagic substances in herbs classified as hemostatics in Chinese medicine. VI. On the antihemorrhagic principle in *Sophora japonica* L. Chem. Pharm. Bull. Vol.35, P.857-860, 1987.
78. Balbaa, s.i., Zaki, A.Y. and El Shamy, A.M. Total flavonoid and rutin content of the different organs of *Sophora japonica*. J. Ass. Off. Anal. Chem. Vol.57, P.752-755, 1974.
79. Shirataki, Y., Tagaya, Y., Yokoe, I. and Komatsu, M. Studies on the constituents of *Sophora* species part 21. Sophoraside A. a new aromatic glycoside from the roots of *Sophora japonica*. Chem. Pharm. Bull. Vol.35, P.1637-1640, 1987.
80. Kooiman, P. Structures of the galactomannans from seeds of *Annona muricata*, *Arenga saccharifera*, *Cocos nucifera*, *Convolvulus tricolor*, and *Sophora japonica*. Carbohydr. Res. Vol.20, P.329-337, 1971.

81. Kitagawa, I., Taniyama, T., Hong, W.W., Hori, K. and Yoshikawa, M. Saponin and Sapogenol. XIV. Structure of kaikasaponins I, II and III from Sophorae flos, the buds of *Sophora japonica* L. Yakugaku Zasshi Vol.108, P.538-546, 1988.
82. Mitsuhashi, T., Ichihara, M., Endo, S. and Okazaki, K. Lipid components of the seed and the flower of *Sophora japonica*. Tokyo Gakugei Daigaku Kiyo, Dai-4-Bu, Vol.25, P.107-110, 1973.
83. Haragsim, O. and Macha, J. Sugar contained in Japanese *Sophora* (*Sophora japonica*). Rostl. Vyroba. Vol.15, P.659-664, 1969.
84. Clancy, M.J. Sophorose and its derivatives J. Chem. Soc. P.4213-4217, 1960.
85. Corral, R.A., Orazi, O.O. and Pizzorno, M.T. Plant studies. XVII. *Sophora Linearifolia* alkaloids. Nuclear magnetic resonance spectrum of Matrine-N-oxide. An. Asoc. Quim. Argent. Vol.60, P.37-42, 1972.
86. Parente, J.L., Herrera, J.A. and Juliani, H.R. Isolation of d-parteine from *Sophora linearifolia*. An. Asoc. Quim. Argent. Vol.57, P.115-116, 1969.
87. Murakoshi, I., Kidoguchi, E., Haginwa, J., Ohmiya, S., Higashiyama, K. and Otmasu, H. Lupin alkaloids from *Sophora mollis*. Phytochemistry Vol.21, P.1313-1315, 1982 b.
88. Jain, A.C. and Koul, S. Isolation of biochanin A from the heart wood of *Sophora mollis*. Curr. Sci. Vol.41, P.414-415, 1972.
89. Karakozova, S.A., Abdusalamov, B.A. and Khazanovich, R.L. Alkaloids from the seeds and pericarp of *Sophora griffithii* Khim. Prir. Soedin. Vol.5, P.664-665, 1975.

90. Primukhamedov, I., Aslanov, Kh.A. and Sadykov, A.S. Alkaloids from *Sophora griffithii*. Nauch. Tr. Tashkent. Gos. Univ. Vol.341, P.128-129, 1968.
91. Primukhamedov, I. Content of alkaloids in various *Sophora griffithii* organs. Rast. Resur. Vol.5, P.572-575, 1969.
92. Faugeras, G., Paris, R.R., Alexis, M.N. and Dobremez, J.F. Plants from Nepal. IV. Alkaloids from *Sophora moorcroftiana* Benth., Papilionaceae. Plant. Med. Phytother. Vol.10, P.85-90, 1976.
93. Shirataki, Y., Yokoe, I., Noguchi, M., Tomimori, T. and Komatsu, M. Studies on the constituents of *Sophora* species, XXII. Constituents of the root of *Sophora moorcroftiana* Benth. ex Baker. Chem. Pharm. Bull. Vol.36, P.2220-2225, 1988.
94. Aslanov, Kh. A., Sadykov, A.S. and Begisheva, A.I. Alkaloids of *Sophora alopecuroides*. Nauchn. Tr. Tashkentsk. Gos. Univ. Vol.263, P.20-23, 1964.
95. Markman, A.L. and Glushenkova, A.I. The seed oil of *Sophora pachycarpa*. Uzbeksk. Khim. Zh. Vol.7, P.81-85, 1963.
96. Sadykov, A.S., Kushmuradov, Yu. K. and Aslanov, Kh.A. Structure of Isosophoramidine. Doke. Akad. Nauk sssr. Vol.145, P.829-830, 1962.
97. Zainutdinov, U.N., Aslanov, Kh.A., Kushmuradov, Yu.K. and Sadykov, A.S. *Sophora pachycarpa* seed alkaloids (Sophocarpidine). Nauch. Tr., Tashkent. Gos. Univ. Vol.341, P.117-121, 1968.
98. Orehov, A.P., Rabinovich, M. and Konovalova, R. *Sophora* alkaloids. I. Alkaloids of the foliage of *Sophora pachycarpa*. Ber. Vol.66 B, P.621-625, 1933.

99. Orekhov, A.P. *Sophora* alkaloids VI. Sophoridine and Sophocarpine.
The high-boiling bases of the foliage of *Sophora pachycarpa*
Ber. Vol.67 B, P.1850-1855, 1934.
100. Sattikulov, A., Abdullaev, Sh.V., Kurbatov, Yu.V., Kozyreva, G.F.
and Sadykov, A.S. Chemical composition of dry plants
Ammothamnus lehmannii Bge and *Sophora pachycarpa* C.A. May.
Uzb. Khim. Zh. Vol.5, P.11-15, 1983.
101. Contantinescu, E., Pislarasu, N., Istudor, V. and Forstner, S.
Allantoin an impotant factor in the therapeutic action of some
plant products. Herba Hung. Vol.8, P.101-106, 1969.
102. Pislarasu, N. and Badauta-Tocan. Alkaloid contents of
Sophora prodanii. Identification and isolation of sparteine.
Farmacia (Bucharest) Vol.21, P.693-699, 1973.
103. Pislarasu, N. and Dragut, E. Study on the alkaloid content of
the *Sophora prodani* Anders. species. Farmacia (Bucharest)
Vol.26, P.121-126, 1978.
104. Pislarasu, N. and Feodorov-Rinciog, E. Identification,
measurement, and extraction of Anthracene derivatives from the
root of *Sophora prodani* Anders. species. Farmacia (Bucharest)
Vol.24, P.219-226, 1976.
105. Pislarasu, N. and Safta-Nistorica, A. Chemical study of *Sophora*
prodanii. Farmacia (Bucharest) Vol.16, P.219-226, 1968.
106. Markham, K.R. Flavonoids and the chemotaxonomy of three *Sophora*
species. Phytochemistry Vol.12, P.1091-1094, 1973.
107. Keller, W.J. and Hatfield, M. 11-Allylcytisine and other minor
alkaloids from unripe *Sophora secundiflora* fruits.
Phytochemistry Vol.18, P.2068-2069, 1979.

108. Chavez, P.I. and Sullivan, G. A qualitative and quantitative comparision of the quinolizidine alkaloids of the fasciated and normal stems of *Sophora secundiflora*. J. Nat. Prod. Vol.47, P.735-736, 1984.
109. Murakoshi, I., Ito, M., Hagiwa, J., Ohmiya, S., Otomasu, H. and Hirano, R.T. (+)-11-Oxocytisine, a lupine alkaloid from leaves of *Sophora secundiflora*. Phytochemistry Vol.25, P.2000-2002, 1986.
110. Makboul, A.M. and Abdel-Baky, A.M. Flavonoids from *Sophora secundiflora*. Fitoterapia Vol.55, P.105-106, 1984.
111. Abdel-Baky, A.M. and Makboul, M.A. Sparteine and 13-Hydroxysparteine from leaves of *Sophora secundiflora* Lag. Bull. Pharm. Sci. Assiut Univ. Vol.8, P.99-108, 1985.
112. Izaddost, M., Harris, B.G. and Gracy, R.W. Structure and toxicity of alkaloids and amino acid of *Sophora secundiflora*. J. Pharm. Sci. Vol.65, P.352-354, 1976.
113. Dominguez, X.A. and Canales, I.V. Physical and chemical properties of the oils of the seeds of *Erythrina rubrinervia* and *Sophora secundiflora*. Rev. Quim. (Monterrey) Vol.1, P.23-27, 1954.
114. Makboul, A.M. and Abdel-Baky, A.M. Flavonoids from *Sophora secundiflora* Fitoterapia Vol.55, P.105-106, 1984.
115. Hasan, A., Ahmad, R. and Rahman Beg, A. Flavonoids from leaves of *Sophora secundiflora*. Fitoterapia Vol.58, P.284-285, 1987.
116. Minhaz, N., Khan, H., Zaman, A. and Francis, M. Unanisoflavan, A new isoflavan from *Sophora secundiflora* DC. Tetrahedron Letters Vol.27, P.2391-2394, 1976.


117. Komatsu, M., Tomimori, T., Hatayama, K., Makiguchi, Y. and Mikuriya, N. Studies on the constituents of *Sophora* species.
I. Constituents of *Sophora subprostrata* Chun et TC. Chen. (1).
Isolation and structure of new flavonoids, Sophoradin and Sophoranone. Chem. Pharm. Bull.. Vol.18, P.602-607, 1970 b.
118. Chuang, C.Y., Chen, C.F., Lin, M.T., Teh, G.W., Yeh, P.H. and Han, P.W. Pharmacological studies on the hypothermic constituents of the root of *Sophora subprostrata* (Leguminosae). Proc. Natl. Sci. Counc. Repub. China. Part B 7, P.356-361, 1983.
119. Shirataki, Y., Yokoe, I. and Komatsu, M. Two new flavone glycosides from the roots of *Sophora subprostrata*. J. Nat. Prod. Vol.49, P.645-649, 1986.
120. Kyogoku, K., Hatayama, K., Suzuki, K., Yokomori, S., Maejima, K. and Komatsu, M. Constituents of Guang Dou-Gen (the root of *Sophora subprostrata*). 5. Isolation of two new flavanones and daidzein Chem. Pharm. Bull.. Vol.21, P.1436-1439, 1973 b.
121. Kyogoku, K., Hatayama, K., Suzuki, Y., Yokomori, S., Maejima, K. and Komatsu, M. Constituents of Guang-Dou-Gen (root of *Sophora subprostrata*). 6. Isolation of two new flavanonones. Chem. Pharm. Bull.. Vol.21, P.1777-1782, 1973 c.
122. Kyogoku, K., Hatayama, K., Yokomori, S., Shio, M. and Komatsu, M. Constituents of *Sophora* species. VI. Constituents of the root of *Sophora subprostrata*. 4. Chem. Pharm. Bull.. Vol.21, P.1192-1197, 1973 d.

123. Komatsu, M., Tomimori, T., Hatayama, K. and Makiguchi, Y.
Constituents of *Sophora* species. III. Constituents of
the root of *Sophora subprostrata*. Yakugaku Zasshi Vol.90,
P.459-462, 1970 a.
124. Komatsu, M., Constituents Of *Sophora subprostrata*. (2). Isolation
and structure of new flavonoids, Sophoradochromene and *Sophora*
nochromene. Chem. Pharm. Bull. Vol.18, P.741-745, 1970 c.
125. Komatsu,M., Yokoe, I., Shirataki, Y. and Chen, J. Constituents
of *Sophora* species. Part II. Trifolirhizin-6-monoacetate,
a new glycoside from the roots of *Sophora subprostrata*.
Phytochemistry Vol.18, P.1089-1090, 1976 b.
126. Kinghorn, A.D., Balandrin, M.F. and Lin, L.J. Alkaloide
distribution in some species of the papilionaceous tribes
Sophoreae, *Dalbergieae*, *Loteae*, *Brongniartieae*, and *Bossiaeae*.
Phytochemistry Vol.21, P.2269-2275, 1982.
127. Reyes, A., Miranda, N. and Marlinez, R. Constituents of
Sophora tetaptera senu Reiche. Rev. Latinoam. Quim.
Vol.19, P.32, 1988.
128. Briggs, L.H., Cambie, R.C. and Montgomery, R.K. New zealand
phytochemical survey. 13. Constituents of the wood and bark
of *Sophora microphylla* and *S. tetaptera*. N. Z. J. Sci.
Vol.18, P.555-558, 1975.
129. Urzua, A. and Cassels, B.K. Alkaloids of *Sophora tetaptera*
sensu. Phytochemistry Vol.9, P.2365-2367, 1970.
130. Briggs, L.H., and Taylor, W.S. *Sophora* alkaloids. II.
The alkaloids of the seeds of *Sophora tetaptera*.
J. Chem. Soc. P.1206-1207, 1938.

131. Briggs, L.H., and Mangan, J.L. *Sophora* alkaloids. V.
The alkaloids of the seeds of a possible new species from
Anawhata, New Zealand. J. Chem. Soc. P.1889-1891, 1948.
132. Silva, M., Medina, M.V. and Sammes, P.G. Alkaloids of
Sophora macrocarpa. Phytochemistry Vol.7, P.661-663, 1968.
133. Negrete, R. Alkaloids from the leaves of the *Sophora*
macrocarpa. Bol. Soc. Chil. Quim. Vol.27, P.263-265, 1982.
134. Negrete, R., Backhouse, N. and Cassels, B. Alkaloids from the
leaves of *Sophora macrocarpa*. Contrib. Cient. Tecnol.-
(Univ. Tec. Estado, Santiago) Vol.11, P.31-39, 1981.
135. Negrete, R. Cassels, B.K. and Eckhardt, G.
(+)-9-Hydroxymatrin from *Sophora macrocarpa*. Phytochemistry
Vol.22, P.2069-2072, 1983.
136. Briggs, L.H., Cambie, R.C., Holdgate, R.H. and Seelye, R.N.
Sophora alkaloids. VI. The alkaloids of the bark and flower
of *Sophora microphylla*. and the isolation of Diosmin from
the flower. J. Chem. Soc. P.1955-1956, 1960
137. Briggs, L.H. and Ricketts, J. *Sophora* alkaloids. I.
The alkaloids of the seeds of *Sophora microphylla* Ait.
J. Chem. Soc. P.1795-1798, 1937.
138. Shirataki, Y., Endo, M., Yokoe, I. and Komatsu, M. Studies on
the constituents of *Sophora* species. XVIII. Constituents of
the root of *Sophora tomentosa* L. (3). Chem. Pharm. Bull.
Vol.31, P.2859-2863, 1983.
139. Komatsu, M. Studies on the constituents of *Sophora* species.
XIII. Constituents of the aerial parts of *Sophora tomentosa* L.
Chem. Pharm. Bull. Vol.26, P.3863-3870, 1978 b.


140. Delle Monache, F. Flavonoids of *Sophora tomentosa* (Leguminosae).
II. Isosophoranone, a new diprenylated Isoflavanone.
Gazz. Chim. Ital. Vol.107, P.189-193, 1977.
141. Farkas, L., Nogradi,M., Wagner, H. and Hoerhammer, L.
Isoflavone glycoside. X. Final structure determination and
totle synthesis of Sophorabioside, a glycoside from *Sophora*
japonica. Chem. Pharm Bull. Vol.101, P.2758-2761, 1968.
142. Kinoshita, T., Ichinose, K., Takahashi, C. and Sankawa, U.
The isolation of a new class of isoflavonoid metabolites from
Sophora tomentosa L. Chem. Pharm. Bull. Vol.34, P.3067-3070,
1986.
143. Dellemonache, F., Delle Monache, G., Marini-Bettolo, G.B.,
Fernandes de Albuquerque, M.M., Francisco de Mello, J.
and Goncalves de Lima, O. Flavonoids of *Sophora tomentosa*
(Leguminosae). I. Sophoronol, a new 3-Hydroxyflavanone.
Gazz. Chim. Ital. Vol.106, P.935-945, 1976.
144. Dou, J., Li, J. and Yan, W. Studies on the alkaloids of the
radix *Sophora tonkinensis*. Zhongguo Zhongyao Zazhi Vol.14,
P.296-298, 1989.
145. Asres, K., Gibbons, W.A., Phillipson, J.D. and Mascagni, P.
The alkaloids of *Sophora velutina*. J. Nat. Prod. Vol.49,
P.117-121, 1986.
146. Li,S. and Chang, H.J. Studies on alkaloids of *Sophora*
viciifolia Hance. Yao Hsueh Tung Pao Vol.16, P.52, 1981.
147. Plouvier, V. Flavone heterosides : Luteoline-7-glucoside,
Diomin, and Hesperidin. Compt. Rend., Ser D.263, P.439-442,
1966.

ภาคผนวก



Sophora exigua Craib : A = flowering branch ; B = flower ;
C = standard ; D = wing ; E = keel ; F = ovary.


รูปที่ 1 แสดงลักษณะกิ่ง ก้าน ใบ และดอก ของพืชนี้



รูปที่ 2 อินฟราเรดспект์รัมของสาร 1

BTC1H		MIN. INTENSTY = 1.209		MAXY = 25.01147		FP CONSTANT = .560000	
INTEN. LEVEL = 1.209		NOISE = .01147		SENS. LEVEL = .02294		F1 = 15.0006 FPM	
F1 = 3002.10 Hz		F2 = -99.70 Hz		Hz = -.4982 PFM			
#	CURSOR	FREQUENCY	FPM	INTENSITY	FPM	INTENSITY	
1	1381	2479.001	12.3868	1.214			
2	1491	2412.111	12.2026	7.981			
3	1055	1446.437	7.3273	5.901			
4	4181	1417.326	7.0824	1.661			
5	4266	1449.051	7.0466	3.500			
6	4227	1401.197	7.0014	2.321			
7	4500	1297.614	6.4838	7.894			
8	4521	1289.539	6.4434	7.003			
9	1679	1229.721	6.1445	6.486			
10	4749	1203.322	6.0126	2.297			
11	4784	1189.994	5.9469	2.074			
12	5267	1066.781	5.0366	1.322			
13	5283	1000.006	5.0011	2.039			
14	5475	926.117	4.6375	3.497			
15	5554	890.045	4.4874	3.355			
16	5898	767.676	3.8359	1.6071			
17	5183	459.565	3.2956	1.3542			
18	6219	445.838	3.2271	1.381			
19	42227	442.031	3.2080	1.7777			
20	6266	628.356	3.1397	1.554			
21	6403	576.309	2.8796	2.016			
22	6119	528.873	2.7925	1.961			
23	4538	525.007	2.6237	2.403			
24	6556	519.051	2.5886	3.724			
25	4567	515.916	2.5679	2.861			
26	6711	459.139	2.2957	1.311			
27	6729	452.811	2.2626	1.776			
28	6746	446.113	2.2291	1.266			
29	6816	408.170	2.0395	3.049			
30	6961	364.771	1.8226	2.966			
31	6995	351.887	1.7583	2.869			
32	7058	328.102	1.6394	15.934			
33	7063	318.540	1.5917	14.114			
34	7129	306.948	1.5038	15.643			
35	7253	253.813	1.2684	3.766			
36	7272	246.828	1.2333	2.671			
37	7296	237.573	1.1671	1.562			

ชุดคุณภาพต่อหนึ่ง เอ็นจิเนียร์สเปคตรัมของสาร 1




รูปที่ 3 光谱ต่อเนื่องอิเล็กตรอนสเปกตรัมของสาร 1


DATA IS PROTECTED
DATA IS PROTECTED


SUM. #20
MIN. INTENSITY = 1.245
INTENS. LEVEL = 1.245
F1 = 10567.79 Hz π 209.9978 FPM

#	CURSOR	FREQUENCY	PPM	INTENSITY
1	928	9952.185	197.7649	5.745
2	3256	8373.213	166.3689	5.161
3	3511	8266.269	162.9505	6.153
4	3845	7950.309	158.1833	4.223
5	4116	7789.971	154.7964	14.020
6	4626	7441.159	147.9226	6.554
7	5608	6642.357	131.9936	5.181
8	5955	6542.750	130.0113	1.831
9	6494	6184.443	122.8942	7.126
10	7369	5563.592	110.9544	3.929
11	7416	5551.923	110.3250	5.434
12	7471	5514.622	109.5638	5.569
13	7545	5444.784	108.5935	9.335
14	7598	5128.556	107.8738	1.248
15	7965	5179.591	102.9263	4.203
16	8671	4761.260	93.4211	4.114
17	9834	3910.895	77.7154	2.973
18	9863	3878.912	77.0798	3.143
19	9930	3916.885	76.4431	2.957
20	9969	3897.077	75.6523	4.815
21	11461	2808.471	55.8126	5.674
22	12677	2521.145	17.5156	5.039
23	12565	2052.182	40.9389	3.332
24	13270	1581.810	31.4329	4.741
25	13624	1341.657	26.6608	3.657
26	13690	1297.178	25.7769	1.483
27	13706	1285.427	25.5632	10.116
28	14212	943.195	18.7427	8.154
29	14277	898.881	17.8621	1.526
30	14284	894.523	17.7735	1.545
31	14291	889.685	17.6794	7.585
G=	96.4481	77		




รูปที่ 4 カラム No-13 เอ็นเอ็มอยาเรสเปกตรัมของสาร 1







รูปที่ 6 DEPT 135 บ้านเมืองราษฎร์บ้านเมืองชาวต่างด้าว 1



ຮູບກີ່ 7 C-H CORRELATION ຈອງເສົາກ 1





ຮູບໜ້າ 8 ^1H - ^1H COSY ໂອງຕະຫີ 1

ຮູບທີ 9 ^1H - ^1H NOESY ໂອດເສດຖະກິນ 1

M/E	RAW INT.	R. INT.	SIGMA(%)	M/E	RAW INT.	R. INT.	SIGMA(%)	M/E	RAW INT.	R. INT.	SIGMA(%)
40.0	36.1	64.5	5.18	163.0	13.9	24.9	0.67	440.0	10.3	18.5	38.94
41.0	70.3	125.4	10.08	177.0	30.7	30.83	4.5	441.0	2.5	4.5	9.62
43.0	31.8	56.9	4.57	179.0	318.6	568.5	15.46	442.0	0.5	1.0	2.17
44.0	60.7	108.3	8.11	180.0	59.8	106.7	2.98	448.0	0.5	1.0	2.17
53.0	24.8	44.3	3.56	181.0	13.7	24.6	0.66	454.0	2.2	4.0	8.47
55.0	34.0	60.8	4.89	191.0	13.9	24.8	0.67	455.0	0.8	1.4	3.09
65.0	23.9	42.8	3.44	205.0	16.2	28.9	0.78	456.0	0.6	1.1	2.40
69.0	28.5	50.9	4.09	233.0	55.8	299.7	2.71	490.0	1.2	2.1	4.58
69.0	39.7	70.9	5.69	269.0	17.6	31.4	0.85	491.0	0.6	1.1	2.40
79.0	28.0	49.9	4.01	295.0	14.7	26.2	0.71	492.0	4.1	7.4	15.57
79.0	33.9	60.6	4.87	297.0	537.7	959.6	26.09	493.0	1.6	2.6	5.61
81.0	26.0	47.9	3.85	298.0	109.0	196.0	5.33	494.0	1.3	2.3	4.92
91.0	30.9	55.1	4.43	299.0	22.9	41.0	1.11				
93.0	22.2	39.6	3.18	315.0	560.3	1000.0	27.19				
95.0	21.0	38.9	3.13	316.0	111.5	198.9	5.41				
107.0	24.7	44.2	3.55	317.0	18.0	33.4	0.90				
121.0	30.1	53.0	4.32	321.0	15.6	27.9	0.76				
136.0	18.0	33.6	2.70	369.0	21.3	38.0	1.03				
149.0	59.2	105.0	8.50	438.0	92.7	165.5	4.50				
152.0	49.0	88.9	7.14	439.0	21.7	49.4	1.34				
				END							


MASS SPECTRUM : (23 TO 25)
 SAMPLE: NO. 1, 27 JULY 92
 NOTE : 361/2 EI, 70EV, 3000A, CHAMB, TEMP. 150
 BASE PEAK : M/E 315.0 INT. 560.0






รูปที่ 11 อินพาร์ตส์เบคทรัมของสสาร 2

BTDM601H		MIN. INTENSITY = .727		MAXY = 25.00000		PP CONSTANT = 50000		EENS. LEVEL = 02001	
INTENS. LEVEL = F1 = 50000.07 Hz		NORM = 15.0004 PFM		F2 = -1000.14 Hz		= -50005 PFM			
H	CURSOR	FREQUENCY	PPM	INTENSITY	PPM	INTENSITY	PPM	INTENSITY	PPM
1	1425	2446.630	12.2250	7.036					
2	1431	2444.072	12.2122	2.056					
3	2262	216.825	16.5871	4.176					
4	2779	1916.961	9.5781	12.235					
5	4100	1399.748	6.9941	1.377					
6	4121	1391.661	6.9534	3.062					
7	4142	1383.487	6.9128	2.472					
8	4163	1375.175	6.8713	1.732					
9	4419	1275.006	6.3708	6.515					
10	4440	1256.893	6.3302	6.552					
11	4418	1197.255	5.9823	.737					
12	4631	1191.942	5.9558	.862					
13	4644	1187.155	5.9318	.849					
14	4685	1171.019	5.8516	2.081					
15	4713	1159.874	5.7935	1.635					
16	4721	1157.105	5.7617	1.944					
17	4965	1061.434	5.3936	.727					
18	5174	979.736	4.8954	1.161					
19	5186	974.227	4.8679	2.125					
20	53370	903.152	1.5128	3.843					
21	5302	898.371	1.4669	4.272					
22	5387	896.139	1.4772	1.232					
23	5434	799.529	3.9956	.984					
24	5671	785.384	3.9243	1.163					
25	5678	782.323	3.9696	1.616					
26	5715	768.267	3.8386	1.133					
27	5759	751.148	3.7532	.997					
28	5919	688.210	3.4389	2.1.601					
29	6400	499.878	2.1977	2.342					
30	6104	498.332	2.1986	2.598					
31	6414	494.701	2.1719	2.786					
32	6421	491.663	2.1567	3.205					
33	6452	479.759	2.3972	0.234					
34	6566	434.963	2.1734	.766					
35	6706	380.315	1.9003	3.402					
36	6809	310.134	1.6995	1.054					
37	6864	318.613	1.5920	3.784					
38	6889	308.611	1.5420	1.947					
39	6907	301.846	1.5082	1.7165					
40	6945	286.660	1.4323	1.485					
41	7059	242.287	1.2106	0.376					
42	7251	167.628	.8346	1.063					




ស្នូលក់ 12 ត្រូវរាយការណ៍ និង អ៊ីនុយុទ្ធសាស្ត្រ និងការរួមចាប់ផ្តើម 2


STDM5013		MIN. INTENSITY = 1.052		MAX. = 25.00000		PP CONSTANT = .500000	
INTENS. LEVEL = 1.052		NOISE = .01510		SENS. LEVEL = .03020			
F1 = 10567.64 Hz = 209.9938 ppm		F2 = -503.14 Hz = -9.9981 ppm					
#	CURSOR	FREQUENCY	PPM	INTENSITY	PPM	INTENSITY	
1	2260	9963.500	197.9887	2.724			
2	1653	8279.216	164.5196	2.671			
3	4866	8128.628	161.5272	1.451			
4	4884	8115.530	161.2670	3.451			
5	5158	7921.163	157.4046	10.429			
6	5831	7413.626	147.9193	2.950			
7	7058	6572.510	130.6052	2.630			
8	7116	6531.503	129.7901	1.313			
9	7564	6213.496	123.4709	3.499			
10	8167	5572.612	110.7356	1.057			
11	8492	5551.087	110.3834	2.315			
12	8750	5372.172	106.7526	4.009			
13	8785	5316.653	106.2495	2.634			
14	9116	5112.093	101.5845	1.353			
15	9593	4773.289	94.8520	1.074			
16	11251	3596.716	71.4724	1.566			
17	13026	2335.378	46.4672	1.659			
18	13129	2051.261	40.7614	1.639			
19	13448	2037.511	40.4882	1.098			
20	13459	2029.705	40.3331	6.635			
21	13484	20068.379	39.9093	20.450			
22	13519	1987.148	39.4874	26.019			
23	13549	1965.592	39.0611	23.947			
24	13579	1944.309	38.6361	6.412			
25	13590	1936.932	38.4894	1.451			
26	13610	1922.453	38.2018	1.577			
27	14137	1548.880	30.7784	1.247			
28	14431	1339.630	26.6203	1.389			
29	14508	1285.055	25.5359	6.946			
30	15012	927.456	18.4299	3.920			
31	15072	885.064	17.5875	4.623			




รูปที่ 13 ตารางขอน-13 เอ็นเอ็มอาเรสเปกตรัมของสาร 2




รูปที่ 14 DEPT 90 เอ็นเอ็มเอาร์สเปคต์รัมของสสาร 2



รูปที่ 15 DEPT 135 เอ็นเอ็มอาร์สเปกตรัมของสาร 2




ຮູບທີ 16 C-H CORRELATION ຈອງສາກ 2




รูปที่ 17 ^1H - ^1H NOESY % ของ 2

MASS SPECTRUM : (8 TO 10), SAMPLE: NO. 9 30 JUL 92 NOTE : 378/2 EI, 10V, 300mA, CHAMB, TEMP, 160 BASE PEAK : M/E 165.0 INT, 600.4			MASS SPECTRUM : (8 TO 10), SAMPLE: NO. 9 30 JUL 92 NOTE : 378/2 EI, 10V, 300mA, CHAMB, TEMP, 160 BASE PEAK : M/E 165.0 INT, 600.4		
M/E	RAW INT, R, INT, SIGMAR(%)	M/E	RAW INT, R, INT, SIGMAR(%)	M/E	RAW INT, R, INT, SIGMAR(%)
41.0	120.7 201.0 15.09	147.0	16.1 26.8 0.44	426.0	9.3 15.6 55.89
43.0	52.1 86.9 6.52	149.0	14.2 23.6 0.39	427.0	1.7 2.0 10.34
55.0	81.5 135.7 10.19	163.0	19.4 32.3 0.54	428.0	0.4 0.8 2.90
67.0	57.2 95.3 7.15	165.0	600.4 1000.0 16.74	436.0	0.4 0.8 2.90
69.0	84.6 140.9 10.58	166.0	96.5 160.9 2.69	438.0	2.5 4.2 15.24
79.0	53.1 88.5 6.64	167.0	10.9 31.5 0.52	439.0	0.6 1.0 3.01
81.0	72.6 120.9 9.07	171.0	44.3 73.0 1.23	440.0	1.4 2.4 8.89
91.0	57.2 95.3 7.15	179.0	26.1 43.6 0.73	END	
101.0	46.5 72.0 5.83	181.0	15.4 25.7 0.43		
109.0	43.2 129.0 5.41	191.0	30.4 50.4 0.44		
123.0	71.4 129.0 9.68	203.0	10.2 30.3 0.50		
130.0	52.9 88.2 6.62	206.0	14.2 23.6 0.39		
		219.0	100.4 167.3 2.00		
		220.0	15.1 25.3 0.42		
		254.0	16.1 26.0 0.15		
		261.0	246.5 410.6 6.07		
		268.0	49.0 81.7 1.36		
		273.0	14.3 23.8 0.40		
		283.0	554.5 923.5 15.46		
		284.0	281.6 191.6 3.20		
		285.0	428.5 713.7 11.35		
		286.0	83.0 130.2 2.31		
		287.0	18.0 30.1 0.50		
		297.0	17.3 28.0 0.48		
		301.0	489.5 815.3 13.65		
		302.0	92.4 153.9 2.57		
		303.0	15.9 26.5 0.44		
		315.0	18.5 30.5 0.51		
		337.0	29.4 49.1 0.82		
		391.0	21.5 45.9 0.76		
		393.0	25.2 42.0 0.79		
		406.0	37.9 63.1 1.05		
		408.0	16.0 126.5 2.12		
		409.0	40.9 68.2 1.14		
		424.0	123.0 204.9 3.43		
		425.0	35.2 58.7 0.98		
		END			


MASS SPECTRUM : (8 TO 10)
 SAMPLE, NO. 9 30 JUL 92
 NOTE : 370/2 EI, 70U, 300U&C, CHAMB, TEMP, 160
 BASE PEAK : M/E 165, 0 INT, 600, 4






รูปที่ 19 อิฐพลาเรตส์เบกต์รัมของสาร 3

STDM601H		MIN. INTENSITY	748	MAXY	25.00000	PP CONSTANT	5.00000
		INTENS. LEVEL	748	NOISE	.0000007	SENS. LEVEL	.01614
		F1	30002.007 Hz	15.00004 PFM	F2	-100.16 Hz	-.50005 FPM
H	CURSOR	FREQUENCY		FPM	INTENSITY		
1	1241	2518.374		12.50355	5.017		
2	1246	2516.454		12.5739	4.003		
3	2265	2117.005		10.5020	3.059		
4	2632	1696.197		9.4747	0.100		
5	2944	1652.076		9.2542	3.996		
6	4672	1175.977		5.0740	4.717		
7	4677	1174.362		5.0676	4.414		
8	4691	1169.507		5.0306	9.050		
9	4695	1166.952		5.0309	7.981		
10	4761	1111.401		5.7031	1.401		
11	4796	1127.776		5.6351	1.530		
12	5132	996.280		4.9761	1.555		
13	5333	917.310		4.5835	2.678		
14	5374	901.548		4.5047	2.771		
15	5631	600.703		4.0012	.749		
16	5671	784.039		3.9176	1.143		
17	5712	769.235		3.8436	.796		
18	5915	469.692		3.4462	1.1221		
19	5919	600.307		3.4394	1.3243		
20	6404	497.263		2.4671	5.401		
21	6455	178.534		2.3911	1.033		
22	6499	461.433		2.3056	1.206		
23	6650	4002.0060		2.00160	2.409		
24	6836	329.492		1.6464	1.0.928		
25	6863	319.0123		1.5941	1.0.534		
26	6904	302.935		1.5137	1.1.903		




รูปที่ 20 光譜 proton เอ็นบีเอชของสาร 3


MI =	2.100 U	SUM. 0002	MIN. INTENSITY =	2.100	MAXY =	25.00000	PP CONSTANT =	500000
INTENS. LEVEL =	F1 = 10560.35 Hz	NOISE =	F2 = 210.0000 FPM	SENS. LEVEL =	F2 = -502.43 Hz	PP = -9.9840 FPM	12465	12465
#	CURSOR	FREQUENCY	FPM	INTENSITY	FPM	INTENSITY	FPM	INTENSITY
1	2275	9967.483	190.0079	3.674				
2	4650	8281.715	164.5693	3.953				
3	4842	8145.449	161.8615	3.286				
4	4872	8123.817	161.4316	3.713				
5	5050	7997.745	150.9264	4.005				
6	5108	7956.853	150.1138	7.447				
7	5845	7433.738	147.7108	4.010				
8	7057	6573.653	130.6277	3.429				
9	7570	6209.079	123.3031	4.575				
10	8148	5565.873	110.9991	2.149				
11	6773	5355.825	106.4278	3.664				
12	9086	5133.728	102.0144	3.236				
13	9138	5096.511	101.2748	2.600				
14	9615	4758.300	94.5541	1.754				
15	9653	4730.773	94.0071	2.483				
16	11244	3601.835	71.5735	2.526				
17	13041	2326.613	46.2331	3.054				
18	13459	2029.477	40.3266	3.562				
19	13489	2008.517	37.9120	7.001				
20	13505	1997.518	37.6935	2.569				
21	13519	1987.509	37.4946	8.312				
22	13548	1966.526	37.0776	6.956				
23	13570	1945.474	38.6593	3.639				
24	14123	1556.485	30.9693	2.706				
25	14503	1289.686	25.6120	5.059				
26	15010	929.053	16.4618	4.742				
27	15043	891.766	17.7205	4.325				




รูปที่ 21 คลื่น NMR-1H เรียงเรื่องตามขนาดความชุบของสาร 3




รูปที่ 22 DEPT 90 เรื่องเรื่นอาจรีสเปกตรัมของสสาร 3



รูปที่ 2.3 DEPT 135 เผื่องอิมิว่าร์สเปกตรัมของสาร 3




รูปที่ 24 ^{1}H - ^{1}H COSY ของสาร 3




รูปที่ 25 ^1H - ^1H NOESY ของสาร 3

M/Z	RAW INT.	R. INT.	SIGMA(%)	M/Z	RAW INT.	R. INT.	SIGMA(%)	M/Z	RAW INT.	R. INT.	SIGMA(%)
39.0	89.3	208.3	3.71	111.0	20.2	47.3	1.49	441.0	5.3	12.4	30.48
41.0	199.0	466.1	0.31	170.0	11.0	25.6	0.01	442.0	4.5	10.5	25.78
43.0	100.9	235.4	4.19	179.0	10.0	42.0	1.32	443.0	4.0	11.2	27.52
44.0	63.5	148.2	2.64	191.0	272.3	635.0	20.07	444.0	1.1	2.7	6.79
51.0	36.0	86.6	1.53	192.0	56.5	131.0	4.16	454.0	0.6	1.5	3.03
52.0	53.0	123.6	2.20	193.0	11.5	26.9	0.05	456.0	0.3	0.9	2.26
53.0	62.1	145.0	2.58	203.0	45.1	105.3	3.32	457.0	0.3	0.7	1.91
55.0	86.2	201.0	3.58	205.0	15.9	37.1	1.17	590.0	0.2	0.5	1.39
67.0	200.5	486.3	0.67	219.0	36.9	86.1	2.72				
68.0	42.6	99.3	1.77	245.0	23.2	54.2	1.71				
69.0	112.3	262.0	4.57	271.0	13.1	39.6	0.96				
71.0	42.2	98.4	1.75	299.0	428.0	1000.0	31.60				
79.0	54.2	126.6	2.25	300.0	93.7	210.6	6.91				
80.0	52.3	122.1	2.17	301.0	41.0	41.0	1.29				
81.0	112.2	261.6	4.66	314.0	35.7	83.3	2.63				
83.0	100.9	235.3	4.19	315.0	10.0	23.4	0.74				
85.0	65.2	152.0	2.71	317.0	150.4	350.0	11.08				
91.0	37.2	86.9	1.55	318.0	28.7	66.9	2.11				
97.0	30.6	90.2	1.60	353.0	9.0	23.0	1.72				
109.0	164.1	302.0	6.02	422.0	422.0	21.4	4.99	1.57			
123.0	139.2	91.5	1.63	440.0	36.0	84.0	2.65				
124.0	124.0	123.5	2.13								
126.0	126.0	126.6	5.42								
139.0	139.0	129.2	2.38								
153.0	153.0	92.6	1.35								
166.0	166.0	91.0	6.98								
			1.48	END							

MASS SPECTRUM : (110 TO 111)
 SAMPLE: NO. 3 28 JUL 92
 NOTE : 366/2 EI, 70V, 300mA, CHAMB, TEMP, 160
 BASE PEAK : M/E 299.0 INT, 428.0




รุ่นที่ 26 แมสซิฟคอมพิวเตอร์化องค์กร 3




รูปที่ 27 อินฟราเรดสเปกตรัมของสาร 4

STMR601H		MIN. INTENSITY = .731	MAX. = 125.00000	F1 = 30002.017 Hz	F2 = 15.00004 FFM	PP CONSTANT = .500000	SENS. LEVEL = .00013	F1 = -100.16 Hz	F2 = -.5005 FFM
#	CURSOR	FREQUENCY	PPM	INTENSITY	PPM	INTENSITY	PPM	INTENSITY	PPM
1	1421	2447.989	12.2316	6.768					
2	1487	2421.378	12.01968	.949					
3	22274	2114.334	10.5646	.737					
4	27699	1912.655	9.5569	1.562					
5	41032	1359.238	6.8915	1.397					
6	41222	1391.242	6.9514	3.059					
7	41444	1382.726	4.9090	2.628					
8	41666	1374.247	6.8667	.968					
9	44115	1276.640	6.3789	6.005					
10	44336	1268.615	6.3388	6.093					
11	46113	1199.274	5.9924	1.129					
12	46388	1189.473	5.9434	6.773					
13	46766	1174.455	5.8684	1.954					
14	47008	1162.026	5.8063	1.897					
15	51688	981.953	4.9065	1.393					
16	51833	976.250	4.8780	2.319					
17	53366	969.479	4.5193	4.525					
18	53777	950.291	4.4985	1.589					
19	54330	9161.471	4.0647	1.115					
20	56733	784.476	3.9198	1.571					
21	57101	779.116	3.8160	1.169					
22	58777	704.543	3.5264	2.014					
23	64115	493.968	2.4662	3.024					
24	64444	482.876	2.4128	0.969					
25	67008	382.735	1.9124	3.174					
26	68622	319.139	1.5946	3.465					
27	68816	310.033	1.5461	15.815					
28	69017	301.607	1.5674	16.466					
29	69445	236.727	1.4327	18.017					
30	70666	239.374	1.1951	.662					




รูปที่ 28 รูปแสดงสเปกตรัมของสารทั้งสองสาร 4


SUM. 006		MIN. INTENSITY = .900	MAXY = 25.00000	PP CONSTANT = 1.00000
INTENS. LEVEL " "		NOISE = .01511	SENS. LEVEL = .06163	
F1 = 10368.35 Hz		F2 = -502.43 Hz	-9.9840 FPM	
#	CURSOR	FREQUENCY	PPM	INTENSITY
1	2283	9961.650	197.9519	6.084
2	4655	8278.159	164.4986	10.180
3	4867	8127.694	161.5087	5.778
4	4881	8115.465	161.2661	7.521
5	5160	7919.798	157.3775	28.040
6	5031	7413.507	147.9129	9.535
7	7061	4576.677	130.5606	7.417
8	7110	6532.062	129.7615	1.406
9	7565	6213.075	123.4625	7.380
10	8468	5571.993	116.7233	1.171
11	8491	5555.640	110.3983	6.666
12	8748	5373.143	106.7719	6.597
13	8765	5346.972	106.2518	8.513
14	9116	5112.123	101.5850	5.158
15	9593	4773.719	94.8605	1.553
16	11251	3596.861	71.4747	2.176
17	13024	2338.408	46.4675	1.115
18	13029	2335.291	46.4037	2.339
19	13162	2027.370	40.2867	1.746
20	13487	2009.865	39.9388	1.806
21	13492	2006.284	39.8677	5.211
22	13523	1980.642	39.4374	7.635
23	13547	1967.265	39.0923	2.598
24	13552	1963.513	39.0184	7.264
25	13559	1958.868	38.9255	1.620
26	13583	1941.751	38.5856	2.008
27	14137	1518.010	30.7770	1.971
28	14131	1340.302	26.6337	1.002
29	14511	1283.226	25.4995	14.803
30	14515	1280.511	25.4462	1.977
31	15013	926.969	18.4196	8.833
32	15074	883.567	17.5577	13.365




รูปที่ 29 ตารางบอน-13 เอ็นเอ็นอาร์สเปกตรัมของสาร 4




รูปที่ 30 DEPT 90 เว็บไซต์สถาบันเทคโนโลยีสหราช 4



รูปที่ 31 DEPT 135 เอ็นเอ็มอาร์สีบีคัทรัมของสาร 4




รูปที่ 32 ^1H - ^1H COSY ของสาร 4




รูปที่ 33 1H-1H NOESY %องศาส 4

N/E	RAW INT.	R, INT.	SIGMAR(z)	N/E	RAW INT.	R, INT.	SIGMAR(z)	N/E	RAW INT.	R, INT.	SIGMAR(z)
41.0	134.0	250.0	16.91	149.0	17.0	33.2	0.55	426.0	11.0	22.0	55.73
43.0	63.7	110.5	8.00	163.0	20.6	30.4	0.64	427.0	2.4	4.5	11.46
55.0	55.7	155.7	8.00	165.0	537.6	1000.0	16.18	430.0	2.6	4.8	12.32
67.0	54.9	182.2	6.09	166.0	87.6	163.0	2.73	439.0	0.9	1.0	4.58
69.0	90.0	167.5	11.30	167.0	19.0	37.0	0.62	440.0	2.5	4.8	12.17
71.0	56.5	105.2	7.10	177.0	49.9	92.9	1.56	441.0	0.7	1.4	3.72
81.0	68.3	127.0	8.57	179.0	26.9	49.0	0.89				
91.0	64.2	119.4	8.05	107.0	27.3	32.3	0.54				
107.0	49.4	91.9	6.20	191.0	36.1	67.2	1.12				
123.0	75.2	139.9	9.44	203.0	22.4	41.7	0.70				
130.0	55.7	103.7	6.99	219.0	94.1	175.0	2.93				
				254.0	91.5	175.0	2.93				
				257.0	216.5	402.0	6.76				
				267.0	43.0	80.0	1.32				
				268.0	18.0	33.6	0.56				
				282.0	517.1	961.0	16.4				
				283.0	111.2	206.0	3.4				
				284.0	325.0	505.0	10.15				
				285.0	263.2	117.6	0.51				
				286.0	433.2	805.0	13.52				
				297.0	301.0	166.0	3.69				
				302.0	315.0	17.4	0.54				
				303.0	321.0	32.1	0.54				
				304.0	337.0	32.1	0.54				
				305.0	391.0	28.4	52.0	0.00			
				306.0	393.0	23.9	44.5	0.74			
				307.0	406.0	39.0	74.1	1.24			
				308.0	408.0	66.0	124.2	2.08			
				309.0	424.0	39.9	74.3	1.24			
				310.0	425.0	120.0	224.5	3.16			
						334.9	64.9				

MASS SPECTRUM : 5 TO 7
 SAMPLE: NC:4 29 JUL 92
 NOTE: 371/2 EI, 10V, 300mA, CHAMB, TEMP, 160
 BASE PEAK : M/E 165.0 INT, 537.6




รูปที่ 34 แผนที่บานตรรบของสาร 4



รูปที่ 35 อินพราร์ดส์ แบคติรัมของสการ 5

STANDARD		MIN. INTENSITY	1.675	MAXY	25.00000	F.P. CONSTANT	5.00000
INTENS.		LEVEL	1.675	NOISE	0.01317	SENS. LEVEL	0.02635
F1		2101.41 Hz	10.5001 PPM	F2	-97.77 Hz	-4.965	PPM
#	CURSOR	FREQUENCY	PPM	INTENSITY	PPM	INTENSITY	
1	2470	2037.861	10.1622	3.954			
2	2766	1921.816	9.6026	3.955			
3	3793	1520.610	7.5950	6.672			
4	3800	1517.437	7.5821	3.454			
5	3815	1511.074	7.5523	5.968			
6	3893	1411.865	7.2045	7.199			
7	4058	1416.216	7.0763	6.895			
8	4061	1415.149	7.0710	17.519			
9	4365	1296.609	6.1759	6.345			
10	4371	1293.761	6.4616	9.161			
11	4469	1278.913	6.3985	3.528			
12	4415	1275.579	6.3791	4.685			
13	4431	1270.168	6.3478	3.128			
14	4437	1268.172	6.3366	4.429			
15	4601	1203.867	6.0153	21.919			
16	5833	482.557	3.1165	17.561			
17	6103	499.093	2.4934	1.714			


ថ្នាំសុលក្របារមុនដែលអនុវត្តតាបច្ចុប្បន្នទាំងតាំង 5




รูปที่ 36 โปรแกรมเดือนธันวาคมของสารสเปกตรัมของส่าง 5

M1 =	2.634	11	MIN. INTENSY =	2.634	MAXY =	25.00000	PP CONSTANT =	50000
MIN. INTENSY =	2.634	NOISE =	00.390	SENS. LEVEL =	00.796			
INTENS. LEVEL =	2.634	F1 =	210.0000 FPM	F2 =	-502.43 Hz	=	-9.9846 FPM	
#	CURSOR		FREQUENCY	FPM	INTENSITY			
1	5088		7970.918	158.3933	10.108			
2	5292		7625.959	155.5128	9.261			
3	5486		7688.512	152.7815	3.170			
4	5634		7411.651	147.8760	2.748			
5	6037		7297.235	145.0953	4.070			
6	6112		7244.393	143.9563	3.772			
7	7344		6369.583	126.5726	7.149			
8	7604		6184.992	122.9045	1.911			
9	8592		5484.208	108.9789	3.647			
10	8726		5392.985	107.1452	7.436			
11	8990		5201.758	103.3662	8.183			
12	9617		5182.223	102.9780	6.501			
13	9155		5084.662	101.0394	8.007			
14	9284		4992.864	99.2152	6.311			
15	9710		4690.499	93.2109	8.672			
16	13457		2971.913	46.3558	1.922			
17	13488		2009.498	39.9316	16.821			
18	13516		1929.243	39.5694	22.312			
19	13546		1967.604	39.0876	16.647			
20	13578		1915.598	38.4618	5.626			
M1 =	1.675	11						


ກົດມາຮັບອະນຸມາ-13 ເຊິ່ນເລີ່ມອາຮັດເປົມຕົວອອງສາຮ 5




รูปที่ 37 คาร์บอน-13 เอ็นเอ็มอาร์ตีเปคตรัมของสาร 5




รูปที่ 38 DEPT 90 เซ็นเซอร์สีบลูตรัมของสาร 5




รูปที่ 39 DEPT 135 เอ็นเอ็มອาร์สเปกตรัมของสาร 5



รูปที่ 40 C-H CORRELATION ของสาร 5




รูป 41 $^1\text{H}-^1\text{H}$ Cosy ของสาร 5



รูปที่ 42 ^1H - ^1H NOESY ของสาร 5

M/E	RAW INT.	R. INT.	SIGMA(%)	M/E	RAW INT.	R. INT.	SIGMA(%)
40.0	39.7	60.1	11.06	120.0	13.0	20.9	6.78
51.0	32.0	48.3	9.55	121.0	16.2	24.4	6.91
53.0	25.9	39.1	7.72	126.0	16.9	25.6	6.96
63.0	32.3	48.0	9.63	127.0	39.9	60.3	2.26
69.0	42.9	64.0	12.79	128.0	54.5	82.4	3.09
75.0	21.2	32.0	6.32	129.0	13.7	20.1	6.70
76.0	36.1	54.5	10.77	131.0	13.1	19.9	6.74
78.0	10.0	28.5	5.63	134.0	21.1	40.6	1.53
79.0	24.5	37.0	7.31	135.0	69.2	104.9	3.92
82.0	10.7	28.3	5.59	137.0	11.9	10.6	6.67
102.0	20.3	30.7	6.07	149.0	22.0	33.3	2.25
115.0	22.4	33.0	6.68	156.0	45.1	68.3	2.56
			END	157.0	12.7	19.2	6.72
				171.0	13.9	19.7	6.74
				172.0	19.3	29.2	6.69
				173.0	16.0	24.1	6.80
				174.0	34.9	52.0	1.98
				183.0	20.1	30.4	1.14
				184.0	86.3	128.9	4.04
				185.0	39.5	55.9	2.24
				186.0	14.5	22.9	6.02
				187.0	24.3	36.7	1.37
				188.0	24.5	37.1	1.39
				201.0	10.1	16.9	25.5
				211.0	21.0	25.5	6.96
				212.0	63.5	95.9	3.60
				213.0	30.1	57.5	2.16
				214.0	13.3	20.1	6.75
				225.0	11.5	17.5	6.65
				241.0	91.6	138.3	5.19
				242.0	21.1	31.0	1.19
				263.0	66.9	101.0	3.79
				270.0	662.1	1000.0	37.54
				271.0	112.7	170.3	6.39
				272.0	16.3	24.6	6.92
						END	



รูปที่ 4.3 แมสสเปกตรัมของสาร 5

ประวัติผู้เขียน

นางสาว สาเนียง อภิสันติยาคม เกิดเมื่อวันที่ 27 เมษายน พ.ศ. 2504
 ที่กรุงเทพมหานคร ได้รับปริญญาวิทยาศาสตรบัณฑิต สาขาเคมี จากมหาวิทยาลัยรามคำแหง
 เมื่อปีการศึกษา 2529 เข้ารับการศึกษาระดับปริญามหาบัณฑิต สาขาอินทรีย์เคมี ภาควิชาเคมี
 คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2533.

4130