INTRODUCING STANDARD TREATMENT SCHEDULE THROUGH FACE-TO -FACE EDUCATION: A WAY TO IMPROVE PRESCRIBING PRACTICES AT BRAC HEALTH CENTERS

Arkanul Islam

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Masters of Public Health
Health Systems Development Programme
College of Public Health
Chulalongkorn University
Academic Year 1998
ISBN: 974-331-304-4

© College of Public Health, Chulalongkorn University

Bangkok, Thailand

Thesis Title	: Introducing Standard Treatment Schedule through face-to- face Education: A way to improve prescribing practices at BRAC Health Centers	
Ву	: Arkanul Islam	
Program	: Master of Public Health (Health Systems Development) College of Public Health	
Thesis Advisor	: Sauwakon Ratanawijitrasin, Ph.D.	
Accepted by the College of Public Health, Chulalongkorn University, Bangkok Thailand in Partial Fulfillment of the Requirements for the Master's Degree Blitt John - Amor Dean of the College of Public Health (Professor Chitr Sitthi-amorn, M.D., Ph.D.)		
THESIS COMMITT	(Associate Professor Wattana S. Janjaroen, Ph.D.) Thesis Advisor (Sauwakon Ratanawijitrasin, Ph.D.) Member (Sathirakorn Pongpanich, M.A., Ph.D.)	
	(Edgar J. Love, M.D., Ph.D.)	

ABSTRACT

Prescribers are helmsmen and focal person for improving rational prescribing. The use of drugs in the treatment of childhood diarrhea will be investigated by looking through retrospective secondary data at BRAC Health Centers (BHC). These are privately run health facilities situated in the rural areas of Bangladesh for delivering curative care along with their community based preventive health services to the people who do not have easy access to the government health care delivery system. No study has been done yet in BRAC setting to measure the condition of rational use of drugs. Appropriate treatment of childhood diarrhea will be emphasized by introducing standard treatment schedule (STS) on diarrhea through face-to-face education to the prescribers of BHCs.

Standard treatment schedule is familiar in the organizational setting. There are two standard treatment algorithms now operating smoothly in BRAC community based setting, one is on ARI and the other is on TB. The cure rate in TB control program is 86% (1996-97), which has increased from 73% (objective is 90% by the year 2000) and the cure rate in ARI control program is 99% (1996), already supersede the targeted cure rate of 85%. So, introducing standard treatment on diarrhea is feasible and realistic in these static rural health care centers to improve the rational use of drugs.

The main objective of the proposed study is to improve rational prescribing by the prescribers of BHCs. The study will be an experimental pretest posttest design with both quantitative and qualitative approach. Retrospective review of prescription records will be the main data collection technique. For the qualitative purpose, several in-depth interviews will be conducted to explore the knowledge of the prescribers and for developing motivating messages during educational sessions. To develop skill in handling obstacles during data collection process, data exercise was done in Thailand. The prescribing indicators that will be measured are (1) percentage of encounters prescribed with ORS, (2) percentage of encounters prescribed with an antibiotic, (3) percentage of encounters prescribed with an anti-amoebic agent.

The results of this study will be evidence to the planners and policy makers to introduce other treatment schedules to the prescribers of BRAC Health Centers to ensure rational prescribing, hence promote rational use of drugs.

ACKNOWLEDGEMENTS

The totality of this thesis is possible due to an inestimable assistance and contribution from my honorable professors, college staffs and various individuals and organizations. Distinctively, the respected professors and the staffs of the Chulalongkorn University and BRAC have furnished me with their valuable suggestions, guidance and other sacrifice to complete the thesis.

I would like to attest my concentrated gratitude to the Dean, Prof. Chitr Sitthiamorn for his creative guidance and encouragement during Dean's session on every Friday and as well as throughout the whole period of my MPH study. I am also very grateful to Associate Dean, Assoc. Professor Wattana S. Janjaroen, for her constant harmonious assistance throughout this course.

I would like to remark my honest recognition and high regard to my advisor Dr. Sauwakon Ratanawijitrasin for her tireless attention and support by providing charismatic and valuable advice on the whole process of my thesis writing. I have been very much grateful to her.

I am notably beholden to my Professor Dr. Stephen King, Assistant Dean (Education) for his noble and valuable guidance throughout the whole course. Particularly, he developed me as a critical thinker and he has always been a root of motivation and inspiration to complete the course.

I would like to extend my deep gratitude to Dr. Nuntavarn Vichit-Vadakan and Dr. Sathirakorn Pongpanich for their valuable guidance and assistance throughout the whole course. My sincere thanks to Ajarn Wacharin Tanyanont, Channawong Burapat and Ratana Somrongthong for their uninterrupted support throughout the whole year of my study period. I am very much thankful to Ajarn Pete (Tanawat Likitkererat) who widened my computer skill and without his assistance I could not able to finish it accurately and decorously. Millions of thanks to Tom and Tui, for their assistance in the information center. My special thanks to Duangtip, student secretary, for her energetic helps all the times whenever I need for.

I want to convey my heartfelt gratitude and high regards to Dr. Sadia A. Chowdhury, who was the Director, Health and Population Division, BRAC and is currently a Senior Public Health Specialist of World Bank in the South Asia Division, who encouraged and extend her support all the times. I am very grateful to my colleagues and junior fellows of this College of Public Health for their friendliness and suggestions throughout my study period.

Last but not least, I pay my devotion and appreciation to my wife, Dr. Nahid Sultana and my only son, Junnun Nihaal Uchchsas for their highlighted cooperation, enthusiasm and encouragement throughout the whole course.

CONTENTS

	Page
ABSTRACT	- Ш
ACKNOWLEDGEMENTS	IV
TABLE OF CONTENTS	VI
LIST OF FIGURES AND TABLES	- XI
LIST OF ACRONYMS	- XII
CHAPTER I	
1. Introduction	1
CHAPTER II: ESSAY	
INTRODUCING STS THROUGH FACE-TO-FACE EDUCATION: A WAY	Y TO
IMPROVE PRESCRIBING PRACTICES AT BHCs	
2.1 Introduction	5
2.2 Problem with the treatment of childhood diarrhea	7
2.2.1 Situation in Bangladesh	7
2.2.2 Problem statement	7
2.3 Rational Use of Drugs	11
2.3.1 Definition and Concepts	- 11
2.3.2 Causes of irrational or inappropriate prescribing	- 12
2.3.2.1 Prescriber related factors	12
2.3.2.2 Information related factors	- 13

2.3.2.3 Patient related factors 14
2.3.3 Consequences of irrational or inappropriate prescribing14
2.4 Rationale for selecting diarrhea15
2.5. Diarrhea and Diarrheal diseases16
2.5.1 Definition of diarrhea 16
2.5.2 Clinical types 17
2.5.3 Dehydration 17
2.5.4 Malnutrition 18
2.6 About ORS 20
2.7 Conceptual Framework of intervention21
2.8 Possible intervention measures to improve rational prescribing 24
2.8.1 Mechanisms25
2.8.2 Face-to-face Education 27
2.8.3 Other strategies versus face-to-face education 28
2.8.4 Focus and selection of interventions 30
2.8.5 Standard treatment schedule 31
2.9 Conclusion34
Reference35
CHAPTER III: PROPOSAL
INTRODUCING STS THROUGH FACE-TO-FACE EDUCATION: A WAY TO
IMPROVE PRESCRIBING PRACTICES AT BHCs
3.1 Introduction 40
3.1.1 Background 40
3.1.2 Problem statement 42

3.2 Rationale		43
	3.2.1 About prescribing	43
	3.2.2 About diarrhea	44
	3.2.3 About Standard Treatment Schedule	45
3.3 Objective		46
	3.3.1 Overall objective	46
	3.3.2 Specific Objectives	46
3.4 Study desi	gn	47
3.4.1	Approach	48
	3.4.1.1 Examination of the existing behavior	50
	3.4.1.2 Diagnosis the motivating factors and/or underlying	
	causes	51
	3.4.1.3 Treatment: Design and implement intervention	52
	3.4.1.4 Evaluation of the project	52
3.4.2 Process		53
	3.4.2.1 Monitoring of the prescriptions	53
3.4.3	Type of facility	54
3 4 4 Type of prescribing encounters		54
3.4.5	Type of data	55
3.5 Sample siz	ze	55
	3.5.1 Principles for sample size	55
	3.5.2 Sampling procedure	56
	3.5.3 Data collection	56
3.6 Activity p	lan with timetable	57
	3.6.1 Study period	57

3.6.2 Activity plan, July 1999- December 2000 58
3.7 Budget and manpower 58
3.8 Sustainability of the project 60
3.8.1 Drug treatment auditing - a means of sustainability of this
project 61
3.8.2 Who will do auditing and why? 61
3.9 Ethical issues 62
References63
CHAPTER IV: DATA EXERCISE
INTRODUCING STS THROUGH FACE-TO-FACE EDUCATION: A WAY TO
IMPROVE PRESCRIBING PRACTICES AT BHCs
4.1 Introduction66
4.2 Objectives67
4.3 Methodology67
4.4 Data collection
4.4.1 Technique for data collection68
4.4.2 Instruments for data collection68
4.5 Location and profile of the health center68
4.6 Pre-field activities69
4.7 Sample size69
4.8 Findings and discussions70
4.8.1 Qualitative data70
4.8.2 Quantitative data71
4.9 Lessons learned74

4.10 Limitations		75
CHAPTER V		
Presentation		-76 - 89
CHAPTER VI		
Bibliography	·	90 - 93
APPENDICES		94 - 118
Appendix - I	List of BRAC Health Centers	- 95
Appendix - II	Services to be covered by BHC	. 96
Appendix - III	Drug list	100
Appendix - IV	Prescription Pad	104
Appendix - V	Patient Register	105
Appendix - VI	Data Collection Form	106
Appendix - VII	Indicators Consolidation form	107
Appendix - VIII	WHO indicators for RUDs	108
Appendix - IX	Guide for in-depth interview	109
Appendix - X	Supervision/Monitoring form - 1	112
Appendix - XI	Supervision/Monitoring form - 2	- 113
Appendix - XII	Supervision/Monitoring form - 3	114
Appendix - XIII	About BRAC	115
Curriculum Vitae		119

LIST OF FIGURES AND TABLES

Figures:	
2.1	Diagrammatic representation of the problem
10	
2.2	Causes and consequences of irrational prescribing13
2.3	Conceptual framework 21
3.1	Causes of death in children under-5 in BRAC, 199644
3.2	Experimental pretest posttest design47
3.3	Steps of finding existing practices & their causes and approach
	to solve49
3.4	Flow chart of the study process 53
4.1	Percentage of encounters prescribed with ORS71
4.2	Antibiotic use in the treatment of Acute watery diarrhea72
4.3	Antidiarrheal use in the treatment of Acute watery diarrhea72
Tables	:
3.1	Morbidity related data of diarrhea in children under-5 years45
3.2	Activity plan58
3.3	Budget sheet59
4.1	Current prescribing practices71

LIST OF ACRONYMS

ARI Acute Respiratory Infection

BBS Bangladesh Bureau of Statistics

BRAC Bangladesh Rural Advancement Committee

BHC BRAC health Center

CDD Control of Diarrheal Diseases

ESP Education Support Program

H&FPFP Health and Family Planning Facilitation Program

ICDDR'B International Center for Diarrheal Diseases Research, Bangladesh

ICIUM International Conference on Improving Use of Medicine

IGVGDP Income Generation for Vulnerable Group Development Program

INRUD International Network for Rational Use of Drugs

MDP Management Development Program

MIS Management Information System

ORS Oral rehydration salts/solution

ORT Oral rehydration therapy

PEOC Primary Education for Older Children

QoC Quality of care

RDU Rational Drug Use

RCP Rural Credit Program

REP Rural Enterprise Project

RHDC Reproductive Health and Disease Control

SLDP Smallholder Livestock Development Program

STS Standard Treatment Schedule

TARC Training and Resource Center

TB Tuberculosis

UNICEF United Nations Children Fund

VO Village Organization

WHO World Health Organization