

REFERENCES

- ASTM D256. (1997). Standard test methods for determining the Izod pendulum impact resistance of plastics. American Society for Testing and Materials, Philadelphia: ASTM.
- ASTM D570. (1995). Standard test method for water absorption of plastics. American Society for Testing and Materials, Philadelphia: ASTM.
- ASTM D638. (1996). Standard test method for tensile properties of plastics. American Society for Testing and Materials, Philadelphia: ASTM.
- ASTM D790. (1996). Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials. American Society for Testing and Materials, Philadelphia: ASTM.
- Bledzki, A. K., Reihmane, S., and Gassan, J. (1996). Properties and modification methods for vegetable fibers for natural fiber composites. J. Appl. Polym. Sci., 59, 1329-1336.
- Burke, W. J. (1949). 3,4-Dihydro-1,3,2H-benzoxazines. Reaction of *p*-substituted phenols with N,N-dimethylolamines. J. Am. Chem. Soc., 71, 609-612.
- Burke, W. J., Kolbezen, M. J., and Stephens, C. W. (1952). Condensation of naphthols with formaldehyde and primary amines. J. Am. Chem. Soc., 74, 3601-3605.
- Burke, W. J., Smith, R. P., and Weatherbee, C. (1952). N,N-Bis-(hydroxybenzyl)-amines: Synthesis from phenols, formaldehyde and primary amines. J. Am. Chem. Soc., 74, 602-605.
- Chen, H. L. and Porter, R. S. (1994). Composite of polyethylene and kenaf, a natural cellulose fiber. J. Appl. Polym. Sci., 54, 1781-1783.

- Devi, L. U., Bhagawan, S. S., and Thomas, S. (1997). Mechanical properties of pineapple leaf fiber-reinforced polyester composites. J. of Appl. Sci., 64, 1739-1748.
- Dunkers, J. and Ishida, H. (1995a). Vibrational assignments of 3-alkyl-3,4-dihydro-6-methyl-2H-1,3-benzoxazines in the fingerprint region. Spectrochim. Acta, 51A, 855-867.
- Dunkers, J. and Ishida, H. (1995b). Vibrational assignments of N,N-bis(3,5-dimethyl-2-hydroxybenzyl)methylamine in the fingerprint region. Spectrochim. Acta, 51A, 1061-1074.
- Dunkers, J., Zarate, E. A. and Ishida, H. (1996). Crystal structure and hydrogen bonding characteristics of N,N-bis(3,5-dimethyl-2-hydroxybenzyl)methylamine: A benzoxazine dimer. J. Phys. Chem., 100, 13514-13520.
- Dunkers, J. and Ishida, H. (1999). Reaction of benzoxazine-based phenolic resins with strong and weak carboxylic acids and phenols as catalysts. J. Polym. Sci. Polym. Chem. Ed., 37, 1913-1921.
- Ghosh, P. and Ganguly, P. K. (1993). Jute-reinforced polyester resin composites: Effect of different types and degrees of chemical modification of jute on performance of the composites. Plastics, Rubber and Composite Processing and Applications, 20, 171-177.
- Holly, F. W. and Cope, A. C. (1944). Condensation products of aldehydes and ketones with *o*-aminobenzyl alcohol and *o*-hydroxybenzylamine. J. Am. Chem. Soc., 66, 1875-1879.
- Ishida, H. and Allen, D. J. (1996a). Physical and mechanical characterization of near-zero shrinkage polybenzoxazines. J. Polym. Sci. Phys. Ed., 34, 1019-1030.

- Ishida, H. and Allen, D. J. (1996b). Mechanical characterization of copolymers based on benzoxazine and epoxy. Polymer, 37, 4487-4495.
- Ishida, H. and Krus, C. M. (1998). Synthesis and characterization of structurally uniform model oligomers of polybenzoxazine. Macromolecules, 31, 2409-2418.
- Ishida, H. and Low, H. Y. (1997). A study on the volumetric expansion of benzoxazine-based phenolic resin. Macromolecules, 30, 1099-1106.
- Ishida, H. and Low, H. Y. (1998). Synthesis of benzoxazine-functional silane and adhesion properties of glass-fiber reinforced polybenzoxazines composites. J. Appl. Polym. Sci., 69, 2559-2567.
- Ishida, H. and Rimdusit, S. (1998). Very high thermal conductivity obtained by boron nitride-filled polybenzoxazine. Thermochim. Acta, 320, 177-186.
- Ishida, H. and Rodriguez, Y. (1995a). Catalyzing the curing reaction of a new benzoxazine based phenolic resin. J. Appl. Polym. Sci., 58, 1751-1760.
- Ishida, H. and Rodriguez, Y. (1995b). Curing kinetics of a new benzoxazine based phenolic resin by differential scanning calorimetry. Polymer, 36, 3151-3158.
- Johnson, C. F. (1990). Resin Transfer Molding. In P. K. Mallick and S. Newman (Eds.), Composite materials technology (pp. 149-178). New York: Oxford University Press.
- Kim, H. J., Brunovska, Z., and Ishida, H. (1999). Molecular characterization of the polymerization of acetylene-functional benzoxazine resins. Polymer, 40, 1815-1822.
- Kroschwitz, J. I. and Mary, H. G. (Eds.). (1993). Encyclopedia of Chemical Technology. Vol.10, 4th ed. New York: John Wiley.

- Liu, J. and Ishida, H. (1996). Benzoxazine monomer and polymers (new phenolic resins by ring-opening polymerization). In J.C. Salamone (Ed.), The Polymeric Materials Encyclopedia (pp. 484-494). Florida: CRC Press.
- Low, H. Y., and Ishida, H. (1998). Mechanistic study on the thermal decomposition of polybenzoxazines: Effect of aliphatic amines. J. Polym. Sci. Polym. Phys. Ed., 36, 1935-1946.
- Mark, Bikales, Overberger, and Menges (Eds.). (1986). Encyclopedia of polymer science and engineering. Vol.6, 2nd ed. New York: John Wiley.
- Mitra, B. C., Basak, R. K., and Sarkar, M. (1998). Studies on jute-reinforced composites, its limitations, and some solutions through chemical modifications of fibers. J. Appl. Polym. Sci., 67, 1093-1100.
- Mukherjea, R. N., Pal, S. K., and Sanyal, S. K. (1983). Studies on jute fibers composites with polyesteramide polyols as interfacial agent. J. Appl. Polym. Sci., 28, 3029-3040.
- Ning, X. and Ishida, H. (1994a). Phenolic materials via ring-opening polymerization of benzoxazines: Effect of molecular structure on mechanical and dynamic mechanical properties. J. Polym. Sci.-Phys., 32, 921-927.
- Ning, X. and Ishida, H. (1994b). Phenolic materials via ring-opening polymerization: Synthesis and characterization of bisphenol-A based benzoxazines and their polymers. J. Polym. Sci. Chem. Ed., 32, 1121-1129.
- Reiss, G., Schwob, M., Guth, G., Roche, M., and Laude, B. (1985). Advances in Polymer Synthesis. Culbertson, B.M. and McGrath, J.E. (Eds.), New York: Plenum.

- Roe, P. J. and Ansell, M. P. (1985). Jute-reinforced polyester composites. J. Mat. Sci., 20, 4015-4020.
- Russel, V., Koenig, J. L., Low, H. Y., and Ishida, H. (1998a). Study of the characterization and curing of a benzoxazine using ^{13}C solid-state nuclear magnetic resonance. J. Appl. Polym. Sci., 70, 1413-1425.
- Russel, V., Koenig, J. L., Low, H. Y., and Ishida, H. (1998b). Study of the characterization and curing of a phenyl benzoxazine using ^{15}N solid-state nuclear magnetic resonance spectroscopy. J. Appl. Polym. Sci., 70, 1401-1411.
- Scheiber, H., German Offen., 2,225,504 (1973).
- Scheiber, H., German Offen., 2,323,936 (1973).
- Schnell, I., Brown, S. P., Low, H. Y., Ishida, H., and Spiess, H. W. (1998). An investigation of hydrogen bonding in benzoxazine dimers by fast magic-angle spinning and double-quantum NMR spectroscopy. J. Am. Chem. Soc., 120, 11784-11795.
- Shen, S. B. and Ishida, H. (1996a). Development and characterization of high-performance polybenzoxazine composites. Polym. Comp., 17, 710-719.
- Shen, S. B. and Ishida, H. (1996b). Processing and characterization of carbon fiber reinforced polynaphthoxazine composite. J. Mat. Sci., 31, 5945-5952.
- Shen, S. B. and Ishida, H. (1996c). Synthesis and characterization of polyfunctional naphthoxazines and related polymers. J. Appl. Polym. Sci., 61, 1595-1605.
- Stafford, S. C., Ulrich, A. D., and Canova, L. A. (1987). Effect of filler-treatment method on composite properties. Plastics Compounding, Jul/Aug, 41-49.

- Suprapakorn, N., Dhamrongvaraporn, S., and Ishida, H. (1998). Effect of CaCO_3 on the mechanical and rheological properties of a ring-opening phenolic resin: Polybenzoxazine. Composites, 19, 126-132.
- Varma, I. K., Anantha Krishnan S. R., and Krishnamoorthy, S. (1989). Composites of glass/modified jute fabric and unsaturated polyester resin. Composites, 20, 383-388.
- Wirasate, S., Dhamrongvaraporn, S., Allen, D. J., and Ishida, H. (1998). Molecular origin of unusual physical and mechanical properties in novel phenolic materials based on benzoxazine chemistry. J. Appl. Polym. Sci., 70, 1299-1306.
- Zadorecki, P. and Flodin, P. (1985). Surface modification of cellulose fibers II. The effect of cellulose fiber treatment on the performance of cellulose-polyester composites. J. Appl. Polym. Sci., 30, 3971-3983.
- Zadorecki, P. and Flodin, P. (1986). Surface modification of cellulose fibers III. Durability of cellulose-polyester composites under environmental aging. J. Appl. Poly. Sci., 31, 1699-1707.
- Zadorecki, P., Kärnerfors, H., and Lindenfors, S. (1986). Cellulose fibers as reinforcement in composites: Determination of the stiffness of cellulose fibers, Composites Science and Technology, 27, 291-303.

CURRICULUM VITAE

Name: Ms. Nadsuda Dansiri

Date of Birth: 12 December 1976

University Education:

1994-1998 Bachelor of Science Degree in Chemistry

Department of Chemistry

Chulalongkorn University

Bangkok

Thailand.