

## REFERENCES

- Amoozgar, Z., Park, J., Lin, Q., and Yeo, Y. (2012) Low molecular-weight chitosan as a pH-sensitive stealth coating for tumor-specific drug delivery. Molecular Pharmaceutics, 9(5), 1262-1270.
- An, X.N., Su, Z.X., and Zeng, H.M. (2003) Preparation of highly magnetic chitosan particle and their use for affinity purification of enzymes. Journal of Chemical Technology and Biotechnology, 78, 596-600.
- Belessi, V., Zboril, R., Tucek, J., Mashlan, M., Tzitzios, V., and Petridis, D. (2008) Ferrofluids from magnetic-chitosan hybrids. Chemistry of Materials, 20(10), 3298-3305.
- Bettini, R., Romani, A.A., Morganti, M.M., and Borghetti, A.F. (2008) Physicochemical and cell adhesion properties of chitosan films prepared from sugar and phosphate-containing solutions. European Journal of Pharmaceutics and Biopharmaceutics, 68(1), 74-81.
- Bhattarai, S.R., Kc, R.B., Kim, S.Y., Sharma, M., Khil, M., Hwang, P.H., Chang, G.H., and Kim, H.Y. (2008) N-hexanoyl chitosan stabilized magnetic resonance imaging. Journal of Nanobiotechnology, 6(1), 1-9.
- Bica, D., Vékás, L., Avdeev, M.V., Marinică, O., Socoliu, V., Bălăsoiu, M., and Garamus, V.M. (2007) Sterically stabilized water based magnetic fluids: Synthesis, structure and properties. Journal of Magnetism and Magnetic Materials, 311, 17-21.
- Cao, H., He, J., Deng, L., and Gao, X. (2009) Fabrication of cyclodextrin-functionalized superparamagnetic Fe<sub>3</sub>O<sub>4</sub>/amino-silane core-shell nanoparticles via layer-by-layer method. Applied Surface Science, 255(18), 7974-7980.
- Čampelj, S., Makovec, D., and Drofenik, M. (2009) Functionalization of magnetic nanoparticles with 3-aminopropyl silane. Journal of Magnetism and Magnetic Materials, 321(10), 1346-1350.
- Chang, Y.C., Chang, S.W., and Chen, D.H. (2006) Magnetic chitosan nanoparticles: Studies on chitosan binding and adsorption of Co(II) ions. Reactive and Functional Polymers, 66, 335-341.

- Chen, C. (1986) Magnetism and Metallurgy of Soft Magnetic Materials, New York: Dover Publications, Inc.
- Chen, L., Tian, Z., and Du, Y. (2004) Synthesis and pH sensitivity of carboxymethyl chitosan-based polyampholyte hydrogels for protein carrier matrices. Biomaterials, 25(17), 3725-3732.
- Chirachanchai, S. and Fangkangwanwong, J. (2008) Chitosan water-soluble system: an approach to prepare superabsorbent gel. Polymers for Biomedical Applications. Washington, DC: American Chemical Society. (pp. 27-36).
- Chirachanchai, S., Lertworasirikul, A., and Tachaboonyakiat, W. (2001) Carbaryl insecticide conjugation onto chitosan via iodochitosan and chitosan carbonyl imidazolide precursors. Carbohydrate Polymers, 46(1), 19-27.
- Cho, J., Grant, J., Piquette-Miller, M., and Allen, C. (2006) Synthesis and physicochemical and dynamic mechanical properties of a water-soluble chitosan derivative as a biomaterial. Biomacromolecules, 7(10), 2845-2855.
- Choochottiro, C., Yoksan, R., and Chirachanchai, S. (2009) Amphiphilic chitosan nanospheres: Factors to control nanosphere formation and its consequent pH responsive performance. Polymer, 50(8), 1877-1886.
- Cornell, R.M. and Schwertmann, U. (2003) The Iron Oxides: Structures, Properties, Reactions, Occurrences, and Uses, 2<sup>nd</sup> Edition. Weinheim: Wiley-VCH.
- De Palma, R., Peeters, S., Van Bael, M. J., Van den Rul, H., Bonroy, K., Laureyn, W., Mullens, J., Borghs, G., and Maes, G. (2007) Silane ligand exchange to make hydrophobic superparamagnetic nanoparticles water-dispersible. Chemistry of Materials, 19(7), 1821-1831.
- Denkbaş, E. B., Kılıçay, E., Birlikseven, C., and Öztürk, E. (2002) Magnetic chitosan microspheres: preparation and characterization. Reactive and Functional Polymers, 50(3), 225-232.
- El-Dakdouki, M. H., El-Boubou, K., Zhu, D. C., and Huang, X. (2011) A simple method for the synthesis of hyaluronic acid coated magnetic nanoparticles for highly efficient cell labelling and in vivo imaging. RSC Advances, 1(8), 1449-1452.
- Elliott, S.R. (1998) The Physics and Chemistry of Solids, New York: Wiley.

- Fangkangwanwong, J., Akashi, M., Kida, T., and Chirachanchai, S. (2006) Chitosan-hydroxybenzotriazole aqueous solution: A novel water-based system for chitosan functionalization. *Macromolecular Rapid Communications*, 27(13), 1039-1046.
- Finotelli, P.V., Da Silva, D., Sola-Penna, M., Rossi, A.M., Farina, M., Andrade, L.R., Takeuchi, A.Y., and Rocha-Leão, M.H. (2010) Microcapsules of alginate/chitosan containing magnetic nanoparticles for controlled release of insulin. *Colloids and Surfaces B: Biointerfaces*, 81(1), 206-211.
- Ge, Y., Zhang, S., He, S., Zhang, Y. and Gu, N. (2009) Fabrication and characterization of chitosan-poly(acrylic acid) magnetic nanospheres. *Journal of Nanoscience and Nanotechnology*, 9(2), 1287-1290.
- Gelbrich, T., Feyen, M. and Schmidt, A. (2006) Magnetic thermoresponsive core-shell nanoparticles. *Macromolecules*, 39(9), 3469-3472.
- Gupta, A.K., Gupta, M. (2005) Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. *Biomaterials*, 26, 3995-4021.
- Haesun, P. and Kinam, P. (1996). Hydrogels in bioapplications. *Hydrogels and Biodegradable Polymers for Bioapplications*. Washington, DC: American Chemical Society, (pp. 2-10).
- Hamley, I. W. (2003) Nanotechnology with soft materials. *Angewandte Chemie International Edition*, 42(15), 1692-1712.
- Hritcu, D., Popa, M.I., Popa, N.L., Badescu, V., and Balan, V. (2009) Preparation and characterization of magnetic chitosan nanospheres. *Turkish Journal of Chemistry*, 33, 785-796.
- Hu, J., Yin, L., and Jia, L. (2011) Chitosan-silica hybrid-coated open tubular column for hydrophilic interaction capillary electrochromatography. *Journal of Separation Science*, 34(5), 565-573.
- Hu, X., Tang, Y., Wang, Q., Li, Y., Yang, J., Du, Y., and Kennedy, J. F. (2011) Rheological behaviour of chitin in NaOH/urea aqueous solution. *Carbohydrate Polymers*, 83(3), 1128-1133.
- Hua, F., Jun, H., Liyan, D., Mingtian, L., and Zhao, C. (2009) Preparation of magnetic chitosan nanoparticles and immobilization of laccase. *Journal of Wuhan University of Technology-Materials Science Edition*, 24, 42-47.

- Jing, Z.H. and Wu, S.H. (2004) Synthesis and characterization of monodisperse hematite nanoparticles modified by surfactants via hydrothermal approach. *Materials Letters*, 58, 3637-3640.
- Kim, S. Y., Ramaraj, B., and Yoon, K. R. (2012) Preparation and characterization of polyvinyl alcohol-grafted Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles through glutaraldehyde. *Surface and Interface Analysis*, 44(9), 1238-1242.
- Koh, I., Wang, X., Varughese, B., Issacs, L., Ehrman, S.H., and Enlish, D.S. (2006) Magnetic iron oxide nanoparticles for biorecognition: evaluation of surface coverage and activity. *Journal of Physical Chemistry B*, 110, 1553-1558.
- Krishna Rao, K.S.V., Vijaya Kumar Naidu, B., Subha, M.C.S., Sairam, M., and Aminabhavi, T.M. (2006) Novel chitosan-based pH-sensitive interpenetrating network microgels for the controlled release of cefadroxil. *Carbohydrate Polymers*, 66(3), 333-344.
- Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Vander Elst, L., and Muller, R. N. (2008) Magnetic iron oxide nanoparticles: Synthesis, stabilization, vectorization, physicochemical characterizations, and biological applications. *Chemical Reviews*, 108(6), 2064-2110.
- Lao, L.L. and Ramanujan, R.V. (2004) Magnetic and hydrogel composite materials for hyperthermia applications. *Journal of Materials Science: Materials in Medicine*, 15, 1061-1064.
- Lee, H.-Y., Li, Z., Chen, K., Hsu, A. R., Xu, C., Xie, J., Sun, S., and Chen, X. (2008) PET/MRI dual-modality tumor imaging using arginine-glycine-aspartic (RGD)-conjugated radiolabeled iron oxide nanoparticles. *Journal of Nuclear Medicine*, 48(8), 1371-1379.
- Li, B.Q., Jia, D.C., Zhou, Y., Hu, Q.L., and Cai, W. (2006) In situ hybridization to chitosan/magnetite nanocomposite induced by the magnetic field. *Journal of Magnetism and Magnetic Materials*, 306, 223-227.
- Li, Z., Yi, P.W., Sun, Q., Lei, H., Li Zhao, H., Zhu, Z.H., Smith, S.C., Lan, M.B., and Lu, G.Q. (2012) Ultrasmall water-soluble and biocompatible magnetic iron oxide nanoparticles as positive and negative dual contrast agents. *Advanced Functional Materials*, 22(11), 2387-2393.

- Lin, N., Huang, J., and Dufresne, A. (2012) Preparation, properties and applications of polysaccharide nanocrystals in advanced functional nanomaterials: a review. *Nanoscale*, 4(11), 3274-3294.
- López-Cruz, A.J., Barrera, C., Calero-DdelC, V.L., and Rinaldi, C. (2009) Water dispersible iron oxide nanoparticles coated with covalently linked chitosan. *Journal of Materials Chemistry*, 19, 6870-6876.
- Loo, A.L., Pineda, M.G., Saade, H., Treviño, M.E., and López, R.G. (2008) Synthesis of magnetic nanoparticles in bicontinuous microemulsions. Effect of surfactant concentration. *Journal of Material Science*, 43, 3649-3654.
- Lübbe, A.S., Alexiou, C., and Bergemann, C. (2001) Clinical Applications of Magnetic Drug Targeting. *Journal of Surgical Research*, 95(2), 200-206.
- Liu, J., Wang, B., Budi Hartono, S., Liu, T., Kantharidis, P., Middelberg, A.P.J., Lu, G.Q., He, L., and Qiao, S.Z. (2012) Magnetic silica spheres with large nanopores for nucleic acid adsorption and cellular uptake. *Biomaterials*, 33(3), 970-978.
- Liu, T.-Y., Hu, S.-H., Liu, K.-H., Liu, D.-M., and Chen, S.-Y. (2006) Preparation and characterization of smart magnetic hydrogels and its use for drug release. *Journal of Magnetism and Magnetic Materials*, 304(1), e397-e399.
- Lui, J.F., Zhao, Z.S., and Jiang, G.B. (2008) Coating  $\text{Fe}_3\text{O}_4$  magnetic nanoparticles with humic acid for high efficiency removal of heavy metals in water. *Environmental Science & Technology*, 42, 6949-6954.
- Liu, L., Yang, J.-P., Ju, X.-J., Xie, R., Liu, Y.-M., Wang, W., Zhang, J.-J., Niu, C.H., and Chu, L.-Y. (2011) Monodisperse core-shell chitosan microcapsules for pH-responsive burst release of hydrophobic drugs. *Soft Matter*, 7(10), 4821-4827.
- Liu, X., Guan, Y., Ma, Z., and Liu, H. (2004) Surface modification and characterization of magnetic polymer nanospheres prepared by miniemulsion polymerization. *Langmuir*, 20(23), 10278-10282.
- Lui, X.W., Hu, Q., Fang, Z., Zhang, X.J., and Zang, B.B. (2009) Magnetic chitosan nanocomposite: A useful Recyclable tool for heavy metal ion removal. *Langmuir*, 25, 3-8.

- Mahmoudi, M., Simchi, A., Imani, M., Milani, A.S., and Stroeve, P. (2008) Optimal design and characterization of superparamagnetic iron oxide nanoparticles coated with polyvinyl alcohol for targeted delivery and imaging. *The Journal of Physical Chemistry B*, 112(46), 14470-14481.
- Moeser, G.D., Roach, K.A., Green, W.H., Laibinis, P.E., and Hatton, T.A. (2002) Water-based magnetic fluid as extractants for synthetic organic compounds. *Industrial and Engineering Chemistry Research*, 41, 4739-4749.
- Muzzarelli, R.A.A., Boudrant, J., Meyer, D., Manno, N., DeMarchis, M., and Paoletti, M.G. (2012) Current views on fungal chitin/chitosan, human chitinases, food preservation, glucans, pectins and inulin: A tribute to Henri Braconnot, precursor of the carbohydrate polymers science, on the chitin bicentennial. *Carbohydrate Polymers*, 87(2), 995-1012.
- Narindeo, M. and Bajpai, S.K. (2008) Chitosan–magnetite nanocomposites (CMNs) as magnetic carrier particles for removal of Fe(III) from aqueous solutions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 320(1–3), 161-168.
- Nishimura, S., Kohgo, O., Kurita, K. and Kuzuhara, H. (1991) Chemospecific manipulations of a rigid polysaccharide: syntheses of novel chitosan derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. *Macromolecules*, 24(17), 4745-4748.
- Opanasopit, P., Ngawhirunpat, T., Rojanarata, T., Choochottiro, C. and Chirachanchai, S. (2007) Camptothecin-incorporating *N*-phthaloylchitosan-g-mPEG self-assembly micellar system: Effect of degree of deacetylation. *Colloids and Surfaces B: Biointerfaces*, 60(1), 117-124.
- Phongying, S., Aiba, S.-i., and Chirachanchai, S. (2007) Direct chitosan nanoscaffold formation via chitin whiskers. *Polymer*, 48(1), 393-400.
- Popat, A., Liu, J., Lu, G. Q., and Qiao, S. Z. (2012) A pH-responsive drug delivery system based on chitosan coated mesoporous silica nanoparticles. *Journal of Materials Chemistry*, 22(22), 11173-11178.
- Qiu, Z., Zhao, Y.B., Huang, J.Y., and Lin, S. (2009) Preparation and analysis of magnetic chitosan nano-particles used for targeted-drug carriers. *Journal of Scientific Conference Proceedings*, 1, 251-253.

- Richardson, S.W., Kolbe, H.J. and Duncan, R. (1999) Potential of low molecular mass chitosan as a DNA delivery system: biocompatibility, body distribution and ability to complex and protect DNA. *International Journal of Pharmaceutics*, 178(2), 231-243.
- Šafaříková, M., Roy, I., Gupta, M.N., and Šafařík, I. (2003) Magnetic alginate microparticles for purification of  $\alpha$ -amylases. *Journal of Biotechnology*, 105(3), 255-260.
- Sashiwa, H., Kawasaki, N., Nakayama, A., Muraki, E., Yamamoto, N., and Aiba, S.-i. (2002) Chemical modification of chitosan. 14:1 synthesis of water-soluble chitosan derivatives by simple acetylation. *Biomacromolecules*, 3(5), 1126-1128.
- Scarberry, K.E., Dickerson, E.B., McDonald, J.F., and Zhang, Z.J. (2008) Magnetic nanoparticle-peptide conjugated for in vitro and in vivo targeting and extraction of cancer cell. *Journal of the American Chemical Society*, 130, 10258-10262.
- Shen, L., Laibinis, P.E., and Hatton, T.A. (1999) Bilayer Surfactant stabilized magnetic fluids: Synthesis and interactions at interfaces. *Langmuir*, 16, 9117-9120.
- Srakaew, V., Ruangsri, P., Suthin, K., Thunyakitpisal, P., and Tachaboonyakiat, W. (2012) Sodium-phosphorylated chitosan/zinc oxide complexes and evaluation of their cytocompatibility: An approach for periodontal dressing. *Journal of Biomaterials Applications*, 27(4), 403-412.
- Tachaboonyakiat, W., Netwasdi, N., Srakaew, V., and Opaprakasit, M. (2010) Elimination of inter- and intramolecular crosslinks of phosphorylated chitosan by sodium salt formation elimination of inter- and intramolecular crosslinks. *Polymer Journal*, 42(2), 148-156.
- Tadmor, R., Rosensweig, R. E., Frey, J., and Klein, J. (2000) Resolving the puzzle of ferrofluid dispersants. *Langmuir*, 16(24), 9117-9120.
- Wang, D.S., Li, J.G., Li, H.P., and Tang, F.Q. (2009) Preparation and drug releasing property of magnetic chitosan-5-fluorouracil nano-particles. *Transactions of Nonferrous Metals Society of China*, 19, 1232-1236.

- Wang, J., Meng, G., Tao, K., Feng, M., Zhao, X., Li, Z., Xu, H., Xia, D., and Lu, J.R. (2012) Immobilization of lipases on alkyl silane modified magnetic nanoparticles: Effect of alkyl chain length on enzyme activity. *PLoS ONE*, 7(8), e43478.
- Wang, Y.L., Li, B.Q., Zhou, Y., and Jia, D. (2008) Chitosan-induced synthesis of magnetite nanoparticles via irons assembly. *Polymers for Advanced Technologies*, 19, 1256-1261.
- Wang, Y.L., Li, B.Q., and Zhou, Y. (2009) In situ mineralization of magnetic nanoparticles in chitosan hydrogel. *Nanoscale Research Letters*, 4, 1041-1046.
- Xia, J., Liao, P., and Zhenyuan, N. (2006) Preparation and characterization of magnetic carboxymethylated chitosan- $\text{Fe}_3\text{O}_4$  nanocomposites for isolation of genomic DNA. *Journal of Central South University(Science and Technology)*, 37(6).
- Xie, J., Chen, K., Lee, H.-Y., Xu, C., Hsu, A. R., Peng, S., Chen, X., and Sun, S. (2008) Ultrasmall c(RGDyK)-coated  $\text{Fe}_3\text{O}_4$  nanoparticles and their specific targeting to integrin  $\alpha\beta_3$ -Rich tumor cells. *Journal of the American Chemical Society*, 130(24), 7542-7543.
- Yang, P.F. and Lee, C.K. (2007) Hyaluronic acid interaction with chitosan-conjugated magnetite particles and its purification. *Journal of Biochemical Engineering*, 33, 284-289.
- Yoksan, R., Akashi, M., Hiwatari, K.-i., and Chirachanchai, S. (2003) Controlled hydrophobic/hydrophilicity of chitosan for spheres without specific processing technique. *Biopolymers*, 69(3), 386-390.
- Yoksan, R., Matsusaki, M., Akashi, M., and Chirachanchai, S. (2004) Controlled hydrophobic/hydrophilic chitosan: colloidal phenomena and nanosphere formation. *Colloid & Polymer Science*, 282(4), 337-342.
- Yoza, B., Arakaki, A., and Matsunaka, T. (2003) DNA extraction using bacterial magnetic particles modified with hyperbranched polyamidoamine dendrimer. *Journal of Biotechnology*, 101, 219-228.

- Yuan, Q., Venkatasubramanian, R., Hein, S., and Misra, R. D. K. (2008) A stimulus-responsive magnetic nanoparticle drug carrier: Magnetite encapsulated by chitosan-grafted-copolymer. *Acta Biomaterialia*, 4(4), 1024-1037.
- Zargar, B., Parham, H., and Hatamie, A. (2009) Modified iron oxide nanoparticles as solid phase extractor for spectrophotometric determination and separation of basic fuchsin. *Talanta*, 77(4), 1328-1331.
- Zhang, C., Ping, Q., Zhang, H., and Shen, J. (2003) Synthesis and characterization of water-soluble *O*-succinyl-chitosan. *European Polymer Journal*, 39(8), 1629-1634.
- Zhang, J., Zhang, S.T., Wu, G.P., Wang, W.Q., Gao, S.F., and Wang, Y.P. (2007) An investigation of two kinds of magnetic chitosan composite microspheres. *Journal of Bioactive and Compatible Polymers*, 22(4), 429-441.
- Zhang, J.L., Srivastava, R.S., Misra, R.D.K. (2007) Core-shell magnetite nanoparticles surface encapsulated with smart stimuli-responsive polymer: synthesis, characterization, and LCST of viable drug-targeting delivery system. *Langmuir*, 23, 6342-6351.
- Zhang, L.Y., Zhu, X.J., Sun, H.W., Chi, G.R., Xu, J.X., and Sun, Y.L. (2010) Control synthesis of magnetic Fe<sub>3</sub>O<sub>4</sub>-chitosan nanoparticles under UV irradiation in aqueous system. *Current Applied Physics*, 10, 828-833.
- Zhang, J., Zhang, S.T., Wu, G.P., Wang, W.Q., and Gao, S.F. (2007) An investigation of two kind of magnetic chitosan composite microspheres. *Journal of Bioactive and Compatible Polymers*, 22, 429-441.
- Zhi, J., Wang, Y., Lu, Y., Ma, J., and Luo, G. (2006) In situ preparation of magnetic chitosan/Fe<sub>3</sub>O<sub>4</sub> composite nanoparticles in tiny pools of water-in-oil microemulsion. *Reactive and Functional Polymers*, 66(12), 1552-1558.
- Zhou, Y., Wang, S., Ding, B., and Yang, Z. (2008) Modification of magnetite nanoparticles via surface-initiated atom transfer radical polymerization (ATRP). *Chemical Engineering Journal*, 138(1-3), 578-585.

## CURRICULUM VITAE

**Name:** Ms. Sutima Chatrabhuti

**Date of Birth:** January 26, 1982

**Nationality:** Thai

**University Education:**

2008-2013 Full time graduate of International Philosophy of Doctoral Degree in Polymer Science Major, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

2006–2008 Full time graduate of International Master Degree in Polymer Science Major, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

1999–2003 Bachelor's Degree of Science, Department of Chemistry, King Mongkut's Institute of Technology Ladkrabang, Bangkok, Thailand

**Publications:**

1. Chatrabhuti, S. and Chirachanchai, S. (2013) Chitosan core-corona nanospheres: A convenient material to tailor ph and solvent responsive magnetic nanoparticles. Polymer, Accepted.
2. Chatrabhuti, S. and Chirachanchai, S. (2013) Single step coupling for multi-responsive water-based chitin/chitosan magnetic nanoparticles. Carbohydrate Polymers, In press.
3. Chatrabhuti, S., Chokesajjawatee, N., and Chirachanchai, S. Nanomagnetic chitosan for microbial entrapment, In preparation.

**Proceedings:**

1. Chatrabhuti, S. and Chirachanchai, S. (2009, August 23-25) Nanomagnetic-nanochitosan hybrids: The design and synthesis. International Symposium in Science and Technology at Kansai University, Osaka, Japan
2. Chatrabhuti, S. and Chirachanchai, S. (2010, March 21-25) Nanomagnetic chitosan: Stabilized superparamagnetic iron oxide nanoparticles (SPIONs) in water-based system. The 239<sup>th</sup> ACS National Meeting, San Francisco, CA, USA

3. Chatrabhuti, S., Akagi, T., Akashi, M., and Chirachanchai, S. (2010, September 15-17) preparation and characterization of magnetic chitosan hydrogel for drug delivery. 59<sup>th</sup> SPSJ symposium on macromolecule, Sapporo, Japan
4. Chatrabhuti, S. and Chirachanchai, S. (2011, March 24-25) Magnetic nanoparticles stabilization by chitosan nanosphere. 3<sup>rd</sup> PKU-CU Seminar 2011, Bangkok, Thailand

**Presentations:**

1. Chatrabhuti, S. and Chirachanchai, S. (2009, August 23-25) Nanomagnetic-nanochitosan hybrids: The design and synthesis. Paper presented at International Symposium in Science and Technology at Kansai University, Osaka, Japan (Poster Presentation)
2. Chatrabhuti, S. and Chirachanchai, S. (2010, March 21-25) Nanomagnetic chitosan: Stabilized superparamagnetic iron oxide nanoparticles (SPIONs) in water-based system. Paper presented at The 239<sup>th</sup> ACS National Meeting, San Francisco, CA, USA (Oral Presentation)
3. Chatrabhuti, S., Akagi, T., Akashi, M., and Chirachanchai, S. (2010, September 15-17) Preparation and characterization of magnetic chitosan hydrogel for drug delivery. Paper presented at 59<sup>th</sup> SPSJ symposium on macromolecule, Sapporo, Japan (Poster Presentation)
4. Chatrabhuti, S. and Chirachanchai, S. (2011, March 24-25) Magnetic nanoparticles stabilization by chitosan nanosphere. Paper presented at 3<sup>rd</sup> PKU-CU Seminar 2011, Bangkok, Thailand (Poster Presentation)