

REFERENCES

- Abedini, R. and Nezhadmoghadam, A. (2010). Application of Membrane in Gas Separation Processes: Its Suitability and Mechanisms. Petroleum & Coal 52(2), 69-80.
- Adewole, J.K., Ahmad, A.L., Ismail, S. and Leo, C.P. (2013). Current challenges in membrane separation of CO₂ from natural gas: A review. International Journal of Greenhouse Gas Control 17(0), 46-65.
- Ali, M., Kahder, M.M. and Al-Saad, K.A. (2012). Properties of nanoclay-PVA composite materials. Qatar Foundation Annual Research Forum Proceedings(2012), EEP2.
- Aravind, P.R. and Soraru, G.D. (2011). Porous silicon oxycarbide glasses from hybrid ambigels. Microporous and Mesoporous Materials 142(2-3), 511-517.
- Bandi, S. and Schiraldi, D.A. (2006). Glass Transition Behavior of Clay aerogel/ Poly(vinyl alcohol) Composites. Macromolecules 39(19), 6537-6545.
- Barros, P.M., Yoshida, I.V.P. and Schiavon, M.A. (2006). Boron-containing poly(vinyl alcohol) as a ceramic precursor. Journal of Non-Crystalline Solids 352(32-35), 3444-3450.
- Bajoait, A.K., and Saini, R., (2006). Preparation and characterization of novel biocompatible cryogels of poly (vinyl alcohol) and egg-albumin and their water sorption study, Materials in medicine, 17, 49- 61.
- Brunetti, A., Scura, F., Barbieri, G. and Drioli, E. (2010). Membrane technologies for CO₂ separation. Journal of Membrane Science 359(1-2), 115-125.
- Brunetti, A., Drioli, E., Lee, Y.M. and Barbieri, G. (2014). Engineering evaluation of CO₂ separation by membrane gas separation systems. Journal of Membrane Science 454(0), 305-315.
- Calvo, E.G., Menéndez, J.Á. and Arenillas, A. (2011). Designing Nanostructured Carbon Xerogels. Nanomaterials, InTech, Rijeka, 87-234
- Choi, B.-S. (2013). Transformation of CaCO₃ to single crystalline micro/nanowires. Journal of Industrial and Engineering Chemistry.

- Coran, A.Y. (2013). Chapter 7 - Vulcanization. *The Science and Technology of Rubber (Fourth Edition)*. Mark, J.E., Erman, B. and Roland, C.M. Boston, Academic Press: 337-381.
- Finch, C.A., (1992). Polyvinyl Alcohol--Developments. United Kingdom: John Wiley and Sons.
- Fu, Y.-C., Chen, C.-H., Wang, C.-Z., Wang, Y.-H., Chang, J.-K., Wang, G.-J., Ho, M.-L. and Wang, C.-K. (2013). Preparation of porous bioceramics using reverse thermo-responsive hydrogels in combination with rhBMP-2 carriers: In vitro and in vivo evaluation. Journal of the Mechanical Behavior of Biomedical Materials 27(0), 64-76.
- Gawryla, M.D. and Schiraldi, D.A. (2009). Novel Absorbent Materials Created via Ice Templating. Macromolecular Materials and Engineering 294(9), 570-574.
- Gilman, J. W., VanderHart, D. L., and Kashiwagi, T.(1995). Chapter. 11. Thermal Decomposition. *Chemistry of Poly(vinyl alcohol) char Characterization and Reactions with Bismaleimides*. ACS Symposium Series 599; American Chemical Society. Fire and Polymers II: Materials and Tests for Hazard Prevention. National Meeting, 208th. American Chemical Society, Washington, DC. Nelson, G. L., Editor(s), 161-185.
- Gutiérrez, M.C., García-Carvajal, Z.Y., Jobbágy, M., Rubio, F., Yuste, L., Rojo, F., Ferrer, M.L. and del Monte, F. (2007). Poly(vinyl alcohol) Scaffolds with Tailored Morphologies for Drug Delivery and Controlled Release. Advanced Functional Materials 17(17), 3505-3513.
- Halikia, I., Zoumpoulakis, L., Christodoulou, E. and Prattis, D. (2001). Kinetic study of the thermal decomposition of calcium carbonate by isothermal methods of analysis. European Journal of Mineral Processing and Environmental Protection 1(2), 89-102.
- Hassan, C.M., and Peppas, N.A., (2000). Structure and applications of polyvinyl alcohol hydrogel produced by conventional crosslinking or Freezing/Thawing Method. Advance in polymer scienc. 153, 37-65.
- Houmard, M., Vasconcelos, D.C.L., Vasconcelos, W.L., Berthomé, G., Joud, J.C. and Langlet, M. (2009). Water and oil wettability of hybrid organic-

- inorganic titanate–silicate thin films deposited via a sol–gel route. Surface Science 603(17), 2698-2707.
- Hou, R., Zhang, G., Du, G., Zhan, D., Cong, Y., Cheng, Y. and Fu, J. (2013). Magnetic nanohydroxyapatite/PVA composite hydrogels for promoted osteoblast adhesion and proliferation. Colloids and Surfaces B: Biointerfaces 103(0), 318-325.
- Houde, A.Y., Krishnakumar, B., Charati, S.G. and Stern, S.A. (1996). Permeability of dense (homogeneous) cellulose acetate membranes to methane, carbon dioxide, and their mixtures at elevated pressures. Journal of Applied Polymer Science 62(13), 2181-2192.
- Iarikov, D.D. and Ted Oyama, S. (2011). Chapter 5 - Review of CO₂/CH₄ Separation Membranes. Membrane Science and Technology. Oyama, S.T. and Susan, M.S.-W., Elsevier. Volume 14: 91-115.
- Inagaki, M. (2009). Pores in carbon materials-importance of their control. New Carbon Materials 24(3), 193-232.
- Kickelbick, G. (2007). Hybrid materials: Wiley-vch., 1-10.
- Kim, J.H., Ha, S.Y., Nam, S.Y., Rhim, J.W., Baek, K.H. and Lee, Y.M. (2001). Selective permeation of CO₂ through pore-filled polyacrylonitrile membrane with poly(ethylene glycol). Journal of Membrane Science 186(1), 97-107.
- Krokida, M.K., Karathanos, V.T. and Maroulis, Z.B. (1998). Effect of freeze-drying conditions on shrinkage and porosity of dehydrated agricultural products. Journal of Food Engineering 35(4), 369-380.
- Kumar, A., Negi, Y.S., Bhardwaj, N.K. and Choudhary, V. (2012). Synthesis and characterization of methylcellulose/PVA based porous composite. Carbohydrate Polymers 88(4), 1364-1372.
- Leong, Y.W., Ishak, Z.A.M. and Ariffin, A. (2004). Mechanical and thermal properties of talc and calcium carbonate filled polypropylene hybrid composites. Journal of Applied Polymer Science 91(5), 3327-3336.
- Li, M., Minoura, N., Dai, L. and Zhang, L. (2001). Preparation of Porous Poly(vinyl alcohol)-Silk Fibroin (PVA/SF) Blend Membranes. Macromolecular Materials and Engineering 286(9), 529-533.

- Li, S., Carreon, M.A., Zhang, Y., Funke, H.H., Noble, R.D. and Falconer, J.L. (2010). Scale-up of SAPO-34 membranes for CO₂/CH₄ separation. Journal of Membrane Science 352(1–2), 7-13.
- Li, J., Wang, S., Nagai, K., Nakagawa, T., and Mau, A. W. (1998) Effect of polyethylene glycol (PEG) on gas permeabilities and permselectivities in its cellulose acetate(CA) blend membranes. Journal of Membrane Science, 138, 143-152.
- Lozinsky, V.I. and Plieva, F.M. (1998). Poly(vinyl alcohol) cryogels employed as matrices for cell immobilization. 3. Overview of recent research and developments. Enzyme and Microbial Technology 23(3–4), 227-242.
- Lutz, J.T., and Grossman, R.F. (2001). Polymer Modifiers and Additives. New York: Marcel Dekker, 137.
- Nie, L., Chen, D., Suo, J., Zou, P., Feng, S., Yang, Q., Yang, S. and Ye, S. (2012). Physicochemical characterization and biocompatibility in vitro of biphasic calcium phosphate/polyvinyl alcohol scaffolds prepared by freeze-drying method for bone tissue engineering applications. Colloids and Surfaces B: Biointerfaces 100(0), 169-176.
- Olad, A. and Rashidzadeh, A. (2008). Preparation and Characterization of Polyaniline/CaCO₃ Composite and its Application as Anticorrosive Coating on Iron. Iranian Journal of Chemical Engineering 5(2).
- Othman, M.R., Tan, S.C., Bhatia, S., (2009). Separability of carbon dioxide from methane using MFI zeolite-silica film deposited on gamma-alumina support. Microporous and Mesoporous Materials 121, 138–144.
- Parmentier, J., Soraru, G.D., and Babonneau, F., (2001). Influence of the microstructure on the high temperature behavior of gel-derived SiOC glasses, Journal of the European Ceramic Society. 21, 817-824
- Peng, Z. and Kong, L.X. (2007). A thermal degradation mechanism of polyvinyl alcohol/silica nanocomposites. Polymer Degradation and Stability 92(6), 1061-1071.
- Plieva, F.M., Karlsson, M., Aguilar, M.-R., Gomez, D., Mikhalovsky, S., Galaev, I.Y. and Mattiasson, B. (2006). Pore structure of macroporous monolithic

- cryogels prepared from poly(vinyl alcohol). Journal of Applied Polymer Science 100(2), 1057-1066.
- Qian, L. and Zhang, H. (2011). Controlled freezing and freeze drying: a versatile route for porous and micro-/nano-structured materials. Journal of Chemical Technology & Biotechnology 86(2), 172-184.
- Reis, E.F.d., Campos, F.S., Lage, A.P., Leite, R.C., Heneine, L.G., Vasconcelos, W.L., Lobato, Z.I.P. and Mansur, H.S. (2006). Synthesis and characterization of poly (vinyl alcohol) hydrogels and hybrids for rMPB70 protein adsorption. Materials Research 9, 185-191.
- Sadeghi, M., Semsarzadeh, M.A. and Moadel, H. (2009). Enhancement of the gas separation properties of polybenzimidazole (PBI) membrane by incorporation of silica nano particles. Journal of Membrane Science 331(1-2), 21-30.
- Safronova, T. V., Shekhirev, M. A., and Putlyaev, V. I. (2007). Ceramics based on calcium hydroxyapatite synthesized in the presence of polyvinyl alcohol. Glass and Ceramics. 64, 32 – 36.
- Saravari O., (2003). Polymer Additives. Bangkok: Chulalongkorn University., 12-15.
- Scholes, C.A., Stevens, G.W. and Kentish, S.E. (2012). Membrane gas separation applications in natural gas processing. Fuel 96(0), 15-28.
- Semsarzadeh, M.A. and Ghalei, B. (2013). Preparation, characterization and gas permeation properties of polyurethane–silica/polyvinyl alcohol mixed matrix membranes. Journal of Membrane Science 432(0), 115-125.
- Şen, D., Kalıpçılar, H. and Yılmaz, L. (2007). Development of polycarbonate based zeolite 4A filled mixed matrix gas separation membranes. Journal of Membrane Science 303(1-2), 194-203.
- Shimekit, B. and Mukhtar, H. (2012). Natural Gas Purification Technologies–Major Advances for CO₂ Separation and Future Directions. Advances in Natural Gas Technology, INTECH: 235-270.
- Smith, R.A. and McBroom, R.B. (1992) Boron Oxide, Boric acid and Borates. Encyclopedia of Chemical Technology, 4th Editios, Vol. 4. Edited by Kroschwitz. New York: John Wiley & Sons, Inc., 241-292.

- Sridhar, S., Smitha, B., and Aminabhavi, T.M. (2007) Separation of carbon dioxide from natural gas mixtures through polymeric membranes—a review, Sep. Purif. Rev. 36 113–174.
- Wang, B., Wang, Q. and Li, L. (2013). Morphology and properties of highly talc- and CaCO₃-filled poly(vinyl alcohol) composites prepared by melt processing. Journal of Applied Polymer Science 130(5), 3050-3057.
- Wang, C., Piao, C., Zhai, X., Hickman, F.N. and Li, J. (2010). Synthesis and character of super-hydrophobic CaCO₃ powder in situ. Powder Technology 200(1–2), 84-86.
- Wang, H.-H., Shyr, T.-W. and Hu, M.-S. (1999) The elastic property of polyvinyl alcohol gel with boric acid as a crosslinking agent. Journal of Applied Polymer Science 74(13), 3046-3052.
- Wu, X., Liu, Y., Li, X., Wen, P., Zhang, Y., Long, Y., Wang, X., Guo, Y., Xing, F. and Gao, J. (2010). Preparation of aligned porous gelatin scaffolds by unidirectional freeze-drying method. Acta Biomaterialia 6(3), 1167-1177.
- Xing, R. and Ho, W.S.W. (2011). Crosslinked polyvinylalcohol–polysiloxane/fumed silica mixed matrix membranes containing amines for CO₂/H₂ separation. Journal of Membrane Science 367(1–2), 91-102.
- Yang, J.M., Su, W.Y., Leu, T.L. and Yang, M.C. (2004). Evaluation of chitosan/PVA blended hydrogel membranes. Journal of Membrane Science 236(1–2), 39-51.
- Yang, S., Sun, J., Ramirez-Cuesta, Anibal J.C., Samantha K., William I. F.D., Anderson P. D., Newby R., Blake J. A., Parker J. E., Chiu C. T., Schroder M. (2012). Selectivity and direct visualization of carbon dioxide and sulfur dioxide in a decorated porous host. Nature Chemistry 4(11), 887-894.
- Zhang, W. (2010). Experimental Investigation on Gas Separation Using Porous Membranes: Universitätsbibliothek.
- Zhang, Y., Sunarso, J., Liu, S. and Wang, R. (2013). Current status and development of membranes for CO₂/CH₄ separation: A review. International Journal of Greenhouse Gas Control 12(0), 84-107.

Zheng, G.Q., Li, X.D., Wang, X.M., Ma, J.F. and Gu, Z.W. (2008). Structural characteristics of poly(vinyl alcohol)&calcium carbonate composites prepared by sequential method. Advances in Applied Ceramics 107(1), 46-51.

CURRICULUM VITAE

Name: Ms. Khemrada Chaiwichian

Date of Birth: April 7, 1990

Nationality: Thai

University Education:

2008–2012 Bachelor Degree of Material Science, Faculty of Science,
Chulalongkorn University, Bangkok, Thailand

Work Experience:

2011	Position:	Student Trainee
	Company name:	Thai Plastic and Chemicals Public Company Limited

Proceedings:

1. Chaiwichian, K.; Wongkasemjit, S.; and Chaisuwan, T. (2014, April 22) Organic-Inorganic Green Porous Hybrid Composite for Gas Separation. Proceedings of the 5th Research Symposium on Petrochemical and Materials Technology and the 20th PPC Symposium on Petroleum, Petrochemicals and Polymers. Balloom, Queen Sirikit National Convention Center, Bangkok, Thailand.

Presentations:

1. Chaiwichian, K.; Wongkasemjit, S.; and Chaisuwan, T. (2014, March 20-21) Organic-Inorganic Green Porous Hybrid Composite and Its Application as Membrane Separation. Paper presented at the 4th Polymer Conference of Thailand, Pathumwan Princess Hotel, Bangkok, Thailand.
2. Chaiwichian, K.; Wongkasemjit, S.; and Chaisuwan, T. (2014, April 21-25) Green Porous Hybrid Composite and Its Application as a Carbon Dioxide Adsorbent. Paper presented at the 2014 MRS Spring Meeting & Exhibit, San Francisco, California, USA.
3. Chaiwichian, K.; Wongkasemjit, S.; and Chaisuwan, T. (2014, April 22) Organic-Inorganic Green Porous Hybrid Composite and Its Application for

CO₂/CH₄ separation. Paper presented at the 5th Research Symposium on Petrochemical and Materials Technology and the 20th PPC Symposium on Petroleum, Petrochemicals and Polymers. Bangkok, Thailand.