

REFERENCES

- Ahmed, S., Rasul, M.G., Martens, W.N., Brown, R., and Hashib, M.A. (2010). Heterogeneous photocatalytic degradation of phenols in wastewater: A review on current status and developments. Desalination, 261, 3-18.
- Amar, A.H. (2007). Development of a simple dip coating method for immobilization of TiO₂ onto solid supports using direct TiO₂ powder. M.S. Thesis, School of Chemistry, School of Biology and Institute of Postgraduate Studies, Universiti Sains Malaysia.
- Busca, G., Berardinelli, S., Resini, C., and Arrighi, L. (2008). Technologies for the removal of phenol from fluid streams: a short review of recent development. Journal of hazardous Materials, 160, 265-288.
- Carp, O., Huisman, C.L., and Reller, A. (2004). Photoinduced reactivity of titanium dioxide. Progress in Solid State Chemistry, 32, 33-177.
- Chiou, C-H., Wu, C-Y., and Juang, R-S. (2008). Influence of operating parameters on photocatalytic degradation of phenol in UV/TiO₂ process. Chemical Engineering Journal, 139, 322-329.
- Cullity, B.D. (1978). Elements of X-ray Diffraction, Addison-Wesley Publication Company, Massachusetts.
- Deng, X., Yue, Y., and Gao, Z. (2002). Gas phase photo-oxidation of organic compounds over nanosized TiO₂ photocatalysts by various preparations. Applied Catalysis B: Environmental, 39, 135-147.
- Ding, X., and Liu, X. (1998). Correlation between anatase-to-rutile transformation and grain growth in nanocrystalline titania. Journal of Materials Research, 13, 2556-2559.
- Fox, M.A., and Chen, C. (1981). Mechanistic features of the semiconductor photocatalyzed olefin-to-carbonyl oxidative cleavage. Journal of the American Chemical Society, 103, 6757-6766.
- Franson, M.A.H. (1989). Standard method for the examination of water and waste water. American Public Health Association, pp, 5-48-5-53.
- Guo, Z., Ma, R., and Li, G. (2006). Degradation of phenol by nanomaterial TiO₂ in wastewater. Chemical Engineering Journal, 119, 55-59.

- Hague, D.C. and Mayo, M.J. (1994). Controlling crystallinity during processing of nanocrystalline titania. Journal of the American Ceramic Society, 77, 1957-1960.
- Han, F., Venkata, S., Kambala, R., and Srinivasan, M. (2009). Tailored titanium dioxide photocatalysts for the degradation of organic dyes in wastewater treatment: A review. Applied Catalysts A, General, 359, 25-40.
- Hinda, L., Puzenat, E., Houas, A., Ksibi, M., Elaloui, E., Guillard, C., and Herrmann, J.M. (2002). Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania. Applied Catalysis B: Environmental, 39, 75–90.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995). Environmental applications of semiconductor photocatalysis. Chemical Reviews, 95, 69-96.
- HSDB. 1991. Hazardous Substances Data Bank.
- Hu, L., Flanders, M.P., Miller, L.P., and Strathmann, J.T. (2007). Oxidation of sulfamethoxazole and related antimicrobial agents by TiO₂ photocatalysis. Water Research, 41, 2612 – 2626.
- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). Porous Materials Process Technology and Applications, Kluwer Academic Publisher, London.
- Kamat, P.V. (1995). Tailoring Nanostructured Thin Films, Chemtech.
- Khunrattanaphon, P., Chavadej, S., and Sreethawong T. (2011). Synthesis and application of novel mesoporous-assembled SrTi_xZr_{1-x}O₃-based nanocrystal photocatalysts for azo dye degradation. Chemical Engineering Journal, 170, 292-307.
- Kim, S.B, Jang, H.T., and Hong, S.C. (2002). Photocatalytic degradation of gas-phase methanol and toluene using thin-film TiO₂ photocatalyst I. influence of water vapor, molecular oxygen and temperature. Journal of Industrial and Engineering Chemistry, 8, 156-161

- Luenloi, T., Chalermssinsuwan, B., Sreethawong, T., and Hinchiranan, N. (2011). Photodegradation of phenol catalyzed by TiO₂ coated on acrylic sheets: Kinetics and factorial design analysis. Desalination, 274, 192-199.
- Mills, A., Lee, S.K., and Lepre, A. (2003). Photodecomposition of ozone sensitised by a film of titanium dioxide on glass. Journal of Photochemistry and Photobiology A: Chemistry, 155, 199-205.
- Mugglie, D.S., and Ding, L. (2001). Photocatalytic performance of sulfated TiO₂ and Degussa P-25 TiO₂ during oxidation of organics. Applied Catalysis B: Environmental, 32, 181-188.
- Murakami, Y., Matsumoto, T., and Takasu, Y. (1999). Salt catalysts containing basic anions and acidic cations for the sol-gel process of titanium alkoxide: Controlling the kinetics and dimensionality of the resultant titanium oxide. Journal of Physical Chemistry B, 103, 1836-1840.
- Ohno, T., Tsubota, T., Nakamura, Y., and Sayama, K. (2005). Preparation of S, C cation-codoped SrTiO₃ and its photocatalytic activity under visible light. Applied Catalysis A: General, 288, 74-79.
- Oillis, D.F., Pelizzetti, E., and Serpone, N. (1991). Destruction of water contaminants. Environmental Science and Technology, 25, 1523-1529.
- Onsuratoom, S., Puangpetch, T., and Chavadej, S. (2011) Comparative investigation of hydrogen production over Ag-, Ni-, and Cu-loaded mesoporous-assembled TiO₂-ZrO₂ mixed oxide nanocrystal photocatalysts. Chemical Engineering Journal, 173, 667-675.
- Pirkanniemi, K., and Sillanpaa, M. (2002). Heterogeneous water phase catalysis as an environmental application: a review. Chemosphere, 48, 1047-1060.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2008). Synthesis and photocatalytic activity in methyl orange degradation of mesoporous-assembled SrTiO₃ nanocrystals prepared by sol-gel method with the aid of structure-directing surfactant. Journal of Molecular Catalysis A: Chemical, 287, 70-79.
- Robertson, P.K.J. (1996). Semiconductor photocatalysis: an environmentally acceptable alternative production technique and effluent treatment process. Journal of Cleaner Production, 4(3-4), 203-212.

- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). Adsorption by Powders and Porous Solid: Principle, Methodology and Applications, Academic Press, San Francisco.
- Saravanan, P., Pakshirajan, K., and Saha, P. (2009). Degradation of phenol by TiO₂-based heterogeneous photocatalysts in presence of sunlight. Journal of Hydro-environment Research, 3, 45-50.
- Smith, J.V., Editor. (1960). X-ray Powder Data File, American Society for Testing Materials.
- Sobczynski, A., Duczmal, L., and Zmudzinski, W. (2004). Phenol destruction by photocatalysis on TiO₂: an attempt to solve the reaction mechanism. Journal of Molecular Catalysis A: Chemical, 213, 225–230.
- Sreethawong, T., Suzuki, Y., and Yoshikawa, S. (2005). Synthesis, characterization, and photocatalytic activity for hydrogen evolution of nanocrystalline mesoporous titania prepared by surfactant-assisted templating sol-gel process. Journal of Solid State Chemistry, 178, 329-338.
- “Standard Operating Procedure.” Laboratory Safety Manual and Chemical Hygiene Plan. <http://ehs.ucla.edu/SOP/Sodium_Azide.doc> .
- Sung-Suh, H.M., Choi, J.R., Hah, H.J., Koo, S.M., and Bae, Y.C. (2004). Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO₂ under visible and UV light irradiation. Journal of Photochemistry and Photobiology A: Chemistry, 163, 37–44.
- Wang, C.C., and Ying, J. (1999). Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals. Chemistry of Materials, 11, 3113-3120.
- Wong, R.S.K., Feng, J., Hu, X., and Yue P.L. (2005). Discoloration and mineralization of non-biodegradable azo dye orange II by copper-doped TiO₂ nanocatalysts. Journal Environ. Sci. health A, 39, 2583-2595.
- Yang, X., Wang, Y., Xu, L., Yu, X., and Guo, Y. (2008). Silver and indium oxide codoped TiO₂ nanocomposites with enhanced photocatalytic activity. Journal of Physical Chemistry C, 112, 11481-11489.

- Yao, W. F., Xu, X.H., Wang, H., Zhou, T. J., Yang, N. X., Zhang, Y., Shang, X.S., and Huang, B. (2004). Photocatalytic property of perovskite bismuth titanate. Applied Catalysis B: Environmental, 52, 109-116.
- Yu, P., Cui, B., and Shi, Q. (2008). Preparation and characterization of BaTiO₃ powders and ceramics by sol-gel process using oleic acid as surfactant. Materials Science and Engineering A, 473, 34-41.
- Zhang, M., An, T., Hu, X., Wang, C., Sheng, G., and Fu, J. (2004). Preparation and photocatalytic properties of a nanometer ZnO-SnO₂ coupled oxide. Applied Catalysis A: General, 260, 215-222.
- Zhu, J., Chen, F., Zhang, H., Chen, M., and Anpo, J. (2006). Fe³⁺-TiO₂ photocatalysts prepared by combining sol-gel method with hydrothermal treatment and their characterization. Journal of Photochemistry and Photobiology A: Chemistry, 180, 196-204.

CURRICULUM VITAE

Name: Mr. Supachai Tiyawarakul

Date of Birth: Oct 08, 1988

Nationality: Thai

University Education:

2006–2010 Bachelor Degree of Science, Faculty of Industrial Chemistry,
King Mongkut's University of Technology North Bangkok, Bangkok, Thailand

Proceedings:

1. Tiyawarakul, S., Chavadej, S., and Rangsunvigit P (2012, April 24) Phenol Degradation over Mesoporous-Assembled $\text{SrTi}_x\text{Zn}_{1-x}\text{O}_3$ Nanocrystal Photocatalysts. Proceedings of The 3rd Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 18th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.