REFERENCES

- Abdi, M.A., and Meisen, A. (2001) <u>Amine Degradation: Problems</u>, Review of Research Achievements, Recovery Techniques.
- Appl, M., Wagner U., Henrici H. J., Kuessner K., Volkamer F., and Neust N. E. (1982). Removal of CO and/or H₂S and/or COS From Gases Containing

 These Constituents, U.S. Patent No. 4336233
- Aroonwilas, A., and Veawab, A. (2004). Characterization and comparison of the CO₂ absorption performance into single and blended alkanolamines in a packed column. <u>Industrial & Engineering Chemistry Research</u>, 43, 2228-2237.
- Astarita, G., Savage, D.W., and Bisio, A. (1983) Gas Treating with Chemical Solvents, New York: John Wiley.
- Cavenati, S., Grand, C.A., and Rodrigues, A.E. (2006). Removal of carbon dioxide from natural gas by vacuum pressure swing adsorption. <u>Thermochimica Acta</u>, 410, 23-26.
- Charkravarty, T., Phukan, U.K., and Weiland, R.H. (1985). Reaction of acid gases with mixtures of amines. <u>Chemical Engineering Progress</u>, 81, 32-36.
- Choi, W. J., Seo, J. B., Jang, S. Y., Jung, J.H., and Oh, K.J. (2009). Removal characteristics of CO₂ using aqueous MEA/AMP solutions in the absorption and regeneration process. <u>Chemical Engineering Progress</u>, 81, 32-36.
- Closmann, F., Nguyen, T., and Rochelle, G.T. (2009) MDEA/Piperazine as a solvent for CO₂ cupture. <u>Energy Procedia</u>, 1, 1351-1357.
- Freeman, S.A., Dugas, R., Wagener, D.V., Nguyen, T., and Rochelle, G.T. (2009)

 Carbon dioxide capture with concentrated, aqueous piperazine. Energy

 Procedia, 1, 1489-1496.
- Kohl, A.L., and Reisenfeld, F.C. (1985). <u>Gas Purification</u>. Houston, Texas: Gulf Publishing.
- Kotowicz, J., Chmielniak, T., and Szymanska, K.J. (2010). The influence of membrane CO₂ separation on the efficiency of a coal-fired power plant. Energy, 35, 841-850.

- Kyoto Protocol, (2009). <u>Status of Ratification</u>. United Nations Framework Convention on Climate Change. 2009-01-14.
- Petrochemical Processes Handbook, (2003). Gulf Publishing Co.
- Polasek, J., and Bullin J.A. (2006). Selecting amines for sweetening units. <u>Bryan</u>
 Research and <u>Engineering</u>, 1-9.
- Ritter, J.A., and Ebner, A.D. (2004). <u>Carbon Dioxide Separation Technology: R&D Needs For the Chemical and Petrochemical Industries:</u>
 http://www.chemicalvision2020.org/pdfs/h2 report.pdf
- Si, A.B., and Aroua, M.K. (2004) Effect of piperazine on CO₂ loading in aqueous solutions of MDEA at low pressure, <u>International Journal of Thermophysics</u>, 25, 1863-1870.
- Strazisar, B.R., Anderson, R.R., and White, C.M. <u>Degradation of MEA Used in Carbon Dioxide Capture from Flue Gas of a Coal-fired Electric Power Generating Station</u>. National Energy Technology Laboratory, Pittsburgh.
- Tobiesen, F.A., and Svendsen H. F. (2006). Study of a modified amine-based regeneration unit. <u>Industrial & Engineering Chemistry Research</u>, 45, 2489-2496.
- White, C.M., Strazisar, B.R., Granite, E.J., Hoffman, J.S., and Pennline, H.W (2003). Separation and capture of CO₂ from large stationary sources and sequestration in geological formations Coalbeds and deep saline. <u>Journal of The Air & Waste Management Association</u>, 53, 645-715.
- Xu, G.W., Zhang, C.F., Qin, S.J., and Wang, Y.W. (1992). Kinetics study on absorption of carbon dioxide into solutions of activated methyldiethanolamine. <u>Industrial & Engineering Chemistry Research</u>, 31, 921-927.
- Zhang, P., Yao, S., Jianwen, W., Zhao, W., and Qing, Y. (2008). Regeneration of 2-amino-2-methyl-1-propanol used for carbon dioxide absorption. <u>Journal</u> of Environmental Sciences, 20, 39-44.

CURRICULUM VITAE

Name:

Ms. Supitcha Rinprasertmeechai

Date of Birth:

December 24, 1987

Nationality:

Thai

University Education:

2006-2010 Bachelor Degree of Science, Department of Chemical

Technology, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

Working Experience:

March-May 2008

Position:

Student Internship

Company name:

J. M. silber Thailand

Proceedings:

1. Rinprasertmeechai, S., Chavadej, S., Rangsunvigit, P., and Kulprathipanja, S. (2012, April 24) Carbon Dioxide Removal from Flue Gas Using Amine-Based Hybrid Solvent Absorption. <u>Proceedings of The 3nd Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 18th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.</u>