- Akashi, T., et al. (2009a) Molecular Cloning and Characterization of a cDNA for Pterocarpan 4-Dimethylallyltransferase Catalyzing the Key Prenylation Step in the Biosynthesis of Glyceollin, a Soybean Phytoalexin, *Plant Physiology*, **149**, 683-693.
- Akashi, T., et al. (2009b) Molecular cloning and characterization of a cDNA for pterocarpan 4-dimethylallyltransferase catalyzing the key prenylation step in the biosynthesis of glyceollin, a soybean phytoalexin, *Plant Physiol*, **149**, 683-693.
- Alkadi K. A. A, et al. (2013) Prenylated xanthone and rubraxanthone with Antiplatelet aggregation activity in human whole blood isolated from Garcinia griffithii., Orient J Chem, 23, 5.
- Arung, E.T., Shimizu, K. and Kondo, R. (2006) Inhibitory effect of isoprenoid-substituted flavonoids isolated from Artocarpus heterophyllus on melanin biosynthesis, *Planta Med*, **72**, 847-850.
- Asensi-Fabado, M.A. and Munné-Bosch, S. (2010) Vitamins in plants: occurrence, biosynthesis and antioxidant function, *Trends in plant science*, **15**, 582-592.
- Ashby, M.N., et al. (1992) COQ2 is a candidate for the structural gene encoding parahydroxybenzoate:polyprenyltransferase, *J Biol Chem*, **267**, 4128-4136.
- Biggins, J. and Mathis, P. (1988) Functional role of vitamin K1 in photosystem I of the cyanobacterium Synechocystis 6803, *Biochemistry*, **27**, 1494-1500.
- Block, A., et al. (2013) Functional modeling identifies paralogous solanesyldiphosphate synthases that assemble the side chain of plastoquinone-9 in plastids, *J Biol Chem*, 288, 27594-27606.
- Botta, B., et al. (2009) Prenylated isoflavonoids: Botanical distribution, structures, biological activities and biotechnological studies. An update (1995-2006), *Curr Med Chem*, **16**, 3414-3468.
- Botta, B., et al. (2005) Prenylated flavonoids: pharmacology and biotechnology, *Curr Med Chem*, **12**, 717-739.

- Cerqueira, F., et al. (2008) The natural prenylated flavone artelastin is an inhibitor of ROS and NO production, *Int Immunopharmacol*, **8**, 597-602.
- Cerqueira, F., et al. (2003) Inhibition of lymphocyte proliferation by prenylated flavones: artelastin as a potent inhibitor, *Life Sci*, **73**, 2321-2334.
- Cha, J.D., et al. (2007) Antibacterial activity of sophoraflavanone G isolated from the roots of Sophora flavescens, *J Microbiol Biotechnol*, **17**, 858-864.
- Chen, C.-C. (2002) Garcinone E, a xanthone derivative, has potent cytotoxic effect against hepatocellular carcinoma cell lines, *Planta Med*, **68**, 975-979.
- Chenna, R., et al. (2003) Multiple sequence alignment with the Clustal series of programs, *Nucleic Acids Res*, **31**, 3497-3500.
- Cheon, B.S., et al. (2000) Effects of prenylated flavonoids and biflavonoids on lipopolysaccharide-induced nitric oxide production from the mouse macrophage cell line RAW 264.7, *Planta Med*, **66**, 596-600.
- Collakova, E. and DellaPenna, D. (2003a) Homogentisate phytyltransferase activity is limiting for tocopherol biosynthesis in Arabidopsis, *Plant Physiol*, **131**, 632-642.
- Collakova, E. and DellaPenna, D. (2003b) The role of homogentisate phytyltransferase and other tocopherol pathway enzymes in the regulation of tocopherol synthesis during abiotic stress, *Plant Physiol*, **133**, 930-940.
- Crowell, E.F., McGrath, J.M. and Douches, D.S. (2008) Accumulation of vitamin E in potato (Solanum tuberosum) tubers, *Transgenic Res*, **17**, 205-217.
- Dej-adisai, S., et al. (2014) Antityrosinase and antimicrobial activities from Thai medicinal plants, *Arch Pharm Res*, **37**, 473-483.
- DellaPenna, D. and Mène-Saffrané, L. (2011) Chapter 5 Vitamin E. In Fabrice, R. and Roland, D. (eds), *Advances in Botanical Research*. Academic Press, pp. 179-227.
- DellaPenna, D. and Pogson, B.J. (2006) Vitamin synthesis in plants: tocopherols and carotenoids, *Annu Rev Plant Biol*, **57**, 711-738.
- Devi, B.P., Boominathan, R. and Mandal, S.C. (2003) Anti-inflammatory, analgesic and antipyretic properties of Clitoria ternatea root, *Fitoterapia*, **74**, 345-349.

- Epifano, F., et al. (2007) Chemistry and pharmacology of oxyprenylated secondary plant metabolites, *Phytochemistry*, **68**, 939-953.
- Falk, J. and Munne-Bosch, S. (2010) Tocochromanol functions in plants: antioxidation and beyond, *J Exp Bot*, **61**, 1549-1566.
- Harish, M.C., et al. (2013a) Enhancement of α-tocopherol content through transgenic and cell suspension culture systems in tobacco, Acta Physiologiae Plantarum, 35, 1121-1130.
- Harish, M.C., et al. (2013b) Overexpression of homogentisate phytyltransferase (HPT) and tocopherol cyclase (TC) enhances Ω -tocopherol content in transgenic tobacco, *Biologia Plantarum*, **57**, 395-400.
- Huang, H., et al. (2014) Structure of a membrane-embedded prenyltransferase homologous to UBIAD1, *PLoS Biol*, **12**, e1001911.
- Hunter, S.C. and Cahoon, E.B. (2007) Enhancing vitamin E in oilseeds: unraveling tocopherol and tocotrienol biosynthesis, *Lipids*, **42**, 97-108.
- Ischebeck, T., et al. (2006) A salvage pathway for phytol metabolism in Arabidopsis, J. Biol Chem, 281, 2470-2477.
- Jacob, L. and Latha, M. (2012) Anticancer Activity of Clitoria ternatea Linn. Against Dalton's Lymphoma, *Int J Pharmacog Phyto Res*, 4, 207-212.
- Jain, N.N., et al. (2003) Clitoria ternatea and the CNS, Pharmacology Biochemistry and Behavior, **75**, 529-536.
- Jantan, I., et al. (2002) In vitro inhibitory effect of rubraxanthone isolated from Garcinia parvifolia on platelet-activating factor receptor binding, *Planto Med*, 68, 1133-1134.
- Kanagarajan, S., et al. (2012) Functional expression and characterization of sesquiterpene synthases from Artemisia annua L. using transient expression system in Nicotiana benthamiana, *Plant Cell Rep.*, 31, 1309-1319.
- Kelemu, S., Cardona, C. and Segura, G. (2004) Antimicrobial and insecticidal protein isolated from seeds of Clitoria ternatea, a tropical forage legume, *Plant Physiology and Biochemistry*, **42**, 867-873.

- Kim, D.W., et al. (2002) Effects of sophoraflavanone G, a prenylated flavonoid from Sophora flavescens, on cyclooxygenase-2 and in vivo inflammatory response, *Arch Pharm Res*, **25**, 329-335.
- Kobayashi, N. and DellaPenna, D. (2008) Tocopherol metabolism, oxidation and recycling under high light stress in Arabidopsis, *Plant J*, **55**, 607-618.
- Koeun, L., et al. (2007) Overexpression of Arabidopsis Homogentisate Phytyltransferase or Tocopherol Cyclase Elevates Vitamin E Content by Increasing **γ**-tocopherol Level in Lettuce (Lactuca sativa L.), *Mol. Cells*, **24**, 301-306.
- Kuete, V., et al. (2011) Cytotoxicity and mode of action of four naturally occuring flavonoids from the genus Dorstenia: gancaonin Q, 4-hydroxylonchocarpin, 6-prenylapigenin, and 6,8-diprenyleriodictyol, *Planta Med*, **77**, 1984-1989.
- Larkin, M.A., et al. (2007) Clustal W and Clustal X version 2.0, *Bioinformatics*, 23, 2947-2948.
- Leckie, B.M. and Neal Stewart, C., Jr. (2011) Agroinfiltration as a technique for rapid assays for evaluating candidate insect resistance transgenes in plants, *Plant Cell Rep*, **30**, 325-334.
- Lee, K., et al. (2007) Overexpression of Arabidopsis homogentisate phytyltransferase or tocopherol cyclase elevates vitamin E content by increasing gammatocopherol level in lettuce (Lactuca sativa L.), Mol Cells, 24, 301-306.
- Lee, N.K., et al. (2004) Prenylated flavonoids as tyrosinase inhibitors, *Arch Pharm Res*, 27, 1132-1135.
- Li, H., et al. (2015) A heteromeric membrane-bound prenyltransferase complex from hop catalyzes three sequential aromatic prenylations in the bitter acid pathway, *Plant Physiol*, **167**, 650-659.
- Liebler, D.C., et al. (1996) Gas chromatography-mass spectrometry analysis of vitamin E and its oxidation products, *Anal Biochem*, 236, 27-34.
- Likhitwitayawuid, K., et al. (2005) Phenolics with antiviral activity from Millettia erythrocalyx and Artocarpus lakoocha, *Natural product research*, 19, 177-182.

- Lima, G.P.P., et al. (2014) Ozonated water and chlorine effects on the antioxidant properties of organic and conventional broccoli during postharvest, *Scientia Agricola*, **71**, 151-156.
- Lin, J.-J. (1995) Electrotransformation of Agrobacterium. In, *Electroporation Protocols* for Microorganisms. Springer, pp. 171-178.
- Liu, X., et al. (2007) AG protein-coupled receptor is a plasma membrane receptor for the plant hormone abscisic acid, *Science*, **315**, 1712-1716.
- Maneechai, S., et al. (2012) Flavonoid and stilbenoid production in callus cultures of Artocarpus lakoocha, *Phytochemistry*, **81**, 42-49.
- Mangano, S., Gonzalez, C.D. and Petruccelli, S. (2014) Agrobacterium tumefaciens-Mediated Transient Transformation of Arabidopsis thaliana Leaves. In, *Arabidopsis Protocols*. Springer, pp. 165-173.
- Matsuzuka, K., et al. (2013) Investigation of tocotrienol biosynthesis in rice (Oryza sativa L.), Food Chem, 140, 91-98.
- Melzer, M. and Heide, L. (1994) Characterization of polyprenyldiphosphate: 4-hydroxybenzoate polyprenyltransferase from Escherichia coli, *Biochim Biophys Acta*, **1212**, 93-102.
- Mene-Saffrane, L., Jones, A.D. and DellaPenna, D. (2010) Plastochromanol-8 and tocopherols are essential lipid-soluble antioxidants during seed desiccation and quiescence in Arabidopsis, *Proc Notl Acod Sci U S A*, **107**, 17815-17820.
- Mottier, P., et al. (2002) Comparison of gas chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry methods to quantify alpha-tocopherol and alpha-tocopherolquinone levels in human plasma, Anal Biochem, 301, 128-135.
- Mukherjee, P.K., *et al.* (2008) The Ayurvedic medicine Clitoria ternatea--from traditional use to scientific assessment, *J Ethnopharmacol*, **120**, 291-301.
- Nakata, Y., Tang, X. and Yokoyama, K.K. (1997) Preparation of competent cells for high-efficiency plasmid transformation of Escherichia coli, *Methods Mol Biol*, 69, 129-137.

- Nesa, M.L., et al. (2015) Cytotoxic, anti-inflammatory, analgesic, CNS depressant, antidiarrhoeal activities of the methanolic extract of the Artocarpus Lakoocha leaves, World J Pharm Sci, 3, 167-174.
- Nithianantham, K., et al. (2011) Hepatoprotective potential of Clitoria ternatea leaf extract against paracetamol induced damage in mice, *Molecules*, **16**, 10134-10145.
- Nowicka, B. and Kruk, J. (2010) Occurrence, biosynthesis and function of isoprenoid quinones, *Biochimica et Biophysica Acta (BBA) Bioenergetics*, **1797**, 1587-1605.
- Ohara, K., et al. (2009) Functional characterization of LePGT1, a membrane-bound prenyltransferase involved in the geranylation of p-hydroxybenzoic acid, *Biochem J.*, **421**, 231-241.
- Ohara, K., Sasaki, K. and Yazaki, K. (2010) Two solanesyl diphosphate synthases with different subcellular localizations and their respective physiological roles in Oryza sativa, *J Exp Bot*, 61, 2683-2692.
- Ohara, K., et al. (2006) Functional characterization of OsPPT1, which encodes phydroxybenzoate polyprenyltransferase involved in ubiquinone biosynthesis in Oryza sativa, *Plant Cell Physiol*, **47**, 581-590.
- Okada, K., et al. (2004) The AtPPT1 gene encoding 4-hydroxybenzoate polyprenyl diphosphate transferase in ubiquinone biosynthesis is required for embryo development in Arabidopsis thaliana, *Plant Mol Biol*, **55**, 567-577.
- Park, K.M., et al. (2003) Kuwanon G: an antibacterial agent from the root bark of Morus alba against oral pathogens, *J Ethnopharmacol*, 84, 181-185.
- Pedro, M., et al. (2005) Artelastin is a cytotoxic prenylated flavone that disturbs microtubules and interferes with DNA replication in MCF-7 human breast cancer cells, *Life Sciences*, **77**, 293-311.
- Poincelot, R.P. (1976) Lipid and Fatty Acid composition of chloroplast envelope membranes from species with differing net photosynthesis, *Plant Physiol*, **58**, 595-598.

- Porfirova, S., et al. (2002) Isolation of an Arabidopsis mutant lacking vitamin E and identification of a cyclase essential for all tocopherol biosynthesis, *Proc Natl Acad Sci U S A*, 99, 12495-12500.
- Pshybytko, N.L., *et al.* (2008) Function of plastoquinone in heat stress reactions of plants, *Biochimica et Biophysica Acta (BBA) Bioenergetics*, **1777**, 1393-1399.
- Puntumchai, A., et al. (2004) Lakoochins A and B, New Antimycobacterial Stilbene Derivatives from Artocarpus I akoocha, *J Nat Prod*, **67**, 485-486.
- Pyka, A., et al. (2011) Comparison of NP-TLC and RP-TLC with densitometry to quantitative analysis of tocopherol acetate in pharmaceutical preparation, J. Liq Chromatogr Relat Technol, 34, 2548-2564.
- Rai, K., et al. (2002) Clitoria ternatea root extract enhances acetylcholine content in rat hippocampus, *Fitoterapia*, **73**, 685-689.
- Ren, W., et al. (2011) Molecular analysis of a homogentisate phytyltransferase gene from Lactuca sativa L, *Mol Biol Rep*, **38**, 1813-1819.
- Rise, M., et al. (1989) Accumulation of **α**-Tocopherol in Senescing Organs as Related to Chlorophyll Degradation, *Plant Physiology*, **89**, 1028-1030.
- Sadre, R., *et al.* (2010) Catalytic reactions of the homogentisate prenyl transferase involved in plastoquinone-9 biosynthesis, *J Biol Chem*, **285**, 18191-18198.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) *Molecular cloning*. Cold spring harbor laboratory press New York.
- Sasaki, K., et al. (2008) Cloning and characterization of naringenin 8-prenyltransferase, a flavonoid-specific prenyltransferase of Sophora flavescens, *Plant Physiol*, 146, 1075-1084.
- Sasaki, K., et al. (2011) Molecular characterization of a membrane-bound prenyltransferase specific for isoflavone from Sophora flavescens, *J Biol Chem*, **286**, 24125-24134.
- Sasaki, K., Tsurumaru, Y. and Yazaki, K. (2009) Prenylation of flavonoids by biotransformation of yeast expressing plant membrane-bound prenyltransferase SfN8DT-1, *Biosci Biotechnol Biochem*, **73**, 759-761.

- Savidge, B., et al. (2002) Isolation and characterization of homogentisate phytyltransferase genes from Synechocystis sp. PCC 6803 and Arabidopsis, *Plant Physiol*, **129**, 321-332.
- Schledz, M., et al. (2001) A novel phytyltransferase from Synechocystis sp. PCC 6803 involved in tocopherol biosynthesis, *FEBS Lett*, **499**, 15-20.
- Seo, Y.S., et al. (2011) Ectopic expression of apple fruit homogentisate phytyltransferase gene (MdHPT1) increases tocopherol in transgenic tomato (Solanum lycopersicum cv. Micro-Tom) leaves and fruits, *Phytochemistry*, **72**, 321-329.
- Sharma, P., et al. (2012) Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under Stressful Conditions, *Journal of Botany*, 2012, 26.
- Shen, G., et al. (2012) Characterization of an isoflavonoid-specific prenyltransferase from Lupinus albus, *Plant Physiol*, **159**, 70-80.
- Shimizu, K., et al. (2002) The skin-lightening effects of artocarpin on UVB-induced pigmentation, *Planta Med*, **68**, 79-81.
- Smolarek, A.K., et al. (2013) Dietary tocopherols inhibit cell proliferation, regulate expression of ER**Q**, PPAR**γ**, and Nrf2, and decrease serum inflammatory markers during the development of mammary hyperplasia, *Molecular carcinogenesis*, **52**, 514-525.
- Son, J.K., et al. (2003) Prenylated flavonoids from the roots of Sophora flavescens with tyrosinase inhibitory activity, *Planta Med*, **69**, 559-561.
- Son, K.H., et al. (2001) Papyriflavonol A, a new prenylated flavonol from Broussonetia papyrifera, *Fitoterapia*, **72**, 456-458.
- Soo, C.C.-Y., et al. (2004) Dose-dependent effects of dietary α -and γ -tocopherols on genetic instability in mouse mutatect tumors, Journal of the National Cancer Institute, 96, 796-800.
- Sritularak, B., et al. (2010) New 2-arylbenzofurans from the root bark of Artocarpus lakoocha, *Molecules*, **15**, 6548-6558.

- Stone, W.L., et al. (2004) Tocopherols and the treatment of colon cancer, *Annals of the New York Academy of Sciences*, **1031**, 223-233.
- Sussmann, R.A., et al. (2011) Intraerythrocytic stages of Plasmodium falciparum biosynthesize vitamin E, FEBS Lett, 585, 3985-3991.
- Swain, S.S., Rout, K.K. and Chand, P.K. (2012a) Production of triterpenoid anti-cancer compound taraxerol in Agrobacterium-transformed root cultures of butterfly pea (Clitoria ternatea L.), *Appl Biochem Biotechnol*, **168**, 487-503.
- Swain, S.S., Rout, K.K. and Chand, P.K. (2012b) Production of triterpenoid anti-cancer compound taraxerol in Agrobacterium-transformed root cultures of butterfly pea (Clitoria ternatea L.), *Applied biochemistry and biotechnology*, **168**, 487-503.
- Tamura, K., et al. (2013) MEGA6: molecular evolutionary genetics analysis version 6.0, Molecular biology and evolution, 30, 2725-2729.
- Tashiro, M., et al. (2001) Effects of prenylflavanones from Sophora species on growth and activation of mouse macrophage-like cell line, *Anticancer research*, 22, 53-58.
- Tunsaringkarn, C.P.S.I.T., et al. (2007) Pharmacognostic study of Artocarpus lakoocha heartwood, *J Health Res*, **21**, 257-262.
- Valentin, H.E., et al. (2006) The Arabidopsis vitamin E pathway gene5-1 mutant reveals a critical role for phytol kinase in seed tocopherol biosynthesis, *Plant Cell*, 18, 212-224.
- Vranová, E., Coman, D. and Gruissem, W. (2013) Network Analysis of the MVA and MEP Pathways for Isoprenoid Synthesis, *Annu Rev Plant Biol*, **64**, 665-700.
- Wang, R., et al. (2014) Molecular characterization and phylogenetic analysis of two novel regio-specific flavonoid prenyltransferases from Morus alba and Cudrania tricuspidata, *J Biol Chem*, 289, 35815-35825.
- Wang, Y., et al. (2006) Bioassay-guided isolation of antiatherosclerotic phytochemicals from Artocarpus altilis, *Phytother Res*, 20, 1052-1055.
- Wei, X., Kuhn, D.N. and Narasimhan, G. (2003) Degenerate primer design via clustering, *Proc IEEE Comput Soc Bioinform Conf*, 2, 75-83.

- Whitaker, B.D. (1986) Fatty-acid composition of polar lipids in fruit and leaf chloroplasts of "16:3"- and "18:3"-plant species, *Planta*, **169**, 313-319.
- Wilmoth, G.C. (2002) Tocopherol (vitamin E) content in invasive browse species on underutilized Appalachian farmland. Virginia Tech.
- Wydro, M., Kozubek, E. and Lehmann, P. (2006) Optimization of transient Agrobacterium-mediated gene expression system in leaves of Nicotiana benthamiana, *Acta Biochim Pol*, **53**, 289-298.
- Xu, Z., et al. (2014) Cytotoxic prenylated xanthones from the pericarps of Garcinia mangostana, *Molecules*, 19, 1820-1827.
- Yazaki, K., et al. (2002) Geranyl diphosphate:4-hydroxybenzoate geranyltransferase from Lithospermum erythrorhizon. Cloning and characterization of a ket enzyme in shikonin biosynthesis, *J Biol Chem*, **277**, 6240-6246.
- Zheng, Z.-P., et al. (2008) Tyrosinase inhibitors from paper mulberry (Broussonetia papyrifera), Food Chem, 106, 529-535.
- Zingg, J.-M., et al. (2013) In vivo regulation of gene transcription by alpha-and gamma-tocopherol in murine T lymphocytes, *Archives of Biochemistry and Biophysics*, 538, 111-119.
- Zottini, M., et al. (2008) Agroinfiltration of grapevine leaves for fast transient assays of gene expression and for long-term production of stable transformed cells, *Plant Cell Rep*, **27**, 845-853.

Miss Thaniya Wunnakup received Bachelor's degree of in General Science, Faculty of Liberal Arts and Science, Kasetsart University, Thailand in 2004. She graduated Master of Science in Biochemistry, Faculty of Science, Chulalongkorn University, Thailand in 2008. After that she entered in Ph.D. program in Biomedicinal Chemistry during 2009 – 2015.

SCIENTIFIC PUBLICATION

Chanama, M., Wunnakup, T., De-Eknamkul, W. and Chanama, S. 2009. Improvement of thin-layer chromatography for enzyme assay of geranylgeraniol 18-hydroxylase from Croton stellatopilosus Ohba, J. Planar Chromatogr, 22(1) 49 – 53.

POSTER PRESENTATION

Chanama, M., Wunnakup, T., De-Eknamkul, W. and Chanama, S. Improvement of thin-layer chromatography for enzyme assay of geranylgeraniol 18-hydroxylase from Croton stellatopilosus Ohba. International Symposium of Thin Layer Chromatography, Helsinki, Finland, 11 – 13 June 2008.

Chanama, M., Wunnakup, T., De-Eknamkul, W. and Chanama, S. Kinetic characterization of geranylgeraniol-18-hydroxylase from Croton stellatopilosus Ohba. The 8th Joint Innovative Research in Natural Products for Sustainable Development NRCT-JSPS, Faculties of Pharmaceutical Sciences, Chulalongkorn University, 3 - 4 February, 2009.

Wunnakup, T., Promden, W. and De-Eknamkul, W. Cloning and Characterization of Flavonoid Prenyltransferase Genes from Thai Medicinal Plants. Phytochemical Society of North America, Hawai'i, 10 – 15 December, 2011.

