



REFERENCES

- [1] C. Haynes, C. J. Oldfield, F. Ji, N. Klitgord, M. E. Cusick, P. Radivojac, V. N. Uversky, M. Vidal and L. M. Iakoucheva, “Intrinsic disorder is a common feature of hub proteins from four eukaryotic interactomes,” *PLoS Comput. Biol.*, vol. 2, no. 8, pp. 0890–0901, 2006.
- [2] M. Sickmeier, J. A. Hamilton, T. LeGall, V. Vacic, M. S. Cortese, A. Tantos, B. Szabo, P. Tompa, J. Chen, V. N. Uversky, Z. Obradovic and A. K. Dunker, “DisProt: The database of disordered proteins,” *Nucleic Acids Res.*, vol. 35, no. SUPPL. 1, pp. 786–793, 2007.
- [3] J. Li, Y. Feng, X. Wang, J. Li, W. Liu, L. Rong and J. Bao, “An overview of predictors for intrinsically disordered proteins over 2010-2014,” *Int. J. Mol. Sci.*, vol. 16, no. 10, pp. 23446–23462, 2015.
- [4] S. Schnell, S. Fortunato, and S. Roy, “Is the intrinsic disorder of proteins the cause of the scale-free architecture of protein-protein interaction networks?,” *Proteomics*, vol. 7, no. 6, pp. 961–964, 2007.
- [5] K. Plaimas, R. Eils and R. König, “Identifying essential genes in bacterial metabolic networks with machine learning methods,” *BMC Syst. Biol.*, vol. 4, p. 56, 2010.
- [6] N. V. Chawla, K. W. Bowyer, L. O. Hall and W. P. Kegelmeyer, “SMOTE : Synthetic Minority Over-sampling Technique,” *Artif. Intell. Res.*, vol. 16, pp. 321–357, 2002.
- [7] M. E. Oates, P. Romero, T. Ishida, M. Ghalwash, M. J. Mizianty, B. Xue, Z. Dosztányi, V. N. Uversky, Z. Obradovic, L. Kurgan, A. K. Dunker and J. Gough, “D2P2: Database of disordered protein predictions,” *Nucleic Acids Res.*, vol. 41, no. D1, pp. 508–516, 2013.
- [8] J. Province, “Yeast protein-protein interaction network model based on biological experimental data,” *Appl. Math. Mech.*, vol. 36, no. 11172158, pp. 827–834, 2015.
- [9] A. Suratane and K. Plaimas, “Identification of inflammatory bowel disease-related proteins using a reverse k-nearest neighbor search,” *J. Bioinform.*

- Comput. Biol.*, vol. 12, no. 4, 2014.
- [10] S. N. Soffer and A. Vázquez, “Network clustering coefficient without degree-correlation biases,” *Phys. Rev. E - Stat. Nonlinear, Soft Matter Phys.*, vol. 71, no. 5, pp. 2–5, 2005.
 - [11] D. Kosch and F. Schreiber, “Comparison of Centralities for Biological Networks,” *Proc. Ger. Conf. Bioinforma.*, pp. 199–206, 2004.
 - [12] Phillip Bonacich, “Power and Centrality : A Family of Measures,” *Am. J. Sociol.*, vol. 92, no. 5, pp. 1170–1182, 2017.
 - [13] M. C. Monard, “A Study of the Behavior of Several Methods for Balancing Machine Learning Training Data,” *Sigkdd Explor.*, vol. 6, no. 1, pp. 20–29, 2004.
 - [14] D. Szklarczyk, A. Franceschini, S. Wyder, K. Forslund, D. Heller, J. Huerta-Cepas, M. Simonovic, A. Roth, A. Santos, K. P. Tsafou, M. Kuhn, P. Bork, L. J. Jensen and C. Von Mering, “STRING v10: Protein-protein interaction networks, integrated over the tree of life,” *Nucleic Acids Res.*, vol. 43, no. D1, pp. D447–D452, 2015.
 - [15] A. Hamosh, A. F. Scott, J. S. Amberger, C. A. Bocchini and V. A. McKusick, “Online Mendelian Inheritance in Man (OMIM), a knowledgebase of human genes and genetic disorders,” *Nucleic Acids Res.*, vol. 33, pp. 514–517, 2005.
 - [16] J. D. Feramisco, R. I. Sadreyev, M. L. Murray, N. V Grishin and H. Tsao, “Phenotypic and Genotypic Analyses of Genetic Skin Disease through the Online Mendelian Inheritance in Man (OMIM) Database,” *J. Invest. Dermatol.*, vol. 129, no. 11, pp. 2628–2636, 2009.
 - [17] J. S. Amberger, C. A. Bocchini, A. F. Scott and A. Hamosh, “OMIM . org : Online Mendelian Inheritance in Man (OMIM R), an online catalog of human genes and genetic disorders,” *Nucleic Acids Res.*, vol. 43, no. November 2014, pp. 789–798, 2015.






APPENDICES

APPENDICES


In this section, we showed the result of randomly chosen several attributes to develop the measure of disordered proteins affecting to scale-free network, $M_{SF\ Disp}$ and the measure of proteins affecting to scale-free network, M_{SF} in appendix A and appendix B, respectively. Appendices A and B consist of developing measure in balance data and imbalance data with their performance (AUC). All of appendices presented the value of AUC in our measures are higher than those measures generated from randomly chosen attributes. This implied that our measures, $M_{SF\ Disp}$ and M_{SF} have more efficient than those measures generated from randomly chosen attributes.

APPENDIX A: The performance (AUC) of ROC curve in the measure of disordered proteins affecting to scale-free network, $M_{SF\ Disp}$ with balance data and imbalance data




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.70 in

$$\text{the } M_{SF\ Disp}(i) = 1.45 \cdot \frac{k}{\langle k \rangle} + \frac{c}{\langle c \rangle},$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.91 in

$$\text{the } M_{SF, Dip}(i) = 3.23 \cdot \text{sign}(R_i) + \frac{C_i}{\langle C \rangle}.$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.77 in

$$\text{the } M_{SF, Dip}(i) = \frac{k_i}{\langle k \rangle}.$$



The performance (AUC) of ROC curve in balance data with the value of AUC is 0.65 in


$$\text{the } M_{SF_{Dep}}(i) = \frac{c_i}{\langle c \rangle}$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.85 in

$$\text{the } M_{SF_{Dep}}(i) = \text{sign}(R_i).$$


JLLJW




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.78 in the $M_{SF\ Disp}(i) = k_i + 2.03 \cdot R_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.77 in the $M_{SF\ Disp}(i) = 1.45 \cdot k_i + c_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.89 in the $M_{SF\,Disp}(i) = 2.95 \cdot R_i + C_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.77 in the $M_{SF\,Disp}(i) = k_i$.



The performance (AUC) of ROC curve in balance data with the value of AUC is 0.65 in the $M_{SF\ Disp}(i) = C_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.79 in the $M_{SF\ Disp}(i) = R_i$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.72

$$\text{in the } M_{SF, Disp}(i) = 2.00 \cdot \frac{k_i}{\langle k \rangle} + \frac{c_i}{\langle c \rangle},$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.90

$$\text{in the } M_{SF, Disp}(i) = 4.20 \cdot \text{sign}(R_i) + \frac{c_i}{\langle c \rangle}.$$



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.76


$$\text{in the } M_{sf_{Disp}}(i) = \frac{k_i}{\langle k \rangle}.$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.65

$$\text{in the } M_{sf_{Disp}}(i) = \frac{c_i}{\langle c \rangle}.$$






The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.84
in the $M_{SF,Disp}(i) = \text{sign}(R_i)$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.77
in the $M_{SF,Disp}(i) = k_i + 2.00 \cdot R_i$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.76

in the $M_{SF_{Dsp}}(i) = 2.00 \cdot k_i + c_i$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.89


in the $M_{SF_{Dsp}}(i) = 4.00 \cdot R_i + c_i$.



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.76
in the $M_{SF\ Disj}(i) = k$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.65
in the $M_{SF\ Disj}(i) = c$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.76 in the $M_{SF Disp}(i) = R_i$.

APPENDIX B: The performance (AUC) of ROC curve in the measure of proteins affecting to scale-free network, M_{sf} with balance data and imbalance data




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.75 in the $M_{sf}(i) = 1.16 \cdot \frac{k_i}{\langle k \rangle} + \frac{c_i}{\langle c \rangle}$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.90 in

$$\text{the } M_{sf}(i) = 2.03 \cdot \text{sign}(R_i) + \frac{c_i}{\langle c \rangle}.$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.80 in

$$\text{the } M_{sf}(i) = \frac{k_i}{\langle k \rangle}.$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.70 in


$$\text{the } M_{sf}(i) = \frac{C_i}{\langle c \rangle}.$$




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.81 in
the $M_{sf}(i) = \text{sign}(R_i)$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.81 in the $M_{sf}(i) = k_i + 1.56 \cdot R_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.80 in the $M_{sf}(i) = 1.16 \cdot k_i + c_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.86 in the $M_{sf}(i) = 1.81 \cdot R_i + c_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.80 in the $M_{sf}(i) = k_i$.



The performance (AUC) of ROC curve in balance data with the value of AUC is 0.70 in the $M_{sf}(i) = c_i$.




The performance (AUC) of ROC curve in balance data with the value of AUC is 0.69 in the $M_{sf}(i) = R$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.78

$$\text{in the } M_{\mathcal{S}}(i) = 2.23 \cdot \frac{k_i}{\langle k \rangle} + \frac{c_i}{\langle c \rangle}.$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.89

$$\text{in the } M_{\mathcal{S}}(i) = 2.69 \cdot \text{sign}(R_i) + \frac{c_i}{\langle c \rangle},$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.80

$$\text{in the } M_{\mathcal{S}^F}(i) = \frac{k_i}{\langle k \rangle}.$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.69


$$\text{in the } M_{\mathcal{S}^F}(i) = \frac{c_i}{\langle c \rangle}.$$



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.80
in the $M_{sf}(i) = \text{sign}(R_i)$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.81
in the $M_{sf}(i) = k_i + 1.10 \cdot R_i$.




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.80

$$\text{in the } M_{sr}(i) = 2.23 \cdot k_i + c_i.$$




The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.88


$$\text{in the } M_{sr}(i) = 2.46 \cdot R_i + c_i.$$



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.80
in the $M_{sf}(i) = k$.



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.69
in the $M_{sf}(i) = c$.



The performance (AUC) of ROC curve in imbalance data with the value of AUC is 0.66
in the $M_{sf}(i) = R_i$.



VITA

Name: Miss Satanat Kitsiranuwat

Country: Bangkok, Thailand

Education:

B.S. (Mathematics) (First Class Honours); Kasetsart University, 2014

Scholarship:

Science Achievement Scholarship of Thailand (SAST)

Affiliation:

Advanced Virtual and Intelligent Computing (AVIC) Center, Department of Mathematics and Computer Science, Faculty of Science, Chulalongkorn University.

Publication:

S. Kitsiranuwat, K. Plaimas and A. Suratane, "Characterizing Network Topology of Disordered Proteins in Protein Interaction Networks", Proceeding of International Conference in Mathematics and Applications (ICMA-MU 2016) Bangkok, Thailand 2016: 59-68.

