รายการอ้างอิง

ภาษาไทย

กัลยา วานิชย์บัญชา. การวิเคราะห์สถิติ : สถิติเพื่อการตัดสินใจ. พิมพ์ครั้งที่ 4 . กรุงเทพมหานคร. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2542.

จรัญ จันทลักขณา และอนันตชัย เขื่อนธรรม. สถิติเบื้องต้นแบบประยุกต์. กรุงเทพมหานคร. ไทยวัฒนาพานิช, 2523.

ดวงใจ วีสกุล, มารศรี ผลาชีวะ, สุภาพ เดชะรินทร์ และสรชัย พิศาลบุตร.สถิติธุรกิจ. พิมพ์ครั้งที่ 8. กรุงเทพมหานคร. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2543.

เติมศรี ชำนิจารกิจ. สถิติประยุกต์ทางการแพทย์. พิมพ์ครั้งที่ 1. กรุงเทพมหานคร. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2525.

สุชาดา กีระนันท์. ทฤษฎีและวิธีการสำรวจตัวอย่าง. พิมพ์ครั้งที่ 1. กรุงเทพมหานคร. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2538.

ภาษาอังกฤษ

Cochran, W.G. Sampling Techniques. Third edition. New York: Wiley, 1977.

Grathwaite, P. H., Jolliffe, Ian T., and Jones, Byron. Statistical Inference. Prentice Hall, London, 1995.

Mann, Prem S. Introductory Statistics. Thrid edition. United States of America: John Wiley & Sons, 1998.

McClave, James T. Dietrich, II, Frank H., and Sincich, Terry. Statistics. Seven edition. New Jersey : Printice-Hall, 1997.

Murthy, M. N. Sampling Theory and Methods. Statistical Publishing Society, Calcutta, India,1967

Thompson, M. E. Theory of Sample Surveys. London: Champman & Hall, 1997.

ภาคผนวก

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

การตรวจสอบข้อมูลเบื้องต้นของจำนวนหน่วยในตัวอย่างที่สนใจ (a) จาก 3 วิธีคือ Stem-and-Leaf Normal Q-Q Plot และ Descriptive Statistics โดยจำแนกตามขนาดประชากร (N) ค่าสัดส่วนประชากรจริง และขนาดตัวอย่างในรูปร้อยละของประชากร

ขนาดประชากรเท่ากับ 50 100 500 1,000 2,000 2,500 5,000 และ 10,000

ค่าสัดส่วนประชากรจริง $P = \frac{A}{N}$ มีค่าตั้งแต่ 0.05 ถึง 0.95 โดยทำการเพิ่มค่าขึ้นทีละ 0.05

ขนาดตัวอย่างในรูปร้อยละของประชากรมี 4 ระดับ คือ 5 10 15 และ 20

หมายเหตุ: เพื่อความสะดวกในการนำเสนอจึงกำหนดสัญลักษณ์ซึ่งมีความหมายดังตัวอย่างต่อไปนี้

A5_005 หมายถึง จำนวนหน่วยในตัวอย่างที่สนใจ (a) ที่ค่าสัดส่วนประชากรจริงเท่ากับ 0.05 และขนาดตัวอย่างในรูปร้อยละของประชากรเท่ากับ 5

สำหรับกรณีอื่น ๆ ความหมายจะมีในรูปแบบเดียวกันนี้

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

N = 50

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  553.00     0 . 00000000000000000000000000000000000000000000
  110.00 Extremes    (>=1)

Stem width:     10.00
Each leaf:      12 case(s)
```

A10_005 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  493.00     0 . 0000000000000000000000000000000000000000000000
     .00     0 .
     .00     0 .
     .00     0 .
     .00     0 .
  162.00     1 . 0000000000000000
     .00     1 .
     .00     1 .
     .00     1 .
     .00     1 .
    8.00     2 . 0

Stem width:     1.00
Each leaf:      10 case(s)
```

Normal Q-Q Plot of A5_005



Normal Q-Q Plot of A10_005



Descriptives

		Statistic	Std. Error
A5_005	Mean	.1735	.01547
	95% Confidence In Lower Bound for Mean	.1431	
	Upper Bound	.2038	
	5% Trimmed Mean	.1288	
	Median	.0000	
	Variance	.159	
	Std. Deviation	.39836	
	Minimum	.00	
	Maximum	2.00	
	Range	2.00	
	Interquartile Range	.0000	
	Skewness	2.082	.095
	Kurtosis	3.352	.190

Descriptives

		Statistic	Std. Error
A10_00	Mean	.2685	.01825
	95% Confidence In Lower Bound for Mean	.2326	
	Upper Bound	.3043	
	5% Trimmed Mean	.2293	
	Median	.0000	
	Variance	.221	
	Std. Deviation	.46996	
	Minimum	.00	
	Maximum	2.00	
	Range	2.00	
	Interquartile Range	1.0000	
	Skewness	1.393	.095
	Kurtosis	.763	.190

N=50

A15_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 378.00     0 . 000000000000000000000000000000000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 233.00     1 . 00000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
  51.00     2 . 000000
   1.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      8 case(s)
```

A20_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 336.00     0 . 000000000000000000000000000000000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 258.00     1 . 00000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
  63.00     2 . 000000000
   6.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      7 case(s)
```

Normal Q-Q Plot of A15_005



Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_00: Mean		.5098	.02497
95% Confidence Int	Lower Bound	.4608	
for Mean	Upper Bound	.5588	
5% Trimmed Mean		.4537	
Median		.0000	
Variance		.413	
Std. Deviation		.64298	
Minimum		.00	
Maximum		3.00	
Range		3.00	
Interquartile Range		1.0000	
Skewness		.921	.095
Kurtosis		-.080	.190

Descriptives

		Statistic	Std. Error
A20_00: Mean		.6063	.02701
95% Confidence Int	Lower Bound	.5533	
for Mean	Upper Bound	.6594	
5% Trimmed Mean		.5525	
Median		.0000	
Variance		.484	
Std. Deviation		.69553	
Minimum		.00	
Maximum		3.00	
Range		3.00	
Interquartile Range		1.0000	
Skewness		.872	.095
Kurtosis		.154	.190

N=50

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 483.00      0 . 000000000000000000000000000000000000000000000000
   .00       0 .
   .00       0 .
   .00       0 .
   .00       0 .
 171.00      1 . 00000000000000000
   .00       1 .
   .00       1 .
   .00       1 .
   .00       1 .
   9.00      2 . 0

Stem width:     1.00
Each leaf:      10 case(s)
```

A10_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 375.00      0 . 000000000000000000000000000000000000000000000000
   .00       0 .
   .00       0 .
   .00       0 .
   .00       0 .
 241.00      1 . 000000000000000000000000000000
   .00       1 .
   .00       1 .
   .00       1 .
   .00       1 .
  46.00      2 . 000000
   1.00 Extremes    (>=3.0)
Stem width:     1.00
Each leaf:      8 case(s)
```

Normal Q-Q Plot of A5_01



Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		.2851	.01868
	95% Confidence In for Mean	Lower Bound	.2484	
		Upper Bound	.3217	
	5% Trimmed Mean		.2461	
	Median		.0000	
	Variance		.231	
	Std. Deviation		.48094	
	Minimum		.00	
	Maximum		2.00	
	Range		2.00	
	Interquartile Range		1.0000	
	Skewness		1.317	.095
	Kurtosis		.568	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		.5068	.02451
	95% Confidence Int for Mean	Lower Bound	.4587	
		Upper Bound	.5549	
	5% Trimmed Mean		.4503	
	Median		.0000	
	Variance		.398	
	Std. Deviation		.63116	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.896	.095
	Kurtosis		-.071	.190

N=50

A15_01 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 266.00     0 . 00000000000000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 288.00     1 . 000000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
  93.00     2 . 000000000000000
  16.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A15_01



A20_01 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 210.00     0 . 000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 295.00     1 . 00000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
 128.00     2 . 00000000000000000000
  30.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		.7873	.02992
	95% Confidence Int	Lower Bound	.7286	
	for Mean	Upper Bound	.8461	
	5% Trimmed Mean		.7369	
	Median		1.0000	
	Variance		.594	
	Std. Deviation		.77050	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.703	.095
	Kurtosis		-.041	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		.9698	.03263
	95% Confidence Int	Lower Bound	.9058	
	for Mean	Upper Bound	1.0339	
	5% Trimmed Mean		.9129	
	Median		1.0000	
	Variance		.706	
	Std. Deviation		.84026	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.609	.095
	Kurtosis		-.035	.190

N=50

A5_015 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 387.00     0 . 0000000000000000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 234.00     1 . 000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
  39.00     2 . 00000
   3.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      8 case(s)
```

A10_015 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 275.00     0 . 0000000000000000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 272.00     1 . 0000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
  99.00     2 . 000000000000000000
  17.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_015



Normal Q-Q Plot of A10_015



Descriptives

			Statistic	Std. Error
A5_015	Mean		.4842	.02441
	95% Confidence Inte for Mean	Lower Bound	.4362	
		Upper Bound	.5321	
	5% Trimmed Mean		.4218	
	Median		.0000	
	Variance		.395	
	Std. Deviation		.62860	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		1.048	.095
	Kurtosis		.539	.190

Descriptives

			Statistic	Std. Error
A10_01:	Mean		.7873	.03082
	95% Confidence Int for Mean	Lower Bound	.7268	
		Upper Bound	.8479	
	5% Trimmed Mean		.7335	
	Median		1.0000	
	Variance		.630	
	Std. Deviation		.79368	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.762	.095
	Kurtosis		.099	.190

N=50

A15_015 Stem-and-Leaf Plot

Frequency	Stem & Leaf
138.00	0 . 00000000000000000000000
.00	0 .
.00	0 .
.00	0 .
.00	0 .
261.00	1 . 000000000000000000000000000000000000000000
.00	1 .
.00	1 .
.00	1 .
.00	1 .
192.00	2 . 00000000000000000000000000000000
.00	2 .
.00	2 .
.00	2 .
.00	2 .
66.00	3 . 00000000000
6.00 Extremes	(>=4.0)

Stem width: 1.00

Each leaf: 6 case(s)

A20_015 Stem-and-Leaf Plot

Frequency	Stem & Leaf
96.00	0 . 000000000000000000000
.00	0 .
.00	0 .
.00	0 .
.00	0 .
233.00	1 . 00000000000000000000000000000000000000000000000
.00	1 .
.00	1 .
.00	1 .
.00	1 .
211.00	2 . 0000000000000000000000000000000000000000
.00	2 .
.00	2 .
.00	2 .
.00	2 .
90.00	3 . 000000000000000000000
33.00 Extremes	(>=4.0)

Stem width: 1.00

Each leaf: 5 case(s)

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01: Mean		1.3077	.03652
95% Confidence Int for Mean	Lower Bound	1.2360	
	Upper Bound	1.3794	
5% Trimmed Mean		1.2763	
Median		1.0000	
Variance		.884	
Std. Deviation		.94023	
Minimum		.00	
Maximum		4.00	
Range		4.00	
Interquartile Range		1.0000	
Skewness		.336	.095
Kurtosis		-.465	.190

Descriptives

		Statistic	Std. Error
A20_01: Mean		1.6003	.04142
95% Confidence Inte for Mean	Lower Bound	1.5190	
	Upper Bound	1.6816	
5% Trimmed Mean		1.5494	
Median		2.0000	
Variance		1.138	
Std. Deviation		1.06658	
Minimum		.00	
Maximum		5.00	
Range		5.00	
Interquartile Range		1.0000	
Skewness		.467	.095
Kurtosis		-.061	.190

N=50

A5_02 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 321.00     0 . 000000000000000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 287.00     1 . 000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
  51.00     2 . 0000000
   4.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      7 case(s)
```

A10_02 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 222.00     0 . 000000000000000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 289.00     1 . 000000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
 133.00     2 . 0000000000000000000000
  19.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_02



Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		.6048	.02546
	95% Confidence Inte for Mean	Lower Bound	.5548	
		Upper Bound	.6548	
	5% Trimmed Mean		.5542	
	Median		1.0000	
	Variance		.430	
	Std. Deviation		.65552	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.754	.095
	Kurtosis		.081	.190

Descriptives

			Statistic	Std. Error
A10_02	Mean		.9246	.03138
	95% Confidence Int for Mean	Lower Bound	.8630	
		Upper Bound	.9862	
	5% Trimmed Mean		.8827	
	Median		1.0000	
	Variance		.653	
	Std. Deviation		.80803	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.517	.095
	Kurtosis		-.283	.190

N=50

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  80.00      0 . 00000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
 208.00      1 . 0000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 240.00      2 . 000000000000000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 111.00      3 . 000000000000000000000000
  24.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  58.00      0 . 000000000000
    .00      0 .
 201.00      1 . 000000000000000000000000000000000000000000
    .00      1 .
 210.00      2 . 000000000000000000000000000000000000000000000000
    .00      2 .
 125.00      3 . 0000000000000000000000000
    .00      3 .
  54.00      4 . 00000000000
    .00      4 .
  12.00      5 . 00
   3.00 Extremes    (>=6.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_02



Normal Q-Q Plot of A20_02



Descriptives

			Statistic	Std. Error
A15_02	Mean		1.6923	.03991
	95% Confidence Inte for Mean	Lower Bound	1.6139	
		Upper Bound	1.7707	
	5% Trimmed Mean		1.6651	
	Median		2.0000	
	Variance		1.056	
	Std. Deviation		1.02774	
	Minimum		.00	
	Maximum		6.00	
	Range		6.00	
	Interquartile Range		1.0000	
	Skewness		.325	.095
	Kurtosis		.131	.190

Descriptives

			Statistic	Std. Error
A20_02	Mean		1.9472	.04621
	95% Confidence Int for Mean	Lower Bound	1.8565	
		Upper Bound	2.0379	
	5% Trimmed Mean		1.9095	
	Median		2.0000	
	Variance		1.416	
	Std. Deviation		1.18981	
	Minimum		.00	
	Maximum		7.00	
	Range		7.00	
	Interquartile Range		2.0000	
	Skewness		.555	.095
	Kurtosis		.289	.190

N=50

A5_025 Stem-and-Leaf Plot

```
Frequency   Stem &  Leaf

 276.00     0 . 0000000000000000000000000000000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 297.00     1 . 000000000000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
  84.00     2 . 00000000000000
   6.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

A10_025 Stem-and-Leaf Plot

```
Frequency   Stem &  Leaf

 127.00     0 . 00000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 265.00     1 . 0000000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 191.00     2 . 00000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
  68.00     3 . 00000000000
   12.00 Extremes    (>=4.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_025



Normal Q-Q Plot of A10_025



Descriptives

		Statistic	Std. Error
A5_025	Mean	.7285	.02763
	95% Confidence In Lower Bound for Mean	.6742	
	Upper Bound	.7828	
	5% Trimmed Mean	.6883	
	Median	1.0000	
	Variance	.506	
	Std. Deviation	.71151	
	Minimum	.00	
	Maximum	3.00	
	Range	3.00	
	Interquartile Range	1.0000	
	Skewness	.598	.095
	Kurtosis	-.286	.190

Descriptives

		Statistic	Std. Error
A10_02	Mean	1.3575	.03759
	95% Confidence Int Lower Bound for Mean	1.2836	
	Upper Bound	1.4313	
	5% Trimmed Mean	1.3198	
	Median	1.0000	
	Variance	.937	
	Std. Deviation	.96798	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	.457	.095
	Kurtosis	-.105	.190

N=50

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  43.00      0 . 000000000
   .00       0 .
  190.00      1 . 0000000000000000000000000000000000000
   .00       1 .
  226.00      2 . 00000000000000000000000000000000000000000000
   .00       2 .
  150.00      3 . 000000000000000000000000000000
   .00       3 .
   47.00      4 . 000000000
   .00       4 .
    7.00      5 . 0
Stem width:     1.00
Each leaf:      5 case(s)
```



A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   24.00 Extremes    (=<.0)
  109.00      1 . 0000000000000000000000000000
   .00       1 .
   .00       1 .
   .00       1 .
   .00       1 .
  192.00      2 . 000000000000000000000000000000000000000000000000
   .00       2 .
   .00       2 .
   .00       2 .
   .00       2 .
  183.00      3 . 000000000000000000000000000000000000000000000
   .00       3 .
   .00       3 .
   .00       3 .
   .00       3 .
  115.00      4 . 00000000000000000000000000000
   40.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      4 case(s)
```



Descriptives

		Statistic	Std. Error
A15_02: Mean		1.9834	.04169
95% Confidence Inte for Mean	Lower Bound	1.9015	
	Upper Bound	2.0653	
5% Trimmed Mean		1.9698	
Median		2.0000	
Variance		1.152	
Std. Deviation		1.07345	
Minimum		.00	
Maximum		5.00	
Range		5.00	
Interquartile Range		2.0000	
Skewness		.268	.095
Kurtosis		-.304	.190

Descriptives

		Statistic	Std. Error
A20_025 Mean		2.5822	.04908
95% Confidence Inte for Mean	Lower Bound	2.4858	
	Upper Bound	2.6786	
5% Trimmed Mean		2.5592	
Median		3.0000	
Variance		1.597	
Std. Deviation		1.26376	
Minimum		.00	
Maximum		7.00	
Range		7.00	
Interquartile Range		1.0000	
Skewness		.242	.095
Kurtosis		-.075	.190

N=50

A5_03 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 211.00     0 . 0000000000000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 305.00     1 . 0000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 131.00     2 . 000000000000000000
  16.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      7 case(s)
```

A10_03 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  91.00     0 . 000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 272.00     1 . 0000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
 217.00     2 . 0000000000000000000000000000000000
    .00     2 .
    .00     2 .
    .00     2 .
    .00     2 .
  70.00     3 . 000000000000
  13.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_03



Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		.9276	.03028
	95% Confidence Int for Mean	Lower Bound	.8681	
		Upper Bound	.9871	
	5% Trimmed Mean		.8927	
	Median		1.0000	
	Variance		.608	
	Std. Deviation		.77977	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.434	.095
	Kurtosis		-.438	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		1.4600	.03587
	95% Confidence Interv for Mean	Lower Bound	1.3896	
		Upper Bound	1.5305	
	5% Trimmed Mean		1.4338	
	Median		1.0000	
	Variance		.853	
	Std. Deviation		.92358	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.371	.095
	Kurtosis		-.125	.190

A15_03 Stem-and-Leaf Plot

N=50

```
Frequency   Stem & Leaf

  33.00     0 . 0000000
   .00      0 .
 134.00     1 . 0000000000000000000000000
   .00      1 .
 219.00     2 . 000000000000000000000000000000000000000000
   .00      2 .
 180.00     3 . 000000000000000000000000000000000000
   .00      3 .
  76.00     4 . 000000000000000
   .00      4 .
  16.00     5 . 000
   5.00 Extremes    (>=6.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_03



Descriptives

		Statistic	Std. Error
A15_03	Mean	2.3017	.04563
	95% Confidence Int for Mean Lower Bound	2.2121	
	Upper Bound	2.3912	
	5% Trimmed Mean	2.2914	
	Median	2.0000	
	Variance	1.380	
	Std. Deviation	1.17480	
	Minimum	.00	
	Maximum	6.00	
	Range	6.00	
	Interquartile Range	2.0000	
	Skewness	.277	.095
	Kurtosis	.004	.190

A20_03 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  16.00     0 . 000
   .00      0 .
  57.00     1 . 00000000000
   .00      1 .
 141.00     2 . 000000000000000000000000000
   .00      2 .
 203.00     3 . 00000000000000000000000000000000000000000
   .00      3 .
 151.00     4 . 0000000000000000000000000000
   .00      4 .
  71.00     5 . 00000000000000
   .00      5 .
  21.00     6 . 0000
   3.00 Extremes    (>=8.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A20_03	Mean	3.1041	.05263
	95% Confidence Inte for Mean Lower Bound	3.0007	
	Upper Bound	3.2074	
	5% Trimmed Mean	3.0905	
	Median	3.0000	
	Variance	1.837	
	Std. Deviation	1.35521	
	Minimum	.00	
	Maximum	9.00	
	Range	9.00	
	Interquartile Range	2.0000	
	Skewness	.209	.095
	Kurtosis	.449	.190

N=50

A5_035 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 159.00     0 . 000000000000000000000000000
    .00     0 .
    .00     0 .
    .00     0 .
    .00     0 .
 289.00     1 . 00000000000000000000000000000000000000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
 187.00     2 . 0000000000000000000000000000000
    .00     2 .
    .00     2 .
    .00     2 .
    .00     2 .
  28.00     3 . 00000

Stem width:     1.00
Each leaf:      6 case(s)
```

A10_035 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  62.00     0 . 000000000000
    .00     0 .
 215.00     1 . 000000000000000000000000000000000000000000000
    .00     1 .
 219.00     2 . 000000000000000000000000000000000000000000000
    .00     2 .
 125.00     3 . 0000000000000000000000000
    .00     3 .
  38.00     4 . 00000000
    .00     4 .
   4.00     5 . 0

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_035



Normal Q-Q Plot of A10_035



Descriptives

			Statistic	Std. Error
A5_035	Mean		1.1267	.03193
	95% Confidence Inte for Mean	Lower Bound	1.0640	
		Upper Bound	1.1894	
	5% Trimmed Mean		1.0938	
	Median		1.0000	
	Variance		.676	
	Std. Deviation		.82205	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.220	.095
	Kurtosis		-.644	.190

Descriptives

			Statistic	Std. Error
A10_035	Mean		1.8100	.04139
	95% Confidence Inter for Mean	Lower Bound	1.7287	
		Upper Bound	1.8912	
	5% Trimmed Mean		1.7821	
	Median		2.0000	
	Variance		1.136	
	Std. Deviation		1.06585	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		.324	.095
	Kurtosis		-.300	.190

N=50

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   6.00      0 . 0
    .00      0 .
  76.00      1 . 000000000000000
    .00      1 .
 171.00      2 . 000000000000000000000000000000000
    .00      2 .
 209.00      3 . 00000000000000000000000000000000000000000
    .00      3 .
 135.00      4 . 000000000000000000000000000
    .00      4 .
  52.00      5 . 0000000000
    .00      5 .
  13.00      6 . 000
   1.00 Extremes    (>=7.0)

Stem width:     1.00
Each leaf:      5 case(s)
```



A20_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<.0)
  29.00      1 . 0000000
    .00      1 .
 101.00      2 . 000000000000000000000000
    .00      2 .
 166.00      3 . 0000000000000000000000000000000000000000
    .00      3 .
 191.00      4 . 00000000000000000000000000000000000000000000000
    .00      4 .
 119.00      5 . 000000000000000000000000000000
    .00      5 .
  43.00      6 . 00000000000
    .00      6 .
  11.00      7 . 000
   1.00 Extremes    (>=8.0)

Stem width:     1.00
Each leaf:      4 case(s)
```



Descriptives

		Statistic	Std. Error
A15_03	Mean	2.9110	.04773
	95% Confidence Inte Lower Bound for Mean	2.8173	
	Upper Bound	3.0047	
	5% Trimmed Mean	2.8860	
	Median	3.0000	
	Variance	1.510	
	Std. Deviation	1.22890	
	Minimum	.00	
	Maximum	7.00	
	Range	7.00	
	Interquartile Range	2.0000	
	Skewness	.239	.095
	Kurtosis	-.203	.190

Descriptives

		Statistic	Std. Error
A20_03	Mean	3.6667	.05219
	95% Confidence Inte Lower Bound for Mean	3.5642	
	Upper Bound	3.7691	
	5% Trimmed Mean	3.6631	
	Median	4.0000	
	Variance	1.806	
	Std. Deviation	1.34374	
	Minimum	.00	
	Maximum	8.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	.099	.095
	Kurtosis	-.207	.190

N=50

A5_04 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

 128.00     0 . 000000000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 310.00     1 . 0000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 177.00     2 . 000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
  48.00     3 . 0000000

Stem width:     1.00
Each leaf:      7 case(s)
```

A10_04 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  46.00     0 . 000000000
   .00      0 .
 180.00     1 . 000000000000000000000000000000000000
   .00      1 .
 242.00     2 . 00000000000000000000000000000000000000000000000000
   .00      2 .
 134.00     3 . 0000000000000000000000000000
   .00      3 .
  54.00     4 . 00000000000
   .00      4 .
   7.00     5 . 0

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_04



Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		1.2187	.03256
	95% Confidence Inte for Mean	Lower Bound	1.1548	
		Upper Bound	1.2826	
	5% Trimmed Mean		1.1874	
	Median		1.0000	
	Variance		.703	
	Std. Deviation		.83836	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.311	.095
	Kurtosis		-.445	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		1.9864	.04207
	95% Confidence Inter for Mean	Lower Bound	1.9038	
		Upper Bound	2.0690	
	5% Trimmed Mean		1.9732	
	Median		2.0000	
	Variance		1.174	
	Std. Deviation		1.08330	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		.284	.095
	Kurtosis		-.254	.190

N=50

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00      0 . 0
    .00      0 .
  50.00      1 . 00000000000
    .00      1 .
 155.00      2 . 0000000000000000000000000000000000000000
    .00      2 .
 197.00      3 . 0000000000000000000000000000000000000000000000000
    .00      3 .
 166.00      4 . 0000000000000000000000000000000000000000
    .00      4 .
  70.00      5 . 00000000000000000
    .00      5 .
  17.00      6 . 0000
   2.00 Extremes    (>=7.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<.0)
  19.00      1 . 00000
    .00      1 .
  65.00      2 . 0000000000000000
    .00      2 .
 160.00      3 . 0000000000000000000000000000000000000000
    .00      3 .
 183.00      4 . 0000000000000000000000000000000000000000000000
    .00      4 .
 146.00      5 . 00000000000000000000000000000000000000
    .00      5 .
  58.00      6 . 00000000000000
    .00      6 .
  26.00      7 . 000000
   4.00 Extremes    (>=8.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_04



Normal Q-Q Plot of A20_04



Descriptives

			Statistic	Std. Error
A15_04	Mean		3.1388	.04838
	95% Confidence Inte for Mean	Lower Bound	3.0438	
		Upper Bound	3.2338	
	5% Trimmed Mean		3.1290	
	Median		3.0000	
	Variance		1.552	
	Std. Deviation		1.24568	
	Minimum		.00	
	Maximum		7.00	
	Range		7.00	
	Interquartile Range		2.0000	
	Skewness		.131	.095
	Kurtosis		-.225	.190

Descriptives

			Statistic	Std. Error
A20_04	Mean		4.0030	.05459
	95% Confidence Ir for Mean	Lower Bound	3.8958	
		Upper Bound	4.1102	
	5% Trimmed Mean		3.9832	
	Median		4.0000	
	Variance		1.976	
	Std. Deviation		1.40564	
	Minimum		.00	
	Maximum		9.00	
	Range		9.00	
	Interquartile Range		2.0000	
	Skewness		.162	.095
	Kurtosis		.040	.190

N=50

A5_045 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
  84.00     0 . 00000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 268.00     1 . 0000000000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 255.00     2 . 0000000000000000000000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
  56.00     3 . 000000000
Stem width:    1.00
Each leaf:     6 case(s)
```

A10_045 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
  27.00 Extremes   (=<.0)
 116.00     1 . 00000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 219.00     2 . 0000000000000000000000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
 216.00     3 . 0000000000000000000000000000000000000000000000
   .00      3 .
   .00      3 .
   .00      3 .
   .00      3 .
  74.00     4 . 000000000000000
  11.00 Extremes   (>=5.0)
Stem width:    1.00
Each leaf:     5 case(s)
```

Normal Q-Q Plot of A5_045



Normal Q-Q Plot of A10_045



Descriptives

		Statistic	Std. Error
A5_045	Mean	1.4268	.03174
	95% Confidence Inte Lower Bound for Mean	1.3645	
	Upper Bound	1.4892	
	5% Trimmed Mean	1.4187	
	Median	1.0000	
	Variance	.668	
	Std. Deviation	.81730	
	Minimum	.00	
	Maximum	3.00	
	Range	3.00	
	Interquartile Range	1.0000	
	Skewness	.003	.095
	Kurtosis	-.528	.190

Descriptives

		Statistic	Std. Error
A10_04:	Mean	2.3424	.04154
	95% Confidence Inte Lower Bound for Mean	2.2608	
	Upper Bound	2.4239	
	5% Trimmed Mean	2.3517	
	Median	2.0000	
	Variance	1.144	
	Std. Deviation	1.06954	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	-.039	.095
	Kurtosis	-.287	.190

N=50

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  34.00 Extremes    (=<1.0)
 101.00      2 . 00000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 172.00      3 . 0000000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 199.00      4 . 0000000000000000000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
 110.00      5 . 00000000000000000000000000
  47.00 Extremes    (>=6.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<1.0)
  32.00      2 . 00000000
    .00      2 .
  97.00      3 . 0000000000000000000000000
    .00      3 .
 160.00      4 . 0000000000000000000000000000000000000000
    .00      4 .
 186.00      5 . 000000000000000000000000000000000000000000000
    .00      5 .
 121.00      6 . 000000000000000000000000000000
    .00      6 .
  48.00      7 . 000000000000
    .00      7 .
   9.00      8 . 00
   1.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_045



Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A15_045 Mean		3.6048	.05120
95% Confidence Interval for Mean	Lower Bound	3.5043	
	Upper Bound	3.7054	
5% Trimmed Mean		3.5997	
Median		4.0000	
Variance		1.738	
Std. Deviation		1.31828	
Minimum		.00	
Maximum		7.00	
Range		7.00	
Interquartile Range		1.0000	
Skewness		.097	.095
Kurtosis		-.151	.190

Descriptives

		Statistic	Std. Error
A20_045 Mean		4.6410	.05452
95% Confidence Interval for Mean	Lower Bound	4.5340	
	Upper Bound	4.7481	
5% Trimmed Mean		4.6533	
Median		5.0000	
Variance		1.971	
Std. Deviation		1.40380	
Minimum		1.00	
Maximum		9.00	
Range		8.00	
Interquartile Range		2.0000	
Skewness		-.070	.095
Kurtosis		-.157	.190

N=50

A5_05 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
  82.00     0 . 00000000000000
   .00      0 .
   .00      0 .
   .00      0 .
   .00      0 .
 252.00     1 . 000000000000000000000000000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 239.00     2 . 000000000000000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
  90.00     3 . 000000000000000
Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_05



A10_05 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
  18.00 Extremes    (=<.0)
  97.00     1 . 0000000000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 211.00     2 . 000000000000000000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
 219.00     3 . 000000000000000000000000000000000000000000
   .00      3 .
   .00      3 .
   .00      3 .
   .00      3 .
 102.00     4 . 00000000000000000000
  16.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		1.5083	.03408
	95% Confidence Inte for Mean	Lower Bound	1.4414	
		Upper Bound	1.5752	
	5% Trimmed Mean		1.5092	
	Median		1.0000	
	Variance		.770	
	Std. Deviation		.87747	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.028	.095
	Kurtosis		-.697	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		2.5098	.04182
	95% Confidence Inte for Mean	Lower Bound	2.4277	
		Upper Bound	2.5919	
	5% Trimmed Mean		2.5142	
	Median		3.0000	
	Variance		1.160	
	Std. Deviation		1.07687	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.044	.095
	Kurtosis		-.335	.190

N=50

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   1.00 Extremes    (=<.0)
  13.00     1 . 000
    .00     1 .
  71.00     2 . 00000000000000000
    .00     2 .
 157.00     3 . 0000000000000000000000000000000000000
    .00     3 .
 189.00     4 . 000000000000000000000000000000000000000000000
    .00     4 .
 145.00     5 . 00000000000000000000000000000000000
    .00     5 .
  68.00     6 . 00000000000000000
    .00     6 .
  17.00     7 . 0000
   2.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   6.00 Extremes    (=<1.0)
  17.00     2 . 0000
    .00     2 .
  88.00     3 . 00000000000000000000000
    .00     3 .
 139.00     4 . 0000000000000000000000000000000000000
    .00     4 .
 168.00     5 . 000000000000000000000000000000000000000000000
    .00     5 .
 138.00     6 . 000000000000000000000000000000000000
    .00     6 .
  82.00     7 . 00000000000000000000
    .00     7 .
  25.00     8 . 000000
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

		Statistic	Std. Error
A15_05	Mean	3.9970	.05176
	95% Confidence Int Lower Bound for Mean	3.8953	
	Upper Bound	4.0986	
	5% Trimmed Mean	3.9866	
	Median	4.0000	
	Variance	1.776	
	Std. Deviation	1.33283	
	Minimum	.00	
	Maximum	8.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	.094	.095
	Kurtosis	-.248	.190

Descriptives

		Statistic	Std. Error
A20_05	Mean	4.9804	.05709
	95% Confidence Int Lower Bound for Mean	4.8683	
	Upper Bound	5.0925	
	5% Trimmed Mean	4.9849	
	Median	5.0000	
	Variance	2.161	
	Std. Deviation	1.47012	
	Minimum	1.00	
	Maximum	8.00	
	Range	7.00	
	Interquartile Range	2.0000	
	Skewness	-.063	.095
	Kurtosis	-.429	.190

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  51.00      0 . 00000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
 211.00      1 . 0000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 287.00      2 . 00000000000000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 114.00      3 . 0000000000000000000
Stem width:    1.00
Each leaf:     6 case(s)
```

Normal Q-Q Plot of A5_055



A10_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<.0)
  82.00      1 . 0000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 186.00      2 . 00000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 229.00      3 . 0000000000000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 133.00      4 . 00000000000000000000000000000
  26.00 Extremes    (>=5.0)
Stem width:    1.00
Each leaf:     5 case(s)
```

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A5_055	Mean	1.6998	.03270
	95% Confidence Inte Lower Bound for Mean	1.6356	
	Upper Bound	1.7641	
	5% Trimmed Mean	1.7221	
	Median	2.0000	
	Variance	.709	
	Std. Deviation	.84194	
	Minimum	.00	
	Maximum	3.00	
	Range	3.00	
	Interquartile Range	1.0000	
	Skewness	-.164	.095
	Kurtosis	-.573	.190

Descriptives

		Statistic	Std. Error
A10_055	Mean	2.7195	.04166
	95% Confidence Interv Lower Bound for Mean	2.6377	
	Upper Bound	2.8013	
	5% Trimmed Mean	2.7120	
	Median	3.0000	
	Variance	1.151	
	Std. Deviation	1.07275	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	-.042	.095
	Kurtosis	-.468	.190

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  40.00 Extremes    (=<2.0)
 111.00      3 . 000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 182.00      4 . 0000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
 201.00      5 . 00000000000000000000000000000000000000
    .00      5 .
    .00      5 .
    .00      5 .
    .00      5 .
  93.00      6 . 000000000000000000000
  36.00 Extremes    (>=7.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_055



A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  18.00 Extremes    (=<2.0)
  29.00      3 . 0000000
    .00      3 .
  89.00      4 . 000000000000000000000
    .00      4 .
 170.00      5 . 00000000000000000000000000000000000000000
    .00      5 .
 173.00      6 . 00000000000000000000000000000000000000000
    .00      6 .
 124.00      7 . 0000000000000000000000000000
    .00      7 .
  46.00      8 . 00000000000
    .00      8 .
  13.00      9 . 000
   1.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_055



Descriptives

			Statistic	Std. Error
A15_055	Mean		4.4540	.04911
	95% Confidence Inter for Mean	Lower Bound	4.3576	
		Upper Bound	4.5504	
	5% Trimmed Mean		4.4539	
	Median		4.0000	
	Variance		1.599	
	Std. Deviation		1.26440	
	Minimum		1.00	
	Maximum		8.00	
	Range		7.00	
	Interquartile Range		1.0000	
	Skewness		-.042	.095
	Kurtosis		-.296	.190

Descriptives

			Statistic	Std. Error
A20_055	Mean		5.6229	.05727
	95% Confidence Interva for Mean	Lower Bound	5.5105	
		Upper Bound	5.7354	
	5% Trimmed Mean		5.6450	
	Median		6.0000	
	Variance		2.175	
	Std. Deviation		1.47473	
	Minimum		1.00	
	Maximum		10.00	
	Range		9.00	
	Interquartile Range		2.0000	
	Skewness		-.174	.095
	Kurtosis		.100	.190

A5_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
30.00	0 . 00000
.00	0 .
.00	0 .
.00	0 .
.00	0 .
199.00	1 . 0000000000000000000000000000000
.00	1 .
.00	1 .
.00	1 .
.00	1 .
293.00	2 . 00000000000000000000000000000000000000000000000
.00	2 .
.00	2 .
.00	2 .
.00	2 .
141.00	3 . 000000000000000000000000

Stem width: 1.00

Each leaf: 6 case(s)

A10_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
11.00	0 . 00
.00	0 .
48.00	1 . 00000000
.00	1 .
145.00	2 . 000000000000000000000000
.00	2 .
252.00	3 . 0000000000000000000000000000000000000000
.00	3 .
174.00	4 . 000000000000000000000000000
.00	4 .
33.00	5 . 00000

Stem width: 1.00

Each leaf: 6 case(s)

Normal Q-Q Plot of A5_06



Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		1.8220	.03163
	95% Confidence Inter for Mean	Lower Bound	1.7599	
		Upper Bound	1.8841	
	5% Trimmed Mean		1.8525	
	Median		2.0000	
	Variance		.663	
	Std. Deviation		.81433	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-.168	.095
	Kurtosis		-.611	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		2.9487	.04107
	95% Confidence Inter for Mean	Lower Bound	2.8681	
		Upper Bound	3.0294	
	5% Trimmed Mean		2.9617	
	Median		3.0000	
	Variance		1.118	
	Std. Deviation		1.05746	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		-.351	.095
	Kurtosis		-.041	.190

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<1.0)
  29.00     2 . 0000000
    .00     2 .
  76.00     3 . 000000000000000000
    .00     3 .
 167.00     4 . 0000000000000000000000000000000000000000
    .00     4 .
 199.00     5 . 00000000000000000000000000000000000000000000000
    .00     5 .
 135.00     6 . 000000000000000000000000000000000
    .00     6 .
  50.00     7 . 00000000000
    .00     7 .
   5.00     8 . 0
Stem width:    1.00
Each leaf:     4 case(s)
```

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<2.0)
  18.00     3 . 0000
    .00     3 .
  79.00     4 . 0000000000000000000
    .00     4 .
 153.00     5 . 000000000000000000000000000000000000
    .00     5 .
 186.00     6 . 0000000000000000000000000000000000000000000
    .00     6 .
 143.00     7 . 00000000000000000000000000000000000
    .00     7 .
  60.00     8 . 000000000000000
    .00     8 .
  20.00     9 . 00000
   2.00 Extremes    (>=10.0)
Stem width:    1.00
Each leaf:     4 case(s)
```

Normal Q-Q Plot of A15_06



Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A15_06	Mean	4.7526	.05014
	95% Confidence Int Lower Bound for Mean	4.6542	
	Upper Bound	4.8511	
	5% Trimmed Mean	4.7721	
	Median	5.0000	
	Variance	1.667	
	Std. Deviation	1.29105	
	Minimum	1.00	
	Maximum	8.00	
	Range	7.00	
	Interquartile Range	2.0000	
	Skewness	-.132	.095
	Kurtosis	-.275	.190

Descriptives

		Statistic	Std. Error
A20_06	Mean	5.9367	.05348
	95% Confidence Interv Lower Bound for Mean	5.8316	
	Upper Bound	6.0417	
	5% Trimmed Mean	5.9263	
	Median	6.0000	
	Variance	1.896	
	Std. Deviation	1.37706	
	Minimum	2.00	
	Maximum	10.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	.076	.095
	Kurtosis	-.205	.190

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  18.00      0 . 000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
 168.00      1 . 000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 307.00      2 . 0000000000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 170.00      3 . 00000000000000000000000
Stem width:    1.00
Each leaf:     7 case(s)
```

Normal Q-Q Plot of A5_065



A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  18.00 Extremes    (=<1.0)
 108.00      2 . 000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 249.00      3 . 0000000000000000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 224.00      4 . 00000000000000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
  64.00      5 . 0000000000000
Stem width:    1.00
Each leaf:     5 case(s)
```

Normal Q-Q Plot of A10_065



Descriptives

			Statistic	Std. Error
A5_065	Mean		1.9487	.03050
	95% Confidence Int for Mean	Lower Bound	1.8888	
		Upper Bound	2.0086	
	5% Trimmed Mean		1.9732	
	Median		2.0000	
	Variance		.617	
	Std. Deviation		.78530	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		2.0000	
	Skewness		-.247	.095
	Kurtosis		-.596	.190

Descriptives

			Statistic	Std. Error
A10_06.	Mean		3.3122	.03698
	95% Confidence Int for Mean	Lower Bound	3.2396	
		Upper Bound	3.3848	
	5% Trimmed Mean		3.3232	
	Median		3.0000	
	Variance		.907	
	Std. Deviation		.95232	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.206	.095
	Kurtosis		-.237	.190

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  53.00 Extremes    (=<3.0)
 107.00     4 . 00000000000000000000
    .00     4 .
    .00     4 .
    .00     4 .
    .00     4 .
 218.00     5 . 0000000000000000000000000000000000000000
    .00     5 .
    .00     5 .
    .00     5 .
    .00     5 .
 172.00     6 . 000000000000000000000000000000
    .00     6 .
    .00     6 .
    .00     6 .
    .00     6 .
  96.00     7 . 000000000000000000
  17.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_065



A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  15.00 Extremes    (=<3.0)
  34.00     4 . 00000000
    .00     4 .
  90.00     5 . 000000000000000000000000
    .00     5 .
 174.00     6 . 0000000000000000000000000000000000000000
    .00     6 .
 183.00     7 . 00000000000000000000000000000000000000000000
    .00     7 .
 116.00     8 . 0000000000000000000000000000
    .00     8 .
  47.00     9 . 000000000000
    .00     9 .
   4.00    10 . 0
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A15_065	Mean	5.2866	.04857
	95% Confidence Interv for Mean — Lower Bound	5.1912	
	95% Confidence Interv for Mean — Upper Bound	5.3820	
	5% Trimmed Mean	5.3100	
	Median	5.0000	
	Variance	1.564	
	Std. Deviation	1.25071	
	Minimum	1.00	
	Maximum	8.00	
	Range	7.00	
	Interquartile Range	1.0000	
	Skewness	-.220	.095
	Kurtosis	-.060	.190

Descriptives

		Statistic	Std. Error
A20_065	Mean	6.5535	.05455
	95% Confidence Inte for Mean — Lower Bound	6.4464	
	95% Confidence Inte for Mean — Upper Bound	6.6606	
	5% Trimmed Mean	6.5813	
	Median	7.0000	
	Variance	1.973	
	Std. Deviation	1.40449	
	Minimum	2.00	
	Maximum	10.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	-.266	.095
	Kurtosis	-.004	.190

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  19.00 Extremes    (=<.0)
 133.00      1 . 0000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 291.00      2 . 000000000000000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 220.00      3 . 0000000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 6 case(s)

Normal Q-Q Plot of A5_07



A10_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  18.00 Extremes    (=<1.0)
  94.00      2 . 0000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 217.00      3 . 0000000000000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 244.00      4 . 0000000000000000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
  90.00      5 . 000000000000000000
```

Stem width: 1.00

Each leaf: 5 case(s)

Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		2.0739	.03113
	95% Confidence Inte for Mean	Lower Bound	2.0128	
		Upper Bound	2.1350	
	5% Trimmed Mean		2.1140	
	Median		2.0000	
	Variance		.643	
	Std. Deviation		.80160	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-.469	.095
	Kurtosis		-.465	.190

Descriptives

			Statistic	Std. Error
A10_07	Mean		3.4419	.03835
	95% Confidence Inter for Mean	Lower Bound	3.3666	
		Upper Bound	3.5172	
	5% Trimmed Mean		3.4673	
	Median		4.0000	
	Variance		.975	
	Std. Deviation		.98747	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.324	.095
	Kurtosis		-.267	.190

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  22.00 Extremes    (=<3.0)
 109.00     4 . 0000000000000000000000000000
    .00     4 .
    .00     4 .
    .00     4 .
    .00     4 .
 195.00     5 . 000000000000000000000000000000000000000000000000
    .00     5 .
    .00     5 .
    .00     5 .
    .00     5 .
 192.00     6 . 000000000000000000000000000000000000000000000000
    .00     6 .
    .00     6 .
    .00     6 .
    .00     6 .
 115.00     7 . 000000000000000000000000000000
  30.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_07



A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<3.0)
  20.00     4 . 0000
    .00     4 .
  47.00     5 . 000000000
    .00     5 .
 141.00     6 . 000000000000000000000000000
    .00     6 .
 203.00     7 . 00000000000000000000000000000000000000000
    .00     7 .
 160.00     8 . 0000000000000000000000000000000
    .00     8 .
  79.00     9 . 0000000000000000
    .00     9 .
   9.00    10 . 00
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A20_07



Descriptives

			Statistic	Std. Error
A15_07	Mean		5.5339	.04669
	95% Confidence Interv for Mean	Lower Bound	5.4422	
		Upper Bound	5.6256	
	5% Trimmed Mean		5.5327	
	Median		6.0000	
	Variance		1.446	
	Std. Deviation		1.20233	
	Minimum		1.00	
	Maximum		8.00	
	Range		7.00	
	Interquartile Range		1.0000	
	Skewness		-.096	.095
	Kurtosis		-.168	.190

Descriptives

			Statistic	Std. Error
A20_07	Mean		7.0513	.05070
	95% Confidence Interv for Mean	Lower Bound	6.9517	
		Upper Bound	7.1508	
	5% Trimmed Mean		7.0888	
	Median		7.0000	
	Variance		1.704	
	Std. Deviation		1.30549	
	Minimum		3.00	
	Maximum		10.00	
	Range		7.00	
	Interquartile Range		2.0000	
	Skewness		-.308	.095
	Kurtosis		.012	.190

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  12.00 Extremes    (=<.0)
  84.00     1 . 00000000000000
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
 283.00     2 . 0000000000000000000000000000000000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
 284.00     3 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_075



A10_075 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   6.00 Extremes    (=<1.0)
  48.00     2 . 00000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
 187.00     3 . 0000000000000000000000000000000
   .00      3 .
   .00      3 .
   .00      3 .
   .00      3 .
 276.00     4 . 000000000000000000000000000000000000000000000
   .00      4 .
   .00      4 .
   .00      4 .
   .00      4 .
 146.00     5 . 000000000000000000000000
Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A10_075



Descriptives

			Statistic	Std. Error
A5_075	Mean		2.2655	.02901
	95% Confidence Inter for Mean	Lower Bound	2.2085	
		Upper Bound	2.3224	
	5% Trimmed Mean		2.3151	
	Median		2.0000	
	Variance		.558	
	Std. Deviation		.74688	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-.736	.095
	Kurtosis		.002	.190

Descriptives

			Statistic	Std. Error
A10_075	Mean		3.7647	.03538
	95% Confidence Interv for Mean	Lower Bound	3.6952	
		Upper Bound	3.8342	
	5% Trimmed Mean		3.8058	
	Median		4.0000	
	Variance		.830	
	Std. Deviation		.91091	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.456	.095
	Kurtosis		.005	.190

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  13.00      3 . 000
   .00       3 .
  40.00      4 . 00000000
   .00       4 .
 134.00      5 . 0000000000000000000000000
   .00       5 .
 228.00      6 . 000000000000000000000000000000000000000000
   .00       6 .
 192.00      7 . 00000000000000000000000000000000000000
   .00       7 .
  56.00      8 . 00000000000

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_075



A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  25.00 Extremes    (=<5.0)
  88.00      6 . 0000000000000000000000
   .00       6 .
   .00       6 .
   .00       6 .
   .00       6 .
 195.00      7 . 000000000000000000000000000000000000000000000000
   .00       7 .
   .00       7 .
   .00       7 .
   .00       7 .
 194.00      8 . 00000000000000000000000000000000000000000000000
   .00       8 .
   .00       8 .
   .00       8 .
   .00       8 .
 130.00      9 . 0000000000000000000000000000000000
  31.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_07: Mean		6.0769	.04330
95% Confidence Inte for Mean	Lower Bound	5.9919	
	Upper Bound	6.1620	
5% Trimmed Mean		6.1073	
Median		6.0000	
Variance		1.243	
Std. Deviation		1.11504	
Minimum		3.00	
Maximum		8.00	
Range		5.00	
Interquartile Range		2.0000	
Skewness		-.388	.095
Kurtosis		-.060	.190

Descriptives

		Statistic	Std. Error
A20_075 Mean		7.6063	.04716
95% Confidence Inte for Mean	Lower Bound	7.5137	
	Upper Bound	7.6989	
5% Trimmed Mean		7.6198	
Median		8.0000	
Variance		1.475	
Std. Deviation		1.21437	
Minimum		3.00	
Maximum		10.00	
Range		7.00	
Interquartile Range		1.0000	
Skewness		-.262	.095
Kurtosis		.110	.190

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<.0)
  56.00      1 . 00000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 267.00      2 . 000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 336.00      3 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      7 case(s)
```

Normal Q-Q Plot of A5_08



A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00      1 . &
    .00      1 .
  35.00      2 . 000000
    .00      2 .
 141.00      3 . 000000000000000000000000
    .00      3 .
 273.00      4 . 0000000000000000000000000000000000000000000
    .00      4 .
 211.00      5 . 00000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A10_08



Descriptives

			Statistic	Std. Error
A5_08	Mean		2.4103	.02599
	95% Confidence Inte	Lower Bound	2.3592	
	for Mean	Upper Bound	2.4613	
	5% Trimmed Mean		2.4625	
	Median		3.0000	
	Variance		.448	
	Std. Deviation		.66914	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-.822	.095
	Kurtosis		.063	.190

Descriptives

			Statistic	Std. Error
A10_08	Mean		3.9864	.03438
	95% Confidence Inte	Lower Bound	3.9189	
	for Mean	Upper Bound	4.0539	
	5% Trimmed Mean		4.0455	
	Median		4.0000	
	Variance		.784	
	Std. Deviation		.88533	
	Minimum		1.00	
	Maximum		5.00	
	Range		4.00	
	Interquartile Range		2.0000	
	Skewness		-.589	.095
	Kurtosis		-.186	.190

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  34.00 Extremes    (=<4.0)
  95.00      5 . 00000000000000000000
    .00      5 .
    .00      5 .
    .00      5 .
    .00      5 .
 222.00      6 . 000000000000000000000000000000000000000000
    .00      6 .
    .00      6 .
    .00      6 .
    .00      6 .
 213.00      7 . 000000000000000000000000000000000000000000
    .00      7 .
    .00      7 .
    .00      7 .
    .00      7 .
  99.00      8 . 00000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_08



A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  14.00      5 . 000
    .00      5 .
  53.00      6 . 00000000000
    .00      6 .
 147.00      7 . 000000000000000000000000000000
    .00      7 .
 226.00      8 . 00000000000000000000000000000000000000000000
    .00      8 .
 174.00      9 . 000000000000000000000000000000000000
    .00      9 .
  49.00     10 . 0000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A20_08



Descriptives

			Statistic	Std. Error
A15_08	Mean		6.3575	.04307
	95% Confidence Inter for Mean	Lower Bound	6.2729	
		Upper Bound	6.4420	
	5% Trimmed Mean		6.4156	
	Median		6.0000	
	Variance		1.230	
	Std. Deviation		1.10907	
	Minimum		2.00	
	Maximum		8.00	
	Range		6.00	
	Interquartile Range		1.0000	
	Skewness		-.567	.095
	Kurtosis		.478	.190

Descriptives

			Statistic	Std. Error
A20_08	Mean		7.9653	.04412
	95% Confidence Inte for Mean	Lower Bound	7.8787	
		Upper Bound	8.0519	
	5% Trimmed Mean		7.9849	
	Median		8.0000	
	Variance		1.290	
	Std. Deviation		1.13593	
	Minimum		5.00	
	Maximum		10.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		-.304	.095
	Kurtosis		-.230	.190

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  28.00      1 . 000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 229.00      2 . 0000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 406.00      3 . 0000000000000000000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 9 case(s)

Normal Q-Q Plot of A5_085



Descriptives

		Statistic	Std. Error
A5_085	Mean	2.5701	.02231
	95% Confidence Int Lower Bound for Mean	2.5263	
	Upper Bound	2.6139	
	5% Trimmed Mean	2.6249	
	Median	3.0000	
	Variance	.330	
	Std. Deviation	.57449	
	Minimum	1.00	
	Maximum	3.00	
	Range	2.00	
	Interquartile Range	1.0000	
	Skewness	-.948	.095
	Kurtosis	-.100	.190

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<2.0)
  83.00      3 . 00000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 282.00      4 . 000000000000000000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
 288.00      5 . 000000000000000000000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 6 case(s)

Normal Q-Q Plot of A10_085



Descriptives

		Statistic	Std. Error
A10_085	Mean	4.2790	.02861
	95% Confidence Inter Lower Bound for Mean	4.2228	
	Upper Bound	4.3352	
	5% Trimmed Mean	4.3268	
	Median	4.0000	
	Variance	.543	
	Std. Deviation	.73680	
	Minimum	2.00	
	Maximum	5.00	
	Range	3.00	
	Interquartile Range	1.0000	
	Skewness	-.721	.095
	Kurtosis	-.058	.190

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00      4 . 0
    .00      4 .
  52.00      5 . 000000000
    .00      5 .
 136.00      6 . 0000000000000000000000
    .00      6 .
 273.00      7 . 000000000000000000000000000000000000000000000
    .00      7 .
 197.00      8 . 0000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 6 case(s)

A20_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  18.00 Extremes    (=<6.0)
  61.00      7 . 0000000000
    .00      7 .
    .00      7 .
    .00      7 .
    .00      7 .
 193.00      8 . 0000000000000000000000000000000000
    .00      8 .
    .00      8 .
    .00      8 .
    .00      8 .
 261.00      9 . 000000000000000000000000000000000000000000000
    .00      9 .
    .00      9 .
    .00      9 .
    .00      9 .
 130.00     10 . 00000000000000000000000
```

Stem width: 1.00

Each leaf: 6 case(s)

Normal Q-Q Plot of A15_085



Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_08: Mean		6.9125	.03638
95% Confidence Inte for Mean	Lower Bound	6.8411	
	Upper Bound	6.9840	
5% Trimmed Mean		6.9667	
Median		7.0000	
Variance		.878	
Std. Deviation		.93677	
Minimum		4.00	
Maximum		8.00	
Range		4.00	
Interquartile Range		2.0000	
Skewness		-.621	.095
Kurtosis		-.192	.190

Descriptives

		Statistic	Std. Error
A20_085 Mean		8.6365	.03864
95% Confidence Inter for Mean	Lower Bound	8.5606	
	Upper Bound	8.7124	
5% Trimmed Mean		8.6852	
Median		9.0000	
Variance		.990	
Std. Deviation		.99500	
Minimum		5.00	
Maximum		10.00	
Range		5.00	
Interquartile Range		1.0000	
Skewness		-.561	.095
Kurtosis		.168	.190

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  2.00 Extremes    (=<.0)
 12.00      1 . 0
   .00      1 .
   .00      1 .
   .00      1 .
   .00      1 .
165.00      2 . 0000000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
484.00      3 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      10 case(s)
```

Normal Q-Q Plot of A5_09



A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  3.00 Extremes    (=<2.0)
 35.00      3 . 0000
   .00      3 .
   .00      3 .
   .00      3 .
   .00      3 .
238.00      4 . 00000000000000000000000000
   .00      4 .
   .00      4 .
   .00      4 .
   .00      4 .
387.00      5 . 000000000000000000000000000000000000000000000
```

Stem width: 1.00
Each leaf: 8 case(s)

Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		2.7059	.01989
	95% Confidence Inter for Mean	Lower Bound	2.6668	
		Upper Bound	2.7449	
	5% Trimmed Mean		2.7556	
	Median		3.0000	
	Variance		.262	
	Std. Deviation		.51216	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-1.634	.095
	Kurtosis		2.601	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		4.5219	.02403
	95% Confidence Inter for Mean	Lower Bound	4.4747	
		Upper Bound	4.5691	
	5% Trimmed Mean		4.5849	
	Median		5.0000	
	Variance		.383	
	Std. Deviation		.61873	
	Minimum		2.00	
	Maximum		5.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-1.043	.095
	Kurtosis		.595	.190

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  12.00 Extremes    (=<5.0)
 123.00      6 . 00000000000000000000
    .00      6 .
    .00      6 .
    .00      6 .
    .00      6 .
 275.00      7 . 0000000000000000000000000000000000000000000
    .00      7 .
    .00      7 .
    .00      7 .
    .00      7 .
 253.00      8 . 0000000000000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 6 case(s)

Normal Q-Q Plot of A15_09



A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  32.00 Extremes    (=<7.0)
 123.00      8 . 00000000000000000000
    .00      8 .
    .00      8 .
    .00      8 .
    .00      8 .
 310.00      9 . 0000000000000000000000000000000000000000000
    .00      9 .
    .00      9 .
    .00      9 .
    .00      9 .
 198.00     10 . 000000000000000000000000000
```

Stem width: 1.00

Each leaf: 7 case(s)

Normal Q-Q Plot of A20_09



Descriptives

		Statistic	Std. Error
A15_09 Mean		7.1584	.03065
95% Confidence Inte for Mean	Lower Bound	7.0982	
	Upper Bound	7.2186	
5% Trimmed Mean		7.1978	
Median		7.0000	
Variance		.623	
Std. Deviation		.78925	
Minimum		4.00	
Maximum		8.00	
Range		4.00	
Interquartile Range		1.0000	
Skewness		-.566	.095
Kurtosis		-.316	.190

Descriptives

		Statistic	Std. Error
A20_09 Mean		9.0106	.03269
95% Confidence Inte for Mean	Lower Bound	8.9464	
	Upper Bound	9.0747	
5% Trimmed Mean		9.0721	
Median		9.0000	
Variance		.708	
Std. Deviation		.84163	
Minimum		6.00	
Maximum		10.00	
Range		4.00	
Interquartile Range		1.0000	
Skewness		-.691	.095
Kurtosis		.341	.190

A5_095 Stem-and-Leaf Plot

Frequency Stem & Leaf

83.00 Extremes (=<2)

580.00 0 . 3333333333333333333333333333333333333333333

Stem width: 10.00

Each leaf: 12 case(s)

A10_095 Stem-and-Leaf Plot

Frequency Stem & Leaf

120.00 Extremes (=<4)

543.00 0 . 5555555555555555555555555555555555555555555555

Stem width: 10.00

Each leaf: 11 case(s)

Normal Q-Q Plot of A5_095



Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A5_095 Mean		2.8718	.01334
95% Confidence Int for Mean	Lower Bound	2.8456	
	Upper Bound	2.8980	
5% Trimmed Mean		2.9165	
Median		3.0000	
Variance		.118	
Std. Deviation		.34348	
Minimum		1.00	
Maximum		3.00	
Range		2.00	
Interquartile Range		.0000	
Skewness		-2.451	.095
Kurtosis		4.216	.190

Descriptives

		Statistic	Std. Error
A10_095 Mean		4.8190	.01496
95% Confidence Inte for Mean	Lower Bound	4.7896	
	Upper Bound	4.8484	
5% Trimmed Mean		4.8544	
Median		5.0000	
Variance		.148	
Std. Deviation		.38531	
Minimum		4.00	
Maximum		5.00	
Range		1.00	
Interquartile Range		.0000	
Skewness		-1.661	.095
Kurtosis		.761	.190

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  17.00      6 . 00
    .00      6 .
    .00      6 .
    .00      6 .
    .00      6 .
 160.00      7 . 0000000000000000
    .00      7 .
    .00      7 .
    .00      7 .
    .00      7 .
 486.00      8 . 000000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      10 case(s)
```

Normal Q-Q Plot of A15_095



A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  21.00      8 . 00
    .00      8 .
    .00      8 .
    .00      8 .
    .00      8 .
 214.00      9 . 000000000000000000000000
    .00      9 .
    .00      9 .
    .00      9 .
    .00      9 .
 428.00     10 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      9 case(s)
```

Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_09. Mean		7.7074	.01975
95% Confidence Int for Mean	Lower Bound	7.6686	
	Upper Bound	7.7462	
5% Trimmed Mean		7.7589	
Median		8.0000	
Variance		.259	
Std. Deviation		.50859	
Minimum		6.00	
Maximum		8.00	
Range		2.00	
Interquartile Range		1.0000	
Skewness		-1.487	.095
Kurtosis		1.272	.190

Descriptives

		Statistic	Std. Error
A20_095 Mean		9.6139	.02130
95% Confidence Int for Mean	Lower Bound	9.5720	
	Upper Bound	9.6557	
5% Trimmed Mean		9.6617	
Median		10.0000	
Variance		.301	
Std. Deviation		.54848	
Minimum		8.00	
Maximum		10.00	
Range		2.00	
Interquartile Range		1.0000	
Skewness		-1.039	.095
Kurtosis		.058	.190

N=100

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  520.00     0 . 0000000000000000000000000000000000000000000000
  143.00 Extremes    (>=1)

Stem width:     10.00
Each leaf:      11 case(s)
```

A10_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  383.00     0 . 00000000000000000000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  240.00     1 . 000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
   37.00     2 . 00000
    3.00 Extremes    (>=3.0)
Stem width:     1.00
Each leaf:      8 case(s)
```

Normal Q-Q Plot of A5_005



Normal Q-Q Plot of A10_005



Descriptives

			Statistic	Std. Error
A5_005	Mean		.2308	.01784
	95% Confidence Inte for Mean	Lower Bound	.1957	
		Upper Bound	.2658	
	5% Trimmed Mean		.1841	
	Median		.0000	
	Variance		.211	
	Std. Deviation		.45936	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		.0000	
	Skewness		1.878	.095
	Kurtosis		3.340	.190

Descriptives

			Statistic	Std. Error
A10_005	Mean		.4872	.02423
	95% Confidence Inte for Mean	Lower Bound	.4396	
		Upper Bound	.5348	
	5% Trimmed Mean		.4252	
	Median		.0000	
	Variance		.389	
	Std. Deviation		.62385	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		1.022	.095
	Kurtosis		.525	.190

N=100

A15_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  286.00     0 . 0000000000000000000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  276.00     1 . 0000000000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
   90.00     2 . 000000000000000
   11.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A15_005



A20_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  232.00     0 . 0000000000000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  279.00     1 . 0000000000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
  122.00     2 . 00000000000000000000
   30.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_005 Mean		.7406	.02963
95% Confidence Inter for Mean	Lower Bound	.6824	
	Upper Bound	.7988	
5% Trimmed Mean		.6900	
Median		1.0000	
Variance		.582	
Std. Deviation		.76298	
Minimum		.00	
Maximum		4.00	
Range		4.00	
Interquartile Range		1.0000	
Skewness		.824	.095
Kurtosis		.468	.190

Descriptives

		Statistic	Std. Error
A20_00 Mean		.9336	.03379
95% Confidence Int for Mean	Lower Bound	.8673	
	Upper Bound	1.0000	
5% Trimmed Mean		.8659	
Median		1.0000	
Variance		.757	
Std. Deviation		.87001	
Minimum		.00	
Maximum		4.00	
Range		4.00	
Interquartile Range		1.0000	
Skewness		.791	.095
Kurtosis		.451	.190

N=100

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 392.00      0 . 0000000000000000000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
 223.00      1 . 0000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
  42.00      2 . 00000
   6.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      8 case(s)
```

Normal Q-Q Plot of A5_01



A10_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 203.00      0 . 00000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
 300.00      1 . 000000000000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 119.00      2 . 00000000000000000000
  41.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		.4902	.02551
	95% Confidence Inter for Mean	Lower Bound	.4401	
		Upper Bound	.5403	
	5% Trimmed Mean		.4235	
	Median		.0000	
	Variance		.432	
	Std. Deviation		.65692	
	Minimum		.00	
	Maximum		3.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		1.191	.095
	Kurtosis		1.030	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		1.0030	.03395
	95% Confidence Inter for Mean	Lower Bound	.9363	
		Upper Bound	1.0697	
	5% Trimmed Mean		.9411	
	Median		1.0000	
	Variance		.764	
	Std. Deviation		.87427	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.715	.095
	Kurtosis		.207	.190

N=100

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  128.00     0 . 0000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  233.00     1 . 00000000000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
  183.00     2 . 000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
   95.00     3 . 0000000000000000000
   24.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   76.00     0 . 000000000000000
    .00      0 .
  172.00     1 . 0000000000000000000000000000000000000
    .00      1 .
  231.00     2 . 00000000000000000000000000000000000000000000000
    .00      2 .
  120.00     3 . 000000000000000000000000
    .00      3 .
   46.00     4 . 000000000
    .00      4 .
   15.00     5 . 000
    3.00 Extremes    (>=6.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_01



Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		1.4796	.04165
	95% Confidence Inte for Mean	Lower Bound	1.3979	
		Upper Bound	1.5614	
	5% Trimmed Mean		1.4355	
	Median		1.0000	
	Variance		1.150	
	Std. Deviation		1.07250	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		.407	.095
	Kurtosis		-.446	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		1.9170	.04673
	95% Confidence Inte for Mean	Lower Bound	1.8253	
		Upper Bound	2.0088	
	5% Trimmed Mean		1.8726	
	Median		2.0000	
	Variance		1.448	
	Std. Deviation		1.20324	
	Minimum		.00	
	Maximum		6.00	
	Range		6.00	
	Interquartile Range		2.0000	
	Skewness		.473	.095
	Kurtosis		.163	.190

N=100

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  299.00     0 . 0000000000000000000000000000000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  248.00     1 . 0000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
   96.00     2 . 0000000000000000
   20.00 Extremes    (>=3.0)

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_015



A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  119.00     0 . 00000000000000000000000
    .00      0 .
    .00      0 .
    .00      0 .
    .00      0 .
  242.00     1 . 0000000000000000000000000000000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
  184.00     2 . 0000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
   89.00     3 . 000000000000000000000
   29.00 Extremes    (>=4.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A10_015



Descriptives

			Statistic	Std. Error
A5_015	Mean		.7572	.03187
	95% Confidence Inter for Mean	Lower Bound	.6946	
		Upper Bound	.8198	
	5% Trimmed Mean		.6933	
	Median		1.0000	
	Variance		.674	
	Std. Deviation		.82071	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.903	.095
	Kurtosis		.362	.190

Descriptives

			Statistic	Std. Error
A10_015	Mean		1.5053	.04236
	95% Confidence Inter for Mean	Lower Bound	1.4221	
		Upper Bound	1.5885	
	5% Trimmed Mean		1.4489	
	Median		1.0000	
	Variance		1.190	
	Std. Deviation		1.09084	
	Minimum		.00	
	Maximum		6.00	
	Range		6.00	
	Interquartile Range		1.0000	
	Skewness		.571	.095
	Kurtosis		.115	.190

N=100

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  43.00      0 . 000000000
   .00       0 .
 150.00      1 . 000000000000000000000000000000
   .00       1 .
 220.00      2 . 0000000000000000000000000000000000000000000000
   .00       2 .
 146.00      3 . 00000000000000000000000000000
   .00       3 .
  69.00      4 . 00000000000000
   .00       4 .
  30.00      5 . 000000
   5.00 Extremes    (>=6.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A15_015



A20_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  17.00      0 . 0000
   .00       0 .
  81.00      1 . 000000000000000000000
   .00       1 .
 161.00      2 . 00000000000000000000000000000000000000000
   .00       2 .
 177.00      3 . 000000000000000000000000000000000000000000000
   .00       3 .
 112.00      4 . 0000000000000000000000000000
   .00       4 .
  78.00      5 . 000000000000000000000
   .00       5 .
  31.00      6 . 00000000
   6.00 Extremes    (>=7.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_015	Mean	2.2383	.04906
	95% Confidence Inter for Mean — Lower Bound	2.1420	
	95% Confidence Inter for Mean — Upper Bound	2.3346	
	5% Trimmed Mean	2.2009	
	Median	2.0000	
	Variance	1.596	
	Std. Deviation	1.26321	
	Minimum	.00	
	Maximum	6.00	
	Range	6.00	
	Interquartile Range	2.0000	
	Skewness	.428	.095
	Kurtosis	-.085	.190

Descriptives

		Statistic	Std. Error
A20_01.	Mean	3.0166	.05722
	95% Confidence Int for Mean — Lower Bound	2.9042	
	95% Confidence Int for Mean — Upper Bound	3.1289	
	5% Trimmed Mean	2.9813	
	Median	3.0000	
	Variance	2.170	
	Std. Deviation	1.47323	
	Minimum	.00	
	Maximum	7.00	
	Range	7.00	
	Interquartile Range	2.0000	
	Skewness	.293	.095
	Kurtosis	-.361	.190

N=100

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 196.00      0 . 0000000000000000000000000000000
    .00      0 .
 288.00      1 . 000000000000000000000000000000000000000000000
    .00      1 .
 133.00      2 . 0000000000000000000000
    .00      2 .
  41.00      3 . 0000000
    .00      3 .
   5.00      4 . 0

Stem width:     1.00
Each leaf:      6 case(s)
```

A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  58.00      0 . 00000000000000
    .00      0 .
 188.00      1 . 000000000000000000000000000000000000000000000000
    .00      1 .
 199.00      2 . 0000000000000000000000000000000000000000000000000
    .00      2 .
 133.00      3 . 0000000000000000000000000000000
    .00      3 .
  58.00      4 . 00000000000000
    .00      4 .
  23.00      5 . 000000
   4.00 Extremes    (>=6.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A5_02



Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		1.0513	.03495
	95% Confidence Inter for Mean	Lower Bound	.9826	
		Upper Bound	1.1199	
	5% Trimmed Mean		.9930	
	Median		1.0000	
	Variance		.810	
	Std. Deviation		.90003	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		2.0000	
	Skewness		.660	.095
	Kurtosis		.044	.190

Descriptives

			Statistic	Std. Error
A10_02	Mean		2.0452	.04902
	95% Confidence Inte for Mean	Lower Bound	1.9490	
		Upper Bound	2.1415	
	5% Trimmed Mean		1.9983	
	Median		2.0000	
	Variance		1.593	
	Std. Deviation		1.26219	
	Minimum		.00	
	Maximum		6.00	
	Range		6.00	
	Interquartile Range		2.0000	
	Skewness		.511	.095
	Kurtosis		-.054	.190

N=100

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  16.00      0 . 0000
   .00       0 .
  76.00      1 . 0000000000000000000
   .00       1 .
 145.00      2 . 00000000000000000000000000000000000
   .00       2 .
 197.00      3 . 0000000000000000000000000000000000000000000000000
   .00       3 .
 135.00      4 . 000000000000000000000000000000000
   .00       4 .
  59.00      5 . 000000000000000
   .00       5 .
  23.00      6 . 000000
  12.00 Extremes    (>=7.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_02



A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<.0)
  27.00      1 . 0000000
   .00       1 .
  87.00      2 . 000000000000000000000
   .00       2 .
 147.00      3 . 000000000000000000000000000000000000000
   .00       3 .
 159.00      4 . 0000000000000000000000000000000000000000
   .00       4 .
 129.00      5 . 000000000000000000000000000000
   .00       5 .
  76.00      6 . 0000000000000000000
   .00       6 .
  21.00      7 . 00000
  13.00 Extremes    (>=8.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_02



Descriptives

			Statistic	Std. Error
A15_02	Mean		3.0452	.05661
	95% Confidence Interv for Mean	Lower Bound	2.9341	
		Upper Bound	3.1564	
	5% Trimmed Mean		2.9930	
	Median		3.0000	
	Variance		2.125	
	Std. Deviation		1.45768	
	Minimum		.00	
	Maximum		8.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		.452	.095
	Kurtosis		.474	.190

Descriptives

			Statistic	Std. Error
A20_02	Mean		3.9713	.06147
	95% Confidence Inter for Mean	Lower Bound	3.8506	
		Upper Bound	4.0920	
	5% Trimmed Mean		3.9444	
	Median		4.0000	
	Variance		2.505	
	Std. Deviation		1.58279	
	Minimum		.00	
	Maximum		9.00	
	Range		9.00	
	Interquartile Range		2.0000	
	Skewness		.242	.095
	Kurtosis		-.027	.190

N=100

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  154.00     0 . 0000000000000000000000000
     .00     0 .
     .00     0 .
     .00     0 .
     .00     0 .
  296.00     1 . 00000000000000000000000000000000000000000000000
     .00     1 .
     .00     1 .
     .00     1 .
     .00     1 .
  155.00     2 . 0000000000000000000000000
     .00     2 .
     .00     2 .
     .00     2 .
     .00     2 .
   54.00     3 . 000000000
    4.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_025



A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   28.00 Extremes    (=<.0)
  111.00     1 . 0000000000000000000000000000
     .00     1 .
     .00     1 .
     .00     1 .
     .00     1 .
  189.00     2 . 000000000000000000000000000000000000000000000
     .00     2 .
     .00     2 .
     .00     2 .
     .00     2 .
  185.00     3 . 000000000000000000000000000000000000000000000
     .00     3 .
     .00     3 .
     .00     3 .
     .00     3 .
  105.00     4 . 000000000000000000000000000
   45.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_025



Descriptives

			Statistic	Std. Error
A5_025	Mean		1.1825	.03504
	95% Confidence Int for Mean	Lower Bound	1.1137	
		Upper Bound	1.2513	
	5% Trimmed Mean		1.1405	
	Median		1.0000	
	Variance		.814	
	Std. Deviation		.90226	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.499	.095
	Kurtosis		-.226	.190

Descriptives

			Statistic	Std. Error
A10_02:	Mean		2.5701	.05062
	95% Confidence Inte for Mean	Lower Bound	2.4707	
		Upper Bound	2.6695	
	5% Trimmed Mean		2.5442	
	Median		3.0000	
	Variance		1.699	
	Std. Deviation		1.30331	
	Minimum		.00	
	Maximum		7.00	
	Range		7.00	
	Interquartile Range		1.0000	
	Skewness		.300	.095
	Kurtosis		-.041	.190

N=100

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   6.00 Extremes    (=<.0)
  32.00     1 . 00000000
    .00     1 .
 103.00     2 . 000000000000000000000000
    .00     2 .
 170.00     3 . 0000000000000000000000000000000000000000
    .00     3 .
 151.00     4 . 000000000000000000000000000000000000
    .00     4 .
 104.00     5 . 00000000000000000000000000
    .00     5 .
  69.00     6 . 000000000000000000
    .00     6 .
  22.00     7 . 00000
   6.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_025



A20_025 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
  11.00 Extremes    (=<1.0)
  31.00     2 . 00000000
    .00     2 .
  78.00     3 . 000000000000000000000
    .00     3 .
 156.00     4 . 000000000000000000000000000000000000000000
    .00     4 .
 149.00     5 . 0000000000000000000000000000000000000
    .00     5 .
 121.00     6 . 000000000000000000000000000000
    .00     6 .
  65.00     7 . 00000000000000000
    .00     7 .
  41.00     8 . 0000000000
  11.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02: Mean		3.7541	.06055
95% Confidence Inte for Mean	Lower Bound	3.6353	
	Upper Bound	3.8730	
5% Trimmed Mean		3.7338	
Median		4.0000	
Variance		2.430	
Std. Deviation		1.55897	
Minimum		.00	
Maximum		9.00	
Range		9.00	
Interquartile Range		2.0000	
Skewness		.260	.095
Kurtosis		-.202	.190

Descriptives

		Statistic	Std. Error
A20_02: Mean		4.9578	.06539
95% Confidence Inte for Mean	Lower Bound	4.8294	
	Upper Bound	5.0862	
5% Trimmed Mean		4.9480	
Median		5.0000	
Variance		2.835	
Std. Deviation		1.68377	
Minimum		1.00	
Maximum		11.00	
Range		10.00	
Interquartile Range		2.0000	
Skewness		.185	.095
Kurtosis		-.071	.190

N=100

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  107.00     0 . 00000000000000000000
     .00     0 .
     .00     0 .
     .00     0 .
     .00     0 .
  243.00     1 . 000000000000000000000000000000000000000000000000
     .00     1 .
     .00     1 .
     .00     1 .
     .00     1 .
  212.00     2 . 0000000000000000000000000000000000000000
     .00     2 .
     .00     2 .
     .00     2 .
     .00     2 .
   86.00     3 . 00000000000000000000
   15.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_03



A10_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   16.00     0 . 0000
     .00     0 .
   72.00     1 . 000000000000000000
     .00     1 .
  152.00     2 . 0000000000000000000000000000000000000000
     .00     2 .
  191.00     3 . 00000000000000000000000000000000000000000000000
     .00     3 .
  147.00     4 . 000000000000000000000000000000000000
     .00     4 .
   64.00     5 . 0000000000000000
     .00     5 .
   11.00     6 . 000
   10.00 Extremes    (>=7.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		1.4857	.03823
	95% Confidence Inter for Mean	Lower Bound	1.4106	
		Upper Bound	1.5607	
	5% Trimmed Mean		1.4589	
	Median		1.0000	
	Variance		.969	
	Std. Deviation		.98448	
	Minimum		.00	
	Maximum		4.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		.297	.095
	Kurtosis		-.415	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		3.0075	.05347
	95% Confidence Inter for Mean	Lower Bound	2.9025	
		Upper Bound	3.1125	
	5% Trimmed Mean		2.9816	
	Median		3.0000	
	Variance		1.896	
	Std. Deviation		1.37685	
	Minimum		.00	
	Maximum		8.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		.272	.095
	Kurtosis		.200	.190

N=100

A15_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00      0 . 0
  15.00      1 . 00000
  47.00      2 . 0000000000000000
 117.00      3 . 000000000000000000000000000000000000000
 148.00      4 . 00000000000000000000000000000000000000000000000000
 149.00      5 . 00000000000000000000000000000000000000000000000000
 119.00      6 . 000000000000000000000000000000000000000
  37.00      7 . 000000000000
  22.00      8 . 0000000
   4.00      9 . 0
   2.00     10 . 0
   1.00 Extremes    (>=11.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_03



A20_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  16.00 Extremes    (=<2.0)
  44.00      3 . 00000000000000000
    .00      3 .
 102.00      4 . 000000000000000000000000000000000000
    .00      4 .
 116.00      5 . 0000000000000000000000000000000000000000
    .00      5 .
 130.00      6 . 00000000000000000000000000000000000000000000
    .00      6 .
 112.00      7 . 0000000000000000000000000000000000
    .00      7 .
  94.00      8 . 00000000000000000000000000000000
    .00      8 .
  36.00      9 . 000000000000000
  13.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_03



Descriptives

			Statistic	Std. Error
A15_03	Mean		4.5445	.06415
	95% Confidence Inte for Mean	Lower Bound	4.4185	
		Upper Bound	4.6705	
	5% Trimmed Mean		4.5142	
	Median		5.0000	
	Variance		2.729	
	Std. Deviation		1.65190	
	Minimum		.00	
	Maximum		11.00	
	Range		11.00	
	Interquartile Range		3.0000	
	Skewness		.235	.095
	Kurtosis		.257	.190

Descriptives

			Statistic	Std. Error
A20_03	Mean		5.9216	.07220
	95% Confidence Inter for Mean	Lower Bound	5.7798	
		Upper Bound	6.0633	
	5% Trimmed Mean		5.9112	
	Median		6.0000	
	Variance		3.456	
	Std. Deviation		1.85905	
	Minimum		1.00	
	Maximum		13.00	
	Range		12.00	
	Interquartile Range		2.0000	
	Skewness		.095	.095
	Kurtosis		-.201	.190

N=100

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  88.00      0 . 0000000000000000000
   .00       0 .
   .00       0 .
   .00       0 .
   .00       0 .
 220.00      1 . 0000000000000000000000000000000000000000
   .00       1 .
   .00       1 .
   .00       1 .
   .00       1 .
 226.00      2 . 0000000000000000000000000000000000000000
   .00       2 .
   .00       2 .
   .00       2 .
   .00       2 .
  99.00      3 . 000000000000000000000
  30.00 Extremes    (>=4.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_035



A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00      0 . 000
   .00       0 .
  48.00      1 . 000000000000
   .00       1 .
 116.00      2 . 0000000000000000000000000000
   .00       2 .
 178.00      3 . 00000000000000000000000000000000000000000
   .00       3 .
 162.00      4 . 000000000000000000000000000000000000
   .00       4 .
 103.00      5 . 0000000000000000000000000
   .00       5 .
  34.00      6 . 00000000
  11.00 Extremes    (>=7.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_035



Descriptives

		Statistic	Std. Error
A5_035	Mean	1.6456	.04044
	95% Confidence Int for Mean Lower Bound	1.5661	
	Upper Bound	1.7250	
	5% Trimmed Mean	1.6081	
	Median	2.0000	
	Variance	1.084	
	Std. Deviation	1.04122	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	.330	.095
	Kurtosis	-.246	.190

Descriptives

		Statistic	Std. Error
A10_035	Mean	3.4087	.05587
	95% Confidence Inter for Mean Lower Bound	3.2990	
	Upper Bound	3.5185	
	5% Trimmed Mean	3.3953	
	Median	3.0000	
	Variance	2.070	
	Std. Deviation	1.43869	
	Minimum	.00	
	Maximum	8.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	.106	.095
	Kurtosis	-.110	.190

N=100

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<1.0)
  20.00      2 . 0000000
    .00      2 .
  69.00      3 . 000000000000000000000
    .00      3 .
 130.00      4 . 0000000000000000000000000000000000000000
    .00      4 .
 147.00      5 . 00000000000000000000000000000000000000000000
    .00      5 .
 147.00      6 . 00000000000000000000000000000000000000000000
    .00      6 .
  77.00      7 . 0000000000000000000000000
    .00      7 .
  47.00      8 . 0000000000000000
  21.00 Extremes    (>=9.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_035



Descriptives

		Statistic	Std. Error
A15_03: Mean		5.2760	.06546
95% Confidence Int for Mean	Lower Bound	5.1475	
	Upper Bound	5.4045	
5% Trimmed Mean		5.2578	
Median		5.0000	
Variance		2.841	
Std. Deviation		1.68541	
Minimum		1.00	
Maximum		12.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		.210	.095
Kurtosis		.006	.190

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  27.00 Extremes    (=<3.0)
  26.00      4 . 000000000
    .00      4 .
  88.00      5 . 00000000000000000000000000000
    .00      5 .
 123.00      6 . 000000000000000000000000000000000000000
    .00      6 .
 140.00      7 . 0000000000000000000000000000000000000000000
    .00      7 .
 116.00      8 . 00000000000000000000000000000000000000
    .00      8 .
  79.00      9 . 0000000000000000000000000
    .00      9 .
  44.00     10 . 000000000000000
  20.00 Extremes    (>=11.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A20_03: Mean		6.9910	.07419
95% Confidence Inte for Mean	Lower Bound	6.8453	
	Upper Bound	7.1366	
5% Trimmed Mean		7.0134	
Median		7.0000	
Variance		3.649	
Std. Deviation		1.91036	
Minimum		.00	
Maximum		12.00	
Range		12.00	
Interquartile Range		2.0000	
Skewness		-.121	.095
Kurtosis		.080	.190

N=100

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  49.00      0 . 0000000000
   .00       0 .
 174.00      1 . 000000000000000000000000000000000
   .00       1 .
 218.00      2 . 0000000000000000000000000000000000000000000
   .00       2 .
 160.00      3 . 00000000000000000000000000000000
   .00       3 .
  51.00      4 . 0000000000
   .00       4 .
  11.00      5 . 00

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_04



A10_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<.0)
  23.00      1 . 000000
   .00       1 .
  74.00      2 . 000000000000000000
   .00       2 .
 143.00      3 . 00000000000000000000000000000000000
   .00       3 .
 172.00      4 . 0000000000000000000000000000000000000000
   .00       4 .
 142.00      5 . 000000000000000000000000000000000
   .00       5 .
  71.00      6 . 000000000000000000
   .00       6 .
  26.00      7 . 000000
   7.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		2.0347	.04354
	95% Confidence Inte for Mean	Lower Bound	1.9492	
		Upper Bound	2.1202	
	5% Trimmed Mean		2.0201	
	Median		2.0000	
	Variance		1.257	
	Std. Deviation		1.12121	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		.228	.095
	Kurtosis		-.323	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		4.0166	.05859
	95% Confidence Int for Mean	Lower Bound	3.9015	
		Upper Bound	4.1316	
	5% Trimmed Mean		4.0050	
	Median		4.0000	
	Variance		2.276	
	Std. Deviation		1.50869	
	Minimum		.00	
	Maximum		9.00	
	Range		9.00	
	Interquartile Range		2.0000	
	Skewness		.075	.095
	Kurtosis		-.071	.190

N=100

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<2.0)
  36.00     3 . 000000000
    .00     3 .
  68.00     4 . 00000000000000000
    .00     4 .
 133.00     5 . 0000000000000000000000000000000
    .00     5 .
 154.00     6 . 00000000000000000000000000000000000
    .00     6 .
 125.00     7 . 0000000000000000000000000000
    .00     7 .
  85.00     8 . 00000000000000000000
    .00     8 .
  36.00     9 . 000000000
  17.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_04



Descriptives

		Statistic	Std. Error
A15_04 Mean		6.0875	.06691
95% Confidence In for Mean	Lower Bound	5.9561	
	Upper Bound	6.2189	
5% Trimmed Mean		6.0838	
Median		6.0000	
Variance		2.968	
Std. Deviation		1.72284	
Minimum		1.00	
Maximum		11.00	
Range		10.00	
Interquartile Range		2.0000	
Skewness		.037	.095
Kurtosis		-.152	.190

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  31.00 Extremes    (=<4.0)
  45.00     5 . 000000000000000
    .00     5 .
  86.00     6 . 00000000000000000000000000000000
    .00     6 .
 148.00     7 . 0000000000000000000000000000000000000000000000000
    .00     7 .
 124.00     8 . 000000000000000000000000000000000000000000
    .00     8 .
 100.00     9 . 0000000000000000000000000000000000
    .00     9 .
  73.00    10 . 0000000000000000000000000000
    .00    10 .
  31.00    11 . 0000000000
  25.00 Extremes    (>=12.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A20_04 Mean		7.7919	.07678
95% Confidence Int for Mean	Lower Bound	7.6411	
	Upper Bound	7.9426	
5% Trimmed Mean		7.7754	
Median		8.0000	
Variance		3.908	
Std. Deviation		1.97693	
Minimum		3.00	
Maximum		15.00	
Range		12.00	
Interquartile Range		2.0000	
Skewness		.187	.095
Kurtosis		.045	.190

N=100

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  32.00 Extremes    (=<.0)
 133.00      1 . 0000000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 255.00      2 . 0000000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 168.00      3 . 000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
  68.00      4 . 00000000000
   7.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_045



A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  12.00 Extremes    (=<1.0)
  39.00      2 . 000000000
    .00      2 .
 110.00      3 . 0000000000000000000000000000
    .00      3 .
 187.00      4 . 0000000000000000000000000000000000000000000000000
    .00      4 .
 136.00      5 . 00000000000000000000000000000000
    .00      5 .
 107.00      6 . 000000000000000000000000000
    .00      6 .
  51.00      7 . 000000000000000
    .00      7 .
  15.00      8 . 0000
   6.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_045



Descriptives

			Statistic	Std. Error
A5_045	Mean		2.1931	.04104
	95% Confidence Inter for Mean	Lower Bound	2.1125	
		Upper Bound	2.2736	
	5% Trimmed Mean		2.2009	
	Median		2.0000	
	Variance		1.117	
	Std. Deviation		1.05676	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		.101	.095
	Kurtosis		-.275	.190

Descriptives

			Statistic	Std. Error
A10_04:	Mean		4.5566	.06037
	95% Confidence Inte for Mean	Lower Bound	4.4380	
		Upper Bound	4.6751	
	5% Trimmed Mean		4.5377	
	Median		4.0000	
	Variance		2.416	
	Std. Deviation		1.55446	
	Minimum		.00	
	Maximum		10.00	
	Range		10.00	
	Interquartile Range		2.0000	
	Skewness		.243	.095
	Kurtosis		.053	.190

N=100

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  22.00 Extremes    (=<3.0)
  48.00      4 . 0000000000000000
   .00       4 .
  88.00      5 . 00000000000000000000000000000
   .00       5 .
 127.00      6 . 0000000000000000000000000000000000000000
   .00       6 .
 148.00      7 . 00000000000000000000000000000000000000000000000000
   .00       7 .
 120.00      8 . 000000000000000000000000000000000000000
   .00       8 .
  68.00      9 . 00000000000000000000000000
   .00       9 .
  32.00     10 . 00000000000000
  10.00 Extremes    (>=11.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_045



A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  28.00 Extremes    (=<5.0)
  42.00      6 . 000000000000000
   .00       6 .
  81.00      7 . 000000000000000000000000000
   .00       7 .
 106.00      8 . 0000000000000000000000000000000000
   .00       8 .
 119.00      9 . 00000000000000000000000000000000000000000
   .00       9 .
 130.00     10 . 0000000000000000000000000000000000000000000000
   .00      10 .
  78.00     11 . 000000000000000000000000000
   .00      11 .
  49.00     12 . 0000000000000000000
  30.00 Extremes    (>=13.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A15_04: Mean		6.7753	.07044
95% Confidence Inte for Mean	Lower Bound	6.6370	
	Upper Bound	6.9136	
5% Trimmed Mean		6.7805	
Median		7.0000	
Variance		3.289	
Std. Deviation		1.81364	
Minimum		2.00	
Maximum		12.00	
Range		10.00	
Interquartile Range		2.0000	
Skewness		-.065	.095
Kurtosis		-.062	.190

Descriptives

		Statistic	Std. Error
A20_04 Mean		9.0814	.08029
95% Confidence Int for Mean	Lower Bound	8.9238	
	Upper Bound	9.2391	
5% Trimmed Mean		9.0754	
Median		9.0000	
Variance		4.274	
Std. Deviation		2.06744	
Minimum		4.00	
Maximum		15.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		.030	.095
Kurtosis		-.133	.190

N=100

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  22.00 Extremes    (=<.0)
  98.00      1 . 00000000000000000000
    .00      1 .
    .00      1 .
    .00      1 .
    .00      1 .
 193.00      2 . 0000000000000000000000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 235.00      3 . 00000000000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 101.00      4 . 0000000000000000000000
  14.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

A10_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<1.0)
  16.00      2 . 0000
    .00      2 .
  75.00      3 . 000000000000000000000
    .00      3 .
 152.00      4 . 0000000000000000000000000000000000000000
    .00      4 .
 155.00      5 . 0000000000000000000000000000000000000000
    .00      5 .
 146.00      6 . 00000000000000000000000000000000000000
    .00      6 .
  87.00      7 . 000000000000000000000000
    .00      7 .
  19.00      8 . 00000
   6.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A5_05



Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		2.5083	.04215
	95% Confidence Inter for Mean	Lower Bound	2.4255	
		Upper Bound	2.5911	
	5% Trimmed Mean		2.5226	
	Median		3.0000	
	Variance		1.178	
	Std. Deviation		1.08527	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.153	.095
	Kurtosis		-.328	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		5.0362	.05872
	95% Confidence Inter for Mean	Lower Bound	4.9209	
		Upper Bound	5.1515	
	5% Trimmed Mean		5.0369	
	Median		5.0000	
	Variance		2.286	
	Std. Deviation		1.51185	
	Minimum		.00	
	Maximum		10.00	
	Range		10.00	
	Interquartile Range		2.0000	
	Skewness		.002	.095
	Kurtosis		.162	.190

N=100

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  30.00 Extremes    (=<4.0)
  58.00      5 . 00000000000000
   .00      5 .
  74.00      6 . 000000000000000000
   .00      6 .
 162.00      7 . 000000000000000000000000000000000000000000
   .00      7 .
 136.00      8 . 00000000000000000000000000000000000
   .00      8 .
 116.00      9 . 00000000000000000000000000000
   .00      9 .
  56.00     10 . 00000000000000
   .00     10 .
  19.00     11 . 00000
  12.00 Extremes    (>=12.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_05



A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  21.00 Extremes    (=<6.0)
  41.00      7 . 00000000000000
   .00      7 .
  98.00      8 . 00000000000000000000000000000000000000
   .00      8 .
 101.00      9 . 00000000000000000000000000000000000
   .00      9 .
 127.00     10 . 0000000000000000000000000000000000000000000
   .00     10 .
 114.00     11 . 000000000000000000000000000000000000000
   .00     11 .
  88.00     12 . 00000000000000000000000000000000
   .00     12 .
  50.00     13 . 00000000000000000000
  23.00 Extremes    (>=14.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_05



Descriptives

			Statistic	Std. Error
A15_05	Mean		7.5747	.07080
	95% Confidence Int for Mean	Lower Bound	7.4356	
		Upper Bound	7.7137	
	5% Trimmed Mean		7.5796	
	Median		8.0000	
	Variance		3.323	
	Std. Deviation		1.82300	
	Minimum		2.00	
	Maximum		13.00	
	Range		11.00	
	Interquartile Range		2.0000	
	Skewness		-.067	.095
	Kurtosis		.210	.190

Descriptives

			Statistic	Std. Error
A20_05	Mean		10.0498	.07769
	95% Confidence Inter for Mean	Lower Bound	9.8972	
		Upper Bound	10.2023	
	5% Trimmed Mean		10.0436	
	Median		10.0000	
	Variance		4.002	
	Std. Deviation		2.00051	
	Minimum		3.00	
	Maximum		17.00	
	Range		14.00	
	Interquartile Range		2.0000	
	Skewness		.052	.095
	Kurtosis		-.093	.190

N=100

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<.0)
  68.00     1 . 00000000000000
    .00     1 .
    .00     1 .
    .00     1 .
    .00     1 .
 176.00     2 . 0000000000000000000000000000000000
    .00     2 .
    .00     2 .
    .00     2 .
    .00     2 .
 250.00     3 . 00000000000000000000000000000000000000000000000000
    .00     3 .
    .00     3 .
    .00     3 .
    .00     3 .
 133.00     4 . 0000000000000000000000000000
  26.00 Extremes    (>=5.0)
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_055



Descriptives

		Statistic	Std. Error
A5_055	Mean	2.7632	.04100
	95% Confidence Int for Mean Lower Bound	2.6827	
	Upper Bound	2.8437	
	5% Trimmed Mean	2.7656	
	Median	3.0000	
	Variance	1.115	
	Std. Deviation	1.05572	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	-.149	.095
	Kurtosis	-.237	.190

A10_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   9.00 Extremes    (=<2.0)
  45.00     3 . 00000000000
    .00     3 .
 101.00     4 . 000000000000000000000000000
    .00     4 .
 159.00     5 . 00000000000000000000000000000000000000000
    .00     5 .
 182.00     6 . 0000000000000000000000000000000000000000000000
    .00     6 .
 109.00     7 . 0000000000000000000000000000
    .00     7 .
  49.00     8 . 000000000000
    .00     8 .
   9.00     9 . 00
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A10_055	Mean	5.5460	.05624
	95% Confidence Interv for Mean Lower Bound	5.4356	
	Upper Bound	5.6564	
	5% Trimmed Mean	5.5561	
	Median	6.0000	
	Variance	2.097	
	Std. Deviation	1.44817	
	Minimum	1.00	
	Maximum	9.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	-.122	.095
	Kurtosis	-.149	.190

N=100

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<2.0)
   2.00     3 . 0
   8.00     4 . 000
  26.00     5 . 000000000
  63.00     6 . 000000000000000000000
 113.00     7 . 0000000000000000000000000000000000000
 139.00     8 . 00000000000000000000000000000000000000000000
 141.00     9 . 000000000000000000000000000000000000000000000
  91.00    10 . 0000000000000000000000000000
  51.00    11 . 00000000000000000
  24.00    12 . 00000000
   4.00    13 . 0
Stem width:     1.00
Each leaf:      3 case(s)
```

A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  26.00 Extremes    (=<7.0)
  52.00     8 . 0000000000000000000
   .00      8 .
  79.00     9 . 0000000000000000000000000000
   .00      9 .
 121.00    10 . 00000000000000000000000000000000000000000
   .00     10 .
 131.00    11 . 000000000000000000000000000000000000000000000
   .00     11 .
 106.00    12 . 0000000000000000000000000000000000
   .00     12 .
  77.00    13 . 0000000000000000000000000000
   .00     13 .
  45.00    14 . 000000000000000000
  26.00 Extremes    (>=15.0)
Stem width:     1.00
Each leaf:      3 case(s)
```





Descriptives

		Statistic	Std. Error
A15_055 Mean		8.3424	.07053
95% Confidence Inter for Mean	Lower Bound	8.2039	
	Upper Bound	8.4809	
5% Trimmed Mean		8.3519	
Median		8.0000	
Variance		3.298	
Std. Deviation		1.81604	
Minimum		2.00	
Maximum		13.00	
Range		11.00	
Interquartile Range		3.0000	
Skewness		-.072	.095
Kurtosis		-.065	.190

Descriptives

		Statistic	Std. Error
A20_055 Mean		10.9351	.07858
95% Confidence Inter for Mean	Lower Bound	10.7808	
	Upper Bound	11.0894	
5% Trimmed Mean		10.9330	
Median		11.0000	
Variance		4.094	
Std. Deviation		2.02336	
Minimum		5.00	
Maximum		17.00	
Range		12.00	
Interquartile Range		2.0000	
Skewness		.023	.095
Kurtosis		-.219	.190

N=100

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   8.00      0 . 00
    .00      0 .
  48.00      1 . 0000000000
    .00      1 .
 145.00      2 . 000000000000000000000000000
    .00      2 .
 250.00      3 . 0000000000000000000000000000000000000000000000000
    .00      3 .
 161.00      4 . 00000000000000000000000000000
    .00      4 .
  51.00      5 . 0000000000

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_06



A10_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<2.0)
  23.00      3 . 000000
    .00      3 .
  77.00      4 . 00000000000000000000
    .00      4 .
 144.00      5 . 000000000000000000000000000000000000
    .00      5 .
 170.00      6 . 0000000000000000000000000000000000000000
    .00      6 .
 159.00      7 . 000000000000000000000000000000000000000
    .00      7 .
  69.00      8 . 00000000000000000
    .00      8 .
  15.00      9 . 0000
   2.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		2.9970	.04199
	95% Confidence Inte for Mean	Lower Bound	2.9145	
		Upper Bound	3.0794	
	5% Trimmed Mean		3.0101	
	Median		3.0000	
	Variance		1.169	
	Std. Deviation		1.08128	
	Minimum		.00	
	Maximum		5.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		-.203	.095
	Kurtosis		-.186	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		5.9502	.05491
	95% Confidence Inter for Mean	Lower Bound	5.8424	
		Upper Bound	6.0580	
	5% Trimmed Mean		5.9648	
	Median		6.0000	
	Variance		1.999	
	Std. Deviation		1.41387	
	Minimum		2.00	
	Maximum		10.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		-.105	.095
	Kurtosis		-.269	.190

N=100

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  30.00 Extremes    (=<5.0)
  35.00      6 . 000000000
   .00       6 .
  84.00      7 . 000000000000000000000
   .00       7 .
 124.00      8 . 0000000000000000000000000000000
   .00       8 .
 155.00      9 . 00000000000000000000000000000000000000
   .00       9 .
 108.00     10 . 000000000000000000000000000
   .00      10 .
  69.00     11 . 00000000000000000
   .00      11 .
  47.00     12 . 000000000000
  11.00 Extremes    (>=13.0)
Stem width:    1.00
Each leaf:     4 case(s)
```

Normal Q-Q Plot of A15_06



A20_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  28.00 Extremes    (=<8.0)
  45.00      9 . 000000000000000
   .00       9 .
  83.00     10 . 0000000000000000000000000000
   .00      10 .
 110.00     11 . 00000000000000000000000000000000000
   .00      11 .
 133.00     12 . 000000000000000000000000000000000000000000
   .00      12 .
 115.00     13 . 0000000000000000000000000000000000000
   .00      13 .
  94.00     14 . 00000000000000000000000000000000
   .00      14 .
  35.00     15 . 000000000000
  20.00 Extremes    (>=16.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A15_06	Mean	8.8658	.07225
	95% Confidence Inte Lower Bound for Mean	8.7239	
	Upper Bound	9.0076	
	5% Trimmed Mean	8.8877	
	Median	9.0000	
	Variance	3.461	
	Std. Deviation	1.86032	
	Minimum	3.00	
	Maximum	14.00	
	Range	11.00	
	Interquartile Range	2.0000	
	Skewness	-.075	.095
	Kurtosis	-.177	.190

Descriptives

		Statistic	Std. Error
A20_06	Mean	11.9457	.07583
	95% Confidence Int Lower Bound for Mean	11.7968	
	Upper Bound	12.0946	
	5% Trimmed Mean	11.9548	
	Median	12.0000	
	Variance	3.813	
	Std. Deviation	1.95263	
	Minimum	6.00	
	Maximum	18.00	
	Range	12.00	
	Interquartile Range	2.0000	
	Skewness	-.063	.095
	Kurtosis	-.216	.190

N=100

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  36.00 Extremes    (=<1.0)
 124.00     2 . 0000000000000000000000000
    .00     2 .
    .00     2 .
    .00     2 .
    .00     2 .
 234.00     3 . 000000000000000000000000000000000000000000000
    .00     3 .
    .00     3 .
    .00     3 .
    .00     3 .
 191.00     4 . 0000000000000000000000000000000000000
    .00     4 .
    .00     4 .
    .00     4 .
    .00     4 .
  78.00     5 . 000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_065



A10_065 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  69.00 Extremes    (=<4.0)
  94.00     5 . 0000000000000000000000
    .00     5 .
    .00     5 .
    .00     5 .
    .00     5 .
 178.00     6 . 0000000000000000000000000000000000000000000
    .00     6 .
    .00     6 .
    .00     6 .
    .00     6 .
 161.00     7 . 0000000000000000000000000000000000000000
    .00     7 .
    .00     7 .
    .00     7 .
    .00     7 .
 103.00     8 . 0000000000000000000000000000
  58.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065	Mean	3.2217	.04157
	95% Confidence I Lower Bound for Mean	3.1401	
	Upper Bound	3.3033	
	5% Trimmed Mean	3.2531	
	Median	3.0000	
	Variance	1.146	
	Std. Deviation	1.07034	
	Minimum	.00	
	Maximum	5.00	
	Range	5.00	
	Interquartile Range	1.0000	
	Skewness	-.228	.095
	Kurtosis	-.299	.190

Descriptives

		Statistic	Std. Error
A10_065	Mean	6.4600	.05789
	95% Confidence Inter Lower Bound for Mean	6.3464	
	Upper Bound	6.5737	
	5% Trimmed Mean	6.4623	
	Median	6.0000	
	Variance	2.222	
	Std. Deviation	1.49050	
	Minimum	1.00	
	Maximum	10.00	
	Range	9.00	
	Interquartile Range	1.0000	
	Skewness	-.066	.095
	Kurtosis	-.188	.190

N=100

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00      5 . 00
    .00      5 .
  21.00      6 . 0000000
    .00      6 .
  52.00      7 . 0000000000000000
    .00      7 .
  89.00      8 . 00000000000000000000000000000
    .00      8 .
 127.00      9 . 0000000000000000000000000000000000000000
    .00      9 .
 146.00     10 . 000000000000000000000000000000000000000000000000
    .00     10 .
 135.00     11 . 000000000000000000000000000000000000000000000
    .00     11 .
  61.00     12 . 00000000000000000000
    .00     12 .
  22.00     13 . 0000000
    .00     13 .
   4.00     14 . 0
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_065



Descriptives

		Statistic	Std. Error
A15_065 Mean		9.6440	.06740
95% Confidence Inter for Mean	Lower Bound	9.5117	
	Upper Bound	9.7764	
5% Trimmed Mean		9.6651	
Median		10.0000	
Variance		3.012	
Std. Deviation		1.73553	
Minimum		5.00	
Maximum		14.00	
Range		9.00	
Interquartile Range		3.0000	
Skewness		-.204	.095
Kurtosis		-.279	.190

A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  23.00 Extremes    (=<9.0)
  39.00     10 . 000000000
    .00     10 .
  81.00     11 . 000000000000000000000
    .00     11 .
 112.00     12 . 0000000000000000000000000000
    .00     12 .
 151.00     13 . 00000000000000000000000000000000000000000
    .00     13 .
 135.00     14 . 000000000000000000000000000000000000
    .00     14 .
  69.00     15 . 00000000000000000
    .00     15 .
  40.00     16 . 0000000000
  13.00 Extremes    (>=17.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A20_065 Mean		12.9487	.07151
95% Confidence Inter for Mean	Lower Bound	12.8083	
	Upper Bound	13.0891	
5% Trimmed Mean		12.9531	
Median		13.0000	
Variance		3.390	
Std. Deviation		1.84123	
Minimum		8.00	
Maximum		19.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		-.009	.095
Kurtosis		.070	.190

N=100

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  16.00 Extremes    (=<1.0)
  93.00      2 . 0000000000000000000
    .00      2 .
    .00      2 .
    .00      2 .
    .00      2 .
 193.00      3 . 0000000000000000000000000000000000000
    .00      3 .
    .00      3 .
    .00      3 .
    .00      3 .
 241.00      4 . 000000000000000000000000000000000000000000000
    .00      4 .
    .00      4 .
    .00      4 .
    .00      4 .
 120.00      5 . 000000000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		3.5370	.03956
	95% Confidence Ir for Mean	Lower Bound	3.4593	
		Upper Bound	3.6146	
	5% Trimmed Mean		3.5679	
	Median		4.0000	
	Variance		1.038	
	Std. Deviation		1.01859	
	Minimum		1.00	
	Maximum		5.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		-.328	.095
	Kurtosis		-.523	.190

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<3.0)
  15.00      4 . 0000
    .00      4 .
  68.00      5 . 00000000000000000
    .00      5 .
 141.00      6 . 000000000000000000000000000000000000
    .00      6 .
 190.00      7 . 0000000000000000000000000000000000000000000000
    .00      7 .
 160.00      8 . 0000000000000000000000000000000000000000
    .00      8 .
  78.00      9 . 000000000000000000000
    .00      9 .
   9.00     10 . 00
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A10_07	Mean		7.0181	.05100
	95% Confidence Inter for Mean	Lower Bound	6.9180	
		Upper Bound	7.1182	
	5% Trimmed Mean		7.0385	
	Median		7.0000	
	Variance		1.725	
	Std. Deviation		1.31330	
	Minimum		2.00	
	Maximum		10.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		-.210	.095
	Kurtosis		-.204	.190

N=100

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00      5 . 0
   7.00      6 . 00
  17.00      7 . 0000
  53.00      8 . 0000000000000
 101.00      9 . 00000000000000000000000
 155.00     10 . 0000000000000000000000000000000000000
 144.00     11 . 000000000000000000000000000000000000
 112.00     12 . 0000000000000000000000000000
  55.00     13 . 00000000000000
  15.00     14 . 0000
   1.00     15 . &

Stem width:     1.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  21.00 Extremes    (=<10.0)
  37.00     11 . 000000000
    .00     11 .
  72.00     12 . 000000000000000000
    .00     12 .
 116.00     13 . 0000000000000000000000000000
    .00     13 .
 173.00     14 . 00000000000000000000000000000000000000000
    .00     14 .
 118.00     15 . 000000000000000000000000000
    .00     15 .
  77.00     16 . 000000000000000000
    .00     16 .
  36.00     17 . 000000000
  13.00 Extremes    (>=18.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_07



Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A15_07 Mean		10.4480	.06531
95% Confidence Int for Mean	Lower Bound	10.3197	
	Upper Bound	10.5762	
5% Trimmed Mean		10.4807	
Median		10.0000	
Variance		2.828	
Std. Deviation		1.68158	
Minimum		5.00	
Maximum		15.00	
Range		10.00	
Interquartile Range		3.0000	
Skewness		-.246	.095
Kurtosis		.027	.190

Descriptives

		Statistic	Std. Error
A20_07 Mean		13.9472	.06998
95% Confidence Ir for Mean	Lower Bound	13.8098	
	Upper Bound	14.0846	
5% Trimmed Mean		13.9749	
Median		14.0000	
Variance		3.246	
Std. Deviation		1.80179	
Minimum		7.00	
Maximum		18.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		-.278	.095
Kurtosis		.363	.190

N=100

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  8.00 Extremes    (=<1.0)
 61.00      2 . 000000000000
   .00      2 .
   .00      2 .
   .00      2 .
   .00      2 .
183.00      3 . 000000000000000000000000000000000000
   .00      3 .
   .00      3 .
   .00      3 .
   .00      3 .
246.00      4 . 00000000000000000000000000000000000000000000000
   .00      4 .
   .00      4 .
   .00      4 .
   .00      4 .
165.00      5 . 000000000000000000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_075



Descriptives

			Statistic	Std. Error
A5_075	Mean		3.7526	.03769
	95% Confidence Inte for Mean	Lower Bound	3.6786	
		Upper Bound	3.8266	
	5% Trimmed Mean		3.7941	
	Median		4.0000	
	Variance		.942	
	Std. Deviation		.97043	
	Minimum		1.00	
	Maximum		5.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		-.413	.095
	Kurtosis		-.446	.190

A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
 51.00 Extremes    (=<5.0)
 98.00      6 . 00000000000000000000000000
   .00      6 .
   .00      6 .
   .00      6 .
   .00      6 .
172.00      7 . 0000000000000000000000000000000000000000000000
   .00      7 .
   .00      7 .
   .00      7 .
   .00      7 .
196.00      8 . 00000000000000000000000000000000000000000000000000
   .00      8 .
   .00      8 .
   .00      8 .
   .00      8 .
110.00      9 . 0000000000000000000000000000
 36.00 Extremes    (>=10.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_075



Descriptives

			Statistic	Std. Error
A10_07:	Mean		7.4646	.05235
	95% Confidence Inte for Mean	Lower Bound	7.3618	
		Upper Bound	7.5674	
	5% Trimmed Mean		7.4874	
	Median		8.0000	
	Variance		1.817	
	Std. Deviation		1.34800	
	Minimum		3.00	
	Maximum		10.00	
	Range		7.00	
	Interquartile Range		1.0000	
	Skewness		-.335	.095
	Kurtosis		-.030	.190

N=100

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<7.0)
  19.00      8 . 00000
    .00      8 .
  63.00      9 . 000000000000000
    .00      9 .
 114.00     10 . 000000000000000000000000000
    .00     10 .
 153.00     11 . 000000000000000000000000000000000000
    .00     11 .
 165.00     12 . 000000000000000000000000000000000000000
    .00     12 .
  90.00     13 . 000000000000000000000
    .00     13 .
  49.00     14 . 000000000000
   3.00 Extremes    (>=15.0)
Stem width:    1.00
Each leaf:     4 case(s)
```

A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   13.00 Extremes    (=<11.0)
  29.00     12 . 0000000
    .00     12 .
  87.00     13 . 000000000000000000000
    .00     13 .
 125.00     14 . 0000000000000000000000000000000
    .00     14 .
 154.00     15 . 0000000000000000000000000000000000000
    .00     15 .
 128.00     16 . 0000000000000000000000000000000
    .00     16 .
  79.00     17 . 0000000000000000000
    .00     17 .
  38.00     18 . 000000000
   10.00 Extremes    (>=19.0)
Stem width:    1.00
Each leaf:     4 case(s)
```

Normal Q-Q Plot of A15_075



Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_075 Mean		11.2685	.06083
95% Confidence Inter for Mean	Lower Bound	11.1490	
	Upper Bound	11.3879	
5% Trimmed Mean		11.2947	
Median		11.0000	
Variance		2.453	
Std. Deviation		1.56636	
Minimum		6.00	
Maximum		15.00	
Range		9.00	
Interquartile Range		2.0000	
Skewness		-.221	.095
Kurtosis		-.213	.190

Descriptives

		Statistic	Std. Error
A20_07 Mean		14.9985	.06640
95% Confidence Int for Mean	Lower Bound	14.8681	
	Upper Bound	15.1289	
5% Trimmed Mean		15.0084	
Median		15.0000	
Variance		2.923	
Std. Deviation		1.70967	
Minimum		9.00	
Maximum		20.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		-.065	.095
Kurtosis		-.093	.190

N=100

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00      1 . &
    .00      1 .
  30.00      2 . 00000
    .00      2 .
 140.00      3 . 00000000000000000000000
    .00      3 .
 275.00      4 . 0000000000000000000000000000000000000000000000
    .00      4 .
 216.00      5 . 000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)
& denotes fractional leaves.
```

A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<4.0)
  13.00      5 . 000
    .00      5 .
  64.00      6 . 0000000000000
    .00      6 .
 143.00      7 . 00000000000000000000000000000
    .00      7 .
 211.00      8 . 000000000000000000000000000000000000000000
    .00      8 .
 161.00      9 . 00000000000000000000000000000000
    .00      9 .
  68.00     10 . 00000000000000

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

			Statistic	Std. Error
A5_08	Mean		4.0151	.03354
	95% Confidence Int for Mean	Lower Bound	3.9492	
		Upper Bound	4.0809	
	5% Trimmed Mean		4.0737	
	Median		4.0000	
	Variance		.746	
	Std. Deviation		.86371	
	Minimum		1.00	
	Maximum		5.00	
	Range		4.00	
	Interquartile Range		2.0000	
	Skewness		-.565	.095
	Kurtosis		-.242	.190

Descriptives

			Statistic	Std. Error
A10_08	Mean		7.9623	.04764
	95% Confidence Inte for Mean	Lower Bound	7.8688	
		Upper Bound	8.0558	
	5% Trimmed Mean		7.9899	
	Median		8.0000	
	Variance		1.505	
	Std. Deviation		1.22663	
	Minimum		4.00	
	Maximum		10.00	
	Range		6.00	
	Interquartile Range		2.0000	
	Skewness		-.312	.095
	Kurtosis		-.205	.190

N=100

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  4.00 Extremes    (=<8.0)
 23.00      9 . 000000
   .00      9 .
 61.00     10 . 000000000000000
   .00     10 .
143.00     11 . 000000000000000000000000000000000
   .00     11 .
178.00     12 . 0000000000000000000000000000000000000000
   .00     12 .
172.00     13 . 0000000000000000000000000000000000000000
   .00     13 .
 66.00     14 . 0000000000000000
   .00     14 .
 16.00     15 . 0000

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_08



A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  7.00 Extremes    (=<12.0)
 31.00     13 . 00000000
   .00     13 .
 70.00     14 . 0000000000000000000
   .00     14 .
139.00     15 . 0000000000000000000000000000000000000
   .00     15 .
159.00     16 . 00000000000000000000000000000000000000000
   .00     16 .
145.00     17 . 0000000000000000000000000000000000000
   .00     17 .
 71.00     18 . 000000000000000000000
   .00     18 .
 33.00     19 . 00000000
  8.00 Extremes    (>=20.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A20_08



Descriptives

			Statistic	Std. Error
A15_08	Mean		12.0000	.05349
	95% Confidence Inter for Mean	Lower Bound	11.8950	
		Upper Bound	12.1050	
	5% Trimmed Mean		12.0285	
	Median		12.0000	
	Variance		1.897	
	Std. Deviation		1.37742	
	Minimum		7.00	
	Maximum		15.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		-.289	.095
	Kurtosis		.064	.190

Descriptives

			Statistic	Std. Error
A20_08	Mean		16.0226	.06206
	95% Confidence Int for Mean	Lower Bound	15.9008	
		Upper Bound	16.1445	
	5% Trimmed Mean		16.0285	
	Median		16.0000	
	Variance		2.554	
	Std. Deviation		1.59808	
	Minimum		11.00	
	Maximum		20.00	
	Range		9.00	
	Interquartile Range		2.0000	
	Skewness		-.062	.095
	Kurtosis		-.050	.190

N=100

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  11.00 Extremes    (=<2.0)
 108.00     3 . 000000000000000000
    .00     3 .
    .00     3 .
    .00     3 .
    .00     3 .
 261.00     4 . 000000000000000000000000000000000000000000
    .00     4 .
    .00     4 .
    .00     4 .
    .00     4 .
 283.00     5 . 000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_085



A10_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  24.00 Extremes    (=<6.0)
  75.00     7 . 000000000000000
    .00     7 .
    .00     7 .
    .00     7 .
    .00     7 .
 199.00     8 . 0000000000000000000000000000000000000000
    .00     8 .
    .00     8 .
    .00     8 .
    .00     8 .
 242.00     9 . 00000000000000000000000000000000000000000000
    .00     9 .
    .00     9 .
    .00     9 .
    .00     9 .
 123.00    10 . 000000000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A10_085



Descriptives

			Statistic	Std. Error
A5_085	Mean		4.2308	.03018
	95% Confidence Inte for Mean	Lower Bound	4.1715	
		Upper Bound	4.2900	
	5% Trimmed Mean		4.2748	
	Median		4.0000	
	Variance		.604	
	Std. Deviation		.77702	
	Minimum		2.00	
	Maximum		5.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-.639	.095
	Kurtosis		-.421	.190

Descriptives

			Statistic	Std. Error
A10_085	Mean		8.5445	.04074
	95% Confidence Inte for Mean	Lower Bound	8.4645	
		Upper Bound	8.6245	
	5% Trimmed Mean		8.5964	
	Median		9.0000	
	Variance		1.100	
	Std. Deviation		1.04898	
	Minimum		5.00	
	Maximum		10.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.543	.095
	Kurtosis		.104	.190

N=100

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<9.0)
  26.00     10 . 000000
    .00     10 .
  71.00     11 . 000000000000000000
    .00     11 .
 150.00     12 . 000000000000000000000000000000000000
    .00     12 .
 195.00     13 .
000000000000000000000000000000000000000000000000
    .00     13 .
 178.00     14 . 00000000000000000000000000000000000000000000
    .00     14 .
  39.00     15 . 0000000000
Stem width:     1.00
Each leaf:      4 case(s)
```

A20_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<13.0)
  26.00     14 . 000000
    .00     14 .
  64.00     15 . 0000000000000000
    .00     15 .
 116.00     16 . 00000000000000000000000000000000
    .00     16 .
 177.00     17 . 000000000000000000000000000000000000000000000000
    .00     17 .
 176.00     18 . 000000000000000000000000000000000000000000000000
    .00     18 .
  73.00     19 . 000000000000000000
    .00     19 .
  21.00     20 . 00000
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_085



Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_085 Mean		12.8039	.04869
95% Confidence Inter for Mean	Lower Bound	12.7083	
	Upper Bound	12.8995	
5% Trimmed Mean		12.8391	
Median		13.0000	
Variance		1.572	
Std. Deviation		1.25370	
Minimum		9.00	
Maximum		15.00	
Range		6.00	
Interquartile Range		2.0000	
Skewness		-.437	.095
Kurtosis		-.218	.190

Descriptives

		Statistic	Std. Error
A20_085 Mean		17.0332	.05711
95% Confidence Inter for Mean	Lower Bound	16.9211	
	Upper Bound	17.1453	
5% Trimmed Mean		17.0757	
Median		17.0000	
Variance		2.162	
Std. Deviation		1.47039	
Minimum		12.00	
Maximum		20.00	
Range		8.00	
Interquartile Range		2.0000	
Skewness		-.403	.095
Kurtosis		.027	.190

N=100

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<2.0)
  57.00     3 . 000000
    .00     3 .
    .00     3 .
    .00     3 .
    .00     3 .
 203.00     4 . 00000000000000000000000
    .00     4 .
    .00     4 .
    .00     4 .
    .00     4 .
 401.00     5 . 0000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      9 case(s)
```

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00     6 . 0
    .00     6 .
  27.00     7 . 0000
    .00     7 .
 136.00     8 . 0000000000000000000000000
    .00     8 .
 256.00     9 . 0000000000000000000000000000000000000000000000
    .00     9 .
 239.00    10 . 0000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)
```

Normal Q-Q Plot of A5_09



Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		4.5113	.02604
	95% Confidence Inter for Mean	Lower Bound	4.4602	
		Upper Bound	4.5624	
	5% Trimmed Mean		4.5732	
	Median		5.0000	
	Variance		.450	
	Std. Deviation		.67056	
	Minimum		1.00	
	Maximum		5.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		-1.187	.095
	Kurtosis		.951	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		9.0513	.03463
	95% Confidence Inter for Mean	Lower Bound	8.9833	
		Upper Bound	9.1193	
	5% Trimmed Mean		9.1190	
	Median		9.0000	
	Variance		.795	
	Std. Deviation		.89160	
	Minimum		6.00	
	Maximum		10.00	
	Range		4.00	
	Interquartile Range		2.0000	
	Skewness		-.703	.095
	Kurtosis		.053	.190

N=100

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  30.00 Extremes    (=<11.0)
  83.00     12 . 00000000000000000
    .00     12 .
    .00     12 .
    .00     12 .
    .00     12 .
 185.00     13 . 0000000000000000000000000000000000000
    .00     13 .
    .00     13 .
    .00     13 .
    .00     13 .
 240.00     14 . 000000000000000000000000000000000000000000000000
    .00     14 .
    .00     14 .
    .00     14 .
    .00     14 .
 125.00     15 . 00000000000000000000000000
Stem width:     1.00
Each leaf:      5 case(s)
```

A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<13.0)
   5.00     15 . 0
    .00     15 .
  57.00     16 . 000000000
    .00     16 .
 125.00     17 . 00000000000000000000000
    .00     17 .
 256.00     18 . 0000000000000000000000000000000000000000000000000000
    .00     18 .
 164.00     19 . 0000000000000000000000000000000
    .00     19 .
  55.00     20 . 000000000

Stem width:     1.00
Each leaf:      6 case(s)
```





Descriptives

			Statistic	Std. Error
A15_09	Mean		13.5173	.04231
	95% Confidence Inter for Mean	Lower Bound	13.4343	
		Upper Bound	13.6004	
	5% Trimmed Mean		13.5763	
	Median		14.0000	
	Variance		1.187	
	Std. Deviation		1.08933	
	Minimum		10.00	
	Maximum		15.00	
	Range		5.00	
	Interquartile Range		1.0000	
	Skewness		-.551	.095
	Kurtosis		-.062	.190

Descriptives

			Statistic	Std. Error
A20_09	Mean		18.0226	.04287
	95% Confidence Inte for Mean	Lower Bound	17.9384	
		Upper Bound	18.1068	
	5% Trimmed Mean		18.0385	
	Median		18.0000	
	Variance		1.219	
	Std. Deviation		1.10387	
	Minimum		13.00	
	Maximum		20.00	
	Range		7.00	
	Interquartile Range		2.0000	
	Skewness		-.329	.095
	Kurtosis		.205	.190

N=100

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

 133.00 Extremes    (=<4)
 530.00      0 . 55555555555555555555555555555555555555555555555

Stem width:     10.00
Each leaf:      11 case(s)
```

Normal Q-Q Plot of A5_095



A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<7.0)
  37.00      8 . 00000
    .00      8 .
    .00      8 .
    .00      8 .
    .00      8 .
 238.00      9 . 00000000000000000000000000000
    .00      9 .
    .00      9 .
    .00      9 .
    .00      9 .
 385.00     10 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      8 case(s)
```

Normal Q-Q Plot of A10_095



Descriptives

			Statistic	Std. Error
A5_095	Mean		4.7828	.01765
	95% Confidence Inter for Mean	Lower Bound	4.7481	
		Upper Bound	4.8175	
	5% Trimmed Mean		4.8327	
	Median		5.0000	
	Variance		.207	
	Std. Deviation		.45446	
	Minimum		2.00	
	Maximum		5.00	
	Range		3.00	
	Interquartile Range		.0000	
	Skewness		-2.036	.095
	Kurtosis		4.071	.190

Descriptives

			Statistic	Std. Error
A10_095	Mean		9.5158	.02423
	95% Confidence Interv for Mean	Lower Bound	9.4683	
		Upper Bound	9.5634	
	5% Trimmed Mean		9.5782	
	Median		10.0000	
	Variance		.389	
	Std. Deviation		.62378	
	Minimum		7.00	
	Maximum		10.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		-1.034	.095
	Kurtosis		.546	.190

N=100

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  12.00 Extremes    (=<12.0)
  82.00     13 . 000000000000
    .00     13 .
    .00     13 .
    .00     13 .
    .00     13 .
 265.00     14 . 0000000000000000000000000000000000000000
    .00     14 .
    .00     14 .
    .00     14 .
    .00     14 .
 304.00     15 . 0000000000000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      7 case(s)
```

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00     16 . &
    .00     16 .
  33.00     17 . 00000
    .00     17 .
 139.00     18 . 0000000000000000000000000
    .00     18 .
 272.00     19 . 0000000000000000000000000000000000000000000000
    .00     19 .
 217.00     20 . 0000000000000000000000000000000000000

Stem width:     1.00
Each leaf:      6 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A15_095



Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_095	Mean	14.2971	.02944
	95% Confidence Inter for Mean — Lower Bound	14.2393	
	95% Confidence Inter for Mean — Upper Bound	14.3549	
	5% Trimmed Mean	14.3519	
	Median	14.0000	
	Variance	.575	
	Std. Deviation	.75810	
	Minimum	11.00	
	Maximum	15.00	
	Range	4.00	
	Interquartile Range	1.0000	
	Skewness	-.868	.095
	Kurtosis	.369	.190

Descriptives

		Statistic	Std. Error
A20_095	Mean	19.0090	.03395
	95% Confidence Inter for Mean — Lower Bound	18.9424	
	95% Confidence Inter for Mean — Upper Bound	19.0757	
	5% Trimmed Mean	19.0690	
	Median	19.0000	
	Variance	.764	
	Std. Deviation	.87422	
	Minimum	16.00	
	Maximum	20.00	
	Range	4.00	
	Interquartile Range	2.0000	
	Skewness	-.575	.095
	Kurtosis	-.261	.190

N=500

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  181.00     0 . 0000000000000000000000000000000000000
    .00      0 .
  246.00     1 . 000000000000000000000000000000000000000000000000000
    .00      1 .
  155.00     2 . 00000000000000000000000000000000
    .00      2 .
   56.00     3 . 00000000000
    .00      3 .
   22.00     4 . 0000
    3.00 Extremes    (>=5.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

Normal Q-Q Plot of A5_005



A10_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   44.00     0 . 00000000000
    .00      0 .
  133.00     1 . 0000000000000000000000000000000000
    .00      1 .
  183.00     2 . 000000000000000000000000000000000000000000000000
    .00      2 .
  160.00     3 . 0000000000000000000000000000000000000000
    .00      3 .
   93.00     4 . 000000000000000000000000000
    .00      4 .
   29.00     5 . 0000000
    21.00 Extremes    (>=6.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A10_005



Descriptives

			Statistic	Std. Error
A5_005	Mean		1.2489	.04199
	95% Confidence Inter for Mean	Lower Bound	1.1664	
		Upper Bound	1.3313	
	5% Trimmed Mean		1.1724	
	Median		1.0000	
	Variance		1.169	
	Std. Deviation		1.08124	
	Minimum		.00	
	Maximum		6.00	
	Range		6.00	
	Interquartile Range		2.0000	
	Skewness		.816	.095
	Kurtosis		.536	.190

Descriptives

			Statistic	Std. Error
A10_00:	Mean		2.4540	.05543
	95% Confidence Inte for Mean	Lower Bound	2.3452	
		Upper Bound	2.5628	
	5% Trimmed Mean		2.4053	
	Median		2.0000	
	Variance		2.037	
	Std. Deviation		1.42716	
	Minimum		.00	
	Maximum		8.00	
	Range		8.00	
	Interquartile Range		2.0000	
	Skewness		.512	.095
	Kurtosis		.248	.190

N=500

A15_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<.0)
  50.00      1 . 00000000000
   .00       1 .
 103.00      2 . 0000000000000000000000000
   .00       2 .
 144.00      3 . 000000000000000000000000000000000
   .00       3 .
 153.00      4 . 0000000000000000000000000000000000000
   .00       4 .
  97.00      5 . 00000000000000000000000
   .00       5 .
  64.00      6 . 0000000000000000
   .00       6 .
  25.00      7 . 000000
  17.00 Extremes    (>=8.0)

Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_005



Descriptives

		Statistic	Std. Error
A15_005	Mean	3.7587	.06909
	95% Confidence Inte Lower Bound for Mean	3.6230	
	Upper Bound	3.8943	
	5% Trimmed Mean	3.7000	
	Median	4.0000	
	Variance	3.165	
	Std. Deviation	1.77911	
	Minimum	.00	
	Maximum	11.00	
	Range	11.00	
	Interquartile Range	2.0000	
	Skewness	.492	.095
	Kurtosis	.486	.190

A20_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  13.00 Extremes    (=<1.0)
  54.00      2 . 000000000000000000
   .00       2 .
  80.00      3 . 00000000000000000000000000
   .00       3 .
 121.00      4 . 0000000000000000000000000000000000000
   .00       4 .
 140.00      5 . 00000000000000000000000000000000000000000000
   .00       5 .
 119.00      6 . 0000000000000000000000000000000000000
   .00       6 .
  75.00      7 . 000000000000000000000000
   .00       7 .
  38.00      8 . 0000000000000
  23.00 Extremes    (>=9.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A20_005	Mean	4.9894	.07371
	95% Confidence Inter Lower Bound for Mean	4.8447	
	Upper Bound	5.1342	
	5% Trimmed Mean	4.9497	
	Median	5.0000	
	Variance	3.603	
	Std. Deviation	1.89805	
	Minimum	1.00	
	Maximum	11.00	
	Range	10.00	
	Interquartile Range	2.0000	
	Skewness	.243	.095
	Kurtosis	-.097	.190

N=500

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  38.00      0 . 000000000
   .00       0 .
  132.00      1 . 000000000000000000000000000000000
   .00       1 .
  185.00      2 . 0000000000000000000000000000000000000000000000000
   .00       2 .
  139.00      3 . 0000000000000000000000000000000000
   .00       3 .
   99.00      4 . 000000000000000000000000000
   .00       4 .
   47.00      5 . 000000000000
   .00       5 .
   20.00      6 . 00000
   .00       6 .
    3.00      7 . 0
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A5_01



A10_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  21.00 Extremes    (=<1.0)
  48.00      2 . 000000000000000000
   .00       2 .
  77.00      3 . 0000000000000000000000000000
   .00       3 .
  120.00      4 . 000000000000000000000000000000000000000000
   .00       4 .
  138.00      5 . 000000000000000000000000000000000000000000000000
   .00       5 .
  101.00      6 . 0000000000000000000000000000000000
   .00       6 .
   78.00      7 . 000000000000000000000000000
   .00       7 .
   47.00      8 . 000000000000000000
  33.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		2.5505	.05720
	95% Confidence Inte for Mean	Lower Bound	2.4382	
		Upper Bound	2.6628	
	5% Trimmed Mean		2.5126	
	Median		2.0000	
	Variance		2.169	
	Std. Deviation		1.47284	
	Minimum		.00	
	Maximum		7.00	
	Range		7.00	
	Interquartile Range		3.0000	
	Skewness		.444	.095
	Kurtosis		-.250	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		5.0739	.07998
	95% Confidence Inter for Mean	Lower Bound	4.9169	
		Upper Bound	5.2309	
	5% Trimmed Mean		5.0268	
	Median		5.0000	
	Variance		4.241	
	Std. Deviation		2.05931	
	Minimum		.00	
	Maximum		13.00	
	Range		13.00	
	Interquartile Range		2.0000	
	Skewness		.314	.095
	Kurtosis		.159	.190

N=500

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<1.0)
  14.00      2 . 00000
  17.00      3 . 000000
  32.00      4 . 00000000000
  77.00      5 . 00000000000000000000000000
 103.00      6 . 000000000000000000000000000000000
 109.00      7 . 000000000000000000000000000000000000
 118.00      8 . 0000000000000000000000000000000000000000
  81.00      9 . 000000000000000000000000000
  46.00     10 . 00000000000000
  28.00     11 . 000000000
  22.00     12 . 0000000
   5.00     13 . 00
   9.00 Extremes    (>=14.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<2.0)
   2.00      3 . 0
   9.00      4 . 0000
  18.00      5 . 000000000
  33.00      6 . 000000000000000
  53.00      7 . 00000000000000000000000000
  82.00      8 . 0000000000000000000000000000000000000000
  86.00      9 . 0000000000000000000000000000000000000000
 100.00     10 . 00000000000000000000000000000000000000000000000000
  90.00     11 . 000000000000000000000000000000000000000000
  79.00     12 . 0000000000000000000000000000000000000
  41.00     13 . 00000000000000000000
  43.00     14 . 000000000000000000000
  13.00     15 . 000000
   6.00     16 . 000
   3.00     17 . 0
   4.00 Extremes    (>=18.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_01



Normal Q-Q Plot of A20_01



Descriptives

		Statistic	Std. Error
A15_01	Mean	7.3544	.09380
	95% Confidence Inte Lower Bound for Mean	7.1703	
	Upper Bound	7.5386	
	5% Trimmed Mean	7.3213	
	Median	7.0000	
	Variance	5.833	
	Std. Deviation	2.41524	
	Minimum	1.00	
	Maximum	16.00	
	Range	15.00	
	Interquartile Range	3.0000	
	Skewness	.282	.095
	Kurtosis	.408	.190

Descriptives

		Statistic	Std. Error
A20_01	Mean	9.9879	.10453
	95% Confidence Inter Lower Bound for Mean	9.7827	
	Upper Bound	10.1932	
	5% Trimmed Mean	9.9765	
	Median	10.0000	
	Variance	7.245	
	Std. Deviation	2.69157	
	Minimum	2.00	
	Maximum	19.00	
	Range	17.00	
	Interquartile Range	4.0000	
	Skewness	.117	.095
	Kurtosis	.069	.190

N=500

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  13.00 Extremes    (=<.0)
  43.00      1 . 00000000000
    .00      1 .
 108.00      2 . 000000000000000000000000000
    .00      2 .
 138.00      3 . 000000000000000000000000000000000
    .00      3 .
 156.00      4 . 0000000000000000000000000000000000000
    .00      4 .
  86.00      5 . 00000000000000000000
    .00      5 .
  78.00      6 . 0000000000000000000
    .00      6 .
  27.00      7 . 0000000
  14.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<1.0)
   7.00      2 . 00
  20.00      3 . 0000000
  43.00      4 . 00000000000000
  61.00      5 . 0000000000000000000000
  81.00      6 . 000000000000000000000000000000
 117.00      7 . 000000000000000000000000000000000000000000
  92.00      8 . 00000000000000000000000000000000
  86.00      9 . 00000000000000000000000000000000
  65.00     10 . 0000000000000000000000000
  56.00     11 . 00000000000000000000000
  11.00     12 . 0000
  14.00     13 . 00000
   7.00 Extremes    (>=14.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_015



Normal Q-Q Plot of A10_015



Descriptives

		Statistic	Std. Error
A5_015	Mean	3.7722	.06832
	95% Confidence Int for Mean Lower Bound	3.6381	
	Upper Bound	3.9064	
	5% Trimmed Mean	3.7369	
	Median	4.0000	
	Variance	3.095	
	Std. Deviation	1.75914	
	Minimum	.00	
	Maximum	11.00	
	Range	11.00	
	Interquartile Range	2.0000	
	Skewness	.328	.095
	Kurtosis	.075	.190

Descriptives

		Statistic	Std. Error
A10_015	Mean	7.6214	.09775
	95% Confidence Inter for Mean Lower Bound	7.4295	
	Upper Bound	7.8134	
	5% Trimmed Mean	7.5964	
	Median	7.0000	
	Variance	6.335	
	Std. Deviation	2.51700	
	Minimum	1.00	
	Maximum	17.00	
	Range	16.00	
	Interquartile Range	3.0000	
	Skewness	.149	.095
	Kurtosis	.016	.190

N=500

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<3.0)
   2.00      4 . 0
  10.00      5 . 000
  15.00      6 . 00000
  26.00      7 . 000000000
  45.00      8 . 000000000000000
  68.00      9 . 00000000000000000000000
  81.00     10 . 000000000000000000000000000
 107.00     11 . 00000000000000000000000000000000000
  95.00     12 . 00000000000000000000000000000000
  74.00     13 . 0000000000000000000000000
  58.00     14 . 00000000000000000000
  32.00     15 . 00000000000
  25.00     16 . 00000000
  13.00     17 . 0000
   5.00     18 . 00
   6.00 Extremes    (>=19.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

A20_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<7.0)
   9.00      8 . 0000
  17.00      9 . 00000000
  22.00     10 . 00000000000
  41.00     11 . 00000000000000000000
  52.00     12 . 0000000000000000000000000000
  69.00     13 . 000000000000000000000000000000000000
  77.00     14 . 0000000000000000000000000000000000000000
  93.00     15 . 000000000000000000000000000000000000000000000000
  69.00     16 . 000000000000000000000000000000000000
  70.00     17 . 0000000000000000000000000000000000000
  47.00     18 . 000000000000000000000000000
  39.00     19 . 0000000000000000000000
  25.00     20 . 000000000000
  10.00     21 . 00000
  12.00     22 . 000000
   9.00 Extremes    (>=23.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01: Mean		11.3424	.10992
95% Confidence Inte for Mean	Lower Bound	11.1265	
	Upper Bound	11.5582	
5% Trimmed Mean		11.3165	
Median		11.0000	
Variance		8.011	
Std. Deviation		2.83037	
Minimum		3.00	
Maximum		22.00	
Range		19.00	
Interquartile Range		4.0000	
Skewness		.203	.095
Kurtosis		.438	.190

Descriptives

		Statistic	Std. Error
A20_01: Mean		15.0483	.12580
95% Confidence Inte for Mean	Lower Bound	14.8012	
	Upper Bound	15.2953	
5% Trimmed Mean		15.0017	
Median		15.0000	
Variance		10.493	
Std. Deviation		3.23931	
Minimum		7.00	
Maximum		26.00	
Range		19.00	
Interquartile Range		4.0000	
Skewness		.215	.095
Kurtosis		.045	.190

N=500

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  13.00 Extremes    (=<1.0)
  43.00      2 . 00000000000000
   .00      2 .
  93.00      3 . 000000000000000000000000000000
   .00      3 .
 120.00      4 . 000000000000000000000000000000000000000000
   .00      4 .
 146.00      5 . 0000000000000000000000000000000000000000000000000000
   .00      5 .
 112.00      6 . 0000000000000000000000000000000000000000
   .00      6 .
  76.00      7 . 000000000000000000000000000000
   .00      7 .
  27.00      8 . 000000000
  33.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_02



A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<2.0)
   2.00      3 . 0
   3.00      4 . 0
  16.00      5 . 00000
  33.00      6 . 00000000000
  59.00      7 . 000000000000000000000
  86.00      8 . 00000000000000000000000000000000
 106.00      9 . 000000000000000000000000000000000000000000
  79.00     10 . 0000000000000000000000000000
  87.00     11 . 00000000000000000000000000000000
  68.00     12 . 0000000000000000000000000000
  54.00     13 . 000000000000000000000000
  30.00     14 . 000000000000
  22.00     15 . 0000000000
  11.00     16 . 0000
   6.00     17 . 00
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		5.0106	.07482
	95% Confidence Inte for Mean	Lower Bound	4.8636	
		Upper Bound	5.1575	
	5% Trimmed Mean		4.9497	
	Median		5.0000	
	Variance		3.711	
	Std. Deviation		1.92649	
	Minimum		.00	
	Maximum		12.00	
	Range		12.00	
	Interquartile Range		2.0000	
	Skewness		.392	.095
	Kurtosis		.224	.190

Descriptives

			Statistic	Std. Error
A10_02	Mean		10.0241	.10396
	95% Confidence Inter for Mean	Lower Bound	9.8200	
		Upper Bound	10.2283	
	5% Trimmed Mean		9.9863	
	Median		10.0000	
	Variance		7.166	
	Std. Deviation		2.67686	
	Minimum		2.00	
	Maximum		17.00	
	Range		15.00	
	Interquartile Range		4.0000	
	Skewness		.198	.095
	Kurtosis		-.256	.190

N=500

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<7.0)
  11.00      8 . 00000
  16.00      9 . 00000000
  25.00     10 . 000000000000
  44.00     11 . 0000000000000000000000
  51.00     12 . 00000000000000000000000000
  75.00     13 . 000000000000000000000000000000000000000
  81.00     14 . 0000000000000000000000000000000000000000000
  56.00     15 . 00000000000000000000000000000
  74.00     16 . 000000000000000000000000000000000000000
  64.00     17 . 0000000000000000000000000000000000
  54.00     18 . 000000000000000000000000000000
  41.00     19 . 00000000000000000000000
  33.00     20 . 000000000000000000
  16.00     21 . 00000000
   9.00     22 . 0000
   9.00 Extremes    (>=23.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_02



A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  13.00 Extremes    (=<12.0)
  12.00     13 . 000000
  21.00     14 . 0000000000
  18.00     15 . 000000000
  36.00     16 . 000000000000000000
  64.00     17 . 0000000000000000000000000000000000
  47.00     18 . 00000000000000000000000
  81.00     19 . 000000000000000000000000000000000000000000
  72.00     20 . 0000000000000000000000000000000000000
  67.00     21 . 00000000000000000000000000000000000
  81.00     22 . 000000000000000000000000000000000000000000
  40.00     23 . 0000000000000000000000
  25.00     24 . 000000000000
  28.00     25 . 00000000000000
  24.00     26 . 000000000000
  14.00     27 . 0000000
  20.00 Extremes    (>=28.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_02



Descriptives

		Statistic	Std. Error
A15_02 Mean		15.0633	.13196
95% Confidence Int for Mean	Lower Bound	14.8042	
	Upper Bound	15.3225	
5% Trimmed Mean		15.0400	
Median		15.0000	
Variance		11.546	
Std. Deviation		3.39792	
Minimum		6.00	
Maximum		26.00	
Range		20.00	
Interquartile Range		4.0000	
Skewness		.127	.095
Kurtosis		-.198	.190

Descriptives

		Statistic	Std. Error
A20_02 Mean		20.1357	.14495
95% Confidence Int for Mean	Lower Bound	19.8511	
	Upper Bound	20.4204	
5% Trimmed Mean		20.1020	
Median		20.0000	
Variance		13.930	
Std. Deviation		3.73232	
Minimum		10.00	
Maximum		32.00	
Range		22.00	
Interquartile Range		4.0000	
Skewness		.145	.095
Kurtosis		.065	.190

N=500

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00      1 . 00
  14.00      2 . 00000
  41.00      3 . 00000000000000
  86.00      4 . 00000000000000000000000000000000
 100.00      5 . 0000000000000000000000000000000000
 118.00      6 . 000000000000000000000000000000000000000000
 120.00      7 . 00000000000000000000000000000000000000000000
  80.00      8 . 00000000000000000000000000000
  53.00      9 . 000000000000000000000
  35.00     10 . 000000000000000
   7.00     11 . 00
   2.00     12 . 0
   2.00 Extremes    (>=13.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_025



Descriptives

		Statistic	Std. Error
A5_025 Mean		6.2474	.08189
95% Confidence Int for Mean	Lower Bound	6.0866	
	Upper Bound	6.4082	
5% Trimmed Mean		6.2310	
Median		6.0000	
Variance		4.446	
Std. Deviation		2.10862	
Minimum		1.00	
Maximum		13.00	
Range		12.00	
Interquartile Range		3.0000	
Skewness		.131	.095
Kurtosis		-.235	.190

A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<5.0)
   7.00      6 . 000
  18.00      7 . 000000000
  31.00      8 . 000000000000000
  45.00      9 . 000000000000000000000000
  61.00     10 . 0000000000000000000000000000000
  73.00     11 . 0000000000000000000000000000000000000
  70.00     12 . 0000000000000000000000000000000000000
  92.00     13 . 0000000000000000000000000000000000000000000000000
  80.00     14 . 00000000000000000000000000000000000000000
  66.00     15 . 000000000000000000000000000000000000
  54.00     16 . 000000000000000000000000000000
  31.00     17 . 000000000000000000
  19.00     18 . 000000000
   7.00     19 . 000
   1.00     20 . &
   5.00 Extremes    (>=21.0)

Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_025



Descriptives

		Statistic	Std. Error
A10_025 Mean		12.6516	.11691
95% Confidence Inte for Mean	Lower Bound	12.4220	
	Upper Bound	12.8811	
5% Trimmed Mean		12.6399	
Median		13.0000	
Variance		9.061	
Std. Deviation		3.01018	
Minimum		4.00	
Maximum		22.00	
Range		18.00	
Interquartile Range		4.0000	
Skewness		.038	.095
Kurtosis		-.169	.190

N=500

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00      9 . 0
   2.00      10 . 0
   6.00      11 . 000
   5.00      12 . 00
  14.00      13 . 0000000
  32.00      14 . 00000000000000000
  45.00      15 . 000000000000000000000
  61.00      16 . 0000000000000000000000000000000
  77.00      17 . 00000000000000000000000000000000000000
  77.00      18 . 00000000000000000000000000000000000000
  86.00      19 . 000000000000000000000000000000000000000000
  79.00      20 . 0000000000000000000000000000000000000000
  51.00      21 . 000000000000000000000000000
  34.00      22 . 00000000000000000
  34.00      23 . 00000000000000000
  26.00      24 . 0000000000000
  17.00      25 . 00000000
   5.00      26 . 00
   7.00      27 . 000
   3.00 Extremes    (>=29.0)
Stem width:     1.00
Each leaf:      2 case(s)
```



A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
     .00     1 .
    4.00     1 . 45
    6.00     1 . 77&
   36.00     1 . 888888999999
   72.00     2 . 000000000111111111111111
  109.00     2 . 2222222222222222333333333333333333
  132.00     2 . 444444444444444444444444555555555555555555555
  120.00     2 . 666666666666666666666677777777777777777777
   85.00     2 . 88888888888888999999999999999
   62.00     3 . 00000000001111111111
   25.00     3 . 22223333
    7.00     3 . 445
    2.00     3 . 6
    3.00 Extremes    (>=37)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```



Descriptives

		Statistic	Std. Error
A15_025 Mean		18.7225	.12942
95% Confidence Interv for Mean	Lower Bound	18.4684	
	Upper Bound	18.9766	
5% Trimmed Mean		18.6816	
Median		19.0000	
Variance		11.104	
Std. Deviation		3.33229	
Minimum		9.00	
Maximum		31.00	
Range		22.00	
Interquartile Range		5.0000	
Skewness		.225	.095
Kurtosis		.263	.190

Descriptives

		Statistic	Std. Error
A20_025 Mean		25.2187	.15428
95% Confidence Interv for Mean	Lower Bound	24.9158	
	Upper Bound	25.5216	
5% Trimmed Mean		25.1824	
Median		25.0000	
Variance		15.781	
Std. Deviation		3.97258	
Minimum		14.00	
Maximum		37.00	
Range		23.00	
Interquartile Range		6.0000	
Skewness		.146	.095
Kurtosis		-.141	.190

N=500

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<1.0)
   4.00      2 . 0
  20.00      3 . 0000000
  42.00      4 . 00000000000000
  66.00      5 . 000000000000000000000
  84.00      6 . 000000000000000000000000000
 110.00      7 . 0000000000000000000000000000000000000
 110.00      8 . 0000000000000000000000000000000000000
  99.00      9 . 000000000000000000000000000000000
  56.00     10 . 00000000000000000000
  42.00     11 . 00000000000000
  18.00     12 . 000000
   9.00     13 . 000
   2.00 Extremes    (>=14.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_03



A10_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<7.0)
   7.00      8 . 000
  12.00      9 . 000000
  19.00     10 . 000000000
  43.00     11 . 0000000000000000000000
  48.00     12 . 000000000000000000000000
  78.00     13 . 000000000000000000000000000000000000000
  91.00     14 . 0000000000000000000000000000000000000000000
  84.00     15 . 000000000000000000000000000000000000000
  69.00     16 . 00000000000000000000000000000000000
  84.00     17 . 000000000000000000000000000000000000000000
  46.00     18 . 0000000000000000000000
  37.00     19 . 000000000000000000
  19.00     20 . 000000000
  13.00     21 . 000000
   5.00     22 . 00
   5.00 Extremes    (>=23.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		7.5339	.08990
	95% Confidence Int for Mean	Lower Bound	7.3574	
		Upper Bound	7.7105	
	5% Trimmed Mean		7.5193	
	Median		8.0000	
	Variance		5.358	
	Std. Deviation		2.31473	
	Minimum		1.00	
	Maximum		14.00	
	Range		13.00	
	Interquartile Range		3.0000	
	Skewness		.056	.095
	Kurtosis		-.303	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		14.9532	.11627
	95% Confidence Int for Mean	Lower Bound	14.7249	
		Upper Bound	15.1815	
	5% Trimmed Mean		14.9413	
	Median		15.0000	
	Variance		8.963	
	Std. Deviation		2.99384	
	Minimum		6.00	
	Maximum		24.00	
	Range		18.00	
	Interquartile Range		4.0000	
	Skewness		.067	.095
	Kurtosis		-.051	.190

N=500

A15_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00      13 . 00
   3.00      14 . 0
  14.00      15 . 0000000
  19.00      16 . 000000000
  26.00      17 . 00000000000000
  27.00      18 . 000000000000000
  43.00      19 . 0000000000000000000000
  64.00      20 . 0000000000000000000000000000000000
  63.00      21 . 000000000000000000000000000000000
  60.00      22 . 000000000000000000000000000000
  69.00      23 . 0000000000000000000000000000000000000
  67.00      24 . 0000000000000000000000000000000000
  63.00      25 . 000000000000000000000000000000000
  41.00      26 . 00000000000000000000
  36.00      27 . 000000000000000000
  22.00      28 . 00000000000
  16.00      29 . 00000000
   8.00      30 . 0000
  13.00      31 . 000000
   2.00      32 . 0
   3.00 Extremes    (>=33.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_03



Descriptives

		Statistic	Std. Error
A15_03	Mean	22.5807	.14818
	95% Confidence Inter for Mean Lower Bound	22.2897	
	Upper Bound	22.8717	
	5% Trimmed Mean	22.5545	
	Median	23.0000	
	Variance	14.558	
	Std. Deviation	3.81550	
	Minimum	13.00	
	Maximum	34.00	
	Range	21.00	
	Interquartile Range	5.0000	
	Skewness	.072	.095
	Kurtosis	-.187	.190

A20_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<18)
   2.00      1 . 9
   7.00      2 . 011
  25.00      2 . 222233333
  56.00      2 . 4444444445555555555
  80.00      2 . 66666666666677777777777777
 141.00      2 . 888888888888888888888999999999999999999999999999
 127.00      3 . 0000000000000000000000011111111111111111111
  85.00      3 . 2222222222233333333333333333
  83.00      3 . 44444444444444455555555555
  35.00      3 . 66666666777
  15.00      3 . 88999
   4.00      4 . 0&
   2.00 Extremes    (>=42)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A20_03	Mean	29.9789	.15743
	95% Confidence Ir for Mean Lower Bound	29.6698	
	Upper Bound	30.2880	
	5% Trimmed Mean	29.9684	
	Median	30.0000	
	Variance	16.432	
	Std. Deviation	4.05359	
	Minimum	18.00	
	Maximum	42.00	
	Range	24.00	
	Interquartile Range	6.0000	
	Skewness	.047	.095
	Kurtosis	-.117	.190

N=500

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00      3 . 00
  11.00      4 . 0000
  38.00      5 . 0000000000000
  66.00      6 . 000000000000000000000000
  87.00      7 . 000000000000000000000000000000000
 112.00      8 . 0000000000000000000000000000000000000000000
  96.00      9 . 000000000000000000000000000000000000
  95.00     10 . 00000000000000000000000000000000000
  69.00     11 . 000000000000000000000000000
  41.00     12 . 00000000000000000
  22.00     13 . 0000000000
  14.00     14 . 00000
   6.00 Extremes    (>=15.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_035



A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<7.0)
   2.00      9 . 0
   6.00     10 . 000
   4.00     11 . 00
  18.00     12 . 000000000
  31.00     13 . 0000000000000000
  38.00     14 . 00000000000000000000
  75.00     15 . 000000000000000000000000000000000000000
  67.00     16 . 0000000000000000000000000000000000
  88.00     17 . 00000000000000000000000000000000000000000000
  76.00     18 . 0000000000000000000000000000000000000000
  67.00     19 . 0000000000000000000000000000000000
  69.00     20 . 000000000000000000000000000000000000
  54.00     21 . 000000000000000000000000000000
  30.00     22 . 000000000000000
  13.00     23 . 000000
  15.00     24 . 0000000
   7.00     25 . 000
    .00     26 .
   1.00     27 . &
   1.00 Extremes    (>=29.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_035



Descriptives

			Statistic	Std. Error
A5_035	Mean		8.7345	.09277
	95% Confidence Inter for Mean	Lower Bound	8.5524	
		Upper Bound	8.9167	
	5% Trimmed Mean		8.6983	
	Median		9.0000	
	Variance		5.706	
	Std. Deviation		2.38869	
	Minimum		3.00	
	Maximum		16.00	
	Range		13.00	
	Interquartile Range		3.0000	
	Skewness		.185	.095
	Kurtosis		-.243	.190

Descriptives

			Statistic	Std. Error
A10_035	Mean		17.6139	.12212
	95% Confidence Inter for Mean	Lower Bound	17.3741	
		Upper Bound	17.8537	
	5% Trimmed Mean		17.6028	
	Median		18.0000	
	Variance		9.887	
	Std. Deviation		3.14435	
	Minimum		7.00	
	Maximum		29.00	
	Range		22.00	
	Interquartile Range		5.0000	
	Skewness		.042	.095
	Kurtosis		.041	.190

N=500

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<16.0)
   1.00     17 .  &
   4.00     18 .  00
  15.00     19 .  000000000
  24.00     20 .  000000000000
  27.00     21 .  000000000000
  36.00     22 .  000000000000000000
  46.00     23 .  0000000000000000000000
  63.00     24 .  000000000000000000000000000000
  66.00     25 .  000000000000000000000000000000000
  71.00     26 .  00000000000000000000000000000000000000
  56.00     27 .  000000000000000000000000000000
  59.00     28 .  000000000000000000000000000000
  57.00     29 .  000000000000000000000000000000
  41.00     30 .  00000000000000000000
  34.00     31 .  0000000000000000000
  29.00     32 .  00000000000000
  14.00     33 .  0000000
   9.00     34 .  0000
   8.00     35 .  0000
   2.00 Extremes    (>=37.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



Descriptives

		Statistic	Std. Error
A15_035	Mean	26.3137	.14682
	95% Confidence Inte: for Mean Lower Bound	26.0254	
	Upper Bound	26.6020	
	5% Trimmed Mean	26.2883	
	Median	26.0000	
	Variance	14.291	
	Std. Deviation	3.78036	
	Minimum	16.00	
	Maximum	37.00	
	Range	21.00	
	Interquartile Range	5.0000	
	Skewness	.073	.095
	Kurtosis	-.407	.190

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<23)
    .00     2 .
   6.00     2 . 45
  19.00     2 . 6677777
  46.00     2 . 888888999999999
  68.00     3 . 00000000011111111111111
  98.00     3 . 22222222222222233333333333333333
 118.00     3 . 4444444444444445555555555555555555555
 110.00     3 . 66666666666666666777777777777777777
  86.00     3 . 88888888888888888999999999999
  55.00     4 . 0000000000111111111
  37.00     4 . 2222222333333
  13.00     4 . 4455
   3.00     4 . 6
   1.00 Extremes    (>=47)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A20_03:	Mean	35.0935	.17253
	95% Confidence Inte for Mean Lower Bound	34.7547	
	Upper Bound	35.4323	
	5% Trimmed Mean	35.0969	
	Median	35.0000	
	Variance	19.734	
	Std. Deviation	4.44235	
	Minimum	22.00	
	Maximum	47.00	
	Range	25.00	
	Interquartile Range	6.0000	
	Skewness	-.027	.095
	Kurtosis	-.230	.190

N=500

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<4.0)
  10.00     5 . 000
  33.00     6 . 00000000000
  49.00     7 . 0000000000000000
  67.00     8 . 00000000000000000000
 113.00     9 . 0000000000000000000000000000000000000
 112.00    10 . 0000000000000000000000000000000000000
 103.00    11 . 000000000000000000000000000000000
  68.00    12 . 00000000000000000000
  47.00    13 . 0000000000000000
  29.00    14 . 0000000000
  19.00    15 . 000000
   6.00    16 . 00
   5.00 Extremes    (>=17.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		10.1116	.09414
	95% Confidence Ir for Mean	Lower Bound	9.9268	
		Upper Bound	10.2965	
	5% Trimmed Mean		10.0704	
	Median		10.0000	
	Variance		5.876	
	Std. Deviation		2.42399	
	Minimum		3.00	
	Maximum		18.00	
	Range		15.00	
	Interquartile Range		3.0000	
	Skewness		.227	.095
	Kurtosis		-.008	.190

A10_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00 Extremes    (=<12.0)
   7.00     13 . 000
  19.00     14 . 000000000
  21.00     15 . 0000000000
  27.00     16 . 000000000000
  55.00     17 . 0000000000000000000000000000
  57.00     18 . 0000000000000000000000000000
  84.00     19 . 000000000000000000000000000000000000000000
  86.00     20 . 000000000000000000000000000000000000000000
  70.00     21 . 0000000000000000000000000000000000
  67.00     22 . 0000000000000000000000000000000000
  62.00     23 . 00000000000000000000000000000000
  38.00     24 . 000000000000000000
  22.00     25 . 0000000000
  14.00     26 . 0000000
  11.00     27 . 00000
  12.00 Extremes    (>=28.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A10_04	Mean		20.1026	.13298
	95% Confidence Inte for Mean	Lower Bound	19.8415	
		Upper Bound	20.3637	
	5% Trimmed Mean		20.1274	
	Median		20.0000	
	Variance		11.724	
	Std. Deviation		3.42397	
	Minimum		8.00	
	Maximum		30.00	
	Range		22.00	
	Interquartile Range		4.0000	
	Skewness		-.166	.095
	Kurtosis		.411	.190

N=500

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  2.00 Extremes    (=<20.0)
  4.00      21 . 00
  5.00      22 . 00
 15.00      23 . 0000000
 15.00      24 . 0000000
 22.00      25 . 0000000000
 42.00      26 . 000000000000000000000
 55.00      27 . 0000000000000000000000000
 54.00      28 . 000000000000000000000000
 69.00      29 . 00000000000000000000000000000
 66.00      30 . 000000000000000000000000000000
 76.00      31 . 0000000000000000000000000000000000
 63.00      32 . 000000000000000000000000000
 50.00      33 . 00000000000000000000000
 41.00      34 . 0000000000000000000
 26.00      35 . 0000000000000
 22.00      36 . 0000000000000
 13.00      37 . 000000
 12.00      38 . 000000
  7.00      39 . 000
  4.00      40 . 00
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_04



A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  4.00 Extremes    (=<28)
  3.00      2 . 9
  8.00      3 . 011
 37.00      3 . 2222233333333
 52.00      3 . 4444445555555555
 93.00      3 . 666666666666677777777777777777
116.00      3 . 88888888888888888999999999999999999999
116.00      4 . 00000000000000000000011111111111111111
 88.00      4 . 22222222222222222333333333333
 75.00      4 . 444444444444455555555555
 41.00      4 . 66666666677777
 21.00      4 . 8888999
  6.00      5 . 01
  3.00 Extremes    (>=52)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A15_04	Mean	30.2368	.14581
	95% Confidence Inte Lower Bound for Mean	29.9505	
	Upper Bound	30.5231	
	5% Trimmed Mean	30.2193	
	Median	30.0000	
	Variance	14.096	
	Std. Deviation	3.75452	
	Minimum	20.00	
	Maximum	40.00	
	Range	20.00	
	Interquartile Range	5.0000	
	Skewness	.067	.095
	Kurtosis	-.149	.190

Descriptives

		Statistic	Std. Error
A20_04	Mean	39.8884	.17287
	95% Confidence Inte Lower Bound for Mean	39.5490	
	Upper Bound	40.2278	
	5% Trimmed Mean	39.8760	
	Median	40.0000	
	Variance	19.812	
	Std. Deviation	4.45110	
	Minimum	26.00	
	Maximum	54.00	
	Range	28.00	
	Interquartile Range	6.0000	
	Skewness	.034	.095
	Kurtosis	-.015	.190

N=500

A5_045 Stem-and-Leaf Plot

Frequency	Stem & Leaf
6.00	Extremes (=<5.0)
9.00	6 . 000
24.00	7 . 00000000
51.00	8 . 000000000000000000
62.00	9 . 0000000000000000000000
98.00	10 . 00000000000000000000000000000000000000
110.00	11 . 0000000000000000000000000000000000000000
92.00	12 . 00000000000000000000000000000000
78.00	13 . 000000000000000000000000000
68.00	14 . 00000000000000000000000000
37.00	15 . 000000000000
18.00	16 . 000000
9.00	17 . 000
1.00	Extremes (>=18.0)

Stem width: 1.00

Each leaf: 3 case(s)

Normal Q-Q Plot of A5_045



A10_045 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	Extremes (=<12.0)
1.00	13 . &
5.00	14 . 00
6.00	15 . 000
11.00	16 . 00000
19.00	17 . 0000000000
33.00	18 . 000000000000000000
45.00	19 . 000000000000000000000000
59.00	20 . 00000000000000000000000000000000
69.00	21 . 000000000000000000000000000000000000
72.00	22 . 000000000000000000000000000000000000000000
68.00	23 . 00000000000000000000000000000000000000
68.00	24 . 00000000000000000000000000000000000000
59.00	25 . 00000000000000000000000000000000
54.00	26 . 000000000000000000000000000000
37.00	27 . 0000000000000000000
23.00	28 . 00000000000
19.00	29 . 0000000000
5.00	30 . 00
5.00	31 . 00
1.00	32 . &
1.00	Extremes (>=34.0)

Stem width: 1.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A10_045



Descriptives

			Statistic	Std. Error
A5_045	Mean		11.2956	.09599
	95% Confidence Inte for Mean	Lower Bound	11.1071	
		Upper Bound	11.4841	
	5% Trimmed Mean		11.3033	
	Median		11.0000	
	Variance		6.109	
	Std. Deviation		2.47161	
	Minimum		3.00	
	Maximum		18.00	
	Range		15.00	
	Interquartile Range		3.0000	
	Skewness		-.050	.095
	Kurtosis		-.205	.190

Descriptives

			Statistic	Std. Error
A10_045	Mean		22.6320	.13788
	95% Confidence Interva for Mean	Lower Bound	22.3612	
		Upper Bound	22.9027	
	5% Trimmed Mean		22.6600	
	Median		23.0000	
	Variance		12.605	
	Std. Deviation		3.55029	
	Minimum		8.00	
	Maximum		34.00	
	Range		26.00	
	Interquartile Range		5.0000	
	Skewness		-.146	.095
	Kurtosis		.219	.190

N=500

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<23.0)
   3.00     24 . 0
   8.00     25 . 0000
  12.00     26 . 000000
  25.00     27 . 0000000000000
  23.00     28 . 00000000000
  28.00     29 . 0000000000000
  38.00     30 . 00000000000000000
  66.00     31 . 000000000000000000000000000000
  54.00     32 . 000000000000000000000000
  58.00     33 . 00000000000000000000000000
  67.00     34 . 0000000000000000000000000000000
  63.00     35 . 000000000000000000000000000000
  64.00     36 . 0000000000000000000000000000000
  41.00     37 . 00000000000000000
  39.00     38 . 000000000000000000
  22.00     39 . 0000000000
  23.00     40 . 00000000000
  13.00     41 . 000000
   8.00     42 . 0000
   3.00     43 . 0
   3.00 Extremes    (>=44.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_045



Descriptives

		Statistic	Std. Error
A15_04	Mean	33.6078	.15494
	95% Confidence Ir Lower Bound for Mean	33.3036	
	Upper Bound	33.9121	
	5% Trimmed Mean	33.6131	
	Median	34.0000	
	Variance	15.915	
	Std. Deviation	3.98942	
	Minimum	21.00	
	Maximum	45.00	
	Range	24.00	
	Interquartile Range	5.0000	
	Skewness	-.044	.095
	Kurtosis	-.235	.190

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<33)
    .00     3 .
   6.00     3 . 45
  20.00     3 . 667777
  50.00     3 . 88888888999999999
  66.00     4 . 000000001111111111111
 108.00     4 . 222222222222222233333333333333333
 112.00     4 . 4444444444444445555555555555555555
 109.00     4 . 6666666666666666666667777777777777777
  82.00     4 . 88888888888889999999999999
  61.00     5 . 00000000000011111111
  28.00     5 . 222223333
  11.00     5 . 445
   3.00     5 . 6
   3.00 Extremes    (>=57)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A20_04:	Mean	44.9201	.17352
	95% Confidence Inte Lower Bound for Mean	44.5793	
	Upper Bound	45.2608	
	5% Trimmed Mean	44.9162	
	Median	45.0000	
	Variance	19.962	
	Std. Deviation	4.46787	
	Minimum	31.00	
	Maximum	58.00	
	Range	27.00	
	Interquartile Range	6.0000	
	Skewness	-.003	.095
	Kurtosis	-.133	.190

N=500

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<6.0)
   6.00      7 . 00
  23.00      8 . 00000000
  35.00      9 . 000000000000
  43.00     10 . 00000000000000
  87.00     11 . 0000000000000000000000000000
  96.00     12 . 00000000000000000000000000000000
 123.00     13 . 000000000000000000000000000000000000000000
  90.00     14 . 000000000000000000000000000000
  76.00     15 . 0000000000000000000000000
  45.00     16 . 000000000000000
  20.00     17 . 0000000
   9.00     18 . 000
   5.00 Extremes    (>=19.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

A10_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<17.0)
  10.00     18 . 00000
  16.00     19 . 00000000
  27.00     20 . 0000000000000
  40.00     21 . 00000000000000000000
  54.00     22 . 000000000000000000000000000
  73.00     23 . 0000000000000000000000000000000000000
  78.00     24 . 000000000000000000000000000000000000000
  85.00     25 . 0000000000000000000000000000000000000000000
  78.00     26 . 000000000000000000000000000000000000000
  52.00     27 . 0000000000000000000000000
  59.00     28 . 00000000000000000000000000000
  39.00     29 . 000000000000000000000
  21.00     30 . 0000000000
   9.00     31 . 0000
   8.00     32 . 0000
   5.00 Extremes    (>=33.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_05



Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		12.7119	.09487
	95% Confidence Inter for Mean	Lower Bound	12.5256	
		Upper Bound	12.8982	
	5% Trimmed Mean		12.7271	
	Median		13.0000	
	Variance		5.967	
	Std. Deviation		2.44269	
	Minimum		5.00	
	Maximum		20.00	
	Range		15.00	
	Interquartile Range		3.0000	
	Skewness		-.108	.095
	Kurtosis		.074	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		24.7738	.12476
	95% Confidence Inter for Mean	Lower Bound	24.5288	
		Upper Bound	25.0187	
	5% Trimmed Mean		24.7857	
	Median		25.0000	
	Variance		10.320	
	Std. Deviation		3.21253	
	Minimum		16.00	
	Maximum		34.00	
	Range		18.00	
	Interquartile Range		4.0000	
	Skewness		-.030	.095
	Kurtosis		-.163	.190

N=500

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<27.0)
   4.00     28 . 00
   8.00     29 . 0000
   9.00     30 . 0000
  11.00     31 . 00000
  26.00     32 . 00000000000
  33.00     33 . 000000000000000
  41.00     34 . 00000000000000000000
  57.00     35 . 000000000000000000000000000
  66.00     36 . 000000000000000000000000000000
  67.00     37 . 000000000000000000000000000000
  67.00     38 . 000000000000000000000000000000
  53.00     39 . 00000000000000000000000
  57.00     40 . 000000000000000000000000000
  57.00     41 . 000000000000000000000000000
  33.00     42 . 000000000000000
  26.00     43 . 00000000000
  21.00     44 . 0000000000
  14.00     45 . 0000000
   6.00     46 . 000
   3.00     47 . 0
   3.00 Extremes    (>=48.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_05



Descriptives

			Statistic	Std. Error
A15_05	Mean		37.6275	.15410
	95% Confidence Interv for Mean	Lower Bound	37.3249	
		Upper Bound	37.9300	
	5% Trimmed Mean		37.6701	
	Median		38.0000	
	Variance		15.745	
	Std. Deviation		3.96796	
	Minimum		24.00	
	Maximum		49.00	
	Range		25.00	
	Interquartile Range		5.0000	
	Skewness		-.147	.095
	Kurtosis		.208	.190

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00     3 . 7
   4.00     3 . 89
  14.00     4 . 0000111
  37.00     4 . 222223333333333333
  60.00     4 . 444444444555555555555555555
  95.00     4 . 66666666666666666666666677777777777777777777
  96.00     4 . 88888888888888888888888899999999999999999999
  98.00     5 . 00000000000000000000111111111111111111111111
  89.00     5 . 22222222222222222222222233333333333333333
  83.00     5 . 44444444444444444444444555555555555555
  47.00     5 . 66666666666667777777777
  25.00     5 . 888888999999
  10.00     6 . 00001
   2.00     6 . 2
   1.00 Extremes    (>=67)
Stem width:     10.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_05



Descriptives

			Statistic	Std. Error
A20_05	Mean		50.0166	.18409
	95% Confidence Inte for Mean	Lower Bound	49.6551	
		Upper Bound	50.3781	
	5% Trimmed Mean		50.0048	
	Median		50.0000	
	Variance		22.470	
	Std. Deviation		4.74020	
	Minimum		37.00	
	Maximum		67.00	
	Range		30.00	
	Interquartile Range		8.0000	
	Skewness		.050	.095
	Kurtosis		-.274	.190

N=500

A5_055 Stem-and-Leaf Plot

Frequency	Stem & Leaf
5.00	7 . 00
7.00	8 . 00
16.00	9 . 00000
30.00	10 . 0000000000
59.00	11 . 00000000000000000000
89.00	12 . 00000000000000000000000000000
94.00	13 . 00000000000000000000000000000
93.00	14 . 00000000000000000000000000000
102.00	15 . 000000000000000000000000000000000
83.00	16 . 00000000000000000000000000
45.00	17 . 000000000000000
24.00	18 . 00000000
15.00	19 . 00000
1.00	20 . &

Stem width: 1.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_055



A10_055 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00 Extremes	(=<17.0)
1.00	18 . &
4.00	19 . 00
8.00	20 . 0000
15.00	21 . 0000000
23.00	22 . 00000000000
38.00	23 . 00000000000000000000
45.00	24 . 000000000000000000000
66.00	25 . 000000000000000000000000000000000
75.00	26 . 000000000000000000000000000000000000000
67.00	27 . 00000000000000000000000000000000000
64.00	28 . 0000000000000000000000000000000000
73.00	29 . 00000000000000000000000000000000000000
67.00	30 . 00000000000000000000000000000000000
38.00	31 . 00000000000000000000
39.00	32 . 000000000000000000000
18.00	33 . 000000000
12.00	34 . 000000
5.00	35 . 00
2.00	36 . 0
2.00	37 . 0

Stem width: 1.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A5_055	Mean	13.7798	.09498
	95% Confidence Int Lower Bound for Mean	13.5933	
	Upper Bound	13.9663	
	5% Trimmed Mean	13.8022	
	Median	14.0000	
	Variance	5.982	
	Std. Deviation	2.44574	
	Minimum	7.00	
	Maximum	20.00	
	Range	13.00	
	Interquartile Range	4.0000	
	Skewness	-.136	.095
	Kurtosis	-.260	.190

Descriptives

		Statistic	Std. Error
A10_05:	Mean	27.3348	.13229
	95% Confidence Inte Lower Bound for Mean	27.0751	
	Upper Bound	27.5946	
	5% Trimmed Mean	27.3433	
	Median	27.0000	
	Variance	11.604	
	Std. Deviation	3.40642	
	Minimum	17.00	
	Maximum	37.00	
	Range	20.00	
	Interquartile Range	5.0000	
	Skewness	-.032	.095
	Kurtosis	-.263	.190

N=500

A15_055 Stem-and-Leaf Plot

Frequency	Stem & Leaf
7.00	Extremes (=<31.0)
6.00	32 . 000
2.00	33 . 0
11.00	34 . 00000
23.00	35 . 00000000000
24.00	36 . 000000000000
27.00	37 . 000000000000
45.00	38 . 000000000000000000000
61.00	39 . 0000000000000000000000000000
58.00	40 . 00000000000000000000000000
67.00	41 . 0000000000000000000000000000000
68.00	42 . 00000000000000000000000000000000
51.00	43 . 000000000000000000000
62.00	44 . 0000000000000000000000000000
45.00	45 . 000000000000000000000
38.00	46 . 00000000000000000
25.00	47 . 000000000000
19.00	48 . 000000000
12.00	49 . 000000
4.00	50 . 00
4.00	51 . 00
4.00	Extremes (>=52.0)

Stem width: 1.00

Each leaf: 2 case(s)

Normal Q-Q Plot of A15_055



Descriptives

		Statistic	Std. Error
A15_05 Mean		41.4977	.15702
95% Confidence Int for Mean	Lower Bound	41.1894	
	Upper Bound	41.8061	
5% Trimmed Mean		41.5142	
Median		42.0000	
Variance		16.347	
Std. Deviation		4.04315	
Minimum		30.00	
Maximum		56.00	
Range		26.00	
Interquartile Range		5.0000	
Skewness		-.041	.095
Kurtosis		.155	.190

A20_055 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	Extremes (=<40)
.00	4 .
6.00	4 . 45
14.00	4 . 66677
48.00	4 . 8888888999999999
68.00	5 . 00000000011111111111111
119.00	5 . 22222222222222222233333333333333333333
112.00	5 . 44444444444444444555555555555555555
111.00	5 . 66666666666666666777777777777777777
79.00	5 . 8888888889999999999999999
45.00	6 . 000000001111111
36.00	6 . 222222233333
17.00	6 . 44445
4.00	6 . 6
3.00	Extremes (>=67)

Stem width: 10.00

Each leaf: 3 case(s)

Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A20_055 Mean		55.0814	.17401
95% Confidence Inter for Mean	Lower Bound	54.7398	
	Upper Bound	55.4231	
5% Trimmed Mean		55.0400	
Median		55.0000	
Variance		20.075	
Std. Deviation		4.48051	
Minimum		40.00	
Maximum		70.00	
Range		30.00	
Interquartile Range		6.0000	
Skewness		.157	.095
Kurtosis		-.083	.190

N=500

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00      9 . 0
  14.00     10 . 00000
  30.00     11 . 0000000000
  65.00     12 . 00000000000000000000
  74.00     13 . 000000000000000000000000
 109.00     14 . 0000000000000000000000000000000000
 104.00     15 . 000000000000000000000000000000000
 114.00     16 . 0000000000000000000000000000000000000
  63.00     17 . 000000000000000000000
  50.00     18 . 00000000000000000000
  21.00     19 . 0000000
  12.00     20 . 0000
   4.00 Extremes    (>=21.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

A10_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<22.0)
   6.00     23 . 000
  18.00     24 . 000000000
  26.00     25 . 00000000000000
  33.00     26 . 000000000000000000
  61.00     27 . 0000000000000000000000000000000
  62.00     28 . 0000000000000000000000000000000
  64.00     29 . 0000000000000000000000000000000
  88.00     30 . 00000000000000000000000000000000000000000000
  85.00     31 . 0000000000000000000000000000000000000000
  64.00     32 . 0000000000000000000000000000000
  55.00     33 . 0000000000000000000000000000
  41.00     34 . 00000000000000000000
  17.00     35 . 00000000
  19.00     36 . 000000000
  12.00     37 . 000000
   4.00 Extremes    (>=38.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_06



Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		14.8477	.08957
	95% Confidence Int for Mean	Lower Bound	14.6718	
		Upper Bound	15.0235	
	5% Trimmed Mean		14.8291	
	Median		15.0000	
	Variance		5.320	
	Std. Deviation		2.30644	
	Minimum		9.00	
	Maximum		22.00	
	Range		13.00	
	Interquartile Range		3.0000	
	Skewness		.079	.095
	Kurtosis		-.260	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		30.0136	.12651
	95% Confidence Inter for Mean	Lower Bound	29.7652	
		Upper Bound	30.2620	
	5% Trimmed Mean		30.0182	
	Median		30.0000	
	Variance		10.612	
	Std. Deviation		3.25754	
	Minimum		20.00	
	Maximum		39.00	
	Range		19.00	
	Interquartile Range		4.0000	
	Skewness		-.047	.095
	Kurtosis		-.157	.190

N=500

A15_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	Extremes (=<34.0)
3.00	36 . 0
9.00	37 . 0000
11.00	38 . 00000
14.00	39 . 0000000
19.00	40 . 0000000000
43.00	41 . 0000000000000000000000
43.00	42 . 0000000000000000000000
49.00	43 . 0000000000000000000000000
67.00	44 . 0000000000000000000000000000000000
75.00	45 . 000000000000000000000000000000000000000
58.00	46 . 0000000000000000000000000000
66.00	47 . 000000000000000000000000000000000
52.00	48 . 0000000000000000000000000
42.00	49 . 000000000000000000000
37.00	50 . 0000000000000000000
25.00	51 . 0000000000000
24.00	52 . 0000000000000
12.00	53 . 000000
6.00	54 . 000
2.00	55 . 0
5.00	Extremes (>=56.0)

Stem width: 1.00

Each leaf: 2 case(s)

Normal Q-Q Plot of A15_06



Descriptives

		Statistic	Std. Error
A15_06	Mean	45.6290	.15279
	95% Confidence Int for Mean Lower Bound	45.3289	
	Upper Bound	45.9290	
	5% Trimmed Mean	45.6198	
	Median	45.0000	
	Variance	15.478	
	Std. Deviation	3.93426	
	Minimum	34.00	
	Maximum	62.00	
	Range	28.00	
	Interquartile Range	5.0000	
	Skewness	.122	.095
	Kurtosis	.117	.190

A20_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	Extremes (=<48)
6.00	4 . 99
13.00	5 . 0011
23.00	5 . 2223333
58.00	5 . 4444444555555555555
91.00	5 . 6666666666666666677777777777777
120.00	5 . 888888888888888888888999999999999999999
116.00	6 . 00000000000000000011111111111111111111
93.00	6 . 2222222222222333333333333333333
68.00	6 . 4444444444444455555555
49.00	6 . 6666666666777777
21.00	6 . 8888899
3.00	7 . 0&

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A20_06	Mean	59.8522	.16884
	95% Confidence Inte for Mean Lower Bound	59.5207	
	Upper Bound	60.1837	
	5% Trimmed Mean	59.9062	
	Median	60.0000	
	Variance	18.900	
	Std. Deviation	4.34736	
	Minimum	44.00	
	Maximum	71.00	
	Range	27.00	
	Interquartile Range	6.0000	
	Skewness	-.127	.095
	Kurtosis	-.162	.190

N=500

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<10.0)
   7.00     11 . 00
  18.00     12 . 000000
  33.00     13 . 00000000000
  70.00     14 . 0000000000000000000000
  89.00     15 . 00000000000000000000000000000
 113.00     16 . 0000000000000000000000000000000000000
 109.00     17 . 000000000000000000000000000000000000
 100.00     18 . 00000000000000000000000000000000
  64.00     19 . 0000000000000000000000
  32.00     20 . 00000000000
  14.00     21 . 00000
   7.00     22 . 00
   2.00 Extremes    (>=23.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00     24 . 0
   7.00     25 . 000
  11.00     26 . 00000
  21.00     27 . 000000000
  28.00     28 . 0000000000000
  53.00     29 . 0000000000000000000000000
  56.00     30 . 00000000000000000000000000
  72.00     31 . 000000000000000000000000000000000
  74.00     32 . 000000000000000000000000000000000000
  85.00     33 . 0000000000000000000000000000000000000000000
  78.00     34 . 000000000000000000000000000000000000000
  61.00     35 . 0000000000000000000000000000000
  46.00     36 . 000000000000000000000000
  29.00     37 . 00000000000000
  16.00     38 . 00000000
  10.00     39 . 00000
   8.00     40 . 0000
   4.00     41 . 00
   2.00 Extremes    (>=43.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065	Mean	16.4374	.08939
	95% Confidence Inte Lower Bound for Mean	16.2619	
	Upper Bound	16.6129	
	5% Trimmed Mean	16.4522	
	Median	16.0000	
	Variance	5.298	
	Std. Deviation	2.30170	
	Minimum	9.00	
	Maximum	24.00	
	Range	15.00	
	Interquartile Range	3.0000	
	Skewness	-.078	.095
	Kurtosis	.077	.190

Descriptives

		Statistic	Std. Error
A10_065	Mean	32.5279	.12610
	95% Confidence Inter Lower Bound for Mean	32.2803	
	Upper Bound	32.7755	
	5% Trimmed Mean	32.5025	
	Median	33.0000	
	Variance	10.543	
	Std. Deviation	3.24694	
	Minimum	24.00	
	Maximum	43.00	
	Range	19.00	
	Interquartile Range	5.0000	
	Skewness	.096	.095
	Kurtosis	-.028	.190

N=500

A15_065 Stem-and-Leaf Plot

Frequency	Stem & Leaf
4.00	Extremes (=<38.0)
2.00	39 . 0
6.00	40 . 000
7.00	41 . 000
9.00	42 . 0000
22.00	43 . 0000000000
35.00	44 . 00000000000000000
32.00	45 . 00000000000000
65.00	46 . 00000000000000000000000000000
70.00	47 . 0000000000000000000000000000000
64.00	48 . 0000000000000000000000000000000
69.00	49 . 0000000000000000000000000000000
65.00	50 . 0000000000000000000000000000000
61.00	51 . 0000000000000000000000000000
41.00	52 . 00000000000000000000
28.00	53 . 0000000000000
30.00	54 . 000000000000000
22.00	55 . 0000000000
14.00	56 . 0000000
6.00	57 . 000
5.00	58 . 00
6.00	Extremes (>=59.0)

Stem width: 1.00

Each leaf: 2 case(s)



A20_065 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	Extremes (=<53)
.00	5 .
8.00	5 . 455
22.00	5 . 6677777
39.00	5 . 8888889999999
54.00	6 . 000000111111111111
102.00	6 . 22222222222223333333333333333333
117.00	6 . 44444444444444444455555555555555555
124.00	6 . 66666666666666666777777777777777777777
97.00	6 . 88888888888888888899999999999999
55.00	7 . 0000000000111111111
25.00	7 . 222222333
12.00	7 . 4445
3.00	7 . 6
2.00	Extremes (>=79)

Stem width: 10.00

Each leaf: 3 case(s)



Descriptives

		Statistic	Std. Error
A15_06	Mean	48.8281	.15147
	95% Confidence Int for Mean Lower Bound	48.5306	
	Upper Bound	49.1255	
	5% Trimmed Mean	48.8123	
	Median	49.0000	
	Variance	15.212	
	Std. Deviation	3.90027	
	Minimum	36.00	
	Maximum	61.00	
	Range	25.00	
	Interquartile Range	5.0000	
	Skewness	.084	.095
	Kurtosis	.212	.190

Descriptives

		Statistic	Std. Error
A20_06:	Mean	65.1282	.16856
	95% Confidence Inte for Mean Lower Bound	64.7972	
	Upper Bound	65.4592	
	5% Trimmed Mean	65.1575	
	Median	65.0000	
	Variance	18.837	
	Std. Deviation	4.34016	
	Minimum	51.00	
	Maximum	79.00	
	Range	28.00	
	Interquartile Range	6.0000	
	Skewness	-.114	.095
	Kurtosis	.109	.190

N=500

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<11.0)
   8.00     12 . 000
  17.00     13 . 000000
  34.00     14 . 00000000000
  50.00     15 . 00000000000000000
  88.00     16 . 0000000000000000000000000000
 112.00     17 . 00000000000000000000000000000000000
 119.00     18 . 000000000000000000000000000000000000000
  97.00     19 . 0000000000000000000000000000000
  75.00     20 . 000000000000000000000000
  38.00     21 . 0000000000000
  16.00     22 . 00000
   7.00     23 . 00
   1.00 Extremes    (>=24.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<27.0)
  14.00     28 . 0000000
  10.00     29 . 00000
  25.00     30 . 000000000000
  41.00     31 . 00000000000000000000
  58.00     32 . 0000000000000000000000000000
  62.00     33 . 00000000000000000000000000000
  83.00     34 . 000000000000000000000000000000000000000
  74.00     35 . 00000000000000000000000000000000000
  79.00     36 . 000000000000000000000000000000000000000
  65.00     37 . 0000000000000000000000000000000
  49.00     38 . 00000000000000000000000
  50.00     39 . 000000000000000000000000000
  21.00     40 . 0000000000
  17.00     41 . 00000000
   5.00     42 . 00
   4.00 Extremes    (>=43.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_07



Normal Q-Q Plot of A10_07



Descriptives

		Statistic	Std. Error
A5_07	Mean	17.6259	.08715
	95% Confidence Inter for Mean — Lower Bound	17.4548	
	95% Confidence Inter for Mean — Upper Bound	17.7971	
	5% Trimmed Mean	17.6450	
	Median	18.0000	
	Variance	5.035	
	Std. Deviation	2.24390	
	Minimum	11.00	
	Maximum	24.00	
	Range	13.00	
	Interquartile Range	3.0000	
	Skewness	-.124	.095
	Kurtosis	-.151	.190

Descriptives

		Statistic	Std. Error
A10_07	Mean	34.9291	.12443
	95% Confidence Inte for Mean — Lower Bound	34.6848	
	95% Confidence Inte for Mean — Upper Bound	35.1734	
	5% Trimmed Mean	34.9514	
	Median	35.0000	
	Variance	10.265	
	Std. Deviation	3.20396	
	Minimum	26.00	
	Maximum	43.00	
	Range	17.00	
	Interquartile Range	4.0000	
	Skewness	-.070	.095
	Kurtosis	-.319	.190

N=500

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<42.0)
   1.00     43 . &
  10.00     44 . 00000
   8.00     45 . 0000
  12.00     46 . 000000
  23.00     47 . 00000000000
  26.00     48 . 00000000000000
  31.00     49 . 0000000000000
  56.00     50 . 00000000000000000000000000
  66.00     51 . 000000000000000000000000000000
  80.00     52 . 0000000000000000000000000000000000000
  78.00     53 . 000000000000000000000000000000000000
  65.00     54 . 00000000000000000000000000000
  60.00     55 . 000000000000000000000000000000
  55.00     56 . 0000000000000000000000000
  40.00     57 . 00000000000000000000
  19.00     58 . 000000000
  15.00     59 . 0000000
   6.00     60 . 000
   3.00     61 . 0
   3.00     62 . 0
   1.00 Extremes    (>=63.0)
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	52.5777	.14058
	95% Confidence Interval for Mean — Lower Bound	52.3016	
	95% Confidence Interval for Mean — Upper Bound	52.8537	
	5% Trimmed Mean	52.6435	
	Median	53.0000	
	Variance	13.102	
	Std. Deviation	3.61972	
	Minimum	40.00	
	Maximum	63.00	
	Range	23.00	
	Interquartile Range	5.0000	
	Skewness	-.278	.095
	Kurtosis	.267	.190

A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<58)
   3.00     5 . 9
  10.00     6 . 001
  34.00     6 . 22222333333
  52.00     6 . 444444455555555555
  94.00     6 . 66666666666667777777777777777777
 104.00     6 . 88888888888888888999999999999999999
 123.00     7 . 000000000000000000011111111111111111111111
 105.00     7 . 222222222222222223333333333333333333
  74.00     7 . 44444444444444555555555555
  35.00     7 . 66666666777
  23.00     7 . 88889999
   2.00     8 . 0
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A20_07	Mean	69.8537	.16607
	95% Confidence Interval for Mean — Lower Bound	69.5276	
	95% Confidence Interval for Mean — Upper Bound	70.1798	
	5% Trimmed Mean	69.8927	
	Median	70.0000	
	Variance	18.285	
	Std. Deviation	4.27612	
	Minimum	58.00	
	Maximum	80.00	
	Range	22.00	
	Interquartile Range	6.0000	
	Skewness	-.158	.095
	Kurtosis	-.237	.190

N=500

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  51.00 Extremes    (=<15.0)
  46.00     16 . 000000000000000
   .00      16 .
  67.00     17 . 0000000000000000000000
   .00      17 .
 115.00     18 . 00000000000000000000000000000000000000
   .00      18 .
 141.00     19 . 000000000000000000000000000000000000000000000000
   .00      19 .
 110.00     20 . 0000000000000000000000000000000000000
   .00      20 .
  80.00     21 . 00000000000000000000000000000
   .00      21 .
  37.00     22 . 000000000000000
  16.00 Extremes    (>=23.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_075



A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00 Extremes    (=<30.0)
   8.00     31 . 0000
  21.00     32 . 000000000000
  23.00     33 . 00000000000000
  28.00     34 . 0000000000000000000000
  63.00     35 . 000000000000000000000000000000000000000000000
  77.00     36 . 0000000000000000000000000000000000000000000000000000
  76.00     37 . 0000000000000000000000000000000000000000000000000000
  75.00     38 . 000000000000000000000000000000000000000000000000000
  96.00     39 . 000000000000000000000000000000000000000000000000000000000000000000
  65.00     40 . 00000000000000000000000000000000000000000000000
  54.00     41 . 000000000000000000000000000000000000000000
  27.00     42 . 0000000000000000000000000
  24.00     43 . 000000000000000000000000
  10.00     44 . 00000000000
   4.00     45 . 00
   1.00 Extremes    (>=47.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_075



Descriptives

		Statistic	Std. Error
A5_075	Mean	18.7360	.08166
	95% Confidence Inter for Mean — Lower Bound	18.5757	
	95% Confidence Inter for Mean — Upper Bound	18.8964	
	5% Trimmed Mean	18.7841	
	Median	19.0000	
	Variance	4.421	
	Std. Deviation	2.10266	
	Minimum	12.00	
	Maximum	24.00	
	Range	12.00	
	Interquartile Range	2.0000	
	Skewness	-.364	.095
	Kurtosis	.114	.190

Descriptives

		Statistic	Std. Error
A10_075	Mean	37.6787	.12123
	95% Confidence Inter for Mean — Lower Bound	37.4407	
	95% Confidence Inter for Mean — Upper Bound	37.9168	
	5% Trimmed Mean	37.7288	
	Median	38.0000	
	Variance	9.744	
	Std. Deviation	3.12155	
	Minimum	27.00	
	Maximum	47.00	
	Range	20.00	
	Interquartile Range	4.0000	
	Skewness	-.258	.095
	Kurtosis	.138	.190

N=500

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  1.00 Extremes    (=<46.0)
  4.00     47 . 00
  6.00     48 . 000
  5.00     49 . 00
 22.00     50 . 0000000000
 24.00     51 . 000000000000
 44.00     52 . 00000000000000000000
 39.00     53 . 000000000000000000
 50.00     54 . 00000000000000000000000
 78.00     55 . 000000000000000000000000000000000000
 75.00     56 . 000000000000000000000000000000000000
 75.00     57 . 000000000000000000000000000000000000
 60.00     58 . 000000000000000000000000000000
 55.00     59 . 0000000000000000000000000
 58.00     60 . 00000000000000000000000000000
 20.00     61 . 0000000000
 18.00     62 . 000000000
 16.00     63 . 00000000
  4.00     64 . 00
  8.00     65 . 0000
  1.00     66 . &
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_075



A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  1.00 Extremes    (=<62)
   .00     6 .
  7.00     6 . 55&
 16.00     6 . 667777
 40.00     6 . 88888999999999
 60.00     7 . 00000000001111111111
111.00     7 . 22222222222222233333333333333333333
129.00     7 . 44444444444444444444555555555555555555555
121.00     7 . 66666666666666666666777777777777777777
100.00     7 . 88888888888888888889999999999999
 55.00     8 . 0000000000011111111
 15.00     8 . 22233
  8.00     8 . 445
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_075 Mean		56.2624	.13839
95% Confidence Interva for Mean	Lower Bound	55.9907	
	Upper Bound	56.5342	
5% Trimmed Mean		56.2598	
Median		56.0000	
Variance		12.698	
Std. Deviation		3.56348	
Minimum		46.00	
Maximum		66.00	
Range		20.00	
Interquartile Range		5.0000	
Skewness		-.031	.095
Kurtosis		-.153	.190

Descriptives

		Statistic	Std. Error
A20_075 Mean		74.8854	.15271
95% Confidence Inte for Mean	Lower Bound	74.5855	
	Upper Bound	75.1852	
5% Trimmed Mean		74.9315	
Median		75.0000	
Variance		15.461	
Std. Deviation		3.93207	
Minimum		62.00	
Maximum		85.00	
Range		23.00	
Interquartile Range		6.0000	
Skewness		-.174	.095
Kurtosis		-.144	.190

N=500

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  30.00 Extremes    (=<16.0)
  45.00      17 . 000000000000000
   .00       17 .
  75.00      18 . 000000000000000000000000000
   .00       18 .
 120.00      19 . 000000000000000000000000000000000000000000
   .00       19 .
 131.00      20 . 0000000000000000000000000000000000000000000000
   .00       20 .
 119.00      21 . 000000000000000000000000000000000000000000
   .00       21 .
  79.00      22 . 0000000000000000000000000000
   .00       22 .
  37.00      23 . 000000000000
  27.00 Extremes    (>=24.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<32.0)
   3.00       33 . 0
  14.00       34 . 0000000
  18.00       35 . 000000000
  21.00       36 . 0000000000
  54.00       37 . 000000000000000000000000000000
  61.00       38 . 0000000000000000000000000000000
  88.00       39 . 00000000000000000000000000000000000000000000
  95.00       40 . 000000000000000000000000000000000000000000000000
  85.00       41 . 0000000000000000000000000000000000000000000
  74.00       42 . 00000000000000000000000000000000000000
  74.00       43 . 00000000000000000000000000000000000000
  37.00       44 . 000000000000000000
  22.00       45 . 00000000000
  10.00       46 . 00000
   4.00       47 . 00
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

			Statistic	Std. Error
A5_08	Mean		19.9382	.07803
	95% Confidence Inte for Mean	Lower Bound	19.7849	
		Upper Bound	20.0914	
	5% Trimmed Mean		19.9564	
	Median		20.0000	
	Variance		4.037	
	Std. Deviation		2.00922	
	Minimum		14.00	
	Maximum		25.00	
	Range		11.00	
	Interquartile Range		2.0000	
	Skewness		-.137	.095
	Kurtosis		-.063	.190

Descriptives

			Statistic	Std. Error
A10_08	Mean		40.1885	.10869
	95% Confidence Int for Mean	Lower Bound	39.9751	
		Upper Bound	40.4020	
	5% Trimmed Mean		40.2296	
	Median		40.0000	
	Variance		7.833	
	Std. Deviation		2.79875	
	Minimum		31.00	
	Maximum		47.00	
	Range		16.00	
	Interquartile Range		4.0000	
	Skewness		-.211	.095
	Kurtosis		-.122	.190

N=500

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<52.0)
   9.00     53 . 0000
  19.00     54 . 000000000
  22.00     55 . 00000000000
  47.00     56 . 00000000000000000000000
  51.00     57 . 000000000000000000000000
  69.00     58 . 000000000000000000000000000000000
  82.00     59 . 0000000000000000000000000000000000000000
  76.00     60 . 0000000000000000000000000000000000000000
  63.00     61 . 000000000000000000000000000000
  74.00     62 . 0000000000000000000000000000000000000000
  60.00     63 . 000000000000000000000000000000
  45.00     64 . 000000000000000000000000
  26.00     65 . 0000000000000
   8.00     66 . 0000
   5.00     67 . 00
   2.00 Extremes    (>=68.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_08



A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  12.00 Extremes    (=<72.0)
   4.00     73 . 00
  26.00     74 . 0000000000000
  24.00     75 . 000000000000
  30.00     76 . 000000000000000
  56.00     77 . 00000000000000000000000000000
  73.00     78 . 0000000000000000000000000000000000000
  63.00     79 . 000000000000000000000000000000000
  79.00     80 . 0000000000000000000000000000000000000000000
  71.00     81 . 00000000000000000000000000000000000
  67.00     82 . 0000000000000000000000000000000000
  57.00     83 . 000000000000000000000000000000
  25.00     84 . 000000000000
  30.00     85 . 000000000000000
  18.00     86 . 000000000
  14.00     87 . 0000000
  14.00 Extremes    (>=88.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_08



Descriptives

			Statistic	Std. Error
A15_08	Mean		59.8658	.12169
	95% Confidence Inter for Mean	Lower Bound	59.6268	
		Upper Bound	60.1047	
	5% Trimmed Mean		59.8994	
	Median		60.0000	
	Variance		9.817	
	Std. Deviation		3.13326	
	Minimum		51.00	
	Maximum		68.00	
	Range		17.00	
	Interquartile Range		4.0000	
	Skewness		-.111	.095
	Kurtosis		-.439	.190

Descriptives

			Statistic	Std. Error
A20_08	Mean		80.0649	.13861
	95% Confidence Inter for Mean	Lower Bound	79.7927	
		Upper Bound	80.3370	
	5% Trimmed Mean		80.0553	
	Median		80.0000	
	Variance		12.737	
	Std. Deviation		3.56896	
	Minimum		69.00	
	Maximum		92.00	
	Range		23.00	
	Interquartile Range		4.0000	
	Skewness		.025	.095
	Kurtosis		.066	.190

N=500

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<15.0)
   1.00     16 . &
    .00     16 .
  15.00     17 . 00000
    .00     17 .
  29.00     18 . 0000000000
    .00     18 .
  75.00     19 . 000000000000000000000000
    .00     19 .
  92.00     20 . 00000000000000000000000000000000
    .00     20 .
 123.00     21 . 000000000000000000000000000000000000000000
    .00     21 .
 146.00     22 . 0000000000000000000000000000000000000000000000000000
    .00     22 .
 118.00     23 . 000000000000000000000000000000000000000000
    .00     23 .
  49.00     24 . 0000000000000000000
    .00     24 .
  12.00     25 . 0000
Stem width:    1.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_085



A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<36.0)
  12.00     37 . 0000
  18.00     38 . 000000
  41.00     39 . 00000000000000
  55.00     40 . 0000000000000000000
  77.00     41 . 00000000000000000000000000
 120.00     42 . 000000000000000000000000000000000000000000
 111.00     43 . 000000000000000000000000000000000000000
  89.00     44 . 00000000000000000000000000000000
  68.00     45 . 0000000000000000000000
  39.00     46 . 000000000000000
  24.00     47 . 00000000
   3.00     48 . 0
   2.00 Extremes    (>=49.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A10_085



Descriptives

			Statistic	Std. Error
A5_085	Mean		21.2489	.07137
	95% Confidence Inter for Mean	Lower Bound	21.1087	
		Upper Bound	21.3890	
	5% Trimmed Mean		21.3000	
	Median		21.0000	
	Variance		3.378	
	Std. Deviation		1.83781	
	Minimum		15.00	
	Maximum		25.00	
	Range		10.00	
	Interquartile Range		3.0000	
	Skewness		-.417	.095
	Kurtosis		-.083	.190

Descriptives

			Statistic	Std. Error
A10_085	Mean		42.5053	.09228
	95% Confidence Inter for Mean	Lower Bound	42.3241	
		Upper Bound	42.6865	
	5% Trimmed Mean		42.5346	
	Median		43.0000	
	Variance		5.646	
	Std. Deviation		2.37616	
	Minimum		36.00	
	Maximum		49.00	
	Range		13.00	
	Interquartile Range		3.0000	
	Skewness		-.158	.095
	Kurtosis		-.176	.190

N=500

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<53.0)
   4.00      57 . 0
  15.00      58 . 00000
  19.00      59 . 000000
  33.00      60 . 00000000000
  61.00      61 . 0000000000000000000
  69.00      62 . 000000000000000000000
  69.00      63 . 000000000000000000000
 101.00      64 . 00000000000000000000000000000000
  89.00      65 . 0000000000000000000000000000
  81.00      66 . 000000000000000000000000000
  57.00      67 . 0000000000000000000
  38.00      68 . 0000000000000
  14.00      69 . 00000
   8.00      70 . 000
   4.00      71 . 0
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_085



A20_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   9.00 Extremes    (=<77.0)
  11.00      78 . 00000
  12.00      79 . 000000
  17.00      80 . 00000000
  39.00      81 . 000000000000000000000
  50.00      82 . 00000000000000000000000000
  65.00      83 . 0000000000000000000000000000000
  87.00      84 . 000000000000000000000000000000000000000000
  92.00      85 . 0000000000000000000000000000000000000000000000
  65.00      86 . 0000000000000000000000000000000
  71.00      87 . 00000000000000000000000000000000000
  52.00      88 . 0000000000000000000000000000
  41.00      89 . 00000000000000000000000
  18.00      90 . 000000000
  18.00      91 . 000000000
  11.00      92 . 00000
   5.00 Extremes    (>=93.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_08 Mean		63.9608	.10802
95% Confidence Ir for Mean	Lower Bound	63.7487	
	Upper Bound	64.1729	
5% Trimmed Mean		63.9902	
Median		64.0000	
Variance		7.736	
Std. Deviation		2.78130	
Minimum		53.00	
Maximum		71.00	
Range		18.00	
Interquartile Range		4.0000	
Skewness		-.179	.095
Kurtosis		-.106	.190

Descriptives

		Statistic	Std. Error
A20_085 Mean		85.0256	.12637
95% Confidence Inter for Mean	Lower Bound	84.7775	
	Upper Bound	85.2738	
5% Trimmed Mean		85.0333	
Median		85.0000	
Variance		10.587	
Std. Deviation		3.25376	
Minimum		75.00	
Maximum		97.00	
Range		22.00	
Interquartile Range		4.0000	
Skewness		.011	.095
Kurtosis		.187	.190

N=500

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  22.00 Extremes    (=<19.0)
  37.00      20 .  0000000000
   .00       20 .
  86.00      21 .  00000000000000000000000
   .00       21 .
 150.00      22 .  000000000000000000000000000000000000000000
   .00       22 .
 182.00      23 .  0000000000000000000000000000000000000000000000000000
   .00       23 .
 138.00      24 .  000000000000000000000000000000000000
   .00       24 .
  48.00      25 .  000000000000
Stem width:     1.00
Each leaf:      4 case(s)
```

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  33.00 Extremes    (=<41.0)
  36.00      42 .  000000000000
   .00       42 .
  85.00      43 .  0000000000000000000000000000000
   .00       43 .
  98.00      44 .  00000000000000000000000000000000000
   .00       44 .
 129.00      45 .  000000000000000000000000000000000000000000000
   .00       45 .
 124.00      46 .  00000000000000000000000000000000000000000000
   .00       46 .
  94.00      47 .  0000000000000000000000000000000000
   .00       47 .
  48.00      48 .  0000000000000000000
  16.00 Extremes    (>=49.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_09



Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		22.5626	.05666
	95% Confidence Inte for Mean	Lower Bound	22.4513	
		Upper Bound	22.6739	
	5% Trimmed Mean		22.6114	
	Median		23.0000	
	Variance		2.129	
	Std. Deviation		1.45898	
	Minimum		18.00	
	Maximum		25.00	
	Range		7.00	
	Interquartile Range		2.0000	
	Skewness		-.489	.095
	Kurtosis		-.062	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		44.9940	.07791
	95% Confidence Inter for Mean	Lower Bound	44.8410	
		Upper Bound	45.1469	
	5% Trimmed Mean		45.0486	
	Median		45.0000	
	Variance		4.024	
	Std. Deviation		2.00602	
	Minimum		39.00	
	Maximum		50.00	
	Range		11.00	
	Interquartile Range		2.0000	
	Skewness		-.316	.095
	Kurtosis		-.126	.190

N=500

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<60.0)
   8.00     62 . 000
  26.00     63 . 000000000
  36.00     64 . 000000000000
  55.00     65 . 0000000000000000000
  96.00     66 . 000000000000000000000000000000000
 103.00     67 . 0000000000000000000000000000000000000
 114.00     68 . 00000000000000000000000000000000000000000
  96.00     69 . 000000000000000000000000000000000
  67.00     70 . 0000000000000000000000
  29.00     71 . 0000000000
  22.00     72 . 0000000
   7.00     73 . 00
   1.00 Extremes    (>=74.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_09



A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   9.00 Extremes    (=<82.0)
   5.00     83 . 00
  11.00     84 . 00000
  21.00     85 . 0000000000
  20.00     86 . 0000000000
  50.00     87 . 00000000000000000000000000
  73.00     88 . 0000000000000000000000000000000000000
  84.00     89 . 000000000000000000000000000000000000000000
  85.00     90 . 000000000000000000000000000000000000000000
 100.00     91 . 0000000000000000000000000000000000000000000000000
  78.00     92 . 000000000000000000000000000000000000000
  60.00     93 . 000000000000000000000000000000000
  38.00     94 . 0000000000000000000000
  18.00     95 . 000000000
   7.00     96 . 000
   2.00     97 . 0
   2.00 Extremes    (>=98.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_09



Descriptives

			Statistic	Std. Error
A15_09	Mean		67.4555	.09177
	95% Confidence Inte for Mean	Lower Bound	67.2753	
		Upper Bound	67.6357	
	5% Trimmed Mean		67.4709	
	Median		68.0000	
	Variance		5.584	
	Std. Deviation		2.36299	
	Minimum		59.00	
	Maximum		74.00	
	Range		15.00	
	Interquartile Range		3.0000	
	Skewness		-.153	.095
	Kurtosis		.016	.190

Descriptives

			Statistic	Std. Error
A20_09	Mean		90.0166	.11085
	95% Confidence Int for Mean	Lower Bound	89.7989	
		Upper Bound	90.2342	
	5% Trimmed Mean		90.0790	
	Median		90.0000	
	Variance		8.146	
	Std. Deviation		2.85416	
	Minimum		81.00	
	Maximum		98.00	
	Range		17.00	
	Interquartile Range		4.0000	
	Skewness		-.317	.095
	Kurtosis		.172	.190

N=500

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<20.0)
  14.00     21 . 000
    .00     21 .
  71.00     22 . 00000000000000
    .00     22 .
 146.00     23 . 000000000000000000000000000000
    .00     23 .
 248.00     24 . 0000000000000000000000000000000000000000000000000000
    .00     24 .
 179.00     25 . 00000000000000000000000000000000000
```

Stem width: 1.00

Each leaf: 5 case(s)

A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  19.00 Extremes    (=<44.0)
  52.00     45 . 0000000000000
    .00     45 .
  73.00     46 . 000000000000000000000
    .00     46 .
 153.00     47 . 0000000000000000000000000000000000000000
    .00     47 .
 187.00     48 . 00000000000000000000000000000000000000000000000000
    .00     48 .
 126.00     49 . 000000000000000000000000000000000
    .00     49 .
  53.00     50 . 0000000000000
```

Stem width: 1.00

Each leaf: 4 case(s)

Normal Q-Q Plot of A5_095



Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A5_095	Mean	23.7406	.04214
	95% Confidence Inte for Mean — Lower Bound	23.6578	
	95% Confidence Inte for Mean — Upper Bound	23.8233	
	5% Trimmed Mean	23.8092	
	Median	24.0000	
	Variance	1.177	
	Std. Deviation	1.08504	
	Minimum	19.00	
	Maximum	25.00	
	Range	6.00	
	Interquartile Range	2.0000	
	Skewness	-.802	.095
	Kurtosis	.533	.190

Descriptives

		Statistic	Std. Error
A10_09:	Mean	47.5415	.05773
	95% Confidence Inte for Mean — Lower Bound	47.4281	
	95% Confidence Inte for Mean — Upper Bound	47.6548	
	5% Trimmed Mean	47.5863	
	Median	48.0000	
	Variance	2.209	
	Std. Deviation	1.48640	
	Minimum	42.00	
	Maximum	50.00	
	Range	8.00	
	Interquartile Range	2.0000	
	Skewness	-.492	.095
	Kurtosis	.012	.190

N=500

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  15.00 Extremes    (=<67.0)
  32.00      68 . 00000000000
    .00      68 .
  70.00      69 . 0000000000000000000000
    .00      69 .
 101.00      70 . 00000000000000000000000000000000
    .00      70 .
 134.00      71 . 000000000000000000000000000000000000000000
    .00      71 .
 146.00      72 . 0000000000000000000000000000000000000000000000
    .00      72 .
 106.00      73 . 00000000000000000000000000000000
    .00      73 .
  50.00      74 . 00000000000000000
   9.00 Extremes    (>=75.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  27.00 Extremes    (=<91.0)
  47.00      92 . 00000000000000000
    .00      92 .
  71.00      93 . 0000000000000000000000000
    .00      93 .
 111.00      94 . 000000000000000000000000000000000000000
    .00      94 .
 127.00      95 . 0000000000000000000000000000000000000000000
    .00      95 .
 131.00      96 . 00000000000000000000000000000000000000000000
    .00      96 .
  88.00      97 . 0000000000000000000000000000
    .00      97 .
  40.00      98 . 0000000000000
  21.00 Extremes    (>=99.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_095



Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_09: Mean		71.2066	.06990
95% Confidence Inte for Mean	Lower Bound	71.0694	
	Upper Bound	71.3439	
5% Trimmed Mean		71.2564	
Median		71.0000	
Variance		3.240	
Std. Deviation		1.79992	
Minimum		64.00	
Maximum		75.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		-.433	.095
Kurtosis		.183	.190

Descriptives

		Statistic	Std. Error
A20_09: Mean		95.0060	.07622
95% Confidence Inte for Mean	Lower Bound	94.8564	
	Upper Bound	95.1557	
5% Trimmed Mean		95.0251	
Median		95.0000	
Variance		3.852	
Std. Deviation		1.96263	
Minimum		89.00	
Maximum		100.00	
Range		11.00	
Interquartile Range		2.0000	
Skewness		-.166	.095
Kurtosis		-.184	.190

N=1,000

A5_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  181.00     0 . 000000000000000000000000000000000000
    .00      0 .
  246.00     1 . 000000000000000000000000000000000000000000000000000000
    .00      1 .
  155.00     2 . 000000000000000000000000000000000
    .00      2 .
   56.00     3 . 00000000000
    .00      3 .
   22.00     4 . 0000
    3.00 Extremes    (>=5.0)

Stem width:     1.00
Each leaf:      5 case(s)
```

A10_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
   44.00     0 . 00000000000
    .00      0 .
  133.00     1 . 0000000000000000000000000000000000
    .00      1 .
  183.00     2 . 000000000000000000000000000000000000000000000000000
    .00      2 .
  160.00     3 . 0000000000000000000000000000000000000000
    .00      3 .
   93.00     4 . 000000000000000000000000000
    .00      4 .
   29.00     5 . 0000000
   21.00 Extremes    (>=6.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A5_005



Normal Q-Q Plot of A10_005



Descriptives

		Statistic	Std. Error
A5_00: Mean		1.2489	.04199
95% Confidence for Mean	Lower Bound	1.1664	
	Upper Bound	1.3313	
5% Trimmed Mean		1.1724	
Median		1.0000	
Variance		1.169	
Std. Deviation		1.08124	
Minimum		.00	
Maximum		6.00	
Range		6.00	
Interquartile Range		2.0000	
Skewness		.816	.095
Kurtosis		.536	.190

Descriptives

		Statistic	Std. Error
A10_00: Mean		2.4540	.05543
95% Confidence Inte for Mean	Lower Bound	2.3452	
	Upper Bound	2.5628	
5% Trimmed Mean		2.4053	
Median		2.0000	
Variance		2.037	
Std. Deviation		1.42716	
Minimum		.00	
Maximum		8.00	
Range		8.00	
Interquartile Range		2.0000	
Skewness		.512	.095
Kurtosis		.248	.190

N=1,000

A15_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<.0)
  50.00      1 . 000000000000
    .00      1 .
 103.00      2 . 0000000000000000000000000
    .00      2 .
 144.00      3 . 000000000000000000000000000000000000
    .00      3 .
 153.00      4 . 000000000000000000000000000000000000000
    .00      4 .
  97.00      5 . 00000000000000000000000
    .00      5 .
  64.00      6 . 0000000000000000
    .00      6 .
  25.00      7 . 000000
  17.00 Extremes    (>=8.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A15_005



A20_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  13.00 Extremes    (=<1.0)
  54.00      2 . 000000000000000000
    .00      2 .
  80.00      3 . 00000000000000000000000000000
    .00      3 .
 121.00      4 . 0000000000000000000000000000000000000000
    .00      4 .
 140.00      5 . 00000000000000000000000000000000000000000000000
    .00      5 .
 119.00      6 . 000000000000000000000000000000000000000
    .00      6 .
  75.00      7 . 000000000000000000000000000
    .00      7 .
  38.00      8 . 0000000000000000
  23.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_005	Mean	3.7587	.06909
	95% Confidence Inte Lower Bound for Mean	3.6230	
	Upper Bound	3.8943	
	5% Trimmed Mean	3.7000	
	Median	4.0000	
	Variance	3.165	
	Std. Deviation	1.77911	
	Minimum	.00	
	Maximum	11.00	
	Range	11.00	
	Interquartile Range	2.0000	
	Skewness	.492	.095
	Kurtosis	.486	.190

Descriptives

		Statistic	Std. Error
A20_005	Mean	4.9894	.07371
	95% Confidence Inter Lower Bound for Mean	4.8447	
	Upper Bound	5.1342	
	5% Trimmed Mean	4.9497	
	Median	5.0000	
	Variance	3.603	
	Std. Deviation	1.89805	
	Minimum	1.00	
	Maximum	11.00	
	Range	10.00	
	Interquartile Range	2.0000	
	Skewness	.243	.095
	Kurtosis	-.097	.190

N=1,000

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00      0 . 0
  20.00      1 . 0000000
  63.00      2 . 000000000000000000000
  88.00      3 . 0000000000000000000000000000
 117.00      4 . 000000000000000000000000000000000000
 112.00      5 . 00000000000000000000000000000000000
  97.00      6 . 0000000000000000000000000000000
  77.00      7 . 000000000000000000000000000
  53.00      8 . 000000000000000000
  21.00      9 . 0000000
   6.00     10 . 00
   7.00 Extremes    (>=11.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

A10_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00      3 . 000
  13.00      4 . 000000
  20.00      5 . 0000000000
  38.00      6 . 00000000000000000000
  55.00      7 . 0000000000000000000000000000000
  65.00      8 . 00000000000000000000000000000000000
  98.00      9 . 0000000000000000000000000000000000000000000000000000
  85.00     10 . 0000000000000000000000000000000000000000000000000
  80.00     11 . 0000000000000000000000000000000000000000000000000
  69.00     12 . 000000000000000000000000000000000000000
  44.00     13 . 00000000000000000000000000000
  44.00     14 . 00000000000000000000000000000
  21.00     15 . 0000000000
   9.00     16 . 0000
   8.00     17 . 0000
   8.00 Extremes    (>=18.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_01



Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		4.9940	.08339
	95% Confidence Int for Mean	Lower Bound	4.8302	
		Upper Bound	5.1577	
	5% Trimmed Mean		4.9411	
	Median		5.0000	
	Variance		4.610	
	Std. Deviation		2.14715	
	Minimum		.00	
	Maximum		12.00	
	Range		12.00	
	Interquartile Range		3.0000	
	Skewness		.307	.095
	Kurtosis		-.211	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		10.0618	.11640
	95% Confidence Inter for Mean	Lower Bound	9.8333	
		Upper Bound	10.2904	
	5% Trimmed Mean		10.0268	
	Median		10.0000	
	Variance		8.983	
	Std. Deviation		2.99709	
	Minimum		3.00	
	Maximum		19.00	
	Range		16.00	
	Interquartile Range		4.0000	
	Skewness		.183	.095
	Kurtosis		-.116	.190

N=1,000

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   5.00 Extremes    (=<7.0)
   6.00        8 . 000
  12.00        9 . 000000
  27.00       10 . 0000000000000
  39.00       11 . 000000000000000000000
  61.00       12 . 0000000000000000000000000000000
  76.00       13 . 00000000000000000000000000000000000000
  74.00       14 . 0000000000000000000000000000000000000
  89.00       15 . 00000000000000000000000000000000000000000000000
  68.00       16 . 0000000000000000000000000000000000
  63.00       17 . 000000000000000000000000000000000
  50.00       18 . 00000000000000000000000000000
  32.00       19 . 0000000000000000000
  26.00       20 . 0000000000000000
  19.00       21 . 000000000000
   5.00       22 . 00
  11.00 Extremes    (>=23.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_01



A20_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<9.0)
   2.00       11 . 0
   5.00       12 . 00
  11.00       13 . 00000
  22.00       14 . 0000000000
  26.00       15 . 00000000000000
  56.00       16 . 0000000000000000000000000000
  71.00       17 . 000000000000000000000000000000000000
  65.00       18 . 00000000000000000000000000000000000
  55.00       19 . 0000000000000000000000000000
  61.00       20 . 0000000000000000000000000000000
  65.00       21 . 00000000000000000000000000000000000
  61.00       22 . 0000000000000000000000000000000000
  42.00       23 . 000000000000000000000000
  34.00       24 . 0000000000000000000
  30.00       25 . 000000000000000000
  21.00       26 . 000000000000
  20.00       27 . 0000000000000
   7.00       28 . 000
   1.00       29 . &
   6.00 Extremes    (>=30.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		14.9970	.12801
	95% Confidence Inter for Mean	Lower Bound	14.7456	
		Upper Bound	15.2483	
	5% Trimmed Mean		14.9394	
	Median		15.0000	
	Variance		10.864	
	Std. Deviation		3.29606	
	Minimum		5.00	
	Maximum		28.00	
	Range		23.00	
	Interquartile Range		4.0000	
	Skewness		.295	.095
	Kurtosis		.343	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		19.9291	.14703
	95% Confidence Inter for Mean	Lower Bound	19.6404	
		Upper Bound	20.2178	
	5% Trimmed Mean		19.8757	
	Median		20.0000	
	Variance		14.332	
	Std. Deviation		3.78574	
	Minimum		9.00	
	Maximum		33.00	
	Range		24.00	
	Interquartile Range		5.0000	
	Skewness		.233	.095
	Kurtosis		-.172	.190

N=1,000

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<1.0)
   9.00      2 . 000
  22.00      3 . 0000000
  50.00      4 . 00000000000000000
  60.00      5 . 000000000000000000000
 103.00      6 . 0000000000000000000000000000000000
 120.00      7 . 00000000000000000000000000000000000000000
 108.00      8 . 000000000000000000000000000000000000
  81.00      9 . 000000000000000000000000000
  52.00     10 . 00000000000000000
  24.00     11 . 00000000
  11.00     12 . 0000
  14.00     13 . 00000
   7.00 Extremes    (>=14.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_015



Descriptives

		Statistic	Std. Error
A5_015 Mean		7.2941	.09351
95% Confidence Inte for Mean	Lower Bound	7.1105	
	Upper Bound	7.4777	
5% Trimmed Mean		7.2428	
Median		7.0000	
Variance		5.797	
Std. Deviation		2.40771	
Minimum		1.00	
Maximum		16.00	
Range		15.00	
Interquartile Range		3.0000	
Skewness		.299	.095
Kurtosis		.305	.190

A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<5.0)
   1.00      6 . &
   1.00      7 . &
   9.00      8 . 0000
  12.00      9 . 000000
  34.00     10 . 0000000000000000
  37.00     11 . 00000000000000000
  57.00     12 . 000000000000000000000000000
  64.00     13 . 0000000000000000000000000000000
  62.00     14 . 00000000000000000000000000000
  83.00     15 . 000000000000000000000000000000000000000
  73.00     16 . 0000000000000000000000000000000000
  58.00     17 . 00000000000000000000000000000
  49.00     18 . 0000000000000000000000000
  45.00     19 . 000000000000000000000000
  33.00     20 . 000000000000000000
  23.00     21 . 00000000000
  11.00     22 . 00000
   4.00     23 . 00
   2.00     24 . 0
   3.00     25 . 0
   1.00 Extremes    (>=27.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_015



Descriptives

		Statistic	Std. Error
A10_015 Mean		15.2217	.13398
95% Confidence Inter for Mean	Lower Bound	14.9586	
	Upper Bound	15.4848	
5% Trimmed Mean		15.1891	
Median		15.0000	
Variance		11.901	
Std. Deviation		3.44977	
Minimum		5.00	
Maximum		27.00	
Range		22.00	
Interquartile Range		5.0000	
Skewness		.145	.095
Kurtosis		-.194	.190

N=1,000

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<12.0)
   1.00      13 . &
   6.00      14 . 000
   9.00      15 . 0000
  13.00      16 . 000000
  24.00      17 . 000000000000
  42.00      18 . 000000000000000000000
  29.00      19 . 00000000000000
  48.00      20 . 000000000000000000000000
  59.00      21 . 0000000000000000000000000000
  78.00      22 . 000000000000000000000000000000000000000
  82.00      23 . 0000000000000000000000000000000000000000000
  64.00      24 . 00000000000000000000000000000000
  50.00      25 . 0000000000000000000000000
  47.00      26 . 00000000000000000000000
  32.00      27 . 00000000000000000
  28.00      28 . 00000000000000
  15.00      29 . 0000000
  20.00      30 . 0000000000
   2.00      31 . 0
   8.00      32 . 0000
   3.00 Extremes    (>=33.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_015



Descriptives

		Statistic	Std. Error
A15_015 Mean		22.7768	.14919
95% Confidence Inter for Mean	Lower Bound	22.4838	
	Upper Bound	23.0697	
5% Trimmed Mean		22.7637	
Median		23.0000	
Variance		14.757	
Std. Deviation		3.84145	
Minimum		12.00	
Maximum		34.00	
Range		22.00	
Interquartile Range		5.0000	
Skewness		.041	.095
Kurtosis		-.055	.190

A20_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<18)
   4.00      1 . 9
   6.00      2 . 01
  32.00      2 . 2222333333
  63.00      2 . 444444555555555555
  84.00      2 . 666666666666667777777777
 124.00      2 . 888888888888888888888889999999999999999
 107.00      3 . 00000000000000000011111111111111111
  94.00      3 . 2222222222223333333333333333
  72.00      3 . 444444444555555555555
  42.00      3 . 66666666777777
  17.00      3 . 888899
  10.00      4 . 011
   6.00 Extremes    (>=42)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A20_01: Mean		30.0347	.17589
95% Confidence Inte for Mean	Lower Bound	29.6893	
	Upper Bound	30.3801	
5% Trimmed Mean		29.9749	
Median		30.0000	
Variance		20.511	
Std. Deviation		4.52889	
Minimum		17.00	
Maximum		44.00	
Range		27.00	
Interquartile Range		6.0000	
Skewness		.185	.095
Kurtosis		-.064	.190

N=1,000

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00      3 . 0
  11.00      4 . 00000
  18.00      5 . 000000000
  30.00      6 . 000000000000000
  50.00      7 . 00000000000000000000000000
  82.00      8 . 0000000000000000000000000000000000000000000000
  99.00      9 . 000000000000000000000000000000000000000000000000000
 100.00     10 . 0000000000000000000000000000000000000000000000000000000
  81.00     11 . 000000000000000000000000000000000000000000000
  72.00     12 . 00000000000000000000000000000000000000
  42.00     13 . 000000000000000000000000
  40.00     14 . 000000000000000000000000
  19.00     15 . 000000000000
  10.00     16 . 00000
   4.00     17 . 00
   3.00 Extremes    (>=18.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		10.0226	.10578
	95% Confidence Inte for Mean	Lower Bound	9.8149	
		Upper Bound	10.2303	
	5% Trimmed Mean		10.0014	
	Median		10.0000	
	Variance		7.418	
	Std. Deviation		2.72359	
	Minimum		3.00	
	Maximum		18.00	
	Range		15.00	
	Interquartile Range		4.0000	
	Skewness		.159	.095
	Kurtosis		-.109	.190

A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<10.0)
   5.00     11 . 00
   7.00     12 . 000
   9.00     13 . 0000
  20.00     14 . 00000000000
  30.00     15 . 000000000000000
  43.00     16 . 0000000000000000000000
  41.00     17 . 00000000000000000000
  62.00     18 . 00000000000000000000000000000000
  75.00     19 . 000000000000000000000000000000000000000
  65.00     20 . 00000000000000000000000000000000
  69.00     21 . 000000000000000000000000000000000000000
  58.00     22 . 0000000000000000000000000000
  50.00     23 . 00000000000000000000000000
  37.00     24 . 0000000000000000000
  38.00     25 . 00000000000000000000
  26.00     26 . 00000000000000
  13.00     27 . 000000
   6.00     28 . 000
   3.00     29 . 0
   1.00     30 . &
   2.00 Extremes    (>=32.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A10_02	Mean		20.1071	.14570
	95% Confidence Inter for Mean	Lower Bound	19.8210	
		Upper Bound	20.3932	
	5% Trimmed Mean		20.1190	
	Median		20.0000	
	Variance		14.075	
	Std. Deviation		3.75162	
	Minimum		10.00	
	Maximum		32.00	
	Range		22.00	
	Interquartile Range		5.0000	
	Skewness		-.001	.095
	Kurtosis		-.156	.190

N=1,000

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   3.00 Extremes    (=<18)
   3.00      1 . 9
  15.00      2 . 00111
  25.00      2 . 222223333
  59.00      2 . 44444444455555555555
  99.00      2 . 666666666666677777777777777777777
 113.00      2 . 88888888888888888888999999999999999999
 119.00      3 . 00000000000000000000000011111111111111111
  95.00      3 . 22222222222222223333333333333333
  60.00      3 . 444444444444555555555
  38.00      3 . 6666667777777
  19.00      3 . 8888999
   8.00      4 . 01
   7.00 Extremes    (>=42)
Stem width:     10.00
Each leaf:      3 case(s)
```

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   6.00 Extremes    (=<27)
    .00      2 .
   5.00      2 . 89
  17.00      3 . 000111
  31.00      3 . 2222333333
  51.00      3 . 444444455555555555
  95.00      3 . 66666666666666677777777777777777777
 111.00      3 . 888888888888888888888999999999999999999
 104.00      4 . 00000000000000000011111111111111111
  77.00      4 . 22222222222222333333333333
  65.00      4 . 4444444444455555555555
  46.00      4 . 6666666667777777
  26.00      4 . 88889999
  17.00      5 . 000011
   8.00      5 . 22&
   4.00 Extremes    (>=54)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_02



Normal Q-Q Plot of A20_02



Descriptives

		Statistic	Std. Error
A15_02 Mean		29.8462	.17628
95% Confidence Int for Mean	Lower Bound	29.5000	
	Upper Bound	30.1923	
5% Trimmed Mean		29.8039	
Median		30.0000	
Variance		20.602	
Std. Deviation		4.53891	
Minimum		17.00	
Maximum		43.00	
Range		26.00	
Interquartile Range		6.0000	
Skewness		.163	.095
Kurtosis		.098	.190

Descriptives

		Statistic	Std. Error
A20_02 Mean		40.1116	.20070
95% Confidence Int for Mean	Lower Bound	39.7175	
	Upper Bound	40.5057	
5% Trimmed Mean		40.0919	
Median		40.0000	
Variance		26.707	
Std. Deviation		5.16784	
Minimum		23.00	
Maximum		56.00	
Range		33.00	
Interquartile Range		7.0000	
Skewness		.088	.095
Kurtosis		.195	.190

N=1,000

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  10.00 Extremes    (=<6.0)
   7.00      7 . 000
  29.00      8 . 00000000000000
  40.00      9 . 0000000000000000000
  61.00     10 . 0000000000000000000000000000000
  99.00     11 . 000000000000000000000000000000000000000000000000000
  83.00     12 . 00000000000000000000000000000000000000000000
  93.00     13 . 000000000000000000000000000000000000000000000000000
  80.00     14 . 00000000000000000000000000000000000000000000
  53.00     15 . 0000000000000000000000000000
  47.00     16 . 00000000000000000000000000
  36.00     17 . 0000000000000000000000
  13.00     18 . 000000
  12.00 Extremes    (>=19.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<13)
    .00      1 .
   3.00      1 . 4&
  13.00      1 . 6777
  41.00      1 . 88888899999999
  84.00      2 . 000000000000011111111111111
  96.00      2 . 22222222222222223333333333333333
 121.00      2 . 444444444444444445555555555555555555555
 119.00      2 . 66666666666666666666777777777777777777777
  96.00      2 . 888888888888888888888999999999999999999999
  39.00      3 . 0000000011111
  29.00      3 . 222222333
  16.00      3 . 44445
   5.00      3 . 66
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_025



Normal Q-Q Plot of A10_025



Descriptives

			Statistic	Std. Error
A5_025	Mean		12.5958	.10853
	95% Confidence Inter for Mean	Lower Bound	12.3827	
		Upper Bound	12.8089	
	5% Trimmed Mean		12.5813	
	Median		13.0000	
	Variance		7.809	
	Std. Deviation		2.79449	
	Minimum		5.00	
	Maximum		21.00	
	Range		16.00	
	Interquartile Range		3.0000	
	Skewness		.111	.095
	Kurtosis		-.212	.190

Descriptives

			Statistic	Std. Error
A10_025	Mean		25.0618	.16266
	95% Confidence Inter for Mean	Lower Bound	24.7425	
		Upper Bound	25.3812	
	5% Trimmed Mean		25.0117	
	Median		25.0000	
	Variance		17.541	
	Std. Deviation		4.18826	
	Minimum		13.00	
	Maximum		36.00	
	Range		23.00	
	Interquartile Range		6.0000	
	Skewness		.129	.095
	Kurtosis		-.229	.190

N=1,000

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00      2 . 5
  12.00      2 . 6677
  23.00      2 . 88889999
  45.00      3 . 000000011111111
  69.00      3 . 222222222233333333333
  89.00      3 . 44444444444455555555555555555
 105.00      3 . 666666666666666677777777777777777
  90.00      3 . 888888888888888999999999999999
  81.00      4 . 000000000000011111111111111
  73.00      4 . 2222222222223333333333
  29.00      4 . 4444445555
  31.00      4 . 6666667777
   9.00      4 . 889
   3.00      5 . 0&
   1.00 Extremes    (>=52)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_025



A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<36)
   2.00      3 . 7
   8.00      3 . 889
  24.00      4 . 00001111
  46.00      4 . 222222333333333
  51.00      4 . 44444445555555555
  67.00      4 . 6666666666777777777777
  98.00      4 . 888888888888888888999999999999999999
 105.00      5 . 000000000000000000011111111111111111111
  75.00      5 . 2222222222222333333333333
  77.00      5 . 4444444444444455555555555
  45.00      5 . 666666666677777
  31.00      5 . 88888889999
  13.00      6 . 00011
   9.00      6 . 223
   2.00      6 . 4
   5.00 Extremes    (>=65)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02: Mean		37.3831	.19615
95% Confidence Inte for Mean	Lower Bound	36.9980	
	Upper Bound	37.7683	
5% Trimmed Mean		37.3684	
Median		37.0000	
Variance		25.509	
Std. Deviation		5.05060	
Minimum		25.00	
Maximum		52.00	
Range		27.00	
Interquartile Range		7.0000	
Skewness		.061	.095
Kurtosis		-.350	.190

Descriptives

		Statistic	Std. Error
A20_02 Mean		50.0814	.21402
95% Confidence Ir for Mean	Lower Bound	49.6612	
	Upper Bound	50.5017	
5% Trimmed Mean		50.0553	
Median		50.0000	
Variance		30.368	
Std. Deviation		5.51071	
Minimum		34.00	
Maximum		67.00	
Range		33.00	
Interquartile Range		7.0000	
Skewness		.040	.095
Kurtosis		-.018	.190

N=1,000

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<7.0)
   6.00      8 . 000
   7.00      9 . 000
  25.00     10 . 000000000000
  37.00     11 . 0000000000000000000
  62.00     12 . 00000000000000000000000000000000
  70.00     13 . 000000000000000000000000000000000000
  71.00     14 . 000000000000000000000000000000000000
  77.00     15 . 0000000000000000000000000000000000000000
  82.00     16 . 00000000000000000000000000000000000000000000
  74.00     17 . 000000000000000000000000000000000000000
  51.00     18 . 000000000000000000000000000
  41.00     19 . 0000000000000000000000
  28.00     20 . 00000000000000000
  14.00     21 . 0000000
   9.00     22 . 0000
   4.00 Extremes    (>=23.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_03



A10_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<17)
   2.00      1 . 9
   7.00      2 . 001
  24.00      2 . 22233333
  52.00      2 . 44444445555555555
  82.00      2 . 66666666666667777777777777
 119.00      2 . 88888888888888888899999999999999999999999
 122.00      3 . 0000000000000000000000111111111111111111111
  97.00      3 . 2222222222222233333333333333333
  75.00      3 . 444444444444445555555555
  46.00      3 . 6666666667777777
  28.00      3 . 888899999
   7.00      4 . 01
   1.00 Extremes    (>=46)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_03



Descriptives

		Statistic	Std. Error
A5_03	Mean	15.1101	.12071
	95% Confidence Inte Lower Bound for Mean	14.8731	
	Upper Bound	15.3471	
	5% Trimmed Mean	15.1039	
	Median	15.0000	
	Variance	9.660	
	Std. Deviation	3.10806	
	Minimum	7.00	
	Maximum	24.00	
	Range	17.00	
	Interquartile Range	4.0000	
	Skewness	.026	.095
	Kurtosis	-.293	.190

Descriptives

		Statistic	Std. Error
A10_03	Mean	30.3575	.16747
	95% Confidence Inte Lower Bound for Mean	30.0286	
	Upper Bound	30.6863	
	5% Trimmed Mean	30.3433	
	Median	30.0000	
	Variance	18.596	
	Std. Deviation	4.31226	
	Minimum	17.00	
	Maximum	46.00	
	Range	29.00	
	Interquartile Range	6.0000	
	Skewness	.072	.095
	Kurtosis	-.113	.190

N=1,000

A15_03 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	3 . 1
7.00	3 . 233
14.00	3 . 445555
34.00	3 . 6666666777777777
44.00	3 . 8888888888999999999999
71.00	4 . 00000000000000000111111111111111111
93.00	4 . 222222222222222222233333333333333333333333
76.00	4 . 4444444444444444555555555555555555
90.00	4 . 666666666666666666666667777777777777777777
89.00	4 . 88888888888888888888888999999999999999999999
72.00	5 . 000000000000000000001111111111111111
33.00	5 . 2222222222333333
19.00	5 . 444455555
11.00	5 . 66677
7.00	5 . 889
1.00 Extremes	(>=61)

Stem width: 10.00

Each leaf: 2 case(s)

Normal Q-Q Plot of A15_03



A20_03 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00 Extremes	(=<44)
.00	4 .
6.00	4 . 677
13.00	4 . 899999
24.00	5 . 00011111111
41.00	5 . 22222222223333333333
56.00	5 . 44444444444555555555555555
57.00	5 . 666666666666667777777777777
85.00	5 . 88888888888888888888999999999999999999999
97.00	6 . 0000000000000000000000001111111111111111111111
93.00	6 . 222222222222222222223333333333333333333333333
64.00	6 . 4444444444444444555555555555555
51.00	6 . 666666666666666677777777
31.00	6 . 8888888888999999
21.00	7 . 0000000111
9.00	7 . 2233
9.00	7 . 4455
4.00 Extremes	(>=76)

Stem width: 10.00

Each leaf: 2 case(s)

Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A15_03	Mean	45.1192	.20925
	95% Confidence In for Mean Lower Bound	44.7083	
	Upper Bound	45.5300	
	5% Trimmed Mean	45.0938	
	Median	45.0000	
	Variance	29.030	
	Std. Deviation	5.38791	
	Minimum	31.00	
	Maximum	61.00	
	Range	30.00	
	Interquartile Range	8.0000	
	Skewness	.017	.095
	Kurtosis	-.277	.190

Descriptives

		Statistic	Std. Error
A20_03	Mean	60.3710	.22975
	95% Confidence Int for Mean Lower Bound	59.9199	
	Upper Bound	60.8222	
	5% Trimmed Mean	60.3299	
	Median	60.0000	
	Variance	34.995	
	Std. Deviation	5.91566	
	Minimum	40.00	
	Maximum	78.00	
	Range	38.00	
	Interquartile Range	8.0000	
	Skewness	.048	.095
	Kurtosis	.022	.190

N=1,000

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00      9 . 0000
   3.00     10 . 0
  11.00     11 . 00000
  22.00     12 . 00000000000
  43.00     13 . 0000000000000000000
  54.00     14 . 000000000000000000000000
  65.00     15 . 00000000000000000000000000000
  77.00     16 . 0000000000000000000000000000000000
  78.00     17 . 0000000000000000000000000000000000
  69.00     18 . 000000000000000000000000000000000
  64.00     19 . 000000000000000000000000000000
  53.00     20 . 00000000000000000000000
  35.00     21 . 00000000000000000
  29.00     22 . 00000000000000
  27.00     23 . 000000000000
  16.00     24 . 00000000
   3.00     25 . 0
   2.00     26 . 0
   2.00     27 . 0
   2.00 Extremes    (>=28.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_035



A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<23)
    .00      2 .
   9.00      2 . 455
  23.00      2 . 66667777
  55.00      2 . 888888888999999999
  72.00      3 . 000000000001111111111111
  99.00      3 . 222222222222222333333333333333
 103.00      3 . 4444444444444444555555555555555555
  93.00      3 . 666666666666666677777777777777
  84.00      3 . 888888888888888899999999999
  60.00      4 . 00000000001111111111
  39.00      4 . 2222223333333
  14.00      4 . 4455
   2.00      4 . 6
   5.00 Extremes    (>=47)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A10_035



Descriptives

		Statistic	Std. Error
A5_035	Mean	17.2971	.13242
	95% Confidence Inte for Mean Lower Bound	17.0371	
	Upper Bound	17.5572	
	5% Trimmed Mean	17.2662	
	Median	17.0000	
	Variance	11.626	
	Std. Deviation	3.40970	
	Minimum	9.00	
	Maximum	28.00	
	Range	19.00	
	Interquartile Range	5.0000	
	Skewness	.188	.095
	Kurtosis	-.137	.190

Descriptives

		Statistic	Std. Error
A10_03:	Mean	34.9110	.18748
	95% Confidence Inte for Mean Lower Bound	34.5429	
	Upper Bound	35.2791	
	5% Trimmed Mean	34.9078	
	Median	35.0000	
	Variance	23.305	
	Std. Deviation	4.82750	
	Minimum	21.00	
	Maximum	50.00	
	Range	29.00	
	Interquartile Range	6.0000	
	Skewness	.036	.095
	Kurtosis	-.314	.190

N=1,000

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<38)
   1.00     3 . &
  11.00     4 . 00111
  13.00     4 . 223333
  32.00     4 . 444444444455555
  52.00     4 . 66666666666677777777777777
  72.00     4 . 88888888888888999999999999999999
  86.00     5 . 00000000000000000011111111111111111111
  95.00     5 . 22222222222222222222233333333333333333333
  91.00     5 . 44444444444444444444555555555555555555555
  93.00     5 . 66666666666666666666666667777777777777777777
  40.00     5 . 8888888888999999999
  38.00     6 . 0000000000011111111
  16.00     6 . 22222333
  14.00     6 . 4445555
   5.00     6 . 66
   2.00 Extremes    (>=68)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00     5 . &
   4.00     5 . 77
  18.00     5 . 888899999
  21.00     6 . 0000111111
  26.00     6 . 2222222333333
  73.00     6 . 4444444444444444555555555555555555
  72.00     6 . 66666666666666666677777777777777777
  60.00     6 . 888888888888888999999999999
  85.00     7 . 0000000000000000011111111111111111111
  92.00     7 . 2222222222222222222222233333333333333333333
  83.00     7 . 4444444444444444444555555555555555555555
  60.00     7 . 666666666666666667777777777
  38.00     7 . 8888888888889999999
  17.00     8 . 00001111
   8.00     8 . 223
   3.00     8 . 4&
   2.00 Extremes    (>=89)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A15_03. Mean		52.7587	.21161
95% Confidence Int for Mean	Lower Bound	52.3432	
	Upper Bound	53.1742	
5% Trimmed Mean		52.7335	
Median		53.0000	
Variance		29.688	
Std. Deviation		5.44866	
Minimum		35.00	
Maximum		68.00	
Range		33.00	
Interquartile Range		7.0000	
Skewness		.022	.095
Kurtosis		-.059	.190

Descriptives

		Statistic	Std. Error
A20_035 Mean		70.4374	.22288
95% Confidence Inter for Mean	Lower Bound	69.9998	
	Upper Bound	70.8750	
5% Trimmed Mean		70.4592	
Median		71.0000	
Variance		32.935	
Std. Deviation		5.73893	
Minimum		55.00	
Maximum		92.00	
Range		37.00	
Interquartile Range		9.0000	
Skewness		-.033	.095
Kurtosis		-.176	.190

N=1,000

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00 Extremes    (=<12.0)
   6.00     13 . 000
   8.00     14 . 0000
  19.00     15 . 000000000
  40.00     16 . 0000000000000000000
  64.00     17 . 0000000000000000000000000000000
  78.00     18 . 000000000000000000000000000000000000
  81.00     19 . 000000000000000000000000000000000000000
  69.00     20 . 000000000000000000000000000000000000
  60.00     21 . 000000000000000000000000000000
  70.00     22 . 0000000000000000000000000000000000
  53.00     23 . 00000000000000000000000000
  38.00     24 . 0000000000000000000000
  23.00     25 . 00000000000
  17.00     26 . 00000000
  14.00     27 . 0000000
  12.00 Extremes    (>=28.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

A10_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<28)
   2.00     2 . 9
  13.00     3 . 00111
  26.00     3 . 222233333
  67.00     3 . 4444444444455555555555
  75.00     3 . 666666666666777777777777
 103.00     3 . 888888888888888999999999999999999999
 114.00     4 . 000000000000000000001111111111111111111111
 103.00     4 . 2222222222222222223333333333333333
  70.00     4 . 4444444444444555555555555
  50.00     4 . 66666666777777777
  19.00     4 . 888899
  10.00     5 . 001
   6.00 Extremes    (>=52)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A5_04



Normal Q-Q Plot of A10_04



Descriptives

		Statistic	Std. Error
A5_04	Mean	20.0965	.13370
	95% Confidence Inte Lower Bound for Mean	19.8340	
	Upper Bound	20.3591	
	5% Trimmed Mean	20.0701	
	Median	20.0000	
	Variance	11.852	
	Std. Deviation	3.44263	
	Minimum	8.00	
	Maximum	36.00	
	Range	28.00	
	Interquartile Range	4.0000	
	Skewness	.201	.095
	Kurtosis	.592	.190

Descriptives

		Statistic	Std. Error
A10_04	Mean	40.1569	.18183
	95% Confidence Inter Lower Bound for Mean	39.7998	
	Upper Bound	40.5139	
	5% Trimmed Mean	40.1506	
	Median	40.0000	
	Variance	21.921	
	Std. Deviation	4.68198	
	Minimum	25.00	
	Maximum	56.00	
	Range	31.00	
	Interquartile Range	6.0000	
	Skewness	.017	.095
	Kurtosis	-.017	.190

N=1,000

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<46)
   5.00      4 . 77
  12.00      4 . 8999
  15.00      5 . 00111
  42.00      5 . 22222333333333
  41.00      5 . 44444455555555
  73.00      5 . 6666666666667777777777
  97.00      5 . 8888888888888889999999999999999
 104.00      6 . 0000000000000000111111111111111111
  89.00      6 . 2222222222222233333333333333
  65.00      6 . 44444444444455555555
  53.00      6 . 66666666667777777
  32.00      6 . 88888899999
  18.00      7 . 000111
  11.00      7 . 233
   1.00      7 . &
   1.00 Extremes    (>=75)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<64)
   1.00      6 . &
  12.00      6 . 66677
  16.00      6 . 88899999
  20.00      7 . 0000111111
  43.00      7 . 2222222222333333333
  62.00      7 . 44444444444445555555555555555
  71.00      7 . 66666666666777777777777777777777
  89.00      7 . 88888888888888889999999999999999999999
  80.00      8 . 00000000000000111111111111111111111111
  81.00      8 . 22222222222222222333333333333333333333
  60.00      8 . 44444444444444555555555555
  51.00      8 . 66666666666666667777777
  39.00      8 . 888888888899999999
  19.00      9 . 000000111
   8.00      9 . 2233
   5.00      9 . 45
   1.00 Extremes    (>=96)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_04



Normal Q-Q Plot of A20_04



Descriptives

			Statistic	Std. Error
A15_04	Mean		60.2881	.21247
	95% Confidence Interv for Mean	Lower Bound	59.8709	
		Upper Bound	60.7053	
	5% Trimmed Mean		60.3251	
	Median		60.0000	
	Variance		29.930	
	Std. Deviation		5.47088	
	Minimum		44.00	
	Maximum		75.00	
	Range		31.00	
	Interquartile Range		7.0000	
	Skewness		-.099	.095
	Kurtosis		-.028	.190

Descriptives

			Statistic	Std. Error
A20_04	Mean		79.8401	.23565
	95% Confidence Inter for Mean	Lower Bound	79.3774	
		Upper Bound	80.3028	
	5% Trimmed Mean		79.9100	
	Median		80.0000	
	Variance		36.817	
	Std. Deviation		6.06773	
	Minimum		60.00	
	Maximum		96.00	
	Range		36.00	
	Interquartile Range		8.0000	
	Skewness		-.155	.095
	Kurtosis		-.084	.190

N=1,000

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00      13 . 0
   4.00      14 . 00
   7.00      15 . 000
  13.00      16 . 000000
  17.00      17 . 00000000
  29.00      18 . 00000000000000
  49.00      19 . 0000000000000000000000
  56.00      20 . 00000000000000000000000000
  79.00      21 . 0000000000000000000000000000000000000
  87.00      22 . 000000000000000000000000000000000000000000
  71.00      23 . 00000000000000000000000000000000000
  70.00      24 . 0000000000000000000000000000000000
  52.00      25 . 0000000000000000000000000000
  45.00      26 . 000000000000000000000000000
  28.00      27 . 0000000000000000
  23.00      28 . 00000000000000
  16.00      29 . 00000000
   6.00      30 . 000
   9.00      31 . 0000
Stem width:    1.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_045



A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<33)
    .00      3 .
  11.00      3 . 4555
  16.00      3 . 66777
  39.00      3 . 8888899999999
  76.00      4 . 0000000000011111111111111
 106.00      4 . 2222222222222222333333333333333333
 115.00      4 . 4444444444444444455555555555555555555
  92.00      4 . 6666666666666677777777777777777
  87.00      4 . 8888888888888888999999999999999
  52.00      5 . 00000000000111111
  37.00      5 . 222222333333
  14.00      5 . 4455
   6.00      5 . 66
   4.00 Extremes    (>=57)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A10_045



Descriptives

			Statistic	Std. Error
A5_045	Mean		22.5279	.13195
	95% Confidence Inte for Mean	Lower Bound	22.2688	
		Upper Bound	22.7870	
	5% Trimmed Mean		22.5176	
	Median		22.0000	
	Variance		11.543	
	Std. Deviation		3.39745	
	Minimum		13.00	
	Maximum		31.00	
	Range		18.00	
	Interquartile Range		5.0000	
	Skewness		.068	.095
	Kurtosis		-.086	.190

Descriptives

			Statistic	Std. Error
A10_045	Mean		44.9940	.18584
	95% Confidence Inter for Mean	Lower Bound	44.6291	
		Upper Bound	45.3589	
	5% Trimmed Mean		45.0084	
	Median		45.0000	
	Variance		22.897	
	Std. Deviation		4.78511	
	Minimum		30.00	
	Maximum		60.00	
	Range		30.00	
	Interquartile Range		6.0000	
	Skewness		.014	.095
	Kurtosis		.116	.190

N=1,000

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<53)
    .00     5 .
   5.00     5 . 55&
  14.00     5 . 6677777
  27.00     5 . 8888899999999
  43.00     6 . 0000000001111111111111
  67.00     6 . 2222222222223333333333333333333
  93.00     6 . 444444444444444444445555555555555555555555555
  82.00     6 . 6666666666666666667777777777777777777777
  84.00     6 . 888888888888888888888999999999999999999999
  84.00     7 . 000000000000000000011111111111111111111111
  73.00     7 . 2222222222222222222333333333333333333
  49.00     7 . 4444444444444455555555555
  18.00     7 . 666666777
  13.00     7 . 888999
   7.00     8 . 000&
   1.00 Extremes    (>=84)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
    .00     7 .
   4.00     7 . 23
   2.00     7 . &
  12.00     7 . 666777
  19.00     7 . 889999999
  37.00     8 . 00000000001111111
  38.00     8 . 2222222333333333333
  69.00     8 . 444444444445555555555555555555555
  62.00     8 . 6666666666666667777777777777777
  77.00     8 . 888888888888888888999999999999999999999
  87.00     9 . 000000000000000000000011111111111111111111
  60.00     9 . 2222222222222333333333333333
  70.00     9 . 4444444444444444445555555555555555
  49.00     9 . 6666666666667777777777777
  36.00     9 . 888888999999999999
  19.00    10 . 000001111
  15.00    10 . 2222333
   4.00    10 . 4&
   1.00    10 . &
   2.00 Extremes    (>=109)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_045



Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A15_045	Mean	67.4404	.20984
	95% Confidence Interv for Mean — Lower Bound	67.0284	
	95% Confidence Interv for Mean — Upper Bound	67.8524	
	5% Trimmed Mean	67.4489	
	Median	67.0000	
	Variance	29.192	
	Std. Deviation	5.40300	
	Minimum	51.00	
	Maximum	84.00	
	Range	33.00	
	Interquartile Range	7.0000	
	Skewness	-.034	.095
	Kurtosis	-.251	.190

Descriptives

		Statistic	Std. Error
A20_045	Mean	89.7195	.25036
	95% Confidence Interv for Mean — Lower Bound	89.2279	
	95% Confidence Interv for Mean — Upper Bound	90.2110	
	5% Trimmed Mean	89.7154	
	Median	90.0000	
	Variance	41.556	
	Std. Deviation	6.44636	
	Minimum	72.00	
	Maximum	110.00	
	Range	38.00	
	Interquartile Range	9.0000	
	Skewness	.003	.095
	Kurtosis	-.249	.190

N=1,000

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  10.00 Extremes    (=<17.0)
  16.00      18 . 0000000
  19.00      19 . 000000000
  29.00      20 . 00000000000000
  34.00      21 . 0000000000000000
  53.00      22 . 00000000000000000000000
  79.00      23 . 0000000000000000000000000000000000
  60.00      24 . 000000000000000000000000000
  83.00      25 . 00000000000000000000000000000000000000
  61.00      26 . 000000000000000000000000000
  66.00      27 . 0000000000000000000000000000000
  57.00      28 . 000000000000000000000000000
  39.00      29 . 000000000000000000
  28.00      30 . 00000000000000
  13.00      31 . 000000
  10.00      32 . 00000
   6.00 Extremes    (>=33.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_05



A10_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<38)
   6.00      3 . 99
  17.00      4 . 001111
  35.00      4 . 22223333333
  63.00      4 . 444444444555555555555
  68.00      4 . 66666666677777777777777
 106.00      4 . 888888888888888888999999999999999999
 109.00      5 . 0000000000000000000001111111111111111
 104.00      5 . 2222222222222222222233333333333333333
  63.00      5 . 4444444444455555555555
  49.00      5 . 6666666677777777
  22.00      5 . 8888999
   9.00      6 . 011
   4.00 Extremes    (>=62)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		24.8250	.13411
	95% Confidence Inte for Mean	Lower Bound	24.5617	
		Upper Bound	25.0884	
	5% Trimmed Mean		24.8494	
	Median		25.0000	
	Variance		11.924	
	Std. Deviation		3.45312	
	Minimum		14.00	
	Maximum		34.00	
	Range		20.00	
	Interquartile Range		4.0000	
	Skewness		-.113	.095
	Kurtosis		-.213	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		49.8688	.18909
	95% Confidence Inte for Mean	Lower Bound	49.4975	
		Upper Bound	50.2401	
	5% Trimmed Mean		49.8978	
	Median		50.0000	
	Variance		23.706	
	Std. Deviation		4.86891	
	Minimum		36.00	
	Maximum		64.00	
	Range		28.00	
	Interquartile Range		6.0000	
	Skewness		-.081	.095
	Kurtosis		-.092	.190

N=1,000

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<61)
    .00      6 .
  11.00      6 . 233
  20.00      6 . 4444555
  18.00      6 . 666777
  51.00      6 . 888889999999999999
  50.00      7 . 00000001111111111
  87.00      7 . 22222222222333333333333333333
  93.00      7 . 444444444444444555555555555555
 102.00      7 . 6666666666666666777777777777777777
  74.00      7 . 88888888888888889999999999
  54.00      8 . 0000000001111111111
  42.00      8 . 22222222233333
  31.00      8 . 4444444555
  14.00      8 . 6677
   8.00      8 . 88&
   1.00 Extremes    (>=90)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<81)
   3.00      8 . 3
   7.00      8 . 555&
  10.00      8 . 66777
  20.00      8 . 888899999
  27.00      9 . 000000011111
  50.00      9 . 22222222223333333333333
  63.00      9 . 4444444444444445555555555555555
  70.00      9 . 66666666666666666777777777777777777
  70.00      9 . 88888888888888888999999999999999999
  85.00     10 . 0000000000000000000000001111111111111111
  69.00     10 . 2222222222222333333333333333333333
  68.00     10 . 4444444444444445555555555555555555
  46.00     10 . 6666666666667777777777
  30.00     10 . 8888899999999
  18.00     11 . 000011111
  12.00     11 . 22233
   5.00     11 . 45
   7.00     11 . 667
   2.00 Extremes    (>=119)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

		Statistic	Std. Error
A15_05	Mean	75.2459	.22340
	95% Confidence Inte for Mean Lower Bound	74.8072	
	Upper Bound	75.6845	
	5% Trimmed Mean	75.3237	
	Median	75.0000	
	Variance	33.089	
	Std. Deviation	5.75230	
	Minimum	53.00	
	Maximum	90.00	
	Range	37.00	
	Interquartile Range	7.0000	
	Skewness	-.201	.095
	Kurtosis	.135	.190

Descriptives

		Statistic	Std. Error
A20_05	Mean	99.6576	.25806
	95% Confidence Inte for Mean Lower Bound	99.1509	
	Upper Bound	100.1643	
	5% Trimmed Mean	99.6129	
	Median	100.0000	
	Variance	44.153	
	Std. Deviation	6.64477	
	Minimum	81.00	
	Maximum	122.00	
	Range	41.00	
	Interquartile Range	9.0000	
	Skewness	.099	.095
	Kurtosis	-.042	.190

N=1,000

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<17.0)
   2.00      18 . 0
   1.00      19 . &
   4.00      20 . 00
  12.00      21 . 000000
  24.00      22 . 000000000000
  31.00      23 . 0000000000000
  55.00      24 . 0000000000000000000000000
  53.00      25 . 00000000000000000000000
  57.00      26 . 000000000000000000000000000
  69.00      27 . 0000000000000000000000000000000
  88.00      28 . 00000000000000000000000000000000000000
  65.00      29 . 0000000000000000000000000000
  68.00      30 . 00000000000000000000000000000
  50.00      31 . 00000000000000000000000
  27.00      32 . 000000000000
  27.00      33 . 000000000000
  15.00      34 . 0000000
   8.00      35 . 0000
   2.00      36 . 0
   1.00      37 . &
   2.00 Extremes    (>=38.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_055



Descriptives

		Statistic	Std. Error
A5_055 Mean		27.6365	.13375
95% Confidence Inte for Mean	Lower Bound	27.3739	
	Upper Bound	27.8991	
5% Trimmed Mean		27.6316	
Median		28.0000	
Variance		11.860	
Std. Deviation		3.44385	
Minimum		17.00	
Maximum		40.00	
Range		23.00	
Interquartile Range		5.0000	
Skewness		.001	.095
Kurtosis		-.003	.190

A10_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<43)
    .00      4 .
  10.00      4 . 4455
  16.00      4 . 66777
  35.00      4 . 888899999999
  64.00      5 . 0000000011111111111111
  88.00      5 . 2222222222222233333333333333
 129.00      5 . 44444444444444444444445555555555555555555
 113.00      5 . 66666666666666666666777777777777777777
  83.00      5 . 88888888888888888999999999
  59.00      6 . 00000000001111111111
  40.00      6 . 2222222333333
  15.00      6 . 44445
   4.00      6 . 6
   4.00 Extremes    (>=67)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A10_055 Mean		55.3529	.17619
95% Confidence Inte for Mean	Lower Bound	55.0070	
	Upper Bound	55.6989	
5% Trimmed Mean		55.3735	
Median		55.0000	
Variance		20.582	
Std. Deviation		4.53676	
Minimum		42.00	
Maximum		70.00	
Range		28.00	
Interquartile Range		6.0000	
Skewness		-.004	.095
Kurtosis		.044	.190

N=1,000

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<67)
  14.00     7 . 00111
  20.00     7 . 2223333
  39.00     7 . 4444445555555
  52.00     7 . 6666666777777777
  60.00     7 . 8888888899999999999
 100.00     8 . 0000000000000011111111111111111111
  93.00     8 . 2222222222222223333333333333333
  91.00     8 . 4444444444444555555555555555555
  74.00     8 . 6666666666666677777777777
  48.00     8 . 8888888899999999
  36.00     9 . 000000111111
  16.00     9 . 22233
  10.00     9 . 445
   2.00     9 . 6
   5.00 Extremes    (>=97)
Stem width:    10.00
Each leaf:     3 case(s)
```

A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<94)
    .00     9 .
  12.00     9 . 67777
  20.00     9 . 8888999999
  25.00    10 . 000011111111
  38.00    10 . 2222222333333333333
  48.00    10 . 4444444444455555555555
  74.00    10 . 6666666666666666677777777777777777777
  94.00    10 . 8888888888888888888888999999999999999999999
  93.00    11 . 0000000000000000000011111111111111111111111
  60.00    11 . 2222222222222333333333333333
  69.00    11 . 4444444444444444444444555555555555
  61.00    11 . 6666666666666666677777777777
  26.00    11 . 8888888999999
  21.00    12 . 0000001111
   8.00    12 . 2233
   4.00    12 . 4&
   6.00 Extremes    (>=126)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_055



Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A15_055 Mean		82.4600	.21635
95% Confidence Inter for Mean	Lower Bound	82.0352	
	Upper Bound	82.8849	
5% Trimmed Mean		82.4475	
Median		82.0000	
Variance		31.034	
Std. Deviation		5.57084	
Minimum		64.00	
Maximum		99.00	
Range		35.00	
Interquartile Range		7.0000	
Skewness		.002	.095
Kurtosis		-.031	.190

Descriptives

		Statistic	Std. Error
A20_05. Mean		109.9442	.24134
95% Confidence Int for Mean	Lower Bound	109.4703	
	Upper Bound	110.4181	
5% Trimmed Mean		109.9382	
Median		110.0000	
Variance		38.618	
Std. Deviation		6.21432	
Minimum		87.00	
Maximum		131.00	
Range		44.00	
Interquartile Range		8.0000	
Skewness		.012	.095
Kurtosis		.285	.190

N=1,000

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   9.00 Extremes    (=<22.0)
   3.00     23 . 0
  20.00     24 . 0000000000
  22.00     25 . 00000000000
  37.00     26 . 0000000000000000000
  38.00     27 . 0000000000000000000
  64.00     28 . 0000000000000000000000000000000
  73.00     29 . 0000000000000000000000000000000000
  81.00     30 . 000000000000000000000000000000000000
  69.00     31 . 000000000000000000000000000000000
  96.00     32 . 00000000000000000000000000000000000000000000000
  56.00     33 . 0000000000000000000000000000
  42.00     34 . 000000000000000000000
  26.00     35 . 0000000000000
  19.00     36 . 000000000
   5.00     37 . 00
   3.00 Extremes    (>=38.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

A10_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<48)
   5.00     4 . 99
  11.00     5 . 011
  26.00     5 . 22223333
  54.00     5 . 444444444555555555
 104.00     5 . 66666666666666666667777777777777777
 100.00     5 . 88888888888888888999999999999999999
 109.00     6 . 0000000000000000000011111111111111111
  96.00     6 . 22222222222222233333333333333333
  78.00     6 . 444444444444455555555555
  43.00     6 . 666666667777777
  17.00     6 . 88899
  14.00     7 . 00001
   3.00 Extremes    (>=72)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_06



Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		30.1644	.12382
	95% Confidence Inte for Mean	Lower Bound	29.9213	
		Upper Bound	30.4075	
	5% Trimmed Mean		30.2162	
	Median		30.0000	
	Variance		10.165	
	Std. Deviation		3.18822	
	Minimum		19.00	
	Maximum		38.00	
	Range		19.00	
	Interquartile Range		4.0000	
	Skewness		-.263	.095
	Kurtosis		-.100	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		60.0558	.17785
	95% Confidence Inte for Mean	Lower Bound	59.7066	
		Upper Bound	60.4050	
	5% Trimmed Mean		60.0433	
	Median		60.0000	
	Variance		20.971	
	Std. Deviation		4.57943	
	Minimum		48.00	
	Maximum		73.00	
	Range		25.00	
	Interquartile Range		6.0000	
	Skewness		.050	.095
	Kurtosis		-.208	.190

N=1,000

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<74)
   3.00      7 . 7
  17.00      7 . 88888999
  20.00      8 . 000111111
  32.00      8 . 222222222333333
  57.00      8 . 44444444444455555555555555
  88.00      8 . 66666666666666666666677777777777777777777
  98.00      8 . 88888888888888888888888999999999999999999999999
  93.00      9 . 000000000000000000000111111111111111111111111
  84.00      9 . 222222222222222222223333333333333333333
  69.00      9 . 44444444444444444455555555555555
  43.00      9 . 66666666667777777777
  30.00      9 . 88888889999999
  19.00     10 . 000001111
   5.00     10 . 23
   1.00     10 . &
   2.00 Extremes    (>=106)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_06



Descriptives

		Statistic	Std. Error
A15_06	Mean	89.9095	.21167
	95% Confidence Inter Lower Bound for Mean	89.4939	
	Upper Bound	90.3251	
	5% Trimmed Mean	89.9229	
	Median	90.0000	
	Variance	29.705	
	Std. Deviation	5.45021	
	Minimum	71.00	
	Maximum	107.00	
	Range	36.00	
	Interquartile Range	8.0000	
	Skewness	-.012	.095
	Kurtosis	.002	.190

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<101)
    .00     10 .
   1.00     10 . &
   3.00     10 . 5&
   6.00     10 . 667
  21.00     10 . 888899999
  29.00     11 . 00000011111111
  38.00     11 . 22222222233333333
  69.00     11 . 44444444444444445555555555555555
  75.00     11 . 66666666666666666677777777777777777
  85.00     11 . 88888888888888888888888999999999999999999
  96.00     12 . 000000000000000000000111111111111111111111
  73.00     12 . 22222222222222233333333333333333
  62.00     12 . 44444444444445555555555555555
  46.00     12 . 66666666667777777777
  32.00     12 . 88888888999999
  19.00     13 . 00001111
  11.00     13 . 22233
   3.00     13 . 4
   1.00     13 . &
   1.00 Extremes    (>=142)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A20_06	Mean	119.5822	.23797
	95% Confidence Inter Lower Bound for Mean	119.1149	
	Upper Bound	120.0495	
	5% Trimmed Mean	119.5861	
	Median	120.0000	
	Variance	37.546	
	Std. Deviation	6.12746	
	Minimum	100.00	
	Maximum	142.00	
	Range	42.00	
	Interquartile Range	9.0000	
	Skewness	.004	.095
	Kurtosis	-.030	.190

N=1,000

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<22.0)
   1.00      23 . &
   1.00      24 . &
   5.00      25 . 00
  16.00      26 . 00000000
  18.00      27 . 000000000
  28.00      28 . 0000000000000
  40.00      29 . 00000000000000000
  70.00      30 . 0000000000000000000000000000000
  67.00      31 . 000000000000000000000000000000
  72.00      32 . 0000000000000000000000000000000000
  90.00      33 . 000000000000000000000000000000000000000000
  77.00      34 . 00000000000000000000000000000000000
  61.00      35 . 0000000000000000000000000000
  48.00      36 . 000000000000000000000000
  32.00      37 . 00000000000000000
  15.00      38 . 0000000
  13.00      39 . 000000
   5.00      40 . 00
   1.00 Extremes    (>=43.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<53)
    .00      5 .
  10.00      5 . 4455
  16.00      5 . 66677
  44.00      5 . 888899999999999
  64.00      6 . 0000000000011111111111
  96.00      6 . 2222222222222233333333333333333
 109.00      6 . 4444444444444444455555555555555555555
 132.00      6 . 666666666666666666666677777777777777777777777
  74.00      6 . 88888888888888999999999999
  61.00      7 . 0000000000011111111
  37.00      7 . 222222333333
  16.00      7 . 444455
   2.00      7 . 6
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

			Statistic	Std. Error
A5_065	Mean		32.4570	.12526
	95% Confidence Inter	Lower Bound	32.2111	
	for Mean	Upper Bound	32.7030	
	5% Trimmed Mean		32.4874	
	Median		33.0000	
	Variance		10.403	
	Std. Deviation		3.22531	
	Minimum		21.00	
	Maximum		43.00	
	Range		22.00	
	Interquartile Range		5.0000	
	Skewness		-.180	.095
	Kurtosis		.139	.190

Descriptives

			Statistic	Std. Error
A10_065	Mean		65.1569	.17267
	95% Confidence Inter	Lower Bound	64.8178	
	for Mean	Upper Bound	65.4959	
	5% Trimmed Mean		65.1942	
	Median		65.0000	
	Variance		19.767	
	Std. Deviation		4.44600	
	Minimum		52.00	
	Maximum		76.00	
	Range		24.00	
	Interquartile Range		6.0000	
	Skewness		-.103	.095
	Kurtosis		-.252	.190

N=1,000

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<83)
    .00     8 .
   8.00     8 . 445
  16.00     8 . 66777
  17.00     8 . 889999
  48.00     9 . 0000000111111111
  59.00     9 . 22222222333333333333
  85.00     9 . 4444444444555555555555555
 103.00     9 . 666666666666666666677777777777777
  96.00     9 . 888888888888888888999999999999999
  84.00    10 . 000000000000000111111111111
  63.00    10 . 222222222223333333333
  36.00    10 . 444444445555
  25.00    10 . 66666777
  14.00    10 . 8889
   3.00    11 . 1&
   2.00 Extremes    (>=112)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_065



Descriptives

		Statistic	Std. Error
A15_065 Mean		97.3107	.20781
95% Confidence Inte: for Mean	Lower Bound	96.9027	
	Upper Bound	97.7188	
5% Trimmed Mean		97.3584	
Median		97.0000	
Variance		28.631	
Std. Deviation		5.35083	
Minimum		78.00	
Maximum		113.00	
Range		35.00	
Interquartile Range		7.0000	
Skewness		-.115	.095
Kurtosis		.108	.190

A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00     11 . &
   4.00     11 . 4&
  11.00     11 . 66777
  18.00     11 . 888899999
  33.00     12 . 0000011111111111
  51.00     12 . 222222222333333333333333
  61.00     12 . 4444444444555555555555555555
  60.00     12 . 666666666666777777777777777
  83.00     12 . 888888888888888888999999999999999999999
  81.00     13 . 000000000000000000001111111111111111
  75.00     13 . 222222222222222333333333333333333333
  66.00     13 . 4444444444444444555555555555555
  41.00     13 . 66666666667777777777
  35.00     13 . 88888888899999999
  27.00     14 . 0000000000111
   9.00     14 . 2233
   3.00     14 . 4
   3.00     14 . 7&
   1.00 Extremes    (>=149)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A20_065 Mean		129.7179	.24406
95% Confidence Inter for Mean	Lower Bound	129.2387	
	Upper Bound	130.1972	
5% Trimmed Mean		129.7254	
Median		130.0000	
Variance		39.493	
Std. Deviation		6.28433	
Minimum		113.00	
Maximum		149.00	
Range		36.00	
Interquartile Range		9.0000	
Skewness		.020	.095
Kurtosis		-.313	.190

N=1,000

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   9.00 Extremes    (=<27.0)
   9.00      28 . 0000
  17.00      29 . 00000000
  28.00      30 . 00000000000000
  42.00      31 . 000000000000000000000
  48.00      32 . 000000000000000000000000
  70.00      33 . 0000000000000000000000000000000000
  63.00      34 . 000000000000000000000000000000
  87.00      35 . 00000000000000000000000000000000000000000
  96.00      36 . 000000000000000000000000000000000000000000000000
  75.00      37 . 000000000000000000000000000000000000
  42.00      38 . 000000000000000000000
  33.00      39 . 0000000000000000
  22.00      40 . 00000000000
  14.00      41 . 0000000
   3.00      42 . 0
   5.00 Extremes    (>=43.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		34.7934	.12330
	95% Confidence Int for Mean	Lower Bound	34.5513	
		Upper Bound	35.0355	
	5% Trimmed Mean		34.8193	
	Median		35.0000	
	Variance		10.080	
	Std. Deviation		3.17484	
	Minimum		26.00	
	Maximum		44.00	
	Range		18.00	
	Interquartile Range		4.0000	
	Skewness		-.137	.095
	Kurtosis		-.054	.190

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<58)
   7.00      5 . 99
  10.00      6 . 0011
  22.00      6 . 2233333
  54.00      6 . 444444455555555555
  75.00      6 . 666666666666677777777777
 108.00      6 . 888888888888888899999999999999999999
 133.00      7 . 0000000000000000000000011111111111111111111
 107.00      7 . 2222222222222222222333333333333333
  70.00      7 . 4444444444444555555555
  46.00      7 . 666666666777777
  20.00      7 . 888889
   5.00      8 . 00
   3.00 Extremes    (>=82)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A10_07	Mean		70.1297	.16914
	95% Confidence Inter for Mean	Lower Bound	69.7976	
		Upper Bound	70.4618	
	5% Trimmed Mean		70.1810	
	Median		70.0000	
	Variance		18.968	
	Std. Deviation		4.35523	
	Minimum		56.00	
	Maximum		84.00	
	Range		28.00	
	Interquartile Range		6.0000	
	Skewness		-.156	.095
	Kurtosis		.112	.190

N=1,000

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  10.00 Extremes    (=<93)
    .00      9 .
  13.00      9 . 4555
  32.00      9 . 66677777777
  41.00      9 . 88888889999999
  62.00     10 . 00000000000011111111
  83.00     10 . 22222222222222333333333333
  98.00     10 . 44444444444444555555555555555
 117.00     10 . 666666666666666666666677777777777777777
  89.00     10 . 88888888888888888999999999999
  54.00     11 . 000000000011111111
  27.00     11 . 222222333
  19.00     11 . 444455
   8.00     11 . 666
  10.00 Extremes    (>=117)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A15_07



A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<124)
   1.00     12 . &
   4.00     12 . 7&
  12.00     12 . 88999
  17.00     13 . 00011111
  53.00     13 . 22222222222333333333333
  56.00     13 . 44444444444555555555555555
  71.00     13 . 666666666666666777777777777777777
  78.00     13 . 888888888888888899999999999999999999
  90.00     14 . 000000000000000001111111111111111111111111
  92.00     14 . 222222222222222222222333333333333333333333333
  67.00     14 . 4444444444444444444555555555555
  53.00     14 . 66666666666667777777777777
  23.00     14 . 88888999999
  23.00     15 . 00000000011
  13.00     15 . 222233
   4.00     15 . 4&
   1.00 Extremes    (>=160)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	105.0241	.20350
	95% Confidence Int for Mean Lower Bound	104.6246	
	Upper Bound	105.4237	
	5% Trimmed Mean	105.0333	
	Median	105.0000	
	Variance	27.456	
	Std. Deviation	5.23981	
	Minimum	85.00	
	Maximum	120.00	
	Range	35.00	
	Interquartile Range	6.0000	
	Skewness	-.116	.095
	Kurtosis	.312	.190

Descriptives

		Statistic	Std. Error
A20_07	Mean	140.1146	.22753
	95% Confidence Inte for Mean Lower Bound	139.6679	
	Upper Bound	140.5614	
	5% Trimmed Mean	140.1355	
	Median	140.0000	
	Variance	34.322	
	Std. Deviation	5.85851	
	Minimum	120.00	
	Maximum	160.00	
	Range	40.00	
	Interquartile Range	8.0000	
	Skewness	-.066	.095
	Kurtosis	.059	.190

N=1,000

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<30.0)
  13.00     31 . 000000
  17.00     32 . 00000000
  32.00     33 . 0000000000000000
  37.00     34 . 000000000000000000
  56.00     35 . 00000000000000000000000000
  80.00     36 . 0000000000000000000000000000000000000000
  87.00     37 . 00000000000000000000000000000000000000000
  86.00     38 . 00000000000000000000000000000000000000000
  80.00     39 . 0000000000000000000000000000000000000
  75.00     40 . 000000000000000000000000000000000000
  51.00     41 . 000000000000000000000000000
  23.00     42 . 00000000000
   9.00     43 . 0000
   4.00     44 . 00
   4.00 Extremes    (>=45.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_075



Descriptives

		Statistic	Std. Error
A5_075	Mean	37.3695	.11398
	95% Confidence Inter for Mean — Lower Bound	37.1457	
	95% Confidence Inter for Mean — Upper Bound	37.5933	
	5% Trimmed Mean	37.4173	
	Median	38.0000	
	Variance	8.614	
	Std. Deviation	2.93496	
	Minimum	29.00	
	Maximum	46.00	
	Range	17.00	
	Interquartile Range	4.0000	
	Skewness	-.239	.095
	Kurtosis	-.086	.190

A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<63)
    .00     6 .
   5.00     6 . 5&
  20.00     6 . 667777
  30.00     6 . 8888999999
  73.00     7 . 0000000001111111111111111
  99.00     7 . 222222222222223333333333333333
 128.00     7 . 4444444444444444444555555555555555555555
 122.00     7 . 6666666666666666666677777777777777777777
  88.00     7 . 8888888888888888999999999999
  63.00     8 . 000000000000111111111
  23.00     8 . 22223333
   9.00     8 . 445
   2.00     8 . 6
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A10_075



Descriptives

		Statistic	Std. Error
A10_075	Mean	75.0965	.15821
	95% Confidence Inter for Mean — Lower Bound	74.7859	
	95% Confidence Inter for Mean — Upper Bound	75.4072	
	5% Trimmed Mean	75.1190	
	Median	75.0000	
	Variance	16.595	
	Std. Deviation	4.07368	
	Minimum	63.00	
	Maximum	86.00	
	Range	23.00	
	Interquartile Range	6.0000	
	Skewness	-.074	.095
	Kurtosis	-.195	.190

N=1,000

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<100)
   3.00      10 . 1
  14.00      10 . 22233
  30.00      10 . 4444555555
  52.00      10 . 6666666667777777
  61.00      10 . 8888888888999999999
 117.00      11 . 000000000000000000111111111111111111
 111.00      11 . 222222222222222222333333333333333333
 112.00      11 . 444444444444444444555555555555555555
  72.00      11 . 666666666666667777777777
  48.00      11 . 8888888999999999
  19.00      12 . 000111
  12.00      12 . 2223
   5.00 Extremes    (>=124)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A15_075



A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<133)
    .00      13 .
   3.00      13 . 7&
  15.00      13 . 8889999
  29.00      14 . 00000011111111
  42.00      14 . 222222233333333333
  48.00      14 . 444444445555555555555
  66.00      14 . 666666666666667777777777777777
  97.00      14 . 888888888888888888888888999999999999999999999
  98.00      15 . 000000000000000000000000111111111111111111111111
  95.00      15 . 222222222222222222222222222333333333333333333
  72.00      15 . 444444444444444445555555555555555555
  51.00      15 . 666666666666666677777777777
  25.00      15 . 8888888888999
  11.00      16 . 00001
   6.00      16 . 233
   3.00      16 . 5&
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_075 Mean		112.2323	.18439
95% Confidence Inter for Mean	Lower Bound	111.8702	
	Upper Bound	112.5943	
5% Trimmed Mean		112.2698	
Median		112.0000	
Variance		22.541	
Std. Deviation		4.74775	
Minimum		97.00	
Maximum		126.00	
Range		29.00	
Interquartile Range		6.0000	
Skewness		-.147	.095
Kurtosis		.198	.190

Descriptives

		Statistic	Std. Error
A20_07. Mean		149.8462	.20826
95% Confidence Int for Mean	Lower Bound	149.4372	
	Upper Bound	150.2551	
5% Trimmed Mean		149.8829	
Median		150.0000	
Variance		28.756	
Std. Deviation		5.36244	
Minimum		133.00	
Maximum		165.00	
Range		32.00	
Interquartile Range		8.0000	
Skewness		-.135	.095
Kurtosis		-.108	.190

N=1,000

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<32.0)
   5.00     33 . 00
   9.00     34 . 0000
  19.00     35 . 000000000
  37.00     36 . 0000000000000000000
  41.00     37 . 00000000000000000000
  74.00     38 . 0000000000000000000000000000000000000
  84.00     39 . 000000000000000000000000000000000000000000
  96.00     40 . 0000000000000000000000000000000000000000000000
 100.00     41 . 00000000000000000000000000000000000000000000000000
  74.00     42 . 0000000000000000000000000000000000000
  47.00     43 . 00000000000000000000000
  40.00     44 . 0000000000000000000000
  24.00     45 . 000000000000
   8.00     46 . 0000
   2.00     47 . 0
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_08



A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<70.0)
   1.00     71 . &
  12.00     72 . 000000
  14.00     73 . 0000000
  22.00     74 . 00000000000
  24.00     75 . 000000000000
  36.00     76 . 000000000000000000
  45.00     77 . 000000000000000000000
  50.00     78 . 00000000000000000000000
  69.00     79 . 000000000000000000000000000000000
  76.00     80 . 0000000000000000000000000000000000000
  59.00     81 . 00000000000000000000000000000
  67.00     82 . 0000000000000000000000000000000
  64.00     83 . 0000000000000000000000000000000
  41.00     84 . 00000000000000000000
  26.00     85 . 00000000000000
  24.00     86 . 000000000000
  19.00     87 . 000000000
   4.00     88 . 00
   4.00     89 . 00
   2.00     90 . 0
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_08



Descriptives

		Statistic	Std. Error
A5_08	Mean	40.0302	.10696
	95% Confidence Ir Lower Bound for Mean	39.8201	
	Upper Bound	40.2402	
	5% Trimmed Mean	40.0603	
	Median	40.0000	
	Variance	7.585	
	Std. Deviation	2.75412	
	Minimum	32.00	
	Maximum	47.00	
	Range	15.00	
	Interquartile Range	4.0000	
	Skewness	-.162	.095
	Kurtosis	-.162	.190

Descriptives

		Statistic	Std. Error
A10_08	Mean	80.1493	.14625
	95% Confidence Int Lower Bound for Mean	79.8621	
	Upper Bound	80.4365	
	5% Trimmed Mean	80.1860	
	Median	80.0000	
	Variance	14.182	
	Std. Deviation	3.76585	
	Minimum	69.00	
	Maximum	90.00	
	Range	21.00	
	Interquartile Range	5.0000	
	Skewness	-.154	.095
	Kurtosis	-.207	.190

N=1,000

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<107)
   4.00      10 . 9
  15.00      11 . 01111
  22.00      11 . 2233333
  60.00      11 . 444444444455555555
  75.00      11 . 666666666667777777777777
  88.00      11 . 8888888888888999999999999999
 135.00      12 . 000000000000000000011111111111111111111111
 104.00      12 . 2222222222222222233333333333333333
  76.00      12 . 4444444444444555555555555
  46.00      12 . 666666666777777
  21.00      12 . 8888899
  10.00      13 . 011
Stem width:    10.00
Each leaf:     3 case(s)
```

A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<148)
   5.00      14 . 99
  18.00      15 . 001111
  36.00      15 . 222222333333
  60.00      15 . 444444555555555555555
  80.00      15 . 66666666666677777777777777
  97.00      15 . 8888888888888888899999999999999999
 103.00      16 . 000000000000000000011111111111111111
  91.00      16 . 2222222222222223333333333333333
  74.00      16 . 4444444444444555555555555
  42.00      16 . 66666666777777
  27.00      16 . 888888999
  15.00      17 . 00001
   6.00 Extremes    (>=172)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A15_08



Normal Q-Q Plot of A20_98



Descriptives

		Statistic	Std. Error
A15_08	Mean	120.1312	.17858
	95% Confidence In Lower Bound for Mean	119.7806	
	Upper Bound	120.4819	
	5% Trimmed Mean	120.2112	
	Median	121.0000	
	Variance	21.144	
	Std. Deviation	4.59830	
	Minimum	103.00	
	Maximum	131.00	
	Range	28.00	
	Interquartile Range	6.0000	
	Skewness	-.297	.095
	Kurtosis	.173	.190

Descriptives

		Statistic	Std. Error
A20_08	Mean	159.9397	.19723
	95% Confidence In Lower Bound for Mean	159.5524	
	Upper Bound	160.3269	
	5% Trimmed Mean	159.9732	
	Median	160.0000	
	Variance	25.791	
	Std. Deviation	5.07848	
	Minimum	143.00	
	Maximum	172.00	
	Range	29.00	
	Interquartile Range	6.0000	
	Skewness	-.101	.095
	Kurtosis	-.115	.190

N=1,000

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<36.0)
   8.00     37 . 000
  20.00     38 . 0000000
  39.00     39 . 000000000000
  63.00     40 . 000000000000000000000
  98.00     41 . 00000000000000000000000000000000
  80.00     42 . 00000000000000000000000000
 112.00     43 . 0000000000000000000000000000000000000
  94.00     44 . 00000000000000000000000000000000
  89.00     45 . 0000000000000000000000000000000
  27.00     46 . 000000000
  23.00     47 . 00000000
   2.00     48 . 0
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_085



Descriptives

			Statistic	Std. Error
A5_085	Mean		42.4374	.09299
	95% Confidence Inte for Mean	Lower Bound	42.2548	
		Upper Bound	42.6200	
	5% Trimmed Mean		42.4860	
	Median		43.0000	
	Variance		5.733	
	Std. Deviation		2.39434	
	Minimum		33.00	
	Maximum		48.00	
	Range		15.00	
	Interquartile Range		3.0000	
	Skewness		-.321	.095
	Kurtosis		-.072	.190

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<77.0)
   6.00     78 . 000
  17.00     79 . 00000000
  19.00     80 . 000000000
  40.00     81 . 0000000000000000000
  51.00     82 . 000000000000000000000000
  61.00     83 . 0000000000000000000000000000000
  65.00     84 . 00000000000000000000000000000000
  84.00     85 . 000000000000000000000000000000000000000
  95.00     86 . 0000000000000000000000000000000000000000000
  77.00     87 . 00000000000000000000000000000000000
  40.00     88 . 0000000000000000000
  45.00     89 . 000000000000000000000
  24.00     90 . 000000000000
  16.00     91 . 00000000
   8.00     92 . 0000
   7.00 Extremes    (>=93.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_085



Descriptives

			Statistic	Std. Error
A10_085	Mean		85.1086	.12566
	95% Confidence Inte for Mean	Lower Bound	84.8619	
		Upper Bound	85.3553	
	5% Trimmed Mean		85.1240	
	Median		85.0000	
	Variance		10.469	
	Std. Deviation		3.23551	
	Minimum		75.00	
	Maximum		94.00	
	Range		19.00	
	Interquartile Range		4.0000	
	Skewness		-.089	.095
	Kurtosis		.008	.190

N=1,000

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<117.0)
   7.00     118 . 000
   7.00     119 . 000
  14.00     120 . 0000000
  16.00     121 . 00000000
  26.00     122 . 0000000000000
  30.00     123 . 000000000000000
  37.00     124 . 0000000000000000000
  47.00     125 . 00000000000000000000000
  66.00     126 . 000000000000000000000000000000
  64.00     127 . 00000000000000000000000000000000
  68.00     128 . 000000000000000000000000000000000
  67.00     129 . 000000000000000000000000000000000
  60.00     130 . 000000000000000000000000000000
  50.00     131 . 00000000000000000000000000
  26.00     132 . 0000000000000
  27.00     133 . 0000000000000
  25.00     134 . 000000000000
   4.00     135 . 00
   7.00     136 . 000
   3.00     137 . 0
   3.00 Extremes    (>=138.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_085



A20_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00     15 . 7
   2.00     15 . &
  10.00     16 . 0111
  27.00     16 . 222233333
  67.00     16 . 4444444455555555555
  77.00     16 . 6666666666677777777777777
 112.00     16 . 88888888888888888999999999999999999
 102.00     17 . 000000000000001111111111111111111
  92.00     17 . 2222222222222223333333333333
  85.00     17 . 44444444444444455555555555555
  47.00     17 . 666666666777777
  32.00     17 . 8888889999
   6.00     18 . 01
   1.00     18 . &
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_085 Mean		127.4148	.15875
95% Confidence Inte for Mean	Lower Bound	127.1031	
	Upper Bound	127.7265	
5% Trimmed Mean		127.4894	
Median		128.0000	
Variance		16.708	
Std. Deviation		4.08759	
Minimum		114.00	
Maximum		139.00	
Range		25.00	
Interquartile Range		5.0000	
Skewness		-.271	.095
Kurtosis		.222	.190

Descriptives

		Statistic	Std. Error
A20_08 Mean		170.2383	.17607
95% Confidence Ir for Mean	Lower Bound	169.8926	
	Upper Bound	170.5840	
5% Trimmed Mean		170.2595	
Median		170.0000	
Variance		20.553	
Std. Deviation		4.53359	
Minimum		157.00	
Maximum		182.00	
Range		25.00	
Interquartile Range		7.0000	
Skewness		-.061	.095
Kurtosis		-.392	.190

N=1,000

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  34.00 Extremes    (=<41.0)
  35.00     42 . 000000000000
    .00     42 .
  69.00     43 . 000000000000000000000000
    .00     43 .
 106.00     44 . 0000000000000000000000000000000000
    .00     44 .
 147.00     45 . 000000000000000000000000000000000000000000000000
    .00     45 .
 120.00     46 . 000000000000000000000000000000000000000
    .00     46 .
  87.00     47 . 000000000000000000000000000000
    .00     47 .
  33.00     48 . 00000000000
  32.00 Extremes    (>=49.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_09



A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<82.0)
   2.00     83 . 0
  11.00     84 . 00000
  14.00     85 . 0000000
  32.00     86 . 00000000000000000
  49.00     87 . 0000000000000000000000000
  64.00     88 . 0000000000000000000000000000000000
  81.00     89 . 000000000000000000000000000000000000000000000
  93.00     90 . 000000000000000000000000000000000000000000000000000
  97.00     91 . 0000000000000000000000000000000000000000000000000000000
  75.00     92 . 000000000000000000000000000000000000000000
  71.00     93 . 00000000000000000000000000000000000000000
  35.00     94 . 00000000000000000000
  20.00     95 . 0000000000
   6.00     96 . 000
   6.00     97 . 000
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		45.0362	.07883
	95% Confidence Int for Mean	Lower Bound	44.8814	
		Upper Bound	45.1910	
	5% Trimmed Mean		45.0623	
	Median		45.0000	
	Variance		4.120	
	Std. Deviation		2.02966	
	Minimum		38.00	
	Maximum		50.00	
	Range		12.00	
	Interquartile Range		2.0000	
	Skewness		-.224	.095
	Kurtosis		.161	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		90.1327	.10860
	95% Confidence Ir for Mean	Lower Bound	89.9195	
		Upper Bound	90.3460	
	5% Trimmed Mean		90.1796	
	Median		90.0000	
	Variance		7.819	
	Std. Deviation		2.79629	
	Minimum		82.00	
	Maximum		97.00	
	Range		15.00	
	Interquartile Range		4.0000	
	Skewness		-.257	.095
	Kurtosis		.025	.190

N=1,000

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  13.00 Extremes    (=<127.0)
   9.00     128 . 0000
  17.00     129 . 00000000
  23.00     130 . 00000000000
  23.00     131 . 00000000000
  49.00     132 . 0000000000000000000000000
  56.00     133 . 00000000000000000000000000000
  95.00     134 . 00000000000000000000000000000000000000000000000000000
  72.00     135 . 000000000000000000000000000000000000000
  82.00     136 . 0000000000000000000000000000000000000000000
  72.00     137 . 000000000000000000000000000000000000000
  60.00     138 . 00000000000000000000000000000000
  38.00     139 . 0000000000000000000000
  26.00     140 . 00000000000000
  15.00     141 . 0000000
   8.00     142 . 0000
   5.00 Extremes    (>=143.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A15_09



A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<170.0)
   3.00     171 . 0
   8.00     172 . 0000
  15.00     173 . 0000000
  22.00     174 . 00000000000
  29.00     175 . 00000000000000
  42.00     176 . 000000000000000000000
  41.00     177 . 00000000000000000000
  46.00     178 . 0000000000000000000000
  81.00     179 . 000000000000000000000000000000000000000
  57.00     180 . 000000000000000000000000000000
  60.00     181 . 0000000000000000000000000000000
  68.00     182 . 00000000000000000000000000000000
  49.00     183 . 0000000000000000000000000
  38.00     184 . 0000000000000000000000
  42.00     185 . 000000000000000000000000
  31.00     186 . 0000000000000000000
  11.00     187 . 00000
   7.00     188 . 000
   4.00     189 . 00
   3.00     190 . 0
   4.00 Extremes    (>=191.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A20_09



Descriptives

			Statistic	Std. Error
A15_09	Mean		135.0618	.12808
	95% Confidence Inter for Mean	Lower Bound	134.8103	
		Upper Bound	135.3133	
	5% Trimmed Mean		135.1109	
	Median		135.0000	
	Variance		10.877	
	Std. Deviation		3.29800	
	Minimum		125.00	
	Maximum		145.00	
	Range		20.00	
	Interquartile Range		4.0000	
	Skewness		-.216	.095
	Kurtosis		.149	.190

Descriptives

			Statistic	Std. Error
A20_09	Mean		180.2685	.15192
	95% Confidence Inte for Mean	Lower Bound	179.9702	
		Upper Bound	180.5668	
	5% Trimmed Mean		180.2614	
	Median		180.0000	
	Variance		15.302	
	Std. Deviation		3.91183	
	Minimum		170.00	
	Maximum		192.00	
	Range		22.00	
	Interquartile Range		5.0000	
	Skewness		.027	.095
	Kurtosis		-.268	.190

N=1,000

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  65.00 Extremes    (=<45.0)
 100.00     46 . 0000000000000000000000000
   .00     46 .
   .00     46 .
   .00     46 .
   .00     46 .
 149.00     47 . 0000000000000000000000000000000000000
   .00     47 .
   .00     47 .
   .00     47 .
   .00     47 .
 184.00     48 . 0000000000000000000000000000000000000000000000000
   .00     48 .
   .00     48 .
   .00     48 .
   .00     48 .
 131.00     49 . 0000000000000000000000000000000
  34.00 Extremes    (>=50.0)
Stem width:     1.00
Each leaf:      4 case(s)
```

Normal Q-Q Plot of A5_095



Descriptives

		Statistic	Std. Error
A5_095	Mean	47.4344	.05662
	95% Confidence Ir Lower Bound for Mean	47.3232	
	Upper Bound	47.5456	
	5% Trimmed Mean	47.4774	
	Median	48.0000	
	Variance	2.125	
	Std. Deviation	1.45781	
	Minimum	43.00	
	Maximum	50.00	
	Range	7.00	
	Interquartile Range	1.0000	
	Skewness	-.489	.095
	Kurtosis	-.083	.190

A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  34.00 Extremes    (=<91.0)
  40.00     92 . 0000000000000
   .00     92 .
  76.00     93 . 0000000000000000000000000
   .00     93 .
 117.00     94 . 000000000000000000000000000000000000000
   .00     94 .
 112.00     95 . 0000000000000000000000000000000000
   .00     95 .
 128.00     96 . 00000000000000000000000000000000000000000000
   .00     96 .
  88.00     97 . 0000000000000000000000000000
   .00     97 .
  45.00     98 . 000000000000000
  23.00 Extremes    (>=99.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A10_095	Mean	94.9713	.08132
	95% Confidence Inter Lower Bound for Mean	94.8117	
	Upper Bound	95.1310	
	5% Trimmed Mean	95.0271	
	Median	95.0000	
	Variance	4.384	
	Std. Deviation	2.09389	
	Minimum	87.00	
	Maximum	100.00	
	Range	13.00	
	Interquartile Range	2.0000	
	Skewness	-.361	.095
	Kurtosis	.251	.190

N=1,000

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00 Extremes    (=<136.0)
   8.00    137 . 000
  17.00    138 . 000000
  41.00    139 . 00000000000000
  65.00    140 . 00000000000000000000
  87.00    141 . 0000000000000000000000000000
 104.00    142 . 00000000000000000000000000000000
 104.00    143 . 00000000000000000000000000000000
  83.00    144 . 000000000000000000000000000
  70.00    145 . 0000000000000000000000
  54.00    146 . 000000000000000000
  13.00    147 . 0000
   5.00    148 . 00
   1.00 Extremes    (>=149.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A15_095



A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<182.0)
   6.00    183 . 00
  12.00    184 . 0000
  21.00    185 . 0000000
  28.00    186 . 000000000
  62.00    187 . 00000000000000000000
  71.00    188 . 000000000000000000000000
  68.00    189 . 00000000000000000000000
 106.00    190 . 0000000000000000000000000000000000
  92.00    191 . 00000000000000000000000000000000
  77.00    192 . 0000000000000000000000000000
  55.00    193 . 000000000000000000000
  35.00    194 . 000000000000000
  19.00    195 . 000000000
   5.00    196 . 00
   2.00    197 . 0
   1.00 Extremes    (>=198.0)
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_09. Mean		142.4178	.09605
95% Confidence Int for Mean	Lower Bound	142.2292	
	Upper Bound	142.6064	
5% Trimmed Mean		142.4827	
Median		142.0000	
Variance		6.117	
Std. Deviation		2.47320	
Minimum		133.00	
Maximum		149.00	
Range		16.00	
Interquartile Range		3.0000	
Skewness		-.317	.095
Kurtosis		.111	.190

Descriptives

		Statistic	Std. Error
A20_09 Mean		189.9140	.10822
95% Confidence In for Mean	Lower Bound	189.7015	
	Upper Bound	190.1265	
5% Trimmed Mean		189.9567	
Median		190.0000	
Variance		7.765	
Std. Deviation		2.78649	
Minimum		180.00	
Maximum		198.00	
Range		18.00	
Interquartile Range		4.0000	
Skewness		-.243	.095
Kurtosis		.049	.190

N=2,000

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  21.00 Extremes    (=<1.0)
  41.00      2 . 00000000000000
    .00      2 .
  90.00      3 . 000000000000000000000000000000
    .00      3 .
 130.00      4 . 0000000000000000000000000000000000000000000000
    .00      4 .
 115.00      5 . 00000000000000000000000000000000000000
    .00      5 .
 109.00      6 . 0000000000000000000000000000000000000
    .00      6 .
  64.00      7 . 00000000000000000000000
    .00      7 .
  47.00      8 . 0000000000000000000
  46.00 Extremes    (>=9.0)
Stem width:     1.00
Each leaf:      3 case(s)
```



A10_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<2.0)
   3.00      3 . 0
   5.00      4 . 00
  27.00      5 . 000000000000000
  40.00      6 . 0000000000000000000000
  62.00      7 . 00000000000000000000000000000000
  81.00      8 . 000000000000000000000000000000000000000000
  78.00      9 . 000000000000000000000000000000000000000000
  73.00     10 . 0000000000000000000000000000000000000
  82.00     11 . 00000000000000000000000000000000000000000000
  72.00     12 . 000000000000000000000000000000000000000000
  59.00     13 . 00000000000000000000000000000000000
  35.00     14 . 00000000000000000000
  23.00     15 . 00000000000000
   5.00     16 . 00
  10.00     17 . 00000
   7.00 Extremes    (>=18.0)
Stem width:     1.00
Each leaf:      2 case(s)
```



Descriptives

		Statistic	Std. Error
A5_005	Mean	5.1056	.08271
	95% Confidence Int Lower Bound for Mean	4.9432	
	Upper Bound	5.2680	
	5% Trimmed Mean	5.0551	
	Median	5.0000	
	Variance	4.536	
	Std. Deviation	2.12971	
	Minimum	.00	
	Maximum	12.00	
	Range	12.00	
	Interquartile Range	2.0000	
	Skewness	.405	.095
	Kurtosis	.058	.190

Descriptives

		Statistic	Std. Error
A10_005	Mean	10.0573	.11586
	95% Confidence Inter Lower Bound for Mean	9.8298	
	Upper Bound	10.2848	
	5% Trimmed Mean	10.0034	
	Median	10.0000	
	Variance	8.900	
	Std. Deviation	2.98329	
	Minimum	2.00	
	Maximum	21.00	
	Range	19.00	
	Interquartile Range	4.0000	
	Skewness	.258	.095
	Kurtosis	-.095	.190

N=2,000

A15_005 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	6 . 0
4.00	7 . 00
5.00	8 . 00
18.00	9 . 000000000
29.00	10 . 00000000000000
51.00	11 . 000000000000000000000
60.00	12 . 000000000000000000000000000
60.00	13 . 000000000000000000000000000
75.00	14 . 000000000000000000000000000000000
69.00	15 . 000000000000000000000000000000
69.00	16 . 000000000000000000000000000000
70.00	17 . 0000000000000000000000000000000
50.00	18 . 00000000000000000000000
38.00	19 . 0000000000000000000
25.00	20 . 00000000000
12.00	21 . 000000
10.00	22 . 00000
10.00	23 . 00000
2.00	24 . 0
4.00 Extremes	(>=25.0)

Stem width: 1.00

Each leaf: 2 case(s)

A20_005 Stem-and-Leaf Plot

Frequency	Stem & Leaf
5.00	1 . 1&
22.00	1 . 2233333
44.00	1 . 444444455555555
101.00	1 . 66666666667777777777777777777777
121.00	1 . 888888888888888888999999999999999999999
130.00	2 . 0000000000000000000000111111111111111111111
121.00	2 . 2222222222222222222222333333333333333333
66.00	2 . 444444444445555555555
37.00	2 . 6666666677777
12.00	2 . 8889
4.00	3 . 1

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A15_005



Normal Q-Q Plot of A20_005



Descriptives

			Statistic	Std. Error
A15_005	Mean		15.0030	.13440
	95% Confidence Inter for Mean	Lower Bound	14.7391	
		Upper Bound	15.2669	
	5% Trimmed Mean		14.9361	
	Median		15.0000	
	Variance		11.976	
	Std. Deviation		3.46061	
	Minimum		6.00	
	Maximum		27.00	
	Range		21.00	
	Interquartile Range		5.0000	
	Skewness		.254	.095
	Kurtosis		-.022	.190

Descriptives

			Statistic	Std. Error
A20_00:	Mean		20.1056	.14555
	95% Confidence Inte for Mean	Lower Bound	19.8198	
		Upper Bound	20.3914	
	5% Trimmed Mean		20.0888	
	Median		20.0000	
	Variance		14.046	
	Std. Deviation		3.74783	
	Minimum		10.00	
	Maximum		31.00	
	Range		21.00	
	Interquartile Range		6.0000	
	Skewness		.075	.095
	Kurtosis		-.189	.190

N=2,000

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<2.0)
   3.00     3 . 0
  13.00     4 . 000000
  15.00     5 . 0000000
  24.00     6 . 000000000000
  69.00     7 . 000000000000000000000000000000000
  85.00     8 . 0000000000000000000000000000000000000000
  85.00     9 . 0000000000000000000000000000000000000000
  88.00    10 . 00000000000000000000000000000000000000000000
  80.00    11 . 00000000000000000000000000000000000000000
  69.00    12 . 000000000000000000000000000000000000
  55.00    13 . 0000000000000000000000000000
  30.00    14 . 000000000000000000
  25.00    15 . 000000000000
  12.00    16 . 000000
   4.00    17 . 00
   5.00 Extremes    (>=18.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_01



Descriptives

		Statistic	Std. Error
A5_01	Mean	10.0513	.11190
	95% Confidence I for Mean Lower Bound	9.8316	
	Upper Bound	10.2710	
	5% Trimmed Mean	10.0232	
	Median	10.0000	
	Variance	8.303	
	Std. Deviation	2.88141	
	Minimum	2.00	
	Maximum	21.00	
	Range	19.00	
	Interquartile Range	4.0000	
	Skewness	.252	.095
	Kurtosis	.155	.190

A10_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<9.0)
   1.00     10 . &
   3.00     11 . 0
  11.00     12 . 00000
  10.00     13 . 00000
  32.00     14 . 00000000000000000
  37.00     15 . 0000000000000000000
  39.00     16 . 000000000000000000
  61.00     17 . 0000000000000000000000000000000
  61.00     18 . 0000000000000000000000000000000
  62.00     19 . 00000000000000000000000000000000
  67.00     20 . 000000000000000000000000000000000
  69.00     21 . 0000000000000000000000000000000000
  54.00     22 . 000000000000000000000000000000
  42.00     23 . 00000000000000000000
  38.00     24 . 0000000000000000000
  27.00     25 . 000000000000000
  12.00     26 . 000000
  15.00     27 . 0000000
   5.00     28 . 00
   7.00     29 . 000
   9.00 Extremes    (>=30.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_01



Descriptives

		Statistic	Std. Error
A10_01	Mean	19.7949	.15334
	95% Confidence Int for Mean Lower Bound	19.4938	
	Upper Bound	20.0960	
	5% Trimmed Mean	19.7065	
	Median	20.0000	
	Variance	15.589	
	Std. Deviation	3.94833	
	Minimum	9.00	
	Maximum	35.00	
	Range	26.00	
	Interquartile Range	5.0000	
	Skewness	.309	.095
	Kurtosis	.168	.190

N=2,000

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<18)
   3.00      1 . 9
  16.00      2 . 00111
  29.00      2 . 2223333333
  51.00      2 . 4444444445555555
  88.00      2 . 66666666666677777777777777
 111.00      2 . 88888888888888889999999999999999999
 120.00      3 . 000000000000000000000000111111111111111
  88.00      3 . 2222222222222223333333333333
  63.00      3 . 444444444455555555555
  49.00      3 . 6666666667777777
  24.00      3 . 88888999
  11.00      4 . 0001
   6.00 Extremes    (>=42)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A15_01



A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<25)
    .00      2 .
   4.00      2 . 67
   8.00      2 . 2899
  22.00      3 . 0000001111
  37.00      3 . 222223333333333333
  71.00      3 . 44444444444444445555555555555555555
  83.00      3 . 66666666666666666666677777777777777777777
  93.00      3 . 888888888888888888899999999999999999999999
  87.00      4 . 000000000000000000001111111111111111111111
  91.00      4 . 2222222222222222222222223333333333333333333
  69.00      4 . 444444444444444445555555555555555
  51.00      4 . 66666666666666777777777777
  23.00      4 . 88889999999
  15.00      5 . 0000011
   4.00      5 . 3&
   3.00 Extremes    (>=56)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_01



Descriptives

		Statistic	Std. Error
A15_01	Mean	30.0784	.18224
	95% Confidence Inte for Mean Lower Bound	29.7206	
	Upper Bound	30.4363	
	5% Trimmed Mean	30.0634	
	Median	30.0000	
	Variance	22.018	
	Std. Deviation	4.69234	
	Minimum	17.00	
	Maximum	43.00	
	Range	26.00	
	Interquartile Range	6.0000	
	Skewness	.076	.095
	Kurtosis	-.102	.190

Descriptives

		Statistic	Std. Error
A20_01	Mean	39.8160	.20620
	95% Confidence Int for Mean Lower Bound	39.4111	
	Upper Bound	40.2209	
	5% Trimmed Mean	39.8106	
	Median	40.0000	
	Variance	28.190	
	Std. Deviation	5.30939	
	Minimum	22.00	
	Maximum	58.00	
	Range	36.00	
	Interquartile Range	7.0000	
	Skewness	.040	.095
	Kurtosis	.003	.190

N=2,000

A5_015 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	6 . &
4.00	7 . 00
8.00	8 . 0000
17.00	9 . 00000000
39.00	10 . 000000000000000000
45.00	11 . 000000000000000000000
52.00	12 . 0000000000000000000000000
62.00	13 . 00000000000000000000000000000
87.00	14 . 000000000000000000000000000000000000000
65.00	15 . 00000000000000000000000000000
71.00	16 . 000000000000000000000000000000000
59.00	17 . 00000000000000000000000000000
47.00	18 . 0000000000000000000000
53.00	19 . 00000000000000000000000000
15.00	20 . 0000000
12.00	21 . 000000
12.00	22 . 000000
5.00	23 . 00
9.00 Extremes	(>=24.0)

Stem width: 1.00

Each leaf: 2 case(s)

& denotes fractional leaves.

A10_015 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00 Extremes	(=<12)
1.00	1 . &
6.00	1 . 99&
13.00	2 . 00111
44.00	2 . 22222223333333
63.00	2 . 444444444555555555555
89.00	2 . 66666666666666777777777777777
104.00	2 . 88888888888888999999999999999999
90.00	3 . 000000000000111111111111111
83.00	3 . 22222222222222233333333333333
73.00	3 . 4444444444444555555555555
52.00	3 . 6666666677777777
25.00	3 . 888889999
13.00	4 . 0011
3.00	4 . 2&
2.00	4 . 4
1.00 Extremes	(>=48)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_015



Normal Q-Q Plot of A15_015



Descriptives

		Statistic	Std. Error
A5_015 Mean		14.9397	.13500
95% Confidence In for Mean	Lower Bound	14.6746	
	Upper Bound	15.2048	
5% Trimmed Mean		14.8657	
Median		15.0000	
Variance		12.084	
Std. Deviation		3.47620	
Minimum		6.00	
Maximum		27.00	
Range		21.00	
Interquartile Range		5.0000	
Skewness		.273	.095
Kurtosis		-.009	.190

Descriptives

		Statistic	Std. Error
A10_01 Mean		29.9894	.19538
95% Confidence Int for Mean	Lower Bound	29.6058	
	Upper Bound	30.3731	
5% Trimmed Mean		29.9430	
Median		30.0000	
Variance		25.310	
Std. Deviation		5.03086	
Minimum		12.00	
Maximum		48.00	
Range		36.00	
Interquartile Range		8.0000	
Skewness		.115	.095
Kurtosis		-.102	.190

N=2,000

A15_015 Stem-and-Leaf Plot

```
Frequency  Stem & Leaf
   2.00 Extremes    (=<30)
   2.00     3 . 1
   2.00     3 . &
  13.00     3 . 4555
  27.00     3 . 666677777
  50.00     3 . 88888899999999999
  77.00     4 . 00000000011111111111111111
  99.00     4 . 222222222222233333333333333333
  87.00     4 . 444444444444455555555555555
 102.00     4 . 666666666666666667777777777777777
  69.00     4 . 888888888888899999999
  59.00     5 . 00000000011111111111
  29.00     5 . 2222333333
  23.00     5 . 44444555
   5.00     5 . 66
   4.00     5 . 8
  13.00 Extremes    (>=59)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_015 Stem-and-Leaf Plot

```
Frequency  Stem & Leaf
   3.00     4 . 3
   5.00     4 . 5&
   9.00     4 . 677
  17.00     4 . 889999
  24.00     5 . 00000111
  45.00     5 . 222222333333333
  42.00     5 . 4444444455555555
  66.00     5 . 666666666667777777777
  72.00     5 . 888888888888888999999999
 103.00     6 . 000000000000000000011111111111111111
  75.00     6 . 222222222222233333333333
  58.00     6 . 4444444455555555555
  51.00     6 . 666666666677777777
  36.00     6 . 888889999999
  12.00     7 . 000011
  12.00     7 . 222233
   8.00     7 . 445
   5.00     7 . 67
   2.00 Extremes    (>=79)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01. Mean		45.1101	.21156
95% Confidence Int for Mean	Lower Bound	44.6947	
	Upper Bound	45.5255	
5% Trimmed Mean		44.9930	
Median		45.0000	
Variance		29.675	
Std. Deviation		5.44749	
Minimum		30.00	
Maximum		64.00	
Range		34.00	
Interquartile Range		7.0000	
Skewness		.344	.095
Kurtosis		.374	.190

Descriptives

		Statistic	Std. Error
A20_01 Mean		60.2413	.25264
95% Confidence I for Mean	Lower Bound	59.7453	
	Upper Bound	60.7374	
5% Trimmed Mean		60.2212	
Median		60.0000	
Variance		42.316	
Std. Deviation		6.50510	
Minimum		43.00	
Maximum		79.00	
Range		36.00	
Interquartile Range		9.0000	
Skewness		.039	.095
Kurtosis		-.092	.190

N=2,000

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<9.0)
   1.00     10 . &
   4.00     11 . 00
   6.00     12 . 000
  13.00     13 . 000000
  28.00     14 . 0000000000000
  41.00     15 . 00000000000000000000
  42.00     16 . 00000000000000000000
  39.00     17 . 000000000000000000
  64.00     18 . 0000000000000000000000000000
  63.00     19 . 000000000000000000000000000
  72.00     20 . 000000000000000000000000000000000
  69.00     21 . 00000000000000000000000000000000
  63.00     22 . 000000000000000000000000000000
  50.00     23 . 00000000000000000000000000
  36.00     24 . 000000000000000000
  29.00     25 . 00000000000000
  20.00     26 . 0000000000
   7.00     27 . 000
   6.00     28 . 000
   3.00     29 . 0
   5.00 Extremes    (>=30.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		19.8160	.14699
	95% Confidence Int for Mean	Lower Bound	19.5274	
		Upper Bound	20.1046	
	5% Trimmed Mean		19.7905	
	Median		20.0000	
	Variance		14.326	
	Std. Deviation		3.78492	
	Minimum		8.00	
	Maximum		33.00	
	Range		25.00	
	Interquartile Range		5.0000	
	Skewness		.078	.095
	Kurtosis		.074	.190

A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<28)
   4.00      2 . 9
  29.00      3 . 0000111111
  34.00      3 . 222222333333
  57.00      3 . 4444444445555555555
  75.00      3 . 666666666667777777777777
 107.00      3 . 88888888888888888899999999999999999999
  98.00      4 . 00000000000000011111111111111111
  96.00      4 . 2222222222222222333333333333333
  64.00      4 . 44444444444555555555
  39.00      4 . 6666666677777
  25.00      4 . 88888999
  15.00      5 . 00111
  12.00 Extremes    (>=52)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A10_02	Mean		39.9110	.20644
	95% Confidence Ir for Mean	Lower Bound	39.5056	
		Upper Bound	40.3164	
	5% Trimmed Mean		39.8626	
	Median		40.0000	
	Variance		28.256	
	Std. Deviation		5.31568	
	Minimum		23.00	
	Maximum		58.00	
	Range		35.00	
	Interquartile Range		6.0000	
	Skewness		.089	.095
	Kurtosis		.149	.190

N=2,000

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  1.00 Extremes    (=<39)
  2.00     4 . 3
  6.00     4 . 55&
  9.00     4 . 6677
 25.00     4 . 8888899999999
 30.00     5 . 000001111111111
 32.00     5 . 2222223333333333
 62.00     5 . 44444444445555555555555555555555
 81.00     5 . 666666666666666677777777777777777777777
 82.00     5 . 8888888888888888999999999999999999999999
 70.00     6 . 0000000000000000111111111111111111
 63.00     6 . 222222222222223333333333333333
 70.00     6 . 4444444444444445555555555555555555
 54.00     6 . 666666666666677777777777
 36.00     6 . 888888888888999999
 22.00     7 . 00000001111
  6.00     7 . 233
  7.00     7 . 445
  1.00     7 . &
  1.00     7 . &
  3.00 Extremes    (>=82)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  2.00 Extremes    (=<61)
  3.00     6 . 3
  4.00     6 . 55
  8.00     6 . 777&
 22.00     6 . 8888899999
 29.00     7 . 00000111111111
 41.00     7 . 22222222223333333333
 50.00     7 . 44444444455555555555555
 70.00     7 . 6666666666666667777777777777777777
 66.00     7 . 888888888888888899999999999999
 87.00     8 . 000000000000000000000000001111111111111111
 76.00     8 . 2222222222222222222222223333333333333
 54.00     8 . 444444444444444455555555
 57.00     8 . 666666666666667777777777777
 32.00     8 . 88888889999999
 34.00     9 . 0000000001111111
 12.00     9 . 22223
  6.00     9 . 445
  3.00     9 . 6&
  1.00     9 . &
  6.00 Extremes    (>=99)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_02



Normal Q-Q Plot of A20_02



Descriptives

		Statistic	Std. Error
A15_02	Mean	59.8250	.25448
	95% Confidence Int for Mean Lower Bound	59.3254	
	Upper Bound	60.3247	
	5% Trimmed Mean	59.8092	
	Median	60.0000	
	Variance	42.936	
	Std. Deviation	6.55257	
	Minimum	39.00	
	Maximum	85.00	
	Range	46.00	
	Interquartile Range	10.0000	
	Skewness	.088	.095
	Kurtosis	.295	.190

Descriptives

		Statistic	Std. Error
A20_02	Mean	80.2428	.26627
	95% Confidence Inte for Mean Lower Bound	79.7200	
	Upper Bound	80.7657	
	5% Trimmed Mean	80.2078	
	Median	80.0000	
	Variance	47.006	
	Std. Deviation	6.85608	
	Minimum	56.00	
	Maximum	104.00	
	Range	48.00	
	Interquartile Range	9.0000	
	Skewness	.102	.095
	Kurtosis	.273	.190

N=2,000

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<13)
    .00      1 .
   3.00      1 . 5&
  14.00      1 . 66777
  44.00      1 . 88888999999999
  80.00      2 . 00000000011111111111111111
 109.00      2 . 2222222222222222333333333333333333
 117.00      2 . 444444444444444444455555555555555555
  97.00      2 . 66666666666666666677777777777777
  97.00      2 . 88888888888888888899999999999999
  60.00      3 . 000000000001111111111
  29.00      3 . 2222223333
   9.00      3 . 445
   3.00 Extremes    (>=37)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_025



Descriptives

			Statistic	Std. Error
A5_025	Mean		25.0287	.16270
	95% Confidence Int for Mean	Lower Bound	24.7092	
		Upper Bound	25.3481	
	5% Trimmed Mean		25.0050	
	Median		25.0000	
	Variance		17.551	
	Std. Deviation		4.18934	
	Minimum		13.00	
	Maximum		40.00	
	Range		27.00	
	Interquartile Range		6.0000	
	Skewness		.128	.095
	Kurtosis		-.222	.190

A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<34)
    .00      3 .
   4.00      3 . 67
  14.00      3 . 8899
  18.00      4 . 000111
  39.00      4 . 2222233333333
  56.00      4 . 44444444555555555
  81.00      4 . 666666666666666777777777777
  84.00      4 . 888888888888999999999999999
 100.00      5 . 0000000000000000011111111111111111
  84.00      5 . 2222222222233333333333333333
  70.00      5 . 4444444444555555555555
  50.00      5 . 66666666677777777
  27.00      5 . 888888999
  14.00      6 . 00001
  11.00      6 . 223
   6.00      6 . 45
   4.00 Extremes    (>=66)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A10_025



Descriptives

			Statistic	Std. Error
A10_02	Mean		50.2308	.21886
	95% Confidence In for Mean	Lower Bound	49.8010	
		Upper Bound	50.6605	
	5% Trimmed Mean		50.1757	
	Median		50.0000	
	Variance		31.758	
	Std. Deviation		5.63541	
	Minimum		34.00	
	Maximum		68.00	
	Range		34.00	
	Interquartile Range		8.0000	
	Skewness		.135	.095
	Kurtosis		.030	.190

N=2,000

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00      5 . &
  33.00      6 . 123344&
 104.00      6 . 55556666777778889999
 150.00      7 . 000000011111112222333344444444
 192.00      7 . 555555556666666667777777788888888999999
 124.00      8 . 000000000111122222233333444
  38.00      8 . 5556789
  16.00      9 . 013&
   1.00 Extremes    (>=95)

Stem width:    10.00
Each leaf:     5 case(s)
& denotes fractional leaves.
```

A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  16.00      8 . 014&
  38.00      8 . 567789999
 112.00      9 . 000011111222233333334444444444
 160.00      9 . 555555666666777777788888888889999999999
 144.00     10 . 000000111111112222222233333333344444
 105.00     10 . 555556666667777888899999999
  61.00     11 . 000001111222334
  25.00     11 . 556778&
   2.00     12 . &
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_025



Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02 Mean		75.1870	.26503
95% Confidence Int for Mean	Lower Bound	74.6666	
	Upper Bound	75.7074	
5% Trimmed Mean		75.1156	
Median		76.0000	
Variance		46.569	
Std. Deviation		6.82416	
Minimum		56.00	
Maximum		95.00	
Range		39.00	
Interquartile Range		10.0000	
Skewness		.061	.095
Kurtosis		-.189	.190

Descriptives

		Statistic	Std. Error
A20_02 Mean		100.1810	.30623
95% Confidence Ir for Mean	Lower Bound	99.5797	
	Upper Bound	100.7823	
5% Trimmed Mean		100.1740	
Median		100.0000	
Variance		62.176	
Std. Deviation		7.88515	
Minimum		80.00	
Maximum		123.00	
Range		43.00	
Interquartile Range		12.0000	
Skewness		.051	.095
Kurtosis		-.289	.190

N=2,000

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<18)
   3.00     1 . 9
  18.00     2 . 001111
  25.00     2 . 22233333
  63.00     2 . 444444444555555555555
  89.00     2 . 6666666666777777777777777777777
 119.00     2 . 88888888888888888999999999999999999999999
 122.00     3 . 0000000000000000000011111111111111111111111
  89.00     3 . 2222222222223333333333333333
  57.00     3 . 444444444455555555
  40.00     3 . 6666666777777
  20.00     3 . 8888999
  10.00     4 . 0001
   6.00 Extremes    (>=42)
Stem width:    10.00
Each leaf:     3 case(s)
```

A10_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<44)
   4.00     4 . 55
   7.00     4 . 677
  15.00     4 . 8889999
  23.00     5 . 00000001111
  33.00     5 . 2222233333333333
  64.00     5 . 4444444444444444555555555555555
  88.00     5 . 6666666666666666666666777777777777777777777
  82.00     5 . 8888888888888888999999999999999999999999
  91.00     6 . 0000000000000000011111111111111111111111111
  66.00     6 . 2222222222222222333333333333333333
  61.00     6 . 4444444444444444555555555555
  49.00     6 . 6666666666666777777777777
  41.00     6 . 8888888888889999999999
  17.00     7 . 00000111
  11.00     7 . 22333
   3.00     7 . 4&
   4.00 Extremes    (>=77)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_03



Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		29.8824	.17694
	95% Confidence Inte for Mean	Lower Bound	29.5349	
		Upper Bound	30.2298	
	5% Trimmed Mean		29.8355	
	Median		30.0000	
	Variance		20.757	
	Std. Deviation		4.55593	
	Minimum		18.00	
	Maximum		44.00	
	Range		26.00	
	Interquartile Range		6.0000	
	Skewness		.188	.095
	Kurtosis		.059	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		59.9020	.23709
	95% Confidence Int for Mean	Lower Bound	59.4364	
		Upper Bound	60.3675	
	5% Trimmed Mean		59.9129	
	Median		60.0000	
	Variance		37.267	
	Std. Deviation		6.10465	
	Minimum		41.00	
	Maximum		79.00	
	Range		38.00	
	Interquartile Range		8.0000	
	Skewness		.023	.095
	Kurtosis		.046	.190

A15_03 Stem-and-Leaf Plot

N=2,000

```
Frequency   Stem & Leaf
   2.00 Extremes    (=<65)
   1.00     7 . &
   4.00     7 . 3&
   9.00     7 . 4555
  14.00     7 . 667777
  18.00     7 . 88999999
  40.00     8 . 0000000000111111111
  31.00     8 . 2222233333333
  48.00     8 . 4444444445555555555555
  54.00     8 . 666666666666777777777777
  66.00     8 . 888888888888888889999999999999
  91.00     9 . 0000000000000000000000111111111111111111111111
  68.00     9 . 2222222222222222233333333333333
  61.00     9 . 4444444444444444555555555555
  50.00     9 . 66666666666667777777777
  31.00     9 . 8888888999999
  34.00    10 . 0000000011111111
  18.00    10 . 222223333
   7.00    10 . 455
   9.00    10 . 6677
   3.00    10 . 9&
   4.00 Extremes    (>=110)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

```
A20_03 Stem-and-Leaf Plot
Frequency   Stem & Leaf
   7.00 Extremes    (=<100)
   1.00    10 . &
   6.00    10 . 233
  13.00    10 . 444555
  22.00    10 . 66666777777
  25.00    10 . 888899999999
  36.00    11 . 000000000001111111
  34.00    11 . 2222223333333333
  45.00    11 . 444444445555555555555
  59.00    11 . 666666666666677777777777777
  62.00    11 . 888888888888999999999999999999
  68.00    12 . 0000000000000000111111111111111111
  66.00    12 . 2222222222222223333333333333333
  60.00    12 . 4444444444444445555555555555555
  45.00    12 . 666666666666667777777
  37.00    12 . 888888888999999999
  33.00    13 . 0000000011111111
  18.00    13 . 222233333
  10.00    13 . 4455
  11.00    13 . 66777
   2.00    13 . 9
   3.00 Extremes    (>=140)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_03



Normal Q-Q Plot of A20_03



Descriptives

			Statistic	Std. Error
A15_03	Mean		90.3183	.28906
	95% Confidence Inte for Mean	Lower Bound	89.7507	
		Upper Bound	90.8858	
	5% Trimmed Mean		90.3234	
	Median		90.0000	
	Variance		55.396	
	Std. Deviation		7.44282	
	Minimum		63.00	
	Maximum		113.00	
	Range		50.00	
	Interquartile Range		10.0000	
	Skewness		-.050	.095
	Kurtosis		.177	.190

Descriptives

			Statistic	Std. Error
A20_03	Mean		119.8069	.31463
	95% Confidence Inte for Mean	Lower Bound	119.1891	
		Upper Bound	120.4247	
	5% Trimmed Mean		119.8679	
	Median		120.0000	
	Variance		65.633	
	Std. Deviation		8.10144	
	Minimum		88.00	
	Maximum		142.00	
	Range		54.00	
	Interquartile Range		10.0000	
	Skewness		-.179	.095
	Kurtosis		.035	.190

N=2,000

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<23)
    .00     2.
   8.00     2. 445
  20.00     2. 667777
  50.00     2. 888888999999999999
  74.00     3. 000000000011111111111111
 104.00     3. 2222222222222222333333333333333333
 110.00     3. 4444444444444444555555555555555555
 107.00     3. 6666666666666666677777777777777777
  83.00     3. 888888888888888999999999999
  33.00     4. 00000011111
  35.00     4. 22222333333
  21.00     4. 4444555
   4.00     4. 6
   8.00 Extremes    (>=47)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A5_035



A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00     5. &
   4.00     5. 55
   8.00     5. 677
  12.00     5. 888999
  26.00     6. 000000011111
  41.00     6. 2222223333333333333
  69.00     6. 4444444444444444555555555555555555
  63.00     6. 6666666666666666777777777777777
  76.00     6. 888888888888888888888999999999999999
  82.00     7. 0000000000000000000000011111111111111111
  76.00     7. 2222222222222222222233333333333333333
  69.00     7. 4444444444444444555555555555555555
  52.00     7. 6666666666666777777777777
  35.00     7. 888888888889999999
  19.00     8. 000000111
  20.00     8. 222233333
   7.00     8. 445
   2.00     8. &
   1.00 Extremes    (>=89)
Stem width:    10.00
Each leaf:     2 case(s)
 & denotes fractional leaves.
```

Normal Q-Q Plot of A10_035



Descriptives

			Statistic	Std. Error
A5_035	Mean		34.9246	.18806
	95% Confidence Inte	Lower Bound	34.5553	
	for Mean	Upper Bound	35.2938	
	5% Trimmed Mean		34.8693	
	Median		35.0000	
	Variance		23.447	
	Std. Deviation		4.84226	
	Minimum		21.00	
	Maximum		51.00	
	Range		30.00	
	Interquartile Range		6.0000	
	Skewness		.199	.095
	Kurtosis		.131	.190

Descriptives

			Statistic	Std. Error
A10_03:	Mean		70.2624	.24362
	95% Confidence Inte	Lower Bound	69.7841	
	for Mean	Upper Bound	70.7408	
	5% Trimmed Mean		70.2327	
	Median		70.0000	
	Variance		39.351	
	Std. Deviation		6.27303	
	Minimum		53.00	
	Maximum		89.00	
	Range		36.00	
	Interquartile Range		9.0000	
	Skewness		.067	.095
	Kurtosis		-.286	.190

N=2,000

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<83)
   4.00      8 . 9&
  51.00      9 . 011222333444
  85.00      9 . 55566666777788889999
 173.00     10 . 00000000000111112222222223333333334444444
 165.00     10 . 55555556666666777777778888888889999999999
 113.00     11 . 00000001111122222233333344444
  43.00     11 . 5556667889
  19.00     12 . 012&
   6.00 Extremes    (>=125)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



A20_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<115)
   2.00     11 . &
  14.00     12 . 34&
  39.00     12 . 55688999&
  95.00     13 . 00001111222223333344444
 157.00     13 . 55555556666666777777788888888889999999
 157.00     14 . 00000000111111112222223333333344444444
  97.00     14 . 55555666667777778888999
  65.00     15 . 0000001112223344
  23.00     15 . 556678&
   5.00     16 . 1&
   7.00 Extremes    (>=163)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A15_03	Mean	105.0724	.29844
	95% Confidence Ir Lower Bound for Mean	104.4864	
	Upper Bound	105.6584	
	5% Trimmed Mean	104.9966	
	Median	105.0000	
	Variance	59.049	
	Std. Deviation	7.68434	
	Minimum	82.00	
	Maximum	129.00	
	Range	47.00	
	Interquartile Range	10.0000	
	Skewness	.085	.095
	Kurtosis	.028	.190

Descriptives

		Statistic	Std. Error
A20_03.	Mean	140.5038	.33063
	95% Confidence Int Lower Bound for Mean	139.8546	
	Upper Bound	141.1530	
	5% Trimmed Mean	140.4419	
	Median	140.0000	
	Variance	72.477	
	Std. Deviation	8.51334	
	Minimum	111.00	
	Maximum	168.00	
	Range	57.00	
	Interquartile Range	11.0000	
	Skewness	.139	.095
	Kurtosis	.232	.190

N=2,000

A5_04 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	2 . 9
10.00	3 . 0011
37.00	3 . 2222223333333
53.00	3 . 44444444555555555
90.00	3 . 666666666666666677777777777777
100.00	3 . 8888888888888999999999999999999
112.00	4 . 0000000000000000000011111111111111111
91.00	4 . 2222222222222222223333333333
70.00	4 . 4444444444444555555555
44.00	4 . 66666666677777
34.00	4 . 88888889999
15.00	5 . 00011
3.00	5 . 2&
1.00 Extremes	(>=55)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

A10_04 Stem-and-Leaf Plot

Frequency	Stem & Leaf
4.00 Extremes	(=<60)
.00	6 .
4.00	6 . 3&
8.00	6 . 4445
2.00	6 . 667
23.00	6 . 88888999999
21.00	7 . 0000001111
36.00	7 . 222222233333333333
67.00	7 . 4444444444444445555555555555555
59.00	7 . 66666666666666666777777777777
81.00	7 . 888888888888888888999999999999999999
69.00	8 . 000000000000000011111111111111111
82.00	8 . 2222222222222222222233333333333333333
60.00	8 . 444444444444445555555555555555
52.00	8 . 6666666666666666667777777
40.00	8 . 8888888888889999999
17.00	9 . 00000111
13.00	9 . 222333
11.00	9 . 44455
6.00	9 . 66&
2.00	9 . 8

Stem width: 10.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_04



Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		40.2911	.18301
	95% Confidence Inte for Mean	Lower Bound	39.9317	
		Upper Bound	40.6505	
	5% Trimmed Mean		40.2461	
	Median		40.0000	
	Variance		22.207	
	Std. Deviation		4.71240	
	Minimum		29.00	
	Maximum		55.00	
	Range		26.00	
	Interquartile Range		7.0000	
	Skewness		.149	.095
	Kurtosis		-.347	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		79.9668	.26758
	95% Confidence Inter for Mean	Lower Bound	79.4414	
		Upper Bound	80.4922	
	5% Trimmed Mean		80.0137	
	Median		80.0000	
	Variance		47.470	
	Std. Deviation		6.88986	
	Minimum		58.00	
	Maximum		98.00	
	Range		40.00	
	Interquartile Range		10.0000	
	Skewness		-.139	.095
	Kurtosis		.109	.190

N=2,000

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<96)
   1.00      9 .  &
  14.00     10 .  34&
  44.00     10 .  56677788999
 106.00     11 .  000111122223333344444444
 155.00     11 .  555555556666666777777888888899999999
 153.00     12 .  000000000111111111222222333333334444444
 109.00     12 .  5555556666666777777888889999
  56.00     13 .  00011122333444
  18.00     13 .  567&
   3.00     14 .  &
   2.00 Extremes    (>=144)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_04



A20_04 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   7.00 Extremes    (=<137)
   5.00     13 .  9&
  16.00     14 .  234&
  44.00     14 .  5667778899
  81.00     15 .  0011122223333344444
 134.00     15 .  555555666667777778888888999999
 153.00     16 .  000000001111122222222233333333344444
 114.00     16 .  555555566666677777888888899999
  64.00     17 .  000001111222334
  32.00     17 .  5567889
  11.00     18 .  12&
   2.00 Extremes    (>=185)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A15_04	Mean	119.9367	.31153
	95% Confidence Ir Lower Bound	119.3249	
	for Mean Upper Bound	120.5484	
	5% Trimmed Mean	119.9093	
	Median	120.0000	
	Variance	64.346	
	Std. Deviation	8.02162	
	Minimum	93.00	
	Maximum	149.00	
	Range	56.00	
	Interquartile Range	11.0000	
	Skewness	.082	.095
	Kurtosis	.090	.190

Descriptives

		Statistic	Std. Error
A20_04	Mean	160.7843	.35765
	95% Confidence Inte Lower Bound	160.0820	
	for Mean Upper Bound	161.4866	
	5% Trimmed Mean	160.8746	
	Median	161.0000	
	Variance	84.807	
	Std. Deviation	9.20907	
	Minimum	128.00	
	Maximum	186.00	
	Range	58.00	
	Interquartile Range	12.0000	
	Skewness	-.186	.095
	Kurtosis	.323	.190

N=2,000

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<33)
    .00     3 .
  11.00     3 . 4555
  24.00     3 . 66667777
  51.00     3 . 888888889999999
  63.00     4 . 000000001111111111111
  98.00     4 . 2222222222222223333333333333
 114.00     4 . 444444444444444444455555555555555555
 104.00     4 . 666666666666666667777777777777777
  80.00     4 . 888888888888888999999999999
  63.00     5 . 000000000001111111111
  26.00     5 . 22233333
  15.00     5 . 44455
   2.00     5 . 6
   4.00 Extremes    (>=57)
Stem width:    10.00
Each leaf:     3 case(s)
```

A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
    .00     7 .
   2.00     7 . &
   5.00     7 . 55&
  16.00     7 . 66777777
  15.00     7 . 8889999
  29.00     8 . 00000111111111
  45.00     8 . 2222222222223333333333
  59.00     8 . 44444444445555555555555555555
  65.00     8 . 66666666666667777777777777777777
  63.00     8 . 888888888888888999999999999
  91.00     9 . 0000000000000000000011111111111111111111111
  68.00     9 . 2222222222222333333333333333333333
  69.00     9 . 4444444444444444445555555555555555
  51.00     9 . 666666666666666777777777
  37.00     9 . 888888888999999999
  19.00    10 . 000001111
  16.00    10 . 2233333
   9.00    10 . 4455
   4.00    10 . 67
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_045



Normal Q-Q Plot of A10_045



Descriptives

		Statistic	Std. Error
A5_045	Mean	44.7722	.18605
	95% Confidence Inte for Mean — Lower Bound	44.4069	
	Upper Bound	45.1376	
	5% Trimmed Mean	44.8089	
	Median	45.0000	
	Variance	22.950	
	Std. Deviation	4.79057	
	Minimum	27.00	
	Maximum	58.00	
	Range	31.00	
	Interquartile Range	6.0000	
	Skewness	-.135	.095
	Kurtosis	.041	.190

Descriptives

		Statistic	Std. Error
A10_04.	Mean	90.0256	.25534
	95% Confidence Int for Mean — Lower Bound	89.5243	
	Upper Bound	90.5270	
	5% Trimmed Mean	90.0218	
	Median	90.0000	
	Variance	43.227	
	Std. Deviation	6.57476	
	Minimum	72.00	
	Maximum	107.00	
	Range	35.00	
	Interquartile Range	10.0000	
	Skewness	-.015	.095
	Kurtosis	-.318	.190

N=2,000

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  1.00 Extremes    (=<109)
  4.00      11 . 4&
 14.00      11 . 589&
 52.00      12 . 0012223334444
 99.00      12 . 555566667777888889999999
149.00      13 . 00000001111112222222233333334444444444
159.00      13 . 555555555666666666777777778888888999999999
113.00      14 . 00000001111122222333334444 4
 56.00      14 . 5555567788899
 13.00      15 . 13&
  2.00      15 . &
  1.00 Extremes    (>=157)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_045



Descriptives

		Statistic	Std. Error
A15_04 Mean		134.6652	.31073
95% Confidence Ir for Mean	Lower Bound	134.0550	
	Upper Bound	135.2753	
5% Trimmed Mean		134.7254	
Median		135.0000	
Variance		64.015	
Std. Deviation		8.00091	
Minimum		109.00	
Maximum		157.00	
Range		48.00	
Interquartile Range		11.0000	
Skewness		-.113	.095
Kurtosis		-.157	.190

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   .00       15 .
 10.00       15 . 589&
 23.00       16 . 11223344
 59.00       16 . 55666777888899999999
 89.00       17 . 00000011111122222333334444444
127.00       17 . 5555556666666666677777777788888888899999999
135.00       18 . 000000001111111111222222222233333334444444444
122.00       18 . 555555555666666666777777777888888899999999
 61.00       19 . 00011111122223333444
 31.00       19 . 5566677889
  6.00       20 . 3&

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A20_04 Mean		180.0528	.35754
95% Confidence Ir for Mean	Lower Bound	179.3507	
	Upper Bound	180.7548	
5% Trimmed Mean		180.1173	
Median		181.0000	
Variance		84.754	
Std. Deviation		9.20619	
Minimum		155.00	
Maximum		204.00	
Range		49.00	
Interquartile Range		13.0000	
Skewness		-.107	.095
Kurtosis		-.289	.190

N=2,000

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00      3 . &
  13.00      3 . 88999
  31.00      4 . 0000111111
  36.00      4 . 222233333333
  40.00      4 . 4444445555555
 106.00      4 . 66666666666666666777777777777777
  88.00      4 . 88888888888888888999999999999
 102.00      5 . 000000000000000011111111111111111
 104.00      5 . 22222222222222222333333333333333
  57.00      5 . 4444445555555555555
  48.00      5 . 6666666666777777
  22.00      5 . 8888999
  11.00      6 . 0011
   4.00      6 . 2&
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<84)
   3.00      8 . 5
   9.00      8 . 6677
  17.00      8 . 88889999
  32.00      9 . 000001111111111
  37.00      9 . 22222222233333333
  50.00      9 . 44444444444444555555555
  71.00      9 . 66666666666666666777777777777777777
  76.00      9 . 88888888888888888888999999999999999999
  80.00     10 . 00000000000000000000011111111111111111
  80.00     10 . 22222222222222222222333333333333333333
  74.00     10 . 44444444444444444445555555555555555
  41.00     10 . 66666666666777777777
  33.00     10 . 8888889999999999
  21.00     11 . 0000001111
  16.00     11 . 22222333
   6.00     11 . 455
   9.00 Extremes    (>=116)
Stem width:    10.00
Each leaf:     2 case(s)
```





Descriptives

			Statistic	Std. Error
A5_05	Mean		49.6772	.19405
	95% Confidence Ir for Mean	Lower Bound	49.2962	
		Upper Bound	50.0582	
	5% Trimmed Mean		49.6852	
	Median		50.0000	
	Variance		24.965	
	Std. Deviation		4.99651	
	Minimum		37.00	
	Maximum		63.00	
	Range		26.00	
	Interquartile Range		7.0000	
	Skewness		-.047	.095
	Kurtosis		-.337	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		100.0830	.25871
	95% Confidence Inte for Mean	Lower Bound	99.5750	
		Upper Bound	100.5909	
	5% Trimmed Mean		100.0687	
	Median		100.0000	
	Variance		44.375	
	Std. Deviation		6.66148	
	Minimum		81.00	
	Maximum		121.00	
	Range		40.00	
	Interquartile Range		8.0000	
	Skewness		.026	.095
	Kurtosis		.051	.190

N=2,000

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<125)
   1.00      12 . &
  16.00      13 . 234&
  36.00      13 . 667788999&
 105.00      14 . 000111112223333333444444
 157.00      14 . 555555666666677777788888889999999999
 149.00      15 . 000000001111111122222223333334444444
 116.00      15 . 555555566666677777888889999
  50.00      16 . 000011222333&
  26.00      16 . 555679&
   3.00      17 . &
   3.00 Extremes    (>=173)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<178)
   1.00      17 . &
  11.00      18 . 4&
  55.00      18 . 5567778889999
  93.00      19 . 000011122222333333344444
 145.00      19 . 555555566666667777777888888889999999
 143.00      20 . 000000111111122222233333334444444444
 121.00      20 . 555555666666677777788888999999
  51.00      21 . 00001123334
  29.00      21 . 5556789
   5.00      22 . 1&
   4.00 Extremes    (>=223)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

		Statistic	Std. Error
A15_05 Mean		150.3062	.31021
95% Confidence In for Mean	Lower Bound	149.6971	
	Upper Bound	150.9153	
5% Trimmed Mean		150.2612	
Median		150.0000	
Variance		63.799	
Std. Deviation		7.98742	
Minimum		125.00	
Maximum		177.00	
Range		52.00	
Interquartile Range		11.0000	
Skewness		.098	.095
Kurtosis		.034	.190

Descriptives

		Statistic	Std. Error
A20_05 Mean		200.3469	.33642
95% Confidence Int for Mean	Lower Bound	199.6863	
	Upper Bound	201.0075	
5% Trimmed Mean		200.3079	
Median		200.0000	
Variance		75.037	
Std. Deviation		8.66237	
Minimum		172.00	
Maximum		229.00	
Range		57.00	
Interquartile Range		11.0000	
Skewness		.029	.095
Kurtosis		-.011	.190

N=2,000

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<40)
   1.00      4 . &
   5.00      4 . 23
   7.00      4 . 45
  30.00      4 . 6666677777
  54.00      4 . 888888899999999999
  81.00      5 . 000000000000111111111111111
 104.00      5 . 2222222222222223333333333333333333
 107.00      5 . 4444444444444444445555555555555555
  91.00      5 . 6666666666666666777777777777777
  74.00      5 . 88888888888888999999999
  56.00      6 . 0000000000011111111
  31.00      6 . 2222223333
  12.00      6 . 4455
   5.00      6 . 67
   3.00 Extremes    (>=69)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_055



A10_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00 Extremes    (=<94)
   2.00      9 . 5
   4.00      9 . 7&
  21.00      9 . 888899999
  25.00     10 . 0000011111111
  41.00     10 . 2222222222333333333
  59.00     10 . 4444444444445555555555555555
  64.00     10 . 6666666666666666777777777777777
  74.00     10 . 88888888888888888999999999999999
  93.00     11 . 000000000000000000000011111111111111111111
  90.00     11 . 222222222222222222222233333333333333333333
  49.00     11 . 4444444444445555555555
  45.00     11 . 666666666667777777777
  39.00     11 . 888888888999999999
  23.00     12 . 00000111111
  15.00     12 . 2223333
   9.00     12 . 4455
   5.00 Extremes    (>=126)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A5_055 Mean		54.5113	.18903
95% Confidence Ir for Mean	Lower Bound	54.1401	
	Upper Bound	54.8825	
5% Trimmed Mean		54.4941	
Median		54.0000	
Variance		23.691	
Std. Deviation		4.86737	
Minimum		38.00	
Maximum		69.00	
Range		31.00	
Interquartile Range		7.0000	
Skewness		.051	.095
Kurtosis		.047	.190

Descriptives

		Statistic	Std. Error
A10_055 Mean		110.2232	.24951
95% Confidence Inte for Mean	Lower Bound	109.7333	
	Upper Bound	110.7132	
5% Trimmed Mean		110.1925	
Median		110.0000	
Variance		41.276	
Std. Deviation		6.42467	
Minimum		91.00	
Maximum		130.00	
Range		39.00	
Interquartile Range		8.0000	
Skewness		.072	.095
Kurtosis		-.079	.190

N=2,000

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   8.00 Extremes    (=<145)
  14.00     14 . 89&
  62.00     15 . 011122223334444
  79.00     15 . 5556666777788889999
 153.00     16 . 000001111111112222222333333334444444
 172.00     16 . 555555555566666666677777778888888889999999
  91.00     17 . 0000001111222233333444
  69.00     17 . 55555666777788889
  12.00     18 . 00&
   3.00 Extremes    (>=185)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<196)
   4.00     19 . &
  22.00     20 . 12344
  52.00     20 . 555667899999
  90.00     21 . 000011111222233334444 4
 144.00     21 . 555555666666677777777788888889999999
 140.00     22 . 00000000111111222222333333444444
 116.00     22 . 55555556666667777788888889999
  60.00     23 . 000001122233344
  18.00     23 . 5679&
   6.00     24 . 0&
   7.00 Extremes    (>=244)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_055



Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A15_05	Mean	164.5958	.31489
	95% Confidence I Lower Bound for Mean	163.9775	
	Upper Bound	165.2141	
	5% Trimmed Mean	164.6802	
	Median	165.0000	
	Variance	65.740	
	Std. Deviation	8.10800	
	Minimum	135.00	
	Maximum	189.00	
	Range	54.00	
	Interquartile Range	10.0000	
	Skewness	-.141	.095
	Kurtosis	-.087	.190

Descriptives

		Statistic	Std. Error
A20_055	Mean	219.9834	.35398
	95% Confidence Inter Lower Bound for Mean	219.2883	
	Upper Bound	220.6785	
	5% Trimmed Mean	219.9382	
	Median	220.0000	
	Variance	83.077	
	Std. Deviation	9.11465	
	Minimum	186.00	
	Maximum	255.00	
	Range	69.00	
	Interquartile Range	12.0000	
	Skewness	.065	.095
	Kurtosis	.502	.190

N=2,000

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00 Extremes    (=<48)
   5.00      4 . 99
  16.00      5 . 01111
  34.00      5 . 222223333333
  44.00      5 . 44444555555555
  85.00      5 . 66666666666666777777777777777
 100.00      5 . 8888888888888888999999999999999999
 122.00      6 . 00000000000000000000011111111111111111111
 109.00      6 . 2222222222222222333333333333333333
  62.00      6 . 44444444444555555555
  36.00      6 . 666666667777
  29.00      6 . 8888889999
  12.00      7 . 0001
   4.00 Extremes    (>=72)
Stem width:     10.00
Each leaf:       3 case(s)
```

A10_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   7.00 Extremes    (=<104)
    .00      10 .
   6.00      10 . 77&
  16.00      10 . 8889999
  22.00      11 . 0011111111
  42.00      11 . 22222222222333333333
  55.00      11 . 4444444444555555555555555
  73.00      11 . 66666666666666666677777777777777777
  82.00      11 . 88888888888888888888999999999999999999
  82.00      12 . 00000000000000000000011111111111111111
  76.00      12 . 22222222222222222233333333333333333333
  68.00      12 . 44444444444444444455555555555555555
  46.00      12 . 6666666666666777777777
  39.00      12 . 888888888888999999999
  31.00      13 . 000000001111111
   8.00      13 . 2223
   4.00      13 . 45
   6.00 Extremes    (>=136)
Stem width:     10.00
Each leaf:       2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_06



Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		60.0799	.18255
	95% Confidence Int for Mean	Lower Bound	59.7215	
		Upper Bound	60.4384	
	5% Trimmed Mean		60.0905	
	Median		60.0000	
	Variance		22.095	
	Std. Deviation		4.70051	
	Minimum		47.00	
	Maximum		74.00	
	Range		27.00	
	Interquartile Range		6.0000	
	Skewness		-.044	.095
	Kurtosis		-.038	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		120.2262	.24429
	95% Confidence Inter for Mean	Lower Bound	119.7466	
		Upper Bound	120.7059	
	5% Trimmed Mean		120.2514	
	Median		120.0000	
	Variance		39.565	
	Std. Deviation		6.29008	
	Minimum		99.00	
	Maximum		140.00	
	Range		41.00	
	Interquartile Range		8.0000	
	Skewness		-.031	.095
	Kurtosis		.087	.190

N=2,000

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<159)
   3.00     16 . 1&
  10.00     16 . 2333
  10.00     16 . 4555
   8.00     16 . 6677
  17.00     16 . 88899999
  32.00     17 . 00000011111111111
  47.00     17 . 22222222333333333333
  78.00     17 . 444444444444444444555555555555555555
  58.00     17 . 66666666666666667777777777777
  54.00     17 . 888888888888888999999999999
  80.00     18 . 00000000000000000000011111111111111111
  74.00     18 . 22222222222222222222333333333333333333
  50.00     18 . 44444444444455555555555
  53.00     18 . 66666666666667777777777777
  26.00     18 . 88888899999999
  22.00     19 . 00000111111
  15.00     19 . 2223333
  16.00     19 . 4444555
   3.00     19 . 7&
   1.00     19 . &
   2.00 Extremes    (>=200)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_06



Descriptives

		Statistic	Std. Error
A15_06	Mean	179.4087	.29030
	95% Confidence Inter for Mean — Lower Bound	178.8387	
	95% Confidence Inter for Mean — Upper Bound	179.9788	
	5% Trimmed Mean	179.4891	
	Median	180.0000	
	Variance	55.873	
	Std. Deviation	7.47486	
	Minimum	149.00	
	Maximum	200.00	
	Range	51.00	
	Interquartile Range	10.0000	
	Skewness	-.155	.095
	Kurtosis	.333	.190

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<211)
   4.00     21 . 9&
  21.00     22 . 12344
  61.00     22 . 56667788888999
  92.00     23 . 00011112222233334444 4
 146.00     23 . 55555556666667777777778888899999999999
 135.00     24 . 000000111111112222222333333444444
 117.00     24 . 555555666667777788888889999 9
  61.00     25 . 0000011223334
  17.00     25 . 566&
   5.00     26 . &
   2.00 Extremes    (>=270)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A20_06	Mean	239.7195	.33891
	95% Confidence Int for Mean — Lower Bound	239.0540	
	95% Confidence Int for Mean — Upper Bound	240.3849	
	5% Trimmed Mean	239.7405	
	Median	240.0000	
	Variance	76.154	
	Std. Deviation	8.72661	
	Minimum	210.00	
	Maximum	271.00	
	Range	61.00	
	Interquartile Range	12.0000	
	Skewness	-.033	.095
	Kurtosis	.076	.190

N=2,000

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<53)
    .00      5 .
  10.00      5 . 4555
  29.00      5 . 6666677777
  46.00      5 . 888888899999999
  66.00      6 . 000000001111111111111
  82.00      6 . 2222222222222333333333333
 111.00      6 . 44444444444444444555555555555555555
 120.00      6 . 666666666666666666666677777777777777777777
  79.00      6 . 8888888888888999999999999
  61.00      7 . 00000000001111111111
  31.00      7 . 22222223333
  19.00      7 . 444455
   2.00      7 . 6
   5.00 Extremes    (>=77)
Stem width:     10.00
Each leaf:       3 case(s)
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<112)
    .00      11 .
   3.00      11 . 4&
  12.00      11 . 666777
  12.00      11 . 89999
  32.00      12 . 00000001111111
  34.00      12 . 2222222233333333
  58.00      12 . 44444444444444455555555555555
  78.00      12 . 666666666666666667777777777777777777
  74.00      12 . 88888888888888888999999999999999999
  77.00      13 . 000000000000000000111111111111111111
  68.00      13 . 2222222222223333333333333333333
  80.00      13 . 44444444444444444444555555555555555555
  45.00      13 . 666666666666777777777
  37.00      13 . 8888888888999999999
  24.00      14 . 00000111111
  17.00      14 . 22233333
   6.00      14 . 45
   2.00      14 . 6
   2.00 Extremes    (>=149)
Stem width:     10.00
Each leaf:       2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065	Mean	65.0724	.18329
	95% Confidence Ir Lower Bound for Mean	64.7125	
	Upper Bound	65.4323	
	5% Trimmed Mean	65.0620	
	Median	65.0000	
	Variance	22.273	
	Std. Deviation	4.71940	
	Minimum	53.00	
	Maximum	79.00	
	Range	26.00	
	Interquartile Range	6.0000	
	Skewness	-.002	.095
	Kurtosis	-.281	.190

Descriptives

		Statistic	Std. Error
A10_06:	Mean	130.2413	.25063
	95% Confidence Inte Lower Bound for Mean	129.7492	
	Upper Bound	130.7334	
	5% Trimmed Mean	130.2360	
	Median	130.0000	
	Variance	41.646	
	Std. Deviation	6.45334	
	Minimum	111.00	
	Maximum	152.00	
	Range	41.00	
	Interquartile Range	9.0000	
	Skewness	.017	.095
	Kurtosis	-.148	.190

N=2,000

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<173)
  13.00     17 . 789&
  45.00     18 . 01223344444
 102.00     18 . 555566666777788888999999
 151.00     19 . 000000001111122222333333334444444444
 184.00     19 . 5555555555556666666667777777777888888888999999
 104.00     20 . 00000011111112223333344444
  49.00     20 . 55566678899
   9.00     21 . 02&
   4.00 Extremes    (>=214)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<235)
   3.00     23 . &
  19.00     24 . 01234
  48.00     24 . 56677889999
 101.00     25 . 00000111122223333344444
 128.00     25 . 555556666677777778888888899999
 147.00     26 . 000000111111111222222233333334444444
 125.00     26 . 5555566666677777778888888899999
  57.00     27 . 00001111223344
  26.00     27 . 566779&
   3.00     28 . &
   1.00 Extremes    (>=284)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_065



Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A15_06	Mean	194.6637	.28658
	95% Confidence Int for Mean Lower Bound	194.1009	
	Upper Bound	195.2264	
	5% Trimmed Mean	194.6799	
	Median	195.0000	
	Variance	54.450	
	Std. Deviation	7.37903	
	Minimum	172.00	
	Maximum	217.00	
	Range	45.00	
	Interquartile Range	10.0000	
	Skewness	-.042	.095
	Kurtosis	-.066	.190

Descriptives

		Statistic	Std. Error
A20_06	Mean	260.0618	.34029
	95% Confidence Int for Mean Lower Bound	259.3937	
	Upper Bound	260.7300	
	5% Trimmed Mean	260.1693	
	Median	261.0000	
	Variance	76.774	
	Std. Deviation	8.76208	
	Minimum	230.00	
	Maximum	284.00	
	Range	54.00	
	Interquartile Range	12.0000	
	Skewness	-.219	.095
	Kurtosis	.037	.190

N=2,000

A5_07 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	Extremes (=<58)
1.00	5 . &
11.00	6 . 011
27.00	6 . 222233333
57.00	6 . 444445555555555555
71.00	6 . 666666666677777777777
118.00	6 . 888888888888889999999999999999999999
106.00	7 . 00000000000000011111111111111111111
124.00	7 . 22222222222222222222333333333333333333333
79.00	7 . 4444444444444444555555555
39.00	7 . 6666666777777
19.00	7 . 888899
7.00	8 . 01
2.00	Extremes (>=82)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

A10_07 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	12 . 3
2.00	12 . 5
4.00	12 . 7&
18.00	12 . 888899999
22.00	13 . 0000011111
46.00	13 . 2222222233333333333333
60.00	13 . 444444444444455555555555555
76.00	13 . 6666666666666666777777777777777777777
75.00	13 . 888888888888888899999999999999999999
87.00	14 . 000000000000000000000111111111111111111111
71.00	14 . 2222222222222233333333333333333333
58.00	14 . 4444444444444555555555555555
65.00	14 . 66666666666666666666777777777777
43.00	14 . 8888888888889999999
16.00	15 . 0000111
6.00	15 . 223
6.00	15 . 55&
3.00	15 . 6&
1.00	15 . &
1.00	Extremes (>=159)

Stem width: 10.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_07



Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		70.2383	.16608
	95% Confidence I for Mean	Lower Bound	69.9122	
		Upper Bound	70.5644	
	5% Trimmed Mean		70.2598	
	Median		70.0000	
	Variance		18.288	
	Std. Deviation		4.27639	
	Minimum		53.00	
	Maximum		82.00	
	Range		29.00	
	Interquartile Range		6.0000	
	Skewness		-.142	.095
	Kurtosis		.064	.190

Descriptives

			Statistic	Std. Error
A10_07	Mean		140.1252	.23686
	95% Confidence Inte for Mean	Lower Bound	139.6601	
		Upper Bound	140.5903	
	5% Trimmed Mean		140.1109	
	Median		140.0000	
	Variance		37.197	
	Std. Deviation		6.09896	
	Minimum		123.00	
	Maximum		159.00	
	Range		36.00	
	Interquartile Range		9.0000	
	Skewness		.037	.095
	Kurtosis		-.152	.190

N=2,000

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<190)
    .00     19 .
   5.00     19 . 23
   5.00     19 . 45
  10.00     19 . 6777
  26.00     19 . 88888889999
  39.00     20 . 000000000111111111
  46.00     20 . 2222222222223333333333
  47.00     20 . 4444444444555555555555
  71.00     20 . 66666666666666667777777777777777777
  62.00     20 . 88888888889999999999999999999
  80.00     21 . 00000000000000000000011111111111111111
  65.00     21 . 22222222222223333333333333333333
  64.00     21 . 4444444444444444555555555555555
  52.00     21 . 6666666666677777777777
  32.00     21 . 88888888999999
  22.00     22 . 60000111111
  10.00     22 . 22233
  12.00     22 . 444445
   5.00     22 . 67
   4.00     22 . 99
   2.00 Extremes    (>=230)
Stem width:    10.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_07



A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<257)
   4.00     25 . 9&
  10.00     26 . 3&
  48.00     26 . 56678889999
 108.00     27 . 000001111122223333444444
 154.00     27 . 555566666667777777888888899999999999
 144.00     28 . 000000001111111122222223333333334444
 114.00     28 . 555555566666777777888889999
  49.00     29 . 000011223344
  24.00     29 . 5668889&
   3.00     30 . &
   3.00 Extremes    (>=302)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	209.7376	.28140
	95% Confidence Int for Mean Lower Bound	209.1850	
	Upper Bound	210.2901	
	5% Trimmed Mean	209.6986	
	Median	210.0000	
	Variance	52.502	
	Std. Deviation	7.24583	
	Minimum	188.00	
	Maximum	233.00	
	Range	45.00	
	Interquartile Range	10.0000	
	Skewness	.021	.095
	Kurtosis	.011	.190

Descriptives

		Statistic	Std. Error
A20_07	Mean	279.9623	.31827
	95% Confidence Inte for Mean Lower Bound	279.3373	
	Upper Bound	280.5872	
	5% Trimmed Mean	279.9059	
	Median	280.0000	
	Variance	67.160	
	Std. Deviation	8.19513	
	Minimum	254.00	
	Maximum	304.00	
	Range	50.00	
	Interquartile Range	11.0000	
	Skewness	.069	.095
	Kurtosis	.027	.190

N=2,000

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  1.00 Extremes    (=<61)
   .00      6 .
  8.00      6 . 455
 10.00      6 . 677
 48.00      6 . 888888899999999
 71.00      7 . 00000000001111111111111
103.00      7 . 2222222222222233333333333333333333
115.00      7 . 44444444444444444455555555555555555555
120.00      7 . 66666666666666666677777777777777777777
 91.00      7 . 88888888888888999999999999999
 64.00      8 . 0000000000001111111111
 21.00      8 . 2222233
  9.00      8 . 445
  1.00      8 . &
  1.00 Extremes    (>=87)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_075



Descriptives

			Statistic	Std. Error
A5_075	Mean		74.9940	.16132
	95% Confidence Inter for Mean	Lower Bound	74.6772	
		Upper Bound	75.3107	
	5% Trimmed Mean		75.0120	
	Median		75.0000	
	Variance		17.254	
	Std. Deviation		4.15376	
	Minimum		61.00	
	Maximum		87.00	
	Range		26.00	
	Interquartile Range		6.0000	
	Skewness		-.096	.095
	Kurtosis		-.236	.190

A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  3.00 Extremes    (=<134)
  3.00      13 . 5
  9.00      13 . 6777
 14.00      13 . 888999
 18.00      14 . 00000111
 35.00      14 . 22222222333333333
 60.00      14 . 444444444445555555555555555
 71.00      14 . 66666666666666677777777777777777777
 83.00      14 . 88888888888888888999999999999999999999
 94.00      15 . 0000000000000000000111111111111111111111111 11
 82.00      15 . 2222222222222222222333333333333333333333
 67.00      15 . 4444444444444444445555555555555555
 53.00      15 . 66666666666666777777777777
 36.00      15 . 88888888899999999
 15.00      16 . 0000011
 12.00      16 . 222233
  7.00      16 . 444
  1.00 Extremes    (>=166)
Stem width:    10.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A10_075



Descriptives

			Statistic	Std. Error
A10_07.	Mean		150.1689	.22986
	95% Confidence Int for Mean	Lower Bound	149.7176	
		Upper Bound	150.6203	
	5% Trimmed Mean		150.2212	
	Median		150.0000	
	Variance		35.029	
	Std. Deviation		5.91852	
	Minimum		132.00	
	Maximum		166.00	
	Range		34.00	
	Interquartile Range		8.0000	
	Skewness		-.121	.095
	Kurtosis		-.077	.190

N=2,000

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<206)
   8.00      20 . 78&
  32.00      21 . 0123344
 100.00      21 . 55556667777888899999
 187.00      22 . 00000111111122222222333333344444444444
 177.00      22 . 55555556666667777777778888889999999
 104.00      23 . 00000111112222333444 4
  45.00      23 . 566667899
   4.00      24 . 1&
   3.00 Extremes    (>=244)

Stem width:     10.00
Each leaf:      5 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_075



Descriptives

		Statistic	Std. Error
A15_07. Mean		224.7436	.26785
95% Confidence Int for Mean	Lower Bound	224.2177	
	Upper Bound	225.2695	
5% Trimmed Mean		224.7891	
Median		225.0000	
Variance		47.566	
Std. Deviation		6.89678	
Minimum		201.00	
Maximum		248.00	
Range		47.00	
Interquartile Range		9.0000	
Skewness		-.066	.095
Kurtosis		.143	.190

A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<276)
   1.00      27 . &
  14.00      28 . 234&
  57.00      28 . 5566777888999
 101.00      29 . 00001111122223333444444
 154.00      29 . 55555566666667777777788888889999999999
 140.00      30 . 00000111111112222233333333344444
 107.00      30 . 55555666666777777888899999
  71.00      31 . 000011112222333 44
  12.00      31 . 67&
   4.00      32 . &

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A20_07. Mean		299.8401	.31829
95% Confidence Int for Mean	Lower Bound	299.2151	
	Upper Bound	300.4651	
5% Trimmed Mean		299.8980	
Median		300.0000	
Variance		67.168	
Std. Deviation		8.19559	
Minimum		275.00	
Maximum		322.00	
Range		47.00	
Interquartile Range		12.0000	
Skewness		-.084	.095
Kurtosis		-.328	.190

N=2,000

A5_08 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	6 . 9
15.00	7 . 00111
20.00	7 . 2333333
56.00	7 . 444445555555555
82.00	7 . 66666666777777777777777
121.00	7 . 88888888888888888999999999999999999
145.00	8 . 00000000000000000000000011111111111111111111
106.00	8 . 22222222222222223333333333333333
67.00	8 . 4444444444455555555
33.00	8 . 66666677777
14.00	8 . 88889
2.00	9 . &

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

A10_08 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00 Extremes	(=<144)
.00	14 .
5.00	14 . 67
10.00	14 . 999&
27.00	15 . 000011111
44.00	15 . 222222233333333
47.00	15 . 4444444455555555
80.00	15 . 66666666667777777777777777
94.00	15 . 8888888888888888999999999999999
90.00	16 . 000000000000000000011111111111
103.00	16 . 2222222222222223333333333333333333
72.00	16 . 444444444444444555555555
36.00	16 . 666666667777
28.00	16 . 888889999
12.00	17 . 0011
9.00	17 . 222
3.00 Extremes	(>=174)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

			Statistic	Std. Error
A5_08	Mean		79.8778	.15118
	95% Confidence Ir for Mean	Lower Bound	79.5810	
		Upper Bound	80.1747	
	5% Trimmed Mean		79.9081	
	Median		80.0000	
	Variance		15.153	
	Std. Deviation		3.89265	
	Minimum		69.00	
	Maximum		91.00	
	Range		22.00	
	Interquartile Range		6.0000	
	Skewness		-.116	.095
	Kurtosis		-.110	.190

Descriptives

			Statistic	Std. Error
A10_08	Mean		159.7979	.21103
	95% Confidence Inter for Mean	Lower Bound	159.3835	
		Upper Bound	160.2123	
	5% Trimmed Mean		159.8089	
	Median		160.0000	
	Variance		29.527	
	Std. Deviation		5.43388	
	Minimum		138.00	
	Maximum		176.00	
	Range		38.00	
	Interquartile Range		7.0000	
	Skewness		-.122	.095
	Kurtosis		.187	.190

N=2,000

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<219)
    .00     22 .
   3.00     22 . 2&
   4.00     22 . 5&
  15.00     22 . 6667777
  22.00     22 . 8888999999
  33.00     23 . 0000001111111111
  40.00     23 . 2222222222333333333
  54.00     23 . 444444444455555555555555
  68.00     23 . 6666666666666677777777777777777
  72.00     23 . 888888888888889999999999999999999
  76.00     24 . 0000000000000000000111111111111111111
  84.00     24 . 2222222222222222222222233333333333333333
  63.00     24 . 444444444444444455555555555555
  50.00     24 . 66666666666667777777777
  38.00     24 . 8888888888888889999
  17.00     25 . 00000111
  10.00     25 . 2223
   8.00     25 . 4445
   3.00     25 . 6
   2.00 Extremes    (>=258)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<300)
    .00     30 .
   5.00     30 . 22&
   5.00     30 . 44&
  14.00     30 . 6777777
  27.00     30 . 8889999999999
  25.00     31 . 000001111111
  41.00     31 . 2222222222333333333
  59.00     31 . 444444444444445555555555555
  59.00     31 . 66666666666667777777777777
  74.00     31 . 888888888888888889999999999999999
  74.00     32 . 0000000000000000111111111111111111
  68.00     32 . 2222222222222222222333333333333333
  69.00     32 . 444444444444444444555555555555555
  50.00     32 . 6666666666666667777777777
  43.00     32 . 8888888888888889999999
  20.00     33 . 000111111
  17.00     33 . 22222333
   8.00     33 . 444&
   2.00     33 . &
   1.00 Extremes    (>=340)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_08



Normal Q-Q Plot of A20_08



Descriptives

		Statistic	Std. Error
A15_08	Mean	239.7315	.25508
	95% Confidence Ir Lower Bound	239.2307	
	for Mean Upper Bound	240.2324	
	5% Trimmed Mean	239.7472	
	Median	240.0000	
	Variance	43.139	
	Std. Deviation	6.56805	
	Minimum	219.00	
	Maximum	260.00	
	Range	41.00	
	Interquartile Range	9.0000	
	Skewness	-.078	.095
	Kurtosis	-.129	.190

Descriptives

		Statistic	Std. Error
A20_08	Mean	319.8265	.26646
	95% Confidence Int Lower Bound	319.3033	
	for Mean Upper Bound	320.3498	
	5% Trimmed Mean	319.8860	
	Median	320.0000	
	Variance	47.074	
	Std. Deviation	6.86106	
	Minimum	297.00	
	Maximum	340.00	
	Range	43.00	
	Interquartile Range	10.0000	
	Skewness	-.153	.095
	Kurtosis	-.185	.190

N=2,000

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

  16.00 Extremes    (=<77.0)
   4.00     78 .  00
  23.00     79 .  00000000000
  20.00     80 .  0000000000
  45.00     81 .  000000000000000000000
  47.00     82 .  000000000000000000000
  68.00     83 .  00000000000000000000000000000000
  80.00     84 .  0000000000000000000000000000000000000000
  69.00     85 .  000000000000000000000000000000000
  69.00     86 .  000000000000000000000000000000000
  59.00     87 .  00000000000000000000000000000
  58.00     88 .  00000000000000000000000000000
  39.00     89 .  000000000000000000000
  33.00     90 .  000000000000000000
  19.00     91 .  000000000
   8.00     92 .  0000
   6.00 Extremes    (>=93.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_085



Descriptives

		Statistic	Std. Error
A5_085	Mean	84.9201	.13664
	95% Confidence Int Lower Bound for Mean	84.6518	
	Upper Bound	85.1884	
	5% Trimmed Mean	84.9751	
	Median	85.0000	
	Variance	12.379	
	Std. Deviation	3.51835	
	Minimum	73.00	
	Maximum	93.00	
	Range	20.00	
	Interquartile Range	4.0000	
	Skewness	-.253	.095
	Kurtosis	.127	.190

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   9.00 Extremes    (=<158)
   6.00     15 .  99
  19.00     16 .  0011111
  31.00     16 .  2222223333
  41.00     16 .  4444455555555
  80.00     16 .  66666666666666777777777777
 114.00     16 .  888888888888888888899999999999999999999
 104.00     17 .  00000000000000001111111111111111
 110.00     17 .  2222222222222222222223333333333333
  68.00     17 .  44444444444444555555555
  48.00     17 .  66666666677777777
  21.00     17 .  8888999
  10.00     18 .  001
   2.00 Extremes    (>=182)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_085



Descriptives

		Statistic	Std. Error
A10_085	Mean	169.9306	.18589
	95% Confidence Inter Lower Bound for Mean	169.5656	
	Upper Bound	170.2956	
	5% Trimmed Mean	170.0039	
	Median	170.0000	
	Variance	22.911	
	Std. Deviation	4.78650	
	Minimum	155.00	
	Maximum	184.00	
	Range	29.00	
	Interquartile Range	6.0000	
	Skewness	-.243	.095
	Kurtosis	.099	.190

N=2,000

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<238)
   1.00      24 . &
  13.00      24 . 233333
  19.00      24 . 444555555
  31.00      24 . 666667777777
  47.00      24 . 88888888999999999999
  74.00      25 . 00000000000000011111111111111111111
  69.00      25 . 22222222222223333333333333333333
  85.00      25 . 44444444444444444555555555555555555555
  97.00      25 . 6666666666666666666777777777777777777777777
  77.00      25 . 88888888888888888999999999999999999
  66.00      26 . 000000000000000011111111111111
  35.00      26 . 2222222223333333
  28.00      26 . 4444444445555
  13.00      26 . 667777
   3.00      26 . 8&
   1.00      27 . &
   3.00 Extremes    (>=271)
Stem width:    10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_085



Descriptives

		Statistic	Std. Error
A15_085	Mean	255.1056	.22110
	95% Confidence Inter for Mean — Lower Bound	254.6714	
	95% Confidence Inter for Mean — Upper Bound	255.5397	
	5% Trimmed Mean	255.1109	
	Median	255.0000	
	Variance	32.412	
	Std. Deviation	5.69314	
	Minimum	238.00	
	Maximum	272.00	
	Range	34.00	
	Interquartile Range	8.0000	
	Skewness	-.023	.095
	Kurtosis	-.233	.190

A20_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<322)
    .00      32 .
  10.00      32 . 44555
   8.00      32 . 6677
  18.00      32 . 88999999
  26.00      33 . 0000001111111
  40.00      33 . 2222222233333333333
  45.00      33 . 444444444455555555555
  84.00      33 . 66666666666666666667777777777777777777777
  74.00      33 . 88888888888888888899999999999999
  69.00      34 . 000000000000000111111111111111111
  86.00      34 . 2222222222222222222223333333333333333333
  65.00      34 . 4444444444444455555555555555555
  50.00      34 . 66666666666677777777777
  46.00      34 . 88888888888888999999999
  21.00      35 . 0000001111
  10.00      35 . 2233
   3.00      35 . 5&
   1.00      35 . &
   2.00      35 . 8
   2.00 Extremes    (>=359)
Stem width:    10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A20_085	Mean	340.0151	.25226
	95% Confidence Inter for Mean — Lower Bound	339.5198	
	95% Confidence Inter for Mean — Upper Bound	340.5104	
	5% Trimmed Mean	340.0773	
	Median	340.0000	
	Variance	42.190	
	Std. Deviation	6.49539	
	Minimum	320.00	
	Maximum	362.00	
	Range	42.00	
	Interquartile Range	9.0000	
	Skewness	-.110	.095
	Kurtosis	.029	.190

N=2,000

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<82.0)
   8.00     83 . 0000
  14.00     84 . 0000000
  20.00     85 . 0000000000
  35.00     86 . 00000000000000000
  50.00     87 . 00000000000000000000000
  81.00     88 . 000000000000000000000000000000000000000
  76.00     89 . 0000000000000000000000000000000000000
  83.00     90 . 00000000000000000000000000000000000000000
  83.00     91 . 00000000000000000000000000000000000000000
  80.00     92 . 0000000000000000000000000000000000000000
  55.00     93 . 0000000000000000000000000
  40.00     94 . 0000000000000000000
  24.00     95 . 000000000000
   4.00     96 . 00
   5.00     97 . 00
   1.00 Extremes    (>=98.0)
Stem width:    1.00
Each leaf:     2 case(s)
```

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<168)
   3.00     16 . 9
   7.00     17 . 01
  21.00     17 . 2223333
  58.00     17 . 44444445555555555555
  90.00     17 . 66666666666777777777777777777
 109.00     17 . 888888888888888999999999999999999
 139.00     18 . 0000000000000000000011111111111111111111111111
  94.00     18 . 2222222222222223333333333333333
  78.00     18 . 44444444444444445555555555
  38.00     18 . 666666666777
  16.00     18 . 888999
   3.00     19 . 0
   2.00 Extremes    (>=192)
Stem width:    10.00
Each leaf:     3 case(s)
```





Descriptives

			Statistic	Std. Error
A5_09	Mean		89.9306	.11363
	95% Confidence Inte for Mean	Lower Bound	89.7075	
		Upper Bound	90.1537	
	5% Trimmed Mean		89.9665	
	Median		90.0000	
	Variance		8.560	
	Std. Deviation		2.92577	
	Minimum		81.00	
	Maximum		98.00	
	Range		17.00	
	Interquartile Range		4.0000	
	Skewness		-.170	.095
	Kurtosis		-.216	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		179.9864	.16097
	95% Confidence Ir for Mean	Lower Bound	179.6703	
		Upper Bound	180.3025	
	5% Trimmed Mean		180.0271	
	Median		180.0000	
	Variance		17.180	
	Std. Deviation		4.14482	
	Minimum		166.00	
	Maximum		192.00	
	Range		26.00	
	Interquartile Range		6.0000	
	Skewness		-.151	.095
	Kurtosis		.142	.190

N=2,000

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   7.00 Extremes    (=<258)
   4.00     25 . 9
  12.00     26 . 000111
  32.00     26 . 2222233333
  55.00     26 . 4444444455555555555
  81.00     26 . 666666666666677777777777777
 105.00     26 . 888888888888888999999999999999999
 109.00     27 . 0000000000000000111111111111111111111
  95.00     27 . 2222222222222222333333333333333
  64.00     27 . 4444444444455555555
  53.00     27 . 66666666666677777
  23.00     27 . 88888899
  12.00     28 . 0001
   5.00 Extremes    (>=282)

Stem width:     10.00
Each leaf:      3 case(s)
```

A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<344)
    .00     34 .
   4.00     34 . 7&
  12.00     34 . 889999
  21.00     35 . 0000001111
  25.00     35 . 2222233333333
  57.00     35 . 444444444444444555555555555
  88.00     35 . 666666666666666666666667777777777777777777
  84.00     35 . 888888888888888888999999999999999999999
  97.00     36 . 0000000000000000000000011111111111111111111111
  89.00     36 . 2222222222222222222333333333333333333333333
  69.00     36 . 4444444444444444444555555555555555
  57.00     36 . 66666666666666677777777777777
  29.00     36 . 88888888899999
  17.00     37 . 00000011
   6.00     37 . 22&
   5.00     37 . 45
   1.00 Extremes    (>=376)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_09



Normal Q-Q Plot of A20_09



Descriptives

		Statistic	Std. Error
A15_09 Mean		270.0000	.19074
95% Confidence Int for Mean	Lower Bound	269.6255	
	Upper Bound	270.3745	
5% Trimmed Mean		270.0318	
Median		270.0000	
Variance		24.121	
Std. Deviation		4.91130	
Minimum		254.00	
Maximum		287.00	
Range		33.00	
Interquartile Range		6.0000	
Skewness		-.086	.095
Kurtosis		.079	.190

Descriptives

		Statistic	Std. Error
A20_09 Mean		360.2474	.21127
95% Confidence Int for Mean	Lower Bound	359.8325	
	Upper Bound	360.6622	
5% Trimmed Mean		360.2681	
Median		360.0000	
Variance		29.594	
Std. Deviation		5.44007	
Minimum		344.00	
Maximum		376.00	
Range		32.00	
Interquartile Range		8.0000	
Skewness		-.038	.095
Kurtosis		-.108	.190

N=2,000

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<89.0)
  11.00     90 . 0000
  21.00     91 . 0000000
  34.00     92 . 00000000000
  60.00     93 . 000000000000000000
 100.00     94 . 00000000000000000000000000000000
 119.00     95 . 000000000000000000000000000000000000000
 129.00     96 . 0000000000000000000000000000000000000000000
 111.00     97 . 000000000000000000000000000000000000
  50.00     98 . 00000000000000000
  18.00     99 . 000000
   4.00    100 . 0
Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_095



A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<182.0)
   5.00     183 . 00
  10.00     184 . 00000
  17.00     185 . 00000000
  39.00     186 . 000000000000000000000
  57.00     187 . 000000000000000000000000000000
  59.00     188 . 000000000000000000000000000000
  88.00     189 . 00000000000000000000000000000000000000000000000000
  94.00     190 . 0000000000000000000000000000000000000000000000000000
  77.00     191 . 00000000000000000000000000000000000000000000
  76.00     192 . 00000000000000000000000000000000000000000000
  47.00     193 . 00000000000000000000000000000
  53.00     194 . 0000000000000000000000000000
  23.00     195 . 00000000000000000000000
   8.00     196 . 00000000
   4.00     197 . 00
   2.00 Extremes    (>=198.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_095



Descriptives

			Statistic	Std. Error
A5_095	Mean		95.1433	.08105
	95% Confidence Inte for Mean	Lower Bound	94.9841	
		Upper Bound	95.3024	
	5% Trimmed Mean		95.2114	
	Median		95.0000	
	Variance		4.356	
	Std. Deviation		2.08700	
	Minimum		88.00	
	Maximum		100.00	
	Range		12.00	
	Interquartile Range		3.0000	
	Skewness		-.477	.095
	Kurtosis		.144	.190

Descriptives

			Statistic	Std. Error
A10_09:	Mean		190.0603	.11354
	95% Confidence Inte for Mean	Lower Bound	189.8374	
		Upper Bound	190.2833	
	5% Trimmed Mean		190.0905	
	Median		190.0000	
	Variance		8.546	
	Std. Deviation		2.92339	
	Minimum		179.00	
	Maximum		198.00	
	Range		19.00	
	Interquartile Range		4.0000	
	Skewness		-.143	.095
	Kurtosis		-.044	.190

N=2,000

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<275.0)
   3.00     276 . 0
   7.00     277 . 000
   9.00     278 . 0000
  13.00     279 . 000000
  28.00     280 . 0000000000000
  36.00     281 . 000000000000000000
  52.00     282 . 0000000000000000000000000
  59.00     283 . 00000000000000000000000000000
  56.00     284 . 0000000000000000000000000000
  85.00     285 . 0000000000000000000000000000000000000000
  67.00     286 . 0000000000000000000000000000000
  75.00     287 . 000000000000000000000000000000000000
  70.00     288 . 0000000000000000000000000000000000
  39.00     289 . 000000000000000000000
  20.00     290 . 0000000000
  22.00     291 . 0000000000
  10.00     292 . 00000
   5.00     293 . 00
   3.00     294 . 0
   1.00     295 . &
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_095



Descriptives

		Statistic	Std. Error
A15_09	Mean	285.1357	.13568
	95% Confidence Ir Lower Bound	284.8693	
	for Mean Upper Bound	285.4022	
	5% Trimmed Mean	285.1760	
	Median	285.0000	
	Variance	12.205	
	Std. Deviation	3.49358	
	Minimum	272.00	
	Maximum	295.00	
	Range	23.00	
	Interquartile Range	5.0000	
	Skewness	-.204	.095
	Kurtosis	.120	.190

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<370.0)
   2.00     371 . 0
   8.00     372 . 0000
   6.00     373 . 000
  16.00     374 . 00000000
  28.00     375 . 0000000000000
  36.00     376 . 000000000000000000
  52.00     377 . 0000000000000000000000000
  55.00     378 . 00000000000000000000000000
  74.00     379 . 0000000000000000000000000000000000
  67.00     380 . 0000000000000000000000000000000
  70.00     381 . 00000000000000000000000000000000
  66.00     382 . 000000000000000000000000000000
  51.00     383 . 0000000000000000000000
  44.00     384 . 00000000000000000000
  32.00     385 . 0000000000000000
  23.00     386 . 00000000000
  11.00     387 . 00000
   9.00     388 . 0000
   4.00     389 . 00
   1.00     390 . &
   1.00 Extremes    (>=391.0)
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A20_09	Mean	380.1810	.14372
	95% Confidence Int Lower Bound	379.8988	
	for Mean Upper Bound	380.4632	
	5% Trimmed Mean	380.2128	
	Median	380.0000	
	Variance	13.695	
	Std. Deviation	3.70071	
	Minimum	369.00	
	Maximum	391.00	
	Range	22.00	
	Interquartile Range	5.0000	
	Skewness	-.109	.095
	Kurtosis	-.015	.190

N=2,500

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  25.00 Extremes    (=<2.0)
  40.00     3 . 0000000000000
   .00      3 .
  91.00     4 . 0000000000000000000000000000000
   .00      4 .
 128.00     5 . 00000000000000000000000000000000000000000000
   .00      5 .
 106.00     6 . 000000000000000000000000000000000000
   .00      6 .
 108.00     7 . 000000000000000000000000000000000000
   .00      7 .
  60.00     8 . 00000000000000000000
   .00      8 .
  49.00     9 . 0000000000000000000
  56.00 Extremes    (>=10.0)
Stem width:    1.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A5_005



A10_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00      4 . 0
   5.00      5 . 00
   6.00      6 . 000
  17.00      7 . 00000000
  41.00      8 . 00000000000000000000
  49.00      9 . 0000000000000000000000000
  60.00     10 . 000000000000000000000000000000000000
  81.00     11 . 000000000000000000000000000000000000000000000
  84.00     12 . 000000000000000000000000000000000000000000000000
  76.00     13 . 0000000000000000000000000000000000000000
  70.00     14 . 0000000000000000000000000000000000000000
  59.00     15 . 00000000000000000000000000000000
  48.00     16 . 0000000000000000000000000
  22.00     17 . 0000000000000
  20.00     18 . 0000000000000
   5.00     19 . 00
  12.00     20 . 000000
   4.00     21 . 00
   1.00     22 . &
   1.00 Extremes    (>=26.0)
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_005



Descriptives

		Statistic	Std. Error
A5_005 Mean		6.1554	.08818
95% Confidence Int for Mean	Lower Bound	5.9822	
	Upper Bound	6.3285	
5% Trimmed Mean		6.1020	
Median		6.0000	
Variance		5.156	
Std. Deviation		2.27059	
Minimum		.00	
Maximum		16.00	
Range		16.00	
Interquartile Range		2.0000	
Skewness		.481	.095
Kurtosis		.463	.190

Descriptives

		Statistic	Std. Error
A10_005 Mean		12.4857	.12478
95% Confidence Inte for Mean	Lower Bound	12.2407	
	Upper Bound	12.7307	
5% Trimmed Mean		12.4268	
Median		12.0000	
Variance		10.323	
Std. Deviation		3.21289	
Minimum		4.00	
Maximum		26.00	
Range		22.00	
Interquartile Range		5.0000	
Skewness		.283	.095
Kurtosis		.221	.190

N=2,500

A15_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
   1.00     9 . &
   5.00    10 . 00
   9.00    11 . 0000
  13.00    12 . 000000
  30.00    13 . 000000000000000
  28.00    14 . 00000000000000
  47.00    15 . 00000000000000000000000
  54.00    16 . 000000000000000000000000000
  76.00    17 . 0000000000000000000000000000000000000
  56.00    18 . 00000000000000000000000000000
  62.00    19 . 000000000000000000000000000000
  67.00    20 . 0000000000000000000000000000000000
  63.00    21 . 000000000000000000000000000000
  45.00    22 . 000000000000000000000000
  30.00    23 . 000000000000000
  28.00    24 . 00000000000000
  20.00    25 . 0000000000
  13.00    26 . 000000
   8.00    27 . 0000
   3.00    28 . 0
   5.00 Extremes    (>=29.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_005



A20_005 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
   .00      1 .
   5.00     1 . 5&
  16.00     1 . 66777
  37.00     1 . 88888999999
  74.00     2 . 00000000000011111111111
 112.00     2 . 2222222222222222333333333333333333333
 112.00     2 . 4444444444444444444555555555555555555
 116.00     2 . 6666666666666666666677777777777777777777
  84.00     2 . 88888888888888888999999999999
  61.00     3 . 0000000000001111111
  30.00     3 . 2222223333
  11.00     3 . 445
   1.00     3 . &
   4.00 Extremes    (>=37)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_00. Mean		18.7753	.14903
95% Confidence Int for Mean	Lower Bound	18.4826	
	Upper Bound	19.0679	
5% Trimmed Mean		18.7252	
Median		19.0000	
Variance		14.724	
Std. Deviation		3.83723	
Minimum		9.00	
Maximum		34.00	
Range		25.00	
Interquartile Range		5.0000	
Skewness		.218	.095
Kurtosis		.011	.190

Descriptives

		Statistic	Std. Error
A20_00. Mean		25.1373	.16651
95% Confidence Int for Mean	Lower Bound	24.8103	
	Upper Bound	25.4642	
5% Trimmed Mean		25.0972	
Median		25.0000	
Variance		18.381	
Std. Deviation		4.28736	
Minimum		14.00	
Maximum		42.00	
Range		28.00	
Interquartile Range		6.0000	
Skewness		.191	.095
Kurtosis		.095	.190

N=2,500

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00      4 . &
    .00      5 .
   6.00      6 . 000
  15.00      7 . 0000000
  41.00      8 . 00000000000000000000
  49.00      9 . 0000000000000000000000000
  78.00     10 . 000000000000000000000000000000000000000
  82.00     11 . 0000000000000000000000000000000000000000000
  78.00     12 . 000000000000000000000000000000000000
  61.00     13 . 0000000000000000000000000000000
  73.00     14 . 00000000000000000000000000000000000
  62.00     15 . 0000000000000000000000000000000
  36.00     16 . 000000000000000000
  31.00     17 . 0000000000000000
  19.00     18 . 000000000
  11.00     19 . 00000
   7.00     20 . 000
   2.00     21 . 0
   4.00     22 . 00
   1.00 Extremes    (>=25.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A5_01



A10_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<13)
    .00      1 .
   8.00      1 . 45
  15.00      1 . 66677
  59.00      1 . 888888888999999999999
  65.00      2 . 00000000011111111111
  99.00      2 . 22222222222222222333333333333333
 101.00      2 . 44444444444555555555555555555555
 112.00      2 . 66666666666666666666677777777777777
  91.00      2 . 88888888888888888999999999999999
  56.00      3 . 0000000000011111111
  28.00      3 . 2222223333
  18.00      3 . 444455
   5.00      3 . 66
   5.00 Extremes    (>=37)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		12.5068	.12305
	95% Confidence Int for Mean	Lower Bound	12.2652	
		Upper Bound	12.7484	
	5% Trimmed Mean		12.4134	
	Median		12.0000	
	Variance		10.039	
	Std. Deviation		3.16841	
	Minimum		4.00	
	Maximum		25.00	
	Range		21.00	
	Interquartile Range		5.0000	
	Skewness		.433	.095
	Kurtosis		.081	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		25.1433	.17890
	95% Confidence Inter for Mean	Lower Bound	24.7920	
		Upper Bound	25.4946	
	5% Trimmed Mean		25.0953	
	Median		25.0000	
	Variance		21.220	
	Std. Deviation		4.60648	
	Minimum		13.00	
	Maximum		38.00	
	Range		25.00	
	Interquartile Range		6.0000	
	Skewness		.086	.095
	Kurtosis		-.251	.190

N=2,500

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<22)
    .00      2.
   2.00      2. &
  11.00      2. 6677
  35.00      2. 88889999999
  33.00      3. 00000011111
  52.00      3. 2222223333333333
  90.00      3. 444444444444445555555555555
 103.00      3. 66666666666666667777777777777777
  89.00      3. 88888888888889999999999999999
  73.00      4. 0000000000111111111111
  82.00      4. 2222222222222233333333333
  38.00      4. 4444444555555
  23.00      4. 6666777
  17.00      4. 888899
  10.00      5. 001
   4.00      5. 23
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<32)
   1.00      3. &
   3.00      3. 6
  13.00      3. 888899
  29.00      4. 00000011111111
  57.00      4. 2222222233333333333
  57.00      4. 444444444555555555555555555
  76.00      4. 6666666666666667777777777777777777
  94.00      4. 8888888888888888888999999999999999999
  78.00      5. 000000000000000001111111111111111111
  90.00      5. 2222222222222222222223333333333333333333
  64.00      5. 4444444444444445555555555555555
  45.00      5. 666666666667777777777
  40.00      5. 8888888888999999999
  21.00      6. 0000001111
  13.00      6. 222233
   7.00      6. 445
   4.00 Extremes    (>=66)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_01



Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		37.8582	.21063
	95% Confidence Inter for Mean	Lower Bound	37.4446	
		Upper Bound	38.2718	
	5% Trimmed Mean		37.8056	
	Median		38.0000	
	Variance		29.415	
	Std. Deviation		5.42355	
	Minimum		22.00	
	Maximum		53.00	
	Range		31.00	
	Interquartile Range		8.0000	
	Skewness		.094	.095
	Kurtosis		-.182	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		50.3967	.23254
	95% Confidence Int for Mean	Lower Bound	49.9401	
		Upper Bound	50.8533	
	5% Trimmed Mean		50.3500	
	Median		50.0000	
	Variance		35.853	
	Std. Deviation		5.98774	
	Minimum		32.00	
	Maximum		69.00	
	Range		37.00	
	Interquartile Range		8.0000	
	Skewness		.104	.095
	Kurtosis		-.183	.190

N=2,500

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<8.0)
   3.00      9 . 0
   2.00     10 . 0
   4.00     11 . 00
   7.00     12 . 000
  27.00     13 . 0000000000000
  41.00     14 . 00000000000000000000
  60.00     15 . 000000000000000000000000000000
  55.00     16 . 0000000000000000000000000000
  70.00     17 . 0000000000000000000000000000000000
  70.00     18 . 0000000000000000000000000000000000
  70.00     19 . 0000000000000000000000000000000000
  52.00     20 . 0000000000000000000000000000
  39.00     21 . 000000000000000000000
  52.00     22 . 0000000000000000000000000000
  30.00     23 . 000000000000000000
  34.00     24 . 00000000000000000000
  14.00     25 . 0000000
  16.00     26 . 00000000
   6.00     27 . 000
   5.00     28 . 00
   5.00 Extremes    (>=29.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_015



Descriptives

		Statistic	Std. Error
A5_015	Mean	18.7059	.14948
	95% Confidence Inte for Mean Lower Bound	18.4124	
	Upper Bound	18.9994	
	5% Trimmed Mean	18.6112	
	Median	18.0000	
	Variance	14.815	
	Std. Deviation	3.84905	
	Minimum	8.00	
	Maximum	36.00	
	Range	28.00	
	Interquartile Range	5.0000	
	Skewness	.409	.095
	Kurtosis	.341	.190

A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<20)
   1.00      2 . &
   4.00      2 . 4&
  10.00      2 . 677
  26.00      2 . 888999999
  42.00      3 . 000000001111111
  60.00      3 . 222222222333333333
  85.00      3 . 444444444444455555555555555
 103.00      3 . 666666666666666777777777777777777
  77.00      3 . 888888888888888999999999999
  78.00      4 . 000000000011111111111111111
  76.00      4 . 2222222222222333333333333
  55.00      4 . 4444444445555555555
  24.00      4 . 66666777
  12.00      4 . 8899
   5.00      5 . 0&
   3.00      5 . 2&
   1.00 Extremes    (>=59)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_015



Descriptives

		Statistic	Std. Error
A10_01	Mean	37.7662	.21128
	95% Confidence Ir for Mean Lower Bound	37.3514	
	Upper Bound	38.1811	
	5% Trimmed Mean	37.7539	
	Median	37.0000	
	Variance	29.596	
	Std. Deviation	5.44025	
	Minimum	20.00	
	Maximum	59.00	
	Range	39.00	
	Interquartile Range	8.0000	
	Skewness	.041	.095
	Kurtosis	-.035	.190

N=2,500

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<38)
   3.00      4 . 1&
   4.00      4 . 3&
  13.00      4 . 444555
  23.00      4 . 66667777777
  48.00      4 . 888888888999999999999
  52.00      5 . 0000000000000111111111111
  66.00      5 . 2222222222222222333333333333333
  74.00      5 . 4444444444444444555555555555555555
  88.00      5 . 6666666666666666677777777777777777777777
  76.00      5 . 8888888888888888999999999999999999
  57.00      6 . 000000000000111111111111111
  64.00      6 . 2222222222222333333333333333333
  53.00      6 . 444444444444555555555555
  17.00      6 . 66677777
  10.00      6 . 8889
   5.00      7 . 01
   4.00      7 . 2&
   3.00      7 . 4
   2.00 Extremes    (>=75)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<57)
   3.00      5 . 9
  26.00      6 . 12344&
  95.00      6 . 555566677778888889999999
 178.00      7 . 00000000111111111222222222223333333333344444
 178.00      7 . 55555555556666666667777778888888888999999999
 107.00      8 . 000111111112222333333344444
  54.00      8 . 5566667778889
  11.00      9 . 023&
   7.00 Extremes    (>=94)

Stem width:    10.00
Each leaf:     4 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01. Mean		56.6501	.24436
95% Confidence Int for Mean	Lower Bound	56.1703	
	Upper Bound	57.1299	
5% Trimmed Mean		56.6062	
Median		57.0000	
Variance		39.587	
Std. Deviation		6.29185	
Minimum		38.00	
Maximum		76.00	
Range		38.00	
Interquartile Range		9.0000	
Skewness		.079	.095
Kurtosis		-.167	.190

Descriptives

		Statistic	Std. Error
A20_01. Mean		75.4887	.27755
95% Confidence Int for Mean	Lower Bound	74.9437	
	Upper Bound	76.0337	
5% Trimmed Mean		75.4048	
Median		75.0000	
Variance		51.072	
Std. Deviation		7.14647	
Minimum		56.00	
Maximum		99.00	
Range		43.00	
Interquartile Range		9.0000	
Skewness		.226	.095
Kurtosis		.017	.190

N=2,500

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00      1 . 5
  16.00      1 . 67777
  46.00      1 . 8888889999999999
  79.00      2 . 0000000000001111111111111111
 115.00      2 . 2222222222222222333333333333333333333
 115.00      2 . 4444444444444444455555555555555555555
 106.00      2 . 6666666666666666666677777777777777777
  68.00      2 . 88888888888999999999999
  63.00      3 . 000000000011111111111
  28.00      3 . 222223333
  13.00      3 . 44455
   3.00      3 . 6
   7.00 Extremes    (>=37)
Stem width:    10.00
Each leaf:     3 case(s)
```

A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00      3 . &
   2.00      3 . 5
   4.00      3 . 67
  14.00      3 . 888899
  25.00      4 . 0000011111111
  53.00      4 . 2222222222223333333333333
  51.00      4 . 444444444455555555555555
  68.00      4 . 66666666666667777777777777777777
  78.00      4 . 888888888888888899999999999999999999
  81.00      5 . 000000000000000000000111111111111111111
  74.00      5 . 2222222222222223333333333333333333333
  81.00      5 . 444444444444444444455555555555555555555
  54.00      5 . 666666666666667777777777777
  31.00      5 . 8888888888999999
  24.00      6 . 00000011111
  10.00      6 . 2223
   4.00      6 . 4&
   4.00      6 . 7&
   1.00      6 . &
   3.00 Extremes    (>=69)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```





Descriptives

			Statistic	Std. Error
A5_02	Mean		25.0784	.17303
	95% Confidence Ir for Mean	Lower Bound	24.7387	
		Upper Bound	25.4182	
	5% Trimmed Mean		24.9746	
	Median		25.0000	
	Variance		19.849	
	Std. Deviation		4.45520	
	Minimum		15.00	
	Maximum		43.00	
	Range		28.00	
	Interquartile Range		6.0000	
	Skewness		.387	.095
	Kurtosis		.117	.190

Descriptives

			Statistic	Std. Error
A10_02	Mean		50.3997	.24085
	95% Confidence Inte for Mean	Lower Bound	49.9268	
		Upper Bound	50.8726	
	5% Trimmed Mean		50.3316	
	Median		50.0000	
	Variance		38.461	
	Std. Deviation		6.20168	
	Minimum		33.00	
	Maximum		76.00	
	Range		43.00	
	Interquartile Range		9.0000	
	Skewness		.172	.095
	Kurtosis		.143	.190

N=2,500

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00      5 . &
  38.00      6 . 012233444
  99.00      6 . 555566677777788889999999
 151.00      7 . 000000011111112222233333333444444444
 179.00      7 . 55555555556666666666667777777888888889999999
 123.00      8 . 000000000111112222222333344444
  54.00      8 . 5556666778899
  12.00      9 . 01&
   3.00 Extremes    (>=95)

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_02



Descriptives

		Statistic	Std. Error
A15_02 Mean		75.4661	.27549
95% Confidence Int for Mean	Lower Bound	74.9251	
	Upper Bound	76.0070	
5% Trimmed Mean		75.4103	
Median		76.0000	
Variance		50.319	
Std. Deviation		7.09357	
Minimum		58.00	
Maximum		98.00	
Range		40.00	
Interquartile Range		10.0000	
Skewness		.097	.095
Kurtosis		-.257	.190

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00      7 . &
  17.00      8 . 344&
  42.00      8 . 56677888999
 103.00      9 . 000111122233344444444444
 148.00      9 . 555555666666777777778888888889999999
 145.00     10 . 000000111111122222223333333344444444
 119.00     10 . 55555556666666777777888888999
  53.00     11 . 000111223334
  23.00     11 . 56678&
   8.00     12 . 0&
   4.00 Extremes    (>=123)

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_02



Descriptives

		Statistic	Std. Error
A20_02 Mean		100.5189	.32261
95% Confidence Int for Mean	Lower Bound	99.8854	
	Upper Bound	101.1523	
5% Trimmed Mean		100.3917	
Median		100.0000	
Variance		69.002	
Std. Deviation		8.30676	
Minimum		79.00	
Maximum		131.00	
Range		52.00	
Interquartile Range		11.0000	
Skewness		.248	.095
Kurtosis		.133	.190

N=2,500

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   8.00      2 . 01
  20.00      2 . 2223333
  46.00      2 . 444445555555555
  70.00      2 . 6666666666677777777777
  96.00      2 . 888888888888999999999999999999
 115.00      3 . 00000000000000000011111111111111111
 104.00      3 . 22222222222222223333333333333333
  76.00      3 . 4444444444444445555555555
  64.00      3 . 66666666667777777777
  31.00      3 . 88888889999
  16.00      4 . 000111
   6.00      4 . 22
  11.00 Extremes    (>=43)

Stem width:     10.00
Each leaf:      3 case(s)
```

A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<43)
  12.00      4 . 79&
  61.00      5 . 001222333344444
 136.00      5 . 55566666677777778888888999999999
 182.00      6 . 00000000000111111122222222233333333344444444
 163.00      6 . 55555555566666667777777778888888899999999
  74.00      7 . 000000011112223344
  29.00      7 . 555578&
   2.00      8 . &
   2.00 Extremes    (>=83)

Stem width:     10.00
Each leaf:      4 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A5_025



Normal Q-Q Plot of A10_025



Descriptives

		Statistic	Std. Error
A5_02	Mean	31.3167	.18549
	95% Confidence I for Mean Lower Bound	30.9525	
	Upper Bound	31.6810	
	5% Trimmed Mean	31.2243	
	Median	31.0000	
	Variance	22.812	
	Std. Deviation	4.77618	
	Minimum	20.00	
	Maximum	46.00	
	Range	26.00	
	Interquartile Range	6.0000	
	Skewness	.263	.095
	Kurtosis	-.003	.190

Descriptives

		Statistic	Std. Error
A10_02	Mean	62.8235	.26197
	95% Confidence Int for Mean Lower Bound	62.3091	
	Upper Bound	63.3379	
	5% Trimmed Mean	62.8123	
	Median	63.0000	
	Variance	45.499	
	Std. Deviation	6.74530	
	Minimum	41.00	
	Maximum	83.00	
	Range	42.00	
	Interquartile Range	10.0000	
	Skewness	.023	.095
	Kurtosis	-.101	.190

N=2,500

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<73)
    .00      7 .
  21.00      7 . 6789&
  49.00      8 . 001122333444
 110.00      8 . 55566677777788888888999999
 163.00      9 . 0000001111111222222223333333344444444444
 151.00      9 . 5555556666666777777788888888889999999
 105.00     10 . 000000011111122222233344
  42.00     10 . 5556677799&
  17.00     11 . 024&
   1.00     11 . &
   1.00 Extremes    (>=120)

Stem width:    10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<99)
   6.00     10 . 3&
  21.00     10 . 5689&
  45.00     11 . 00112333444
  98.00     11 . 55556666777788888999999
 147.00     12 . 000000011111122222222333333334444444
 129.00     12 . 5555555566666667777777888999999
 111.00     13 . 000000111111222222233344444
  64.00     13 . 555666677788899
  29.00     14 . 001234
   9.00     14 . 5&
   3.00 Extremes    (>=152)

Stem width:    10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_025



Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02	Mean	94.2021	.30735
	95% Confidence I for Mean Lower Bound	93.5986	
	Upper Bound	94.8056	
	5% Trimmed Mean	94.2229	
	Median	94.0000	
	Variance	62.630	
	Std. Deviation	7.91390	
	Minimum	71.00	
	Maximum	120.00	
	Range	49.00	
	Interquartile Range	11.0000	
	Skewness	-.042	.095
	Kurtosis	.006	.190

Descriptives

		Statistic	Std. Error
A20_02	Mean	125.3062	.35424
	95% Confidence Int for Mean Lower Bound	124.6106	
	Upper Bound	126.0018	
	5% Trimmed Mean	125.2883	
	Median	125.0000	
	Variance	83.198	
	Std. Deviation	9.12127	
	Minimum	99.00	
	Maximum	156.00	
	Range	57.00	
	Interquartile Range	13.0000	
	Skewness	.060	.095
	Kurtosis	-.022	.190

N=2,500

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   1.00 Extremes    (=<23)
   1.00      2 .  &
   9.00      2 .  667
  20.00      2 .  8899999
  48.00      3 .  0000000111111111
  58.00      3 .  2222222333333333333
  96.00      3 .  444444444444445555555555555555
 104.00      3 .  6666666666666666667777777777777777
 104.00      3 .  8888888888888888999999999999999999
  74.00      4 .  00000000000111111111111
  67.00      4 .  2222222222223333333333
  38.00      4 .  4444444455555
  18.00      4 .  666667
  18.00      4 .  888999
   5.00      5 .  0&
   2.00 Extremes    (>=52)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```



A10_03 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<55)
   6.00      5 .  9&
  44.00      6 .  01123334444
  85.00      6 .  5566667777788888899999
 149.00      7 .  0000000011111122222223333333444444444
 181.00      7 .  5555555555666666666677777777778888888889999999
 128.00      8 .  00000000111111112222233333444 4
  55.00      8 .  5555666777889
  12.00      9 .  012&
   1.00 Extremes    (>=95)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		37.5973	.19607
	95% Confidence Inter for Mean	Lower Bound	37.2123	
		Upper Bound	37.9823	
	5% Trimmed Mean		37.5291	
	Median		37.0000	
	Variance		25.489	
	Std. Deviation		5.04863	
	Minimum		23.00	
	Maximum		54.00	
	Range		31.00	
	Interquartile Range		7.0000	
	Skewness		.181	.095
	Kurtosis		-.111	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		75.3650	.27784
	95% Confidence Inter for Mean	Lower Bound	74.8195	
		Upper Bound	75.9106	
	5% Trimmed Mean		75.4089	
	Median		76.0000	
	Variance		51.181	
	Std. Deviation		7.15407	
	Minimum		55.00	
	Maximum		95.00	
	Range		40.00	
	Interquartile Range		10.0000	
	Skewness		-.111	.095
	Kurtosis		-.278	.190

N=2,500

A15_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<89)
   8.00      9 . 24&
  28.00      9 . 5678889999
  67.00     10 . 00001112222223333344444
 138.00     10 . 55555556666666667777777778888888889999999999999
 134.00     11 . 00000011111111112222222223333333333334444444444
 138.00     11 . 55555555666666666667777777778888888889999999999
  95.00     12 . 000000000011111112222223333344
  37.00     12 . 5555566778899
  13.00     13 . 0123&
   1.00     13 . &
   2.00 Extremes    (>=137)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_03



Descriptives

		Statistic	Std. Error
A15_03 Mean		112.8522	.32677
95% Confidence Ir for Mean	Lower Bound	112.2106	
	Upper Bound	113.4938	
5% Trimmed Mean		112.8360	
Median		113.0000	
Variance		70.794	
Std. Deviation		8.41391	
Minimum		88.00	
Maximum		138.00	
Range		50.00	
Interquartile Range		12.0000	
Skewness		-.013	.095
Kurtosis		-.141	.190

A20_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<117)
   2.00     12 . &
   3.00     12 . 8&
  21.00     13 . 0123344
  61.00     13 . 556677778888888899999
 100.00     14 . 00001111111122222223333334444444
 128.00     14 . 55555556666666777777777788888889999999999
 129.00     15 . 000000001111111112222222223333333444444444
 101.00     15 . 55555555666666666777777888889999999
  68.00     16 . 00000001111222222333344
  35.00     16 . 555667777899
  10.00     17 . 0112
   3.00     17 . 5&
   1.00 Extremes    (>=184)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A20_03 Mean		150.3077	.37045
95% Confidence Int for Mean	Lower Bound	149.5803	
	Upper Bound	151.0351	
5% Trimmed Mean		150.2607	
Median		150.0000	
Variance		90.984	
Std. Deviation		9.53854	
Minimum		117.00	
Maximum		184.00	
Range		67.00	
Interquartile Range		14.0000	
Skewness		.068	.095
Kurtosis		-.039	.190

N=2,500

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<29)
    .00      3 .
  10.00      3 . 233
  24.00      3 . 44445555
  48.00      3 . 66666777777777
  64.00      3 . 8888888899999999999
  72.00      4 . 000000000001111111111111
  90.00      4 . 222222222222233333333333333
 105.00      4 . 444444444444444444555555555555555
  90.00      4 . 666666666666666667777777777777
  54.00      4 . 888888888889999999
  44.00      5 . 000000000111111
  39.00      5 . 2222222333333
  11.00      5 . 4445
   6.00      5 . 67
   5.00 Extremes    (>=58)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A5_035



A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<68)
   6.00      7 . 001
   9.00      7 . 3333
  18.00      7 . 444555555
  26.00      7 . 6666666777777
  22.00      7 . 8888999999
  36.00      8 . 000000111111111111
  57.00      8 . 2222222222222333333333333333
  70.00      8 . 4444444444444444444555555555555555555
  68.00      8 . 6666666666666667777777777777777777
  63.00      8 . 8888888888888999999999999999999
  66.00      9 . 000000000000000111111111111111111
  59.00      9 . 2222222222222333333333333333333
  48.00      9 . 4444444444444555555555
  38.00      9 . 6666666666667777777
  36.00      9 . 8888888999999999999
  16.00     10 . 00000011
  14.00     10 . 222223
   3.00     10 . 5&
   4.00     10 . 66
   1.00 Extremes    (>=109)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_035



Descriptives

		Statistic	Std. Error
A5_035 Mean		43.9140	.20640
95% Confidence Ir for Mean	Lower Bound	43.5087	
	Upper Bound	44.3193	
5% Trimmed Mean		43.8676	
Median		44.0000	
Variance		28.245	
Std. Deviation		5.31459	
Minimum		29.00	
Maximum		59.00	
Range		30.00	
Interquartile Range		7.0000	
Skewness		.145	.095
Kurtosis		-.248	.190

Descriptives

		Statistic	Std. Error
A10_035 Mean		88.0633	.28951
95% Confidence Inter for Mean	Lower Bound	87.4949	
	Upper Bound	88.6318	
5% Trimmed Mean		88.1142	
Median		88.0000	
Variance		55.570	
Std. Deviation		7.45453	
Minimum		66.00	
Maximum		109.00	
Range		43.00	
Interquartile Range		10.0000	
Skewness		-.091	.095
Kurtosis		-.277	.190

N=2,500

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<107)
   1.00     10 .  &
  10.00     11 .  0&
  33.00     11 .  5677899
  89.00     12 .  00011112223333444444
 130.00     12 .  5555666666777777788888889999999
 145.00     13 .  000000011111112222222222333334444444
 125.00     13 .  555555556666667777778888899999
  85.00     14 .  00001111222222333444
  28.00     14 .  556789
  12.00     15 .  0&
   2.00 Extremes    (>=157)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



Descriptives

		Statistic	Std. Error
A15_03. Mean		131.7798	.33444
95% Confidence Int for Mean	Lower Bound	131.1231	
	Upper Bound	132.4365	
5% Trimmed Mean		131.8142	
Median		132.0000	
Variance		74.157	
Std. Deviation		8.61144	
Minimum		106.00	
Maximum		157.00	
Range		51.00	
Interquartile Range		12.0000	
Skewness		-.043	.095
Kurtosis		-.024	.190

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<149)
   6.00     15 .  3&
  24.00     15 .  5567899
  50.00     16 .  000001122222333344
 100.00     16 .  555556666677777778888888899999999
 124.00     17 .  000000011111111122222333333333344444444444
 134.00     17 .  5555555555666666666667777777778888888888899999
 104.00     18 .  00000001111111222222233333333444444
  60.00     18 .  55555666777888889999
  37.00     19 .  001122223444
  19.00     19 .  567789
   1.00     20 .  &
   1.00 Extremes    (>=203)

Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A20_03 Mean		175.4977	.38679
95% Confidence Ir for Mean	Lower Bound	174.7383	
	Upper Bound	176.2572	
5% Trimmed Mean		175.4939	
Median		175.0000	
Variance		99.190	
Std. Deviation		9.95942	
Minimum		142.00	
Maximum		203.00	
Range		61.00	
Interquartile Range		13.0000	
Skewness		.011	.095
Kurtosis		-.101	.190

N=2,500

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<34)
   2.00      3 . 7
  14.00      3 . 89999
  22.00      4 . 0011111
  45.00      4 . 222222333333333
  54.00      4 . 444444445555555555
  72.00      4 . 666666666777777777777777
  96.00      4 . 888888888888888999999999999999999
 106.00      5 . 000000000000000111111111111111111111
  78.00      5 . 222222222222222333333333333
  61.00      5 . 4444444444555555555555
  49.00      5 . 6666666677777777
  29.00      5 . 8888899999
  20.00      6 . 0000011
   8.00      6 . 223
   5.00      6 . 4&
   1.00 Extremes    (>=67)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<76)
  14.00      8 . 13&
  32.00      8 . 5678999
  99.00      9 . 000111222223333333444444
 146.00      9 . 555555566666677777777888888999999999
 175.00     10 . 0000000000111111111222222222333333333344444
 120.00     10 . 555555666666777777888888899999
  55.00     11 . 00011111222334
  20.00     11 . 567&
   1.00     12 . &
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_04



Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		50.0965	.21380
	95% Confidence Ir for Mean	Lower Bound	49.6767	
		Upper Bound	50.5163	
	5% Trimmed Mean		50.0500	
	Median		50.0000	
	Variance		30.305	
	Std. Deviation		5.50499	
	Minimum		34.00	
	Maximum		67.00	
	Range		33.00	
	Interquartile Range		8.0000	
	Skewness		.109	.095
	Kurtosis		-.213	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		100.4284	.29314
	95% Confidence Int for Mean	Lower Bound	99.8528	
		Upper Bound	101.0040	
	5% Trimmed Mean		100.4824	
	Median		100.0000	
	Variance		56.973	
	Std. Deviation		7.54807	
	Minimum		76.00	
	Maximum		122.00	
	Range		46.00	
	Interquartile Range		11.0000	
	Skewness		-.088	.095
	Kurtosis		-.090	.190

N=2,500

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<127)
   4.00      12 . 9
  15.00      13 . 1234
  42.00      13 . 667788999&
  98.00      14 . 000111122222333334444444
 136.00      14 . 555556666667777778888888899999999
 147.00      15 . 000000001111111112222222333333344444444
 119.00      15 . 555555566666677788888888999999
  61.00      16 . 000111222333444
  27.00      16 . 5566789
   8.00      17 . 01&
   1.00 Extremes    (>=175)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_04



Descriptives

		Statistic	Std. Error
A15_04	Mean	150.5023	.33880
	95% Confidence Ir Lower Bound for Mean	149.8370	
	Upper Bound	151.1675	
	5% Trimmed Mean	150.5830	
	Median	150.0000	
	Variance	76.102	
	Std. Deviation	8.72367	
	Minimum	118.00	
	Maximum	175.00	
	Range	57.00	
	Interquartile Range	11.0000	
	Skewness	-.126	.095
	Kurtosis	.101	.190

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<172)
    .00      17 .
   8.00      17 . 579
  27.00      18 . 01233344
  55.00      18 . 5566667778888899999
  90.00      19 . 000000111112222233333444444444
 136.00      19 . 555555666666667777777777788888888889999999999
 112.00      20 . 000000011111111222222222223333344444444
 103.00      20 . 555556666666677777777788888899999999
  64.00      21 . 0000001111122222233344
  44.00      21 . 55556667778899
  19.00      22 . 012234
   2.00      22 . &

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A20_04	Mean	200.5219	.39543
	95% Confidence Inter Lower Bound for Mean	199.7454	
	Upper Bound	201.2983	
	5% Trimmed Mean	200.5391	
	Median	200.0000	
	Variance	103.670	
	Std. Deviation	10.18184	
	Minimum	165.00	
	Maximum	227.00	
	Range	62.00	
	Interquartile Range	14.0000	
	Skewness	-.026	.095
	Kurtosis	-.170	.190

N=2,500

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
     .00      4 .
    3.00      4 . 3&
    9.00      4 . 445
   23.00      4 . 66677777
   40.00      4 . 88888889999999
   64.00      5 . 0000000000001111111111
   71.00      5 . 2222222222233333333333
   75.00      5 . 4444444444445555555555555
  115.00      5 . 66666666666666667777777777777777777777
   83.00      5 . 88888888888888999999999999
   62.00      6 . 0000000000001111111111
   42.00      6 . 22222223333333
   35.00      6 . 444444455555
   23.00      6 . 66667777
   13.00      6 . 8899
    4.00      7 . 01
    1.00 Extremes    (>=72)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_045



A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
    4.00 Extremes    (=<93)
    2.00      9 . &
   20.00      9 . 58899&
   57.00     10 . 0011222333444
  126.00     10 . 555556666677777788888889999999
  178.00     11 . 00000000001111111122222223333333334444444
  147.00     11 . 55555555666666666777777888888999999
   89.00     12 . 0000000011112222333344
   32.00     12 . 55667789
    3.00     13 . &
    5.00 Extremes    (>=133)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_045



Descriptives

		Statistic	Std. Error
A5_045 Mean		56.3183	.21777
95% Confidence Int for Mean	Lower Bound	55.8907	
	Upper Bound	56.7458	
5% Trimmed Mean		56.2595	
Median		56.0000	
Variance		31.441	
Std. Deviation		5.60721	
Minimum		42.00	
Maximum		72.00	
Range		30.00	
Interquartile Range		8.0000	
Skewness		.140	.095
Kurtosis		-.320	.190

Descriptives

		Statistic	Std. Error
A10_04: Mean		112.9140	.29190
95% Confidence Inte for Mean	Lower Bound	112.3409	
	Upper Bound	113.4872	
5% Trimmed Mean		112.9215	
Median		113.0000	
Variance		56.493	
Std. Deviation		7.51616	
Minimum		89.00	
Maximum		138.00	
Range		49.00	
Interquartile Range		10.0000	
Skewness		-.001	.095
Kurtosis		.113	.190

N=2,500

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   8.00 Extremes    (=<146)
   6.00      14 .  89
  17.00      15 .  024&
  52.00      15 .  566777889999
 109.00      16 .  0000111122222333334444444
 153.00      16 .  555556666666677777778888888888999999
 139.00      17 .  0000001111111222222233333334444444
  93.00      17 .  555555666677778888899999
  47.00      18 .  0000111234
  31.00      18 .  55566778&
   3.00      19 .  &
   5.00 Extremes    (>=192)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_045



Descriptives

		Statistic	Std. Error
A15_04. Mean		169.3469	.35031
95% Confidence Int for Mean	Lower Bound	168.6591	
	Upper Bound	170.0348	
5% Trimmed Mean		169.4118	
Median		169.0000	
Variance		81.360	
Std. Deviation		9.01997	
Minimum		139.00	
Maximum		196.00	
Range		57.00	
Interquartile Range		11.0000	
Skewness		-.059	.095
Kurtosis		.242	.190

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00 Extremes    (=<198)
   1.00      19 .  &
   9.00      20 .  014&
  28.00      20 .  66789999&
  54.00      21 .  001122223333344444
  82.00      21 .  555666667777777888888999999
 129.00      22 .  0000000111111222222222222333333334444444
 117.00      22 .  555555555556666666667777777778888899999
 113.00      23 .  0000000111111222222222223333333344444
  65.00      23 .  5555566677778888899999
  38.00      24 .  001111222344
  16.00      24 .  56778&
   4.00      25 .  1&
   3.00 Extremes    (>=253)
Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A20_045 Mean		225.6395	.40334
95% Confidence Inter for Mean	Lower Bound	224.8475	
	Upper Bound	226.4315	
5% Trimmed Mean		225.6282	
Median		225.0000	
Variance		107.856	
Std. Deviation		10.38539	
Minimum		194.00	
Maximum		259.00	
Range		65.00	
Interquartile Range		14.0000	
Skewness		.026	.095
Kurtosis		.002	.190

N=2,500

A5_05 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	Extremes (=<44)
.00	4.
5.00	4. 9&
9.00	5. 001
24.00	5. 22333333
31.00	5. 44444455555
58.00	5. 66666666777777777
71.00	5. 88888888888899999999999
73.00	6. 00000000001111111111111
108.00	6. 22222222222222222333333333333333333
88.00	6. 4444444444444455555555555555
84.00	6. 666666666666667777777777777
41.00	6. 88888889999999
32.00	7. 00000011111
24.00	7. 22223333
9.00	7. 444&
4.00	7. 6&
1.00	Extremes (>=78)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

A10_05 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	Extremes (=<103)
2.00	10 . &
11.00	10 . 6&&
40.00	11 . 122233444&
95.00	11 . 55566667778888899999999
162.00	12 . 000001111111122222223333333444444444444
154.00	12 . 555555555566666666777777778888889999999
123.00	13 . 000000011111222222223333334444
60.00	13 . 555566677778899
10.00	14 . 2&
5.00	14 . &

Stem width: 10.00

Each leaf: 4 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_05



Normal Q-Q Plot of A10_05



Descriptives

		Statistic	Std. Error
A5_05	Mean	62.4510	.21525
	95% Confidence I for Mean Lower Bound	62.0283	
	Upper Bound	62.8736	
	5% Trimmed Mean	62.4556	
	Median	63.0000	
	Variance	30.719	
	Std. Deviation	5.54250	
	Minimum	44.00	
	Maximum	78.00	
	Range	34.00	
	Interquartile Range	8.0000	
	Skewness	-.046	.095
	Kurtosis	-.170	.190

Descriptives

		Statistic	Std. Error
A10_05	Mean	125.2640	.29472
	95% Confidence Int for Mean Lower Bound	124.6853	
	Upper Bound	125.8426	
	5% Trimmed Mean	125.3000	
	Median	125.0000	
	Variance	57.587	
	Std. Deviation	7.58863	
	Minimum	103.00	
	Maximum	147.00	
	Range	44.00	
	Interquartile Range	11.0000	
	Skewness	-.039	.095
	Kurtosis	.002	.190

N=2,500

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<160)
    .00     16 .
  20.00     16 . 56679&
  23.00     17 . 12334&
  68.00     17 . 5556667777889999
 108.00     18 . 000111112222222333333344444
 159.00     18 . 555555556666666777777777888888889999999999
 135.00     19 . 000000001111111122222223333344444
  89.00     19 . 5555566666777788889999999
  38.00     20 . 000112334
  18.00     20 . 568&
   2.00     21 . &
   2.00 Extremes    (>=212)

Stem width:    10.00
Each leaf:     4 case(s)
 & denotes fractional leaves.
```

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<219)
   5.00     22 . 3&
  11.00     22 . 5789
  23.00     23 . 00112344
  61.00     23 . 55566666778888889999999
  94.00     24 . 000011111111122222233333344444444
 121.00     24 . 555555666666667777777777888888889999999999
 112.00     25 . 000000001111111222222222333333444444444
 101.00     25 . 5555556666666667777788888889999999
  74.00     26 . 000000001111112222233344
  36.00     26 . 55566778889999
  20.00     27 . 0112234
   2.00     27 . &
   2.00 Extremes    (>=281)
Stem width:    10.00
Each leaf:     3 case(s)
 & denotes fractional leaves.
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

		Statistic	Std. Error
A15_05	Mean	187.8627	.34591
	95% Confidence Int for Mean Lower Bound	187.1835	
	Upper Bound	188.5420	
	5% Trimmed Mean	187.9346	
	Median	188.0000	
	Variance	79.330	
	Std. Deviation	8.90674	
	Minimum	160.00	
	Maximum	213.00	
	Range	53.00	
	Interquartile Range	12.0000	
	Skewness	-.115	.095
	Kurtosis	.044	.190

Descriptives

		Statistic	Std. Error
A20_05	Mean	250.3213	.41032
	95% Confidence Int for Mean Lower Bound	249.5156	
	Upper Bound	251.1269	
	5% Trimmed Mean	250.3601	
	Median	250.0000	
	Variance	111.623	
	Std. Deviation	10.56519	
	Minimum	219.00	
	Maximum	282.00	
	Range	63.00	
	Interquartile Range	15.0000	
	Skewness	-.031	.095
	Kurtosis	-.144	.190

N=2,500

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<52)
   1.00      5 . &
  12.00      5 . 6777
  15.00      5 . 88889
  41.00      6 . 00001111111111
  60.00      6 . 22222223333333333
  57.00      6 . 44444444455555555
  72.00      6 . 666666666667777777777
  96.00      6 . 888888888888888999999999999999999
 102.00      7 . 000000000000000001111111111111111
  76.00      7 . 2222222222223333333333
  56.00      7 . 44444444445555555555
  28.00      7 . 666667777
  29.00      7 . 8888889999
  10.00      8 . 001
   7.00      8 . 23
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_055



A10_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<118)
   1.00      11 . &
  24.00      12 . 011344&
  59.00      12 . 55667788899999
 124.00      13 . 00000111111222222333333444444
 176.00      13 . 55555555666666666677777777788888889999999999
 157.00      14 . 0000000111111111112222233333334444444
  71.00      14 . 555666677788889999
  38.00      15 . 000112234
   6.00      15 . 5&
   3.00 Extremes    (>=158)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_055



Descriptives

			Statistic	Std. Error
A5_055	Mean		68.7994	.21611
	95% Confidence Inter for Mean	Lower Bound	68.3751	
		Upper Bound	69.2237	
	5% Trimmed Mean		68.7922	
	Median		69.0000	
	Variance		30.964	
	Std. Deviation		5.56455	
	Minimum		52.00	
	Maximum		83.00	
	Range		31.00	
	Interquartile Range		8.0000	
	Skewness		-.002	.095
	Kurtosis		-.305	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		137.8507	.29812
	95% Confidence Ir for Mean	Lower Bound	137.2653	
		Upper Bound	138.4361	
	5% Trimmed Mean		137.8994	
	Median		138.0000	
	Variance		58.925	
	Std. Deviation		7.67625	
	Minimum		114.00	
	Maximum		159.00	
	Range		45.00	
	Interquartile Range		10.0000	
	Skewness		-.067	.095
	Kurtosis		-.064	.190

N=2,500

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<183)
    .00    18 .
  14.00    18 . 89&
  35.00    19 . 0122344
  82.00    19 . 55566677788889999999
 121.00    20 . 000000111112222223333344444444
 150.00    20 . 555555666666677777778888888889999999
 130.00    21 . 000000011111112222223333333344444
  69.00    21 . 5555566777888999
  44.00    22 . 0001123344
   9.00    22 . 57&
   1.00    23 . &
   1.00 Extremes    (>=232)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_055



A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<248)
   2.00    24 . 9
  11.00    25 . 034&
  19.00    25 . 5788999&
  61.00    26 . 0011122233334444444
  91.00    26 . 555555666666777778888899999999
 115.00    27 . 000000111111111222222222333333334444444
 132.00    27 . 555555555666666667777777778888888888999999999
  92.00    28 . 000000001111112222233333444444
  71.00    28 . 55555555666777788889999
  43.00    29 . 00000011222344
  18.00    29 . 5667789
   2.00    30 . &
   1.00 Extremes    (>=307)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A15_05: Mean		206.7934	.34791
95% Confidence Inte for Mean	Lower Bound	206.1102	
	Upper Bound	207.4765	
5% Trimmed Mean		206.8810	
Median		207.0000	
Variance		80.252	
Std. Deviation		8.95834	
Minimum		179.00	
Maximum		232.00	
Range		53.00	
Interquartile Range		12.0000	
Skewness		-.138	.095
Kurtosis		-.006	.190

Descriptives

		Statistic	Std. Error
A20_05 Mean		275.5008	.40146
95% Confidence Int for Mean	Lower Bound	274.7125	
	Upper Bound	276.2890	
5% Trimmed Mean		275.5729	
Median		276.0000	
Variance		106.858	
Std. Deviation		10.33720	
Minimum		243.00	
Maximum		307.00	
Range		64.00	
Interquartile Range		14.0000	
Skewness		-.070	.095
Kurtosis		-.069	.190

N=2,500

A5_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	6 . 1
8.00	6 . 33&
19.00	6 . 445555
29.00	6 . 6666667777
54.00	6 . 888888999999999999
61.00	7 . 0000000001111111111
81.00	7 . 222222222223333333333333
107.00	7 . 44444444444444555555555555555555
74.00	7 . 66666666666666777777777
84.00	7 . 888888888888899999999999999
58.00	8 . 0000000000111111111
48.00	8 . 2222222233333333
20.00	8 . 4444555
9.00	8 . 667
6.00	8 . 89
2.00	9 . 0

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_06



Descriptives

		Statistic	Std. Error
A5_06	Mean	75.0422	.21392
	95% Confidence Ir Lower Bound for Mean	74.6222	
	Upper Bound	75.4623	
	5% Trimmed Mean	75.0419	
	Median	75.0000	
	Variance	30.340	
	Std. Deviation	5.50814	
	Minimum	61.00	
	Maximum	90.00	
	Range	29.00	
	Interquartile Range	8.0000	
	Skewness	-.003	.095
	Kurtosis	-.307	.190

A10_06 Stem-and-Leaf Plot

Frequency	Stem & Leaf
7.00	Extremes (=<131)
9.00	13 . 34&
30.00	13 . 567899
93.00	14 . 000111122222333334444
166.00	14 . 555555666666677777777788888889999999999
158.00	15 . 0000000111111111122222222233333334444
127.00	15 . 5555556666666667777777888888999
55.00	16 . 00001111222334
12.00	16 . 58&
1.00	17 . &
5.00	Extremes (>=171)

Stem width: 10.00

Each leaf: 4 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A10_0(	Mean	150.3288	.29463
	95% Confidence I Lower Bound for Mean	149.7503	
	Upper Bound	150.9073	
	5% Trimmed Mean	150.3637	
	Median	150.0000	
	Variance	57.553	
	Std. Deviation	7.58639	
	Minimum	128.00	
	Maximum	173.00	
	Range	45.00	
	Interquartile Range	10.0000	
	Skewness	-.039	.095
	Kurtosis	.122	.190

N=2,500

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<198)
  10.00     20 .  13&
  20.00     20 .  688&
  37.00     21 .  00122344
 101.00     21 .  555556667777788888999999
 127.00     22 .  0000001111112222223333334444444
 141.00     22 .  55555555666666777777888888899999999
 123.00     23 .  0000011111112222223333334444444
  66.00     23 .  555666667788899
  30.00     24 .  00112234
   5.00     24 .  5&
   2.00     25 .  &

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00     27 .  14
  16.00     27 .  567799&
  24.00     28 .  00112344
  51.00     28 .  556667777888999999
  91.00     29 .  0000011111112222223333334444
 114.00     29 .  555555555666666667777778888888899999
 134.00     30 .  00000000011111112222222223333333334444444
  97.00     30 .  55555555566666677777888888999999
  79.00     31 .  0000001112222223333344444
  33.00     31 .  5556677899
  14.00     32 .  00134
   5.00     32 .  5&
   1.00 Extremes    (>=332)
Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_06



Normal Q-Q Plot of A20_06



Descriptives

		Statistic	Std. Error
A15_06 Mean		225.4766	.35239
95% Confidence Ir for Mean	Lower Bound	224.7847	
	Upper Bound	226.1685	
5% Trimmed Mean		225.6167	
Median		226.0000	
Variance		82.328	
Std. Deviation		9.07350	
Minimum		198.00	
Maximum		251.00	
Range		53.00	
Interquartile Range		13.0000	
Skewness		-.189	.095
Kurtosis		-.093	.190

Descriptives

		Statistic	Std. Error
A20_06 Mean		300.3710	.40527
95% Confidence Int for Mean	Lower Bound	299.5753	
	Upper Bound	301.1668	
5% Trimmed Mean		300.4494	
Median		301.0000	
Variance		108.892	
Std. Deviation		10.43515	
Minimum		271.00	
Maximum		332.00	
Range		61.00	
Interquartile Range		15.0000	
Skewness		-.076	.095
Kurtosis		-.109	.190

N=2,500

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00      6 . &
   7.00      6 . 889
  17.00      7 . 00011111
  28.00      7 . 22222223333333
  43.00      7 . 4444444444555555555
  82.00      7 . 66666666666666666677777777777777777777
  82.00      7 . 88888888888888999999999999999999999999
  95.00      8 . 00000000000000000000000011111111111111111111111
  82.00      8 . 22222222222222222233333333333333333333333
  79.00      8 . 4444444444444444444555555555555555555
  60.00      8 . 666666666666667777777777777
  47.00      8 . 88888888888888888999999
  23.00      9 . 00000111111
  10.00      9 . 2223
   6.00      9 . 444
   1.00 Extremes    (>=97)

Stem width:    10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<144)
    .00     14 .
  18.00     14 . 56789
  60.00     15 . 00011223333444
 140.00     15 . 555556666666677777788888899999999999
 182.00     16 . 00000000011111111122222222223333333334444444444
 139.00     16 . 5555555556666666777777777888888899999
  82.00     17 . 00000011122223333444
  21.00     17 . 55678&
   6.00     18 . 0
  10.00 Extremes    (>=181)

Stem width:    10.00
Each leaf:      4 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065 Mean		81.1388	.21008
95% Confidence Inte for Mean	Lower Bound	80.7263	
	Upper Bound	81.5513	
5% Trimmed Mean		81.1324	
Median		81.0000	
Variance		29.262	
Std. Deviation		5.40941	
Minimum		67.00	
Maximum		97.00	
Range		30.00	
Interquartile Range		8.0000	
Skewness		.020	.095
Kurtosis		-.369	.190

Descriptives

		Statistic	Std. Error
A10_065 Mean		162.650	.29058
95% Confidence Inte for Mean	Lower Bound	162.075	
	Upper Bound	163.220	
5% Trimmed Mean		162.599	
Median		162.000	
Variance		55.98	
Std. Deviation		7.4819	
Minimum		141.0	
Maximum		183.0	
Range		42.0	
Interquartile Range		9.000	
Skewness		.08	.095
Kurtosis		.05	.190

N=2,500

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00 Extremes    (=<220)
   8.00     22 . 34&
  23.00     22 . 67899&
  62.00     23 . 0011222333344444
 111.00     23 . 555566666777777888888999999
 120.00     24 . 000000111111222223333334444444
 153.00     24 . 555555556666667777777788888888889999999
 103.00     25 . 00001111112222223334444
  45.00     25 . 5566788889
  27.00     26 . 001234
   4.00     26 . 5&
   1.00 Extremes    (>=268)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_065



Descriptives

		Statistic	Std. Error
A15_0(Mean		244.0422	.35338
95% Confidence I for Mean	Lower Bound	243.3484	
	Upper Bound	244.7361	
5% Trimmed Mean		244.1073	
Median		245.0000	
Variance		82.793	
Std. Deviation		9.09905	
Minimum		211.00	
Maximum		268.00	
Range		57.00	
Interquartile Range		12.0000	
Skewness		-.133	.095
Kurtosis		-.028	.190

A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<296)
   1.00     29 . &
  17.00     30 . 011244
  20.00     30 . 56778889
  55.00     31 . 000111222233334444
  99.00     31 . 555555666677777788888888999999999
 120.00     32 . 000000001111112222222223333333334444444
 125.00     32 . 5555555555666666677777788888888888899999999
  96.00     33 . 000001111112222222333333334444
  74.00     33 . 555556666666777788888999
  28.00     34 . 0000112233&
  18.00     34 . 5567789
   7.00     35 . 012
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A20_06 Mean		325.2247	.40508
95% Confidence Int for Mean	Lower Bound	324.4293	
	Upper Bound	326.0201	
5% Trimmed Mean		325.2648	
Median		325.0000	
Variance		108.794	
Std. Deviation		10.43043	
Minimum		295.00	
Maximum		352.00	
Range		57.00	
Interquartile Range		15.0000	
Skewness		-.051	.095
Kurtosis		-.045	.190

N=2,500

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<72)
   6.00      7 . 55
  13.00      7 . 66677
  24.00      7 . 88899999
  45.00      8 . 0000001111111111
  58.00      8 . 22222222333333333
  79.00      8 . 4444444444455555555555555
 100.00      8 . 66666666666666667777777777777777
  94.00      8 . 88888888888888889999999999999999
  86.00      9 . 00000000000000001111111111111111
  70.00      9 . 2222222222223333333333
  41.00      9 . 44444444455555
  30.00      9 . 6666666677
  11.00      9 . 8889
   3.00     10 . 1&
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<154)
   6.00     15 . &
  36.00     16 . 12333444&
 100.00     16 . 55556666777788888899999999
 171.00     17 . 000000111111112222222222333333333334444444
 163.00     17 . 55555555566666666777777777888888888999999
 119.00     18 . 00000011111111222222333333444444
  46.00     18 . 5556778889
  17.00     19 . 0122&
   2.00 Extremes    (>=195)

Stem width:    10.00
Each leaf:     4 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A5_07



Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		87.4736	.20375
	95% Confidence Ir for Mean	Lower Bound	87.0735	
		Upper Bound	87.8737	
	5% Trimmed Mean		87.5427	
	Median		88.0000	
	Variance		27.525	
	Std. Deviation		5.24639	
	Minimum		71.00	
	Maximum		101.00	
	Range		30.00	
	Interquartile Range		7.0000	
	Skewness		-.170	.095
	Kurtosis		-.213	.190

Descriptives

			Statistic	Std. Error
A10_07	Mean		175.1403	.28276
	95% Confidence Inter for Mean	Lower Bound	174.5851	
		Upper Bound	175.6955	
	5% Trimmed Mean		175.0950	
	Median		175.0000	
	Variance		53.009	
	Std. Deviation		7.28073	
	Minimum		153.00	
	Maximum		197.00	
	Range		44.00	
	Interquartile Range		10.0000	
	Skewness		.080	.095
	Kurtosis		-.044	.190

N=2,500

A15_07 Stem-and-Leaf Plot

Frequency	Stem & Leaf
6.00	Extremes (=<240)
8.00	24 . 24&
24.00	24 . 67889&
72.00	25 . 00112222333444444
121.00	25 . 555566666677777778888889999999
144.00	26 . 000000001111111222222233333344444444
150.00	26 . 555555555556666667777777888888899999
82.00	27 . 00011112222233333344
37.00	27 . 556667889
16.00	28 . 001&
3.00	Extremes (>=285)

Stem width: 10.00

Each leaf: 4 case(s)

& denotes fractional leaves.

A20_07 Stem-and-Leaf Plot

Frequency	Stem & Leaf
6.00	Extremes (=<324)
.00	32 .
10.00	32 . 589&
23.00	33 . 11223334
53.00	33 . 556666677788889999
98.00	34 . 00011111122222223333333344444444
129.00	34 . 555555555566666666777777778888888899999999
122.00	35 . 00000000111111112222233333333344444444
101.00	35 . 55555566666666777778888888899999999
66.00	36 . 00000011111222223344
42.00	36 . 5555666778899
10.00	37 . 02&
2.00	37 . &
1.00	Extremes (>=377)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A15_07



Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	262.7964	.33342
	95% Confidence Int for Mean Lower Bound	262.1417	
	Upper Bound	263.4511	
	5% Trimmed Mean	262.8458	
	Median	263.0000	
	Variance	73.706	
	Std. Deviation	8.58523	
	Minimum	231.00	
	Maximum	285.00	
	Range	54.00	
	Interquartile Range	11.0000	
	Skewness	-.110	.095
	Kurtosis	.139	.190

Descriptives

		Statistic	Std. Error
A20_07	Mean	350.1538	.38862
	95% Confidence Inter for Mean Lower Bound	349.3908	
	Upper Bound	350.9169	
	5% Trimmed Mean	350.2567	
	Median	350.0000	
	Variance	100.130	
	Std. Deviation	10.00652	
	Minimum	317.00	
	Maximum	377.00	
	Range	60.00	
	Interquartile Range	13.0000	
	Skewness	-.127	.095
	Kurtosis	-.075	.190

N=2,500

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<77)
   6.00      8 . 11
   7.00      8 . 233
  20.00      8 . 4444555
  28.00      8 . 666667777
  66.00      8 . 888888888999999999999
  93.00      9 . 000000000000011111111111111111
  94.00      9 . 2222222222222333333333333333
 105.00      9 . 444444444444444444555555555555555
  91.00      9 . 666666666666677777777777777777
  74.00      9 . 888888888888999999999999999
  42.00     10 . 00000001111111
  21.00     10 . 2222333
  13.00     10 . 4445
   1.00     10 . &
   1.00 Extremes    (>=108)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_075



A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<169)
   1.00     17 . &
   3.00     17 . 2
  12.00     17 . 44455
  19.00     17 . 666677777
  36.00     17 . 888888899999999999
  45.00     18 . 000000000000111111111
  52.00     18 . 2222222222222333333333333
  77.00     18 . 444444444444444555555555555555555555
  88.00     18 . 666666666666666666677777777777777777777777
  80.00     18 . 888888888888888888999999999999999999999
  64.00     19 . 0000000000000000011111111111111
  48.00     19 . 222222222222233333333333
  46.00     19 . 4444444444444555555555
  32.00     19 . 6666677777777777
  23.00     19 . 8888889999999
  15.00     20 . 0000011
   9.00     20 . 2223
   7.00     20 . 455
   2.00 Extremes    (>=206)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_075



Descriptives

		Statistic	Std. Error
A5_07: Mean		93.7466	.19146
95% Confidence I for Mean	Lower Bound	93.3707	
	Upper Bound	94.1226	
5% Trimmed Mean		93.7941	
Median		94.0000	
Variance		24.304	
Std. Deviation		4.92994	
Minimum		77.00	
Maximum		108.00	
Range		31.00	
Interquartile Range		7.0000	
Skewness		-.119	.095
Kurtosis		-.108	.190

Descriptives

		Statistic	Std. Error
A10_07 Mean		187.7044	.26455
95% Confidence Ir for Mean	Lower Bound	187.1849	
	Upper Bound	188.2238	
5% Trimmed Mean		187.6615	
Median		187.0000	
Variance		46.402	
Std. Deviation		6.81189	
Minimum		166.00	
Maximum		206.00	
Range		40.00	
Interquartile Range		9.0000	
Skewness		.094	.095
Kurtosis		-.031	.190

N=2,500

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<255)
   7.00     26 . 14&
  38.00     26 . 5667788899
  86.00     27 . 00111222233334444444
 135.00     27 . 555555666667777788888888999999999
 158.00     28 . 00000001111111122222223333333334444444
 129.00     28 . 555555566666666777778888888999999
  65.00     29 . 000001111223334
  33.00     29 . 55566789
   9.00     30 . 01&
   1.00 Extremes    (>=304)

Stem width:    10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_075



Descriptives

		Statistic	Std. Error
A15_07. Mean		281.5505	.31790
95% Confidence Int for Mean	Lower Bound	280.9263	
	Upper Bound	282.1747	
5% Trimmed Mean		281.5394	
Median		281.0000	
Variance		67.003	
Std. Deviation		8.18554	
Minimum		252.00	
Maximum		304.00	
Range		52.00	
Interquartile Range		11.0000	
Skewness		-.019	.095
Kurtosis		.001	.190

A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   9.00 Extremes    (=<351)
   4.00     35 . 2&
  18.00     35 . 6789999
  56.00     36 . 0001111222233344444
  99.00     36 . 555556666677777777888888899999999
 122.00     37 . 0000000111111122222223333333334444444
 137.00     37 . 5555555555556666666667777777788888899999999999
 105.00     38 . 000000000111111122222333333444444
  75.00     38 . 555556666666777777888999
  30.00     39 . 00011123344
   3.00     39 . &
   5.00 Extremes    (>=399)

Stem width:    10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A20_07. Mean		375.1116	.36722
95% Confidence Int for Mean	Lower Bound	374.3906	
	Upper Bound	375.8327	
5% Trimmed Mean		375.1860	
Median		375.0000	
Variance		89.404	
Std. Deviation		9.45539	
Minimum		347.00	
Maximum		404.00	
Range		57.00	
Interquartile Range		12.0000	
Skewness		-.118	.095
Kurtosis		.030	.190

N=2,500

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<88)
   2.00      8 . 9
  15.00      9 . 00111
  24.00      9 . 22233333
  52.00      9 . 44444555555555555
  89.00      9 . 66666666666677777777777777777
  91.00      9 . 88888888888889999999999999999
 128.00     10 . 00000000000000000000111111111111111111111
 103.00     10 . 22222222222222222333333333333333
  82.00     10 . 44444444444445555555555555
  46.00     10 . 666666666777777
  22.00     10 . 88889999
   5.00     11 . 01
Stem width:    10.00
Each leaf:     3 case(s)
```

A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<185)
    .00     18 .
   8.00     18 . 677
  12.00     18 . 888999
  26.00     19 . 0000000111111
  33.00     19 . 2222223333333333
  53.00     19 . 44444444444455555555555555
  72.00     19 . 666666666666677777777777777777777
  93.00     19 . 888888888888888888888888999999999999999999
  92.00     20 . 00000000000000000000011111111111111111111111
  62.00     20 . 22222222222222223333333333333
  64.00     20 . 4444444444444444555555555555555
  52.00     20 . 66666666666666777777777777
  41.00     20 . 88888888888899999999
  29.00     21 . 00000000111111
  10.00     21 . 2233
   6.00     21 . 45
   3.00     21 . 6
   1.00 Extremes    (>=221)
Stem width:    10.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

		Statistic	Std. Error
A5_08	Mean	100.1765	.17033
	95% Confidence Inte Lower Bound for Mean	99.8420	
	Upper Bound	100.5109	
	5% Trimmed Mean	100.2413	
	Median	100.0000	
	Variance	19.236	
	Std. Deviation	4.38591	
	Minimum	85.00	
	Maximum	111.00	
	Range	26.00	
	Interquartile Range	6.0000	
	Skewness	-.208	.095
	Kurtosis	-.098	.190

Descriptives

		Statistic	Std. Error
A10_08	Mean	200.3529	.24050
	95% Confidence Inter Lower Bound for Mean	199.8807	
	Upper Bound	200.8252	
	5% Trimmed Mean	200.3737	
	Median	200.0000	
	Variance	38.350	
	Std. Deviation	6.19270	
	Minimum	180.00	
	Maximum	221.00	
	Range	41.00	
	Interquartile Range	8.0000	
	Skewness	-.005	.095
	Kurtosis	-.048	.190

N=2,500

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00      27 . &
   9.00      28 . 44&
  41.00      28 . 5677789999
  92.00      29 . 00001111222333334444 4
 148.00      29 . 555555666666667777778888888889999999
 163.00      30 . 0000000011111111222222223333333334444444
 123.00      30 . 555555555566666677777788889999
  63.00      31 . 000011112223344
  18.00      31 . 5667&
   4.00      32 . &

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_08



A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<378)
   2.00      37 . &
  17.00      38 . 234&
  47.00      38 . 5677889999
  88.00      39 . 00011111222233334444 4
 147.00      39 . 555555566666667777777888888888999999
 151.00      40 . 0000000011111112222223333333344444444
 109.00      40 . 555556666666677777888889999
  72.00      41 . 00000111222333444 4
  16.00      41 . 569&
   8.00      42 . 0&
   3.00 Extremes    (>=423)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_08



Descriptives

		Statistic	Std. Error
A15_08 Mean		300.5822	.29617
95% Confidence Int for Mean	Lower Bound	300.0007	
	Upper Bound	301.1637	
5% Trimmed Mean		300.5662	
Median		301.0000	
Variance		58.156	
Std. Deviation		7.62601	
Minimum		279.00	
Maximum		322.00	
Range		43.00	
Interquartile Range		11.0000	
Skewness		.016	.095
Kurtosis		-.261	.190

Descriptives

		Statistic	Std. Error
A20_08 Mean		400.3967	.33242
95% Confidence Int for Mean	Lower Bound	399.7440	
	Upper Bound	401.0494	
5% Trimmed Mean		400.4324	
Median		400.0000	
Variance		73.264	
Std. Deviation		8.55943	
Minimum		364.00	
Maximum		426.00	
Range		62.00	
Interquartile Range		11.0000	
Skewness		-.086	.095
Kurtosis		.226	.190

N=2,500

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00 Extremes    (=<96.0)
   5.00      97 . 00
   6.00      98 . 000
  10.00      99 . 00000
  13.00     100 . 000000
  31.00     101 . 0000000000000
  39.00     102 . 000000000000000000
  45.00     103 . 000000000000000000000
  50.00     104 . 00000000000000000000000
  68.00     105 . 0000000000000000000000000000000
  54.00     106 . 000000000000000000000000
  72.00     107 . 000000000000000000000000000000000
  62.00     108 . 00000000000000000000000000
  54.00     109 . 000000000000000000000000
  55.00     110 . 000000000000000000000000
  37.00     111 . 0000000000000000
  29.00     112 . 00000000000000
  10.00     113 . 00000
  11.00     114 . 00000
   2.00     115 . 0
   1.00     116 . &
   3.00 Extremes    (>=117.0)
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_085



Descriptives

			Statistic	Std. Error
A5_085	Mean		106.3560	.15034
	95% Confidence Int for Mean	Lower Bound	106.0608	
		Upper Bound	106.6512	
	5% Trimmed Mean		106.4106	
	Median		107.0000	
	Variance		14.985	
	Std. Deviation		3.87103	
	Minimum		93.00	
	Maximum		117.00	
	Range		24.00	
	Interquartile Range		5.0000	
	Skewness		-.197	.095
	Kurtosis		-.030	.190

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<198)
   2.00      19 . 9
   7.00      20 . 111&
  15.00      20 . 2223333
  25.00      20 . 444444555555
  46.00      20 . 66666666777777777777
  96.00      20 . 88888888888888888888999999999999999999999999
  93.00      21 . 000000000000000011111111111111111111111111
  89.00      21 . 22222222222222222222333333333333333333333
  83.00      21 . 44444444444444444444555555555555555555
  70.00      21 . 6666666666666666666667777777777
  67.00      21 . 88888888888888888999999999999999
  29.00      22 . 00000001111111
  26.00      22 . 2222222223333
   5.00      22 . 45
   2.00      22 . 6
   5.00 Extremes    (>=228)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_085



Descriptives

			Statistic	Std. Error
A10_08	Mean		212.7270	.20899
	95% Confidence Int for Mean	Lower Bound	212.3166	
		Upper Bound	213.1374	
	5% Trimmed Mean		212.7218	
	Median		213.0000	
	Variance		28.957	
	Std. Deviation		5.38118	
	Minimum		194.00	
	Maximum		230.00	
	Range		36.00	
	Interquartile Range		7.0000	
	Skewness		.065	.095
	Kurtosis		.093	.190

N=2,500

A15_085 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00 Extremes	(=<301)
2.00	30 . 3
11.00	30 . 44555
7.00	30 . 777
25.00	30 . 88888999999
35.00	31 . 00000011111111111
41.00	31 . 22222222233333333
74.00	31 . 44444444444444455555555555555555555
68.00	31 . 66666666666666677777777777777777
70.00	31 . 88888888888888999999999999999999
80.00	32 . 00000000000000011111111111111111111111
78.00	32 . 22222222222222222222333333333333333
55.00	32 . 4444444444444455555555555
43.00	32 . 6666666666677777777
33.00	32 . 888888888399999
17.00	33 . 00000111
11.00	33 . 22333
4.00	33 . 45
3.00	33 . 7&
3.00 Extremes	(>=338)

Stem width: 10.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A15_085



Descriptives

		Statistic	Std. Error
A15_085	Mean	319.2398	.25712
	95% Confidence Inte Lower Bound for Mean	318.7349	
	Upper Bound	319.7447	
	5% Trimmed Mean	319.2344	
	Median	319.0000	
	Variance	43.832	
	Std. Deviation	6.62058	
	Minimum	298.00	
	Maximum	338.00	
	Range	40.00	
	Interquartile Range	9.0000	
	Skewness	-.005	.095
	Kurtosis	-.008	.190

A20_085 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00 Extremes	(=<405)
12.00	40 . 89&
33.00	41 . 11223334&
92.00	41 . 55566667778888999999
167.00	42 . 00000001111111112222222233333344444444444
169.00	42 . 5555555666666667777777778888888889999999
122.00	43 . 00000011111112222222333334444
48.00	43 . 555566677889
12.00	44 . 03&
5.00 Extremes	(>=445)

Stem width: 10.00

Each leaf: 4 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A20_08	Mean	425.2278	.29050
	95% Confidence Int Lower Bound for Mean	424.6573	
	Upper Bound	425.7982	
	5% Trimmed Mean	425.2497	
	Median	425.0000	
	Variance	55.953	
	Std. Deviation	7.48015	
	Minimum	399.00	
	Maximum	451.00	
	Range	52.00	
	Interquartile Range	10.0000	
	Skewness	-.039	.095
	Kurtosis	.281	.190

N=2,500

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<102.0)
   1.00     103 . &
   2.00     104 . 0
   7.00     105 . 000
  10.00     106 . 00000
  26.00     107 . 00000000000
  32.00     108 . 000000000000000
  46.00     109 . 0000000000000000000000
  48.00     110 . 0000000000000000000000
  76.00     111 . 0000000000000000000000000000000000000
  74.00     112 . 00000000000000000000000000000000000
  75.00     113 . 000000000000000000000000000000000000
  62.00     114 . 00000000000000000000000000000
  91.00     115 . 0000000000000000000000000000000000000000000
  54.00     116 . 000000000000000000000000000
  27.00     117 . 000000000000
  14.00     118 . 0000000
   9.00     119 . 0000
   5.00     120 . 00
   1.00     121 . &
   1.00     122 . &
Stem width:    1.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		112.4600	.12617
	95% Confidence Inter for Mean	Lower Bound	112.2123	
		Upper Bound	112.7078	
	5% Trimmed Mean		112.4944	
	Median		113.0000	
	Variance		10.554	
	Std. Deviation		3.24868	
	Minimum		100.00	
	Maximum		122.00	
	Range		22.00	
	Interquartile Range		5.0000	
	Skewness		-.243	.095
	Kurtosis		.016	.190

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<213)
    .00     21 .
   9.00     21 . 455
  12.00     21 . 666677
  46.00     21 . 888888899999999
  69.00     22 . 000000001111111111111
  98.00     22 . 2222222222222233333333333333333
 111.00     22 . 44444444444444444555555555555555555
 106.00     22 . 6666666666666666666677777777777777
 100.00     22 . 88888888888888899999999999999999999
  52.00     23 . 0000000001111111
  34.00     23 . 2222223333
  13.00     23 . 4445
   1.00     23 . &
   2.00 Extremes    (>=238)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A10_09	Mean		225.0000	.17561
	95% Confidence Inter for Mean	Lower Bound	224.6552	
		Upper Bound	225.3448	
	5% Trimmed Mean		225.0402	
	Median		225.0000	
	Variance		20.447	
	Std. Deviation		4.52185	
	Minimum		209.00	
	Maximum		239.00	
	Range		30.00	
	Interquartile Range		6.0000	
	Skewness		-.120	.095
	Kurtosis		-.079	.190

N=2,500

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<322)
    .00     32.
   5.00     32. 45
  12.00     32. 66777
  27.00     32. 888889999999
  49.00     33. 0000000000111111111111
  56.00     33. 2222222222222233333333333
  70.00     33. 4444444444444445555555555555555
  88.00     33. 6666666666666666666667777777777777777777
  95.00     33. 88888888888888888888888999999999999999999
  92.00     34. 0000000000000000000001111111111111111111
  79.00     34. 2222222222222222222222333333333333333
  43.00     34. 4444444444445555555
  22.00     34. 6666677777
  12.00     34. 888899
   8.00     35. 0011
   1.00     35. &
   1.00 Extremes    (>=356)

Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<434)
   3.00     43. 5
   5.00     43. 66&
  18.00     43. 88999999
  22.00     44. 00011111111
  47.00     44. 2222222222233333333333
  53.00     44. 4444444444455555555555555
  64.00     44. 6666666666666667777777777777
  84.00     44. 88888888888888888899999999999999999999
  96.00     45. 000000000000000000011111111111111111111111111
  65.00     45. 2222222222222222233333333333333
  72.00     45. 4444444444444444455555555555555555
  52.00     45. 6666666666667777777777
  41.00     45. 88888888889999999999
  20.00     46. 0000011111
   8.00     46. 233
   3.00     46. 5&
   5.00 Extremes    (>=466)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_09



Normal Q-Q Plot of A20_09



Descriptives

		Statistic	Std. Error
A15_09	Mean	337.6501	.21296
	95% Confidence Ir Lower Bound for Mean	337.2319	
	Upper Bound	338.0682	
	5% Trimmed Mean	337.6651	
	Median	338.0000	
	Variance	30.068	
	Std. Deviation	5.48340	
	Minimum	318.00	
	Maximum	356.00	
	Range	38.00	
	Interquartile Range	8.0000	
	Skewness	-.105	.095
	Kurtosis	.007	.190

Descriptives

		Statistic	Std. Error
A20_09	Mean	450.0935	.24127
	95% Confidence Inte Lower Bound for Mean	449.6198	
	Upper Bound	450.5673	
	5% Trimmed Mean	450.1290	
	Median	450.0000	
	Variance	38.595	
	Std. Deviation	6.21253	
	Minimum	427.00	
	Maximum	472.00	
	Range	45.00	
	Interquartile Range	8.0000	
	Skewness	-.080	.095
	Kurtosis	.167	.190

N=2,500

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   6.00 Extremes    (=<112.0)
  11.00     113 .  0000
  16.00     114 .  00000
  43.00     115 .  00000000000000
  50.00     116 .  00000000000000000
  78.00     117 .  000000000000000000000000000
 110.00     118 .  0000000000000000000000000000000000000000
 102.00     119 .  000000000000000000000000000000000000
  97.00     120 .  0000000000000000000000000000000000
  76.00     121 .  00000000000000000000000000
  42.00     122 .  00000000000000
  23.00     123 .  00000000
   7.00     124 .  00
   2.00 Extremes    (>=125.0)

Stem width:     1.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_095



A10_095 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00 Extremes    (=<227.0)
   4.00     228 .  00
   4.00     229 .  00
   8.00     230 .  0000
  11.00     231 .  00000
  26.00     232 .  00000000000000
  23.00     233 .  00000000000
  52.00     234 .  0000000000000000000000000000
  53.00     235 .  00000000000000000000000000
  71.00     236 .  00000000000000000000000000000000000
  74.00     237 .  00000000000000000000000000000000000000
  78.00     238 .  000000000000000000000000000000000000000000
  76.00     239 .  0000000000000000000000000000000000000000
  63.00     240 .  000000000000000000000000000000000000
  56.00     241 .  00000000000000000000000000000000
  29.00     242 .  00000000000000000000000000
  13.00     243 .  000000
  12.00     244 .  000000
   4.00     245 .  00
    .00     246 .
   2.00     247 .  0
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A5_095	Mean	118.5988	.09546
	95% Confidence In Lower Bound	118.4114	
	for Mean Upper Bound	118.7862	
	5% Trimmed Mean	118.6383	
	Median	119.0000	
	Variance	6.041	
	Std. Deviation	2.45789	
	Minimum	110.00	
	Maximum	125.00	
	Range	15.00	
	Interquartile Range	3.0000	
	Skewness	-.257	.095
	Kurtosis	.005	.190

Descriptives

		Statistic	Std. Error
A10_09:	Mean	237.3273	.13114
	95% Confidence Inte Lower Bound	237.0698	
	for Mean Upper Bound	237.5848	
	5% Trimmed Mean	237.3905	
	Median	238.0000	
	Variance	11.402	
	Std. Deviation	3.37665	
	Minimum	227.00	
	Maximum	247.00	
	Range	20.00	
	Interquartile Range	5.0000	
	Skewness	-.298	.095
	Kurtosis	.144	.190

N=2,500

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<344)
   1.00     34 . &
  12.00     34 . 6677
  16.00     34 . 889999
  57.00     35 . 00000011111111111
  81.00     35 . 22222222233333333333333
 117.00     35 . 444444444444444444555555555555555555
 137.00     35 . 66666666666666666666777777777777777777777
 112.00     35 . 88888888888888888899999999999999999
  74.00     36 . 00000000000000111111111
  39.00     36 . 2222222233333
  14.00     36 . 44455
   1.00     36 . &
   1.00 Extremes    (>=368)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<462)
    .00     46 .
  11.00     46 . 455
  24.00     46 . 66677777
  40.00     46 . 8888999999999
  65.00     47 . 00000000001111111111111
 111.00     47 . 2222222222222222233333333333333333333
 112.00     47 . 4444444444444444445555555555555555555
 111.00     47 . 66666666666666666666777777777777777777
  89.00     47 . 88888888888888888889999999999999
  48.00     48 . 00000001111111111
  34.00     48 . 22222223333
  11.00     48 . 4455
   4.00     48 . 6
   1.00 Extremes    (>=487)
Stem width:    10.00
Each leaf:     3 case(s)
```

Normal Q-Q Plot of A15_095



Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_09: Mean		356.0920	.15175
95% Confidence Inte for Mean	Lower Bound	355.7940	
	Upper Bound	356.3900	
5% Trimmed Mean		356.1240	
Median		356.0000	
Variance		15.268	
Std. Deviation		3.90742	
Minimum		344.00	
Maximum		368.00	
Range		24.00	
Interquartile Range		6.0000	
Skewness		-.115	.095
Kurtosis		-.077	.190

Descriptives

		Statistic	Std. Error
A20_09. Mean		474.8839	.17308
95% Confidence Int for Mean	Lower Bound	474.5440	
	Upper Bound	475.2237	
5% Trimmed Mean		474.9031	
Median		475.0000	
Variance		19.861	
Std. Deviation		4.45658	
Minimum		462.00	
Maximum		487.00	
Range		25.00	
Interquartile Range		6.0000	
Skewness		-.037	.095
Kurtosis		-.162	.190

N=5,000

A5_005 Stem-and-Leaf Plot

Frequency	Stem & Leaf
7.00	5 . 000
12.00	6 . 000000
23.00	7 . 00000000000
41.00	8 . 00000000000000000000
50.00	9 . 00000000000000000000000000
66.00	10 . 000000000000000000000000000000000
78.00	11 . 000000000000000000000000000000000000000
68.00	12 . 00000000000000000000000000000000
82.00	13 . 0000000000000000000000000000000000000000
54.00	14 . 000000000000000000000000000
68.00	15 . 00000000000000000000000000000000
52.00	16 . 0000000000000000000000000
28.00	17 . 00000000000000
11.00	18 . 00000
8.00	19 . 0000
8.00	20 . 0000
4.00	21 . 00
2.00	22 . 0
1.00 Extremes	(>=23.0)

Stem width: 1.00

Each leaf: 2 case(s)

A10_005 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00 Extremes	(=<13)
.00	1.
6.00	1. 45
27.00	1. 666777777
42.00	1. 888889999999
80.00	2. 00000000000011111111111111
106.00	2. 22222222222222223333333333333333
105.00	2. 44444444444444444555555555555555
97.00	2. 66666666666666666677777777777777
80.00	2. 88888888888888889999999999
58.00	3. 00000000011111111
26.00	3. 222223333
16.00	3. 44445
6.00	3. 66
11.00 Extremes	(>=37)

Stem width: 10.00

Each leaf: 3 case(s)

Normal Q-Q Plot of A5_005



Normal Q-Q Plot of A10_005



Descriptives

			Statistic	Std. Error
A5_005	Mean		12.3544	.12720
	95% Confidence Inter for Mean	Lower Bound	12.1047	
		Upper Bound	12.6042	
	5% Trimmed Mean		12.2997	
	Median		12.0000	
	Variance		10.728	
	Std. Deviation		3.27531	
	Minimum		5.00	
	Maximum		23.00	
	Range		18.00	
	Interquartile Range		5.0000	
	Skewness		.199	.095
	Kurtosis		-.167	.190

Descriptives

			Statistic	Std. Error
A10_005	Mean		25.0090	.18844
	95% Confidence Inter for Mean	Lower Bound	24.6390	
		Upper Bound	25.3791	
	5% Trimmed Mean		24.9162	
	Median		25.0000	
	Variance		23.544	
	Std. Deviation		4.85219	
	Minimum		11.00	
	Maximum		41.00	
	Range		30.00	
	Interquartile Range		6.0000	
	Skewness		.275	.095
	Kurtosis		.074	.190

N=5,000

A15_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<23)
    .00     2.
   9.00     2. 4555
  17.00     2. 66677777
  23.00     2. 88888999999
  38.00     3. 00000001111111111111
  73.00     3. 2222222222222222223333333333333333
  96.00     3. 444444444444444444445555555555555555555555
  88.00     3. 666666666666666666667777777777777777777
  94.00     3. 888888888888888888888999999999999999999999
  78.00     4. 000000000000000000000011111111111111
  56.00     4. 22222222222222223333333333
  39.00     4. 4444444444555555555
  29.00     4. 66666666777777
   8.00     4. 8889
   5.00     5. 01
   7.00 Extremes    (>=52)

Stem width:    10.00
Each leaf:     2 case(s)
```

A20_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<34)
   2.00     3. 5
   9.00     3. 6667
   9.00     3. 8999
  30.00     4. 000001111111111
  44.00     4. 2222222223333333333
  54.00     4. 444444444445555555555555
  76.00     4. 6666666666666666666677777777777777777
  92.00     4. 88888888888888888888999999999999999999999
  82.00     5. 0000000000000000000011111111111111111
  69.00     5. 2222222222222222223333333333333333
  75.00     5. 444444444444444444445555555555555555
  35.00     5. 66666666677777777
  38.00     5. 88888888899999999
  23.00     6. 00000000111
  11.00     6. 22233
   6.00     6. 455
   3.00 Extremes    (>=66)
Stem width:    10.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_005



Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_00: Mean		37.2413	.21690
95% Confidence Inte for Mean	Lower Bound	36.8154	
	Upper Bound	37.6672	
5% Trimmed Mean		37.2028	
Median		37.0000	
Variance		31.192	
Std. Deviation		5.58502	
Minimum		20.00	
Maximum		56.00	
Range		36.00	
Interquartile Range		7.0000	
Skewness		.154	.095
Kurtosis		.218	.190

Descriptives

		Statistic	Std. Error
A20_00: Mean		49.9276	.24228
95% Confidence Inte for Mean	Lower Bound	49.4519	
	Upper Bound	50.4033	
5% Trimmed Mean		49.9263	
Median		50.0000	
Variance		38.919	
Std. Deviation		6.23853	
Minimum		28.00	
Maximum		73.00	
Range		45.00	
Interquartile Range		8.0000	
Skewness		.052	.095
Kurtosis		.287	.190

N=5,000

A5_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<13)
    .00      1 .
   9.00      1 . 455
  20.00      1 . 667777
  45.00      1 . 888888899999999
  80.00      2 . 00000000111111111111111111
  92.00      2 . 22222222222233333333333333333
 105.00      2 . 444444444444444444555555555555555
 105.00      2 . 666666666666666666677777777777777777
  87.00      2 . 888888888888888888999999999
  64.00      3 . 00000000011111111111
  23.00      3 . 2222333
  18.00      3 . 444455
   5.00      3 . 66
   7.00 Extremes    (>=37)
Stem width:     10.00
Each leaf:      3 case(s)
```

Normal Q-Q Plot of A5_01



A10_01 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<30)
   2.00      3 . 3
   6.00      3 . 455
   6.00      3 . 67
  15.00      3 . 8889999
  31.00      4 . 000001111111111
  49.00      4 . 2222222222233333333333
  57.00      4 . 444444445555555555555555555
  62.00      4 . 666666666666677777777777777777
  87.00      4 . 888888888888888888888999999999999999999999
  79.00      5 . 0000000000000000001111111111111111111
  80.00      5 . 2222222222223333333333333333333333333
  58.00      5 . 44444444445555555555555555555
  46.00      5 . 6666666667777777777
  30.00      5 . 88888999999999
  23.00      6 . 00000111111
  18.00      6 . 22222333
   9.00      6 . 4555
   3.00      6 . 6&
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		25.1161	.18390
	95% Confidence Int for Mean	Lower Bound	24.7550	
		Upper Bound	25.4772	
	5% Trimmed Mean		25.0584	
	Median		25.0000	
	Variance		22.423	
	Std. Deviation		4.73530	
	Minimum		13.00	
	Maximum		41.00	
	Range		28.00	
	Interquartile Range		6.0000	
	Skewness		.182	.095
	Kurtosis		.056	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		49.9970	.25332
	95% Confidence Inter for Mean	Lower Bound	49.4996	
		Upper Bound	50.4944	
	5% Trimmed Mean		49.9981	
	Median		50.0000	
	Variance		42.547	
	Std. Deviation		6.52279	
	Minimum		29.00	
	Maximum		67.00	
	Range		38.00	
	Interquartile Range		9.0000	
	Skewness		-.002	.095
	Kurtosis		-.135	.190

N=5,000

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   .00       5 .
 18.00       5 . 7899&
 46.00       6 . 00012233444
109.00       6 . 55566666777778888999999999
147.00       7 . 000000011111112222223333333344444444
156.00       7 . 555555566666666667777777888888899999999
109.00       8 . 0000000111111122222233344
 60.00       8 . 555566677778899
 17.00       9 . 0123&
  1.00       9 . &

Stem width:    10.00
Each leaf:     4 case(s)

& denotes fractional leaves.
```

A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  1.00 Extremes    (=<71)
 17.00       8 . 234&
 60.00       8 . 556677788889999
 86.00       9 . 00001112223333444444
148.00       9 . 55555556666667777777888888899999999
148.00      10 . 0000000001111111122222233333344444
121.00      10 . 5555556666677777778888888899999
 54.00      11 . 0000111233344
 21.00      11 . 56789
  4.00      12 . &
  3.00 Extremes    (>=123)

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A15_01



Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		74.8009	.30324
	95% Confidence Inter for Mean	Lower Bound	74.2055	
		Upper Bound	75.3963	
	5% Trimmed Mean		74.8209	
	Median		75.0000	
	Variance		60.966	
	Std. Deviation		7.80809	
	Minimum		55.00	
	Maximum		96.00	
	Range		41.00	
	Interquartile Range		11.0000	
	Skewness		-.011	.095
	Kurtosis		-.378	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		100.1373	.32535
	95% Confidence Inte for Mean	Lower Bound	99.4984	
		Upper Bound	100.7761	
	5% Trimmed Mean		100.0835	
	Median		100.0000	
	Variance		70.179	
	Std. Deviation		8.37729	
	Minimum		71.00	
	Maximum		125.00	
	Range		54.00	
	Interquartile Range		11.0000	
	Skewness		.048	.095
	Kurtosis		-.108	.190

N=5,000

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  4.00 Extremes    (=<22)
   .00     2 .
  6.00     2 . 455
 11.00     2 . 66777
 18.00     2 . 888999999
 54.00     3 . 000000000011111111111111111
 64.00     3 . 2222222222222333333333333333
 86.00     3 . 44444444444444444445555555555555555555
 96.00     3 . 666666666666666666666677777777777777777777
 95.00     3 . 888888888888888888888999999999999999999
 67.00     4 . 0000000000000000011111111111111
 55.00     4 . 2222222222222233333333333
 53.00     4 . 4444444444444555555555555
 31.00     4 . 666666666777777
 13.00     4 . 888999
  8.00     5 . 0011
  4.00 Extremes    (>=52)

Stem width:    10.00
Each leaf:     2 case(s)
```

A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  2.00 Extremes    (=<55)
  9.00     5 . 8&
 41.00     6 . 0011223344
 97.00     6 . 555566666777788889999999
163.00     7 . 00000001111111122222222233333333444444444
165.00     7 . 55555555556666666667777777778888888899999
111.00     8 . 000000001111222223333334444
 56.00     8 . 555556666677889
 15.00     9 . 03&
  4.00 Extremes    (>=95)

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_015



Normal Q-Q Plot of A10_015



Descriptives

		Statistic	Std. Error
A5_015	Mean	37.5762	.21942
	95% Confidence Int Lower Bound for Mean	37.1453	
	Upper Bound	38.0070	
	5% Trimmed Mean	37.5509	
	Median	37.0000	
	Variance	31.921	
	Std. Deviation	5.64989	
	Minimum	20.00	
	Maximum	56.00	
	Range	36.00	
	Interquartile Range	7.0000	
	Skewness	.116	.095
	Kurtosis	.041	.190

Descriptives

		Statistic	Std. Error
A10_01:	Mean	75.0649	.29482
	95% Confidence Inte Lower Bound for Mean	74.4860	
	Upper Bound	75.6437	
	5% Trimmed Mean	75.0455	
	Median	75.0000	
	Variance	57.626	
	Std. Deviation	7.59116	
	Minimum	50.00	
	Maximum	100.00	
	Range	50.00	
	Interquartile Range	10.0000	
	Skewness	.061	.095
	Kurtosis	.048	.190

N=5,000

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<89)
  16.00      9 . 24&
  28.00      9 . 557889&
  63.00     10 . 001112233344444
 128.00     10 . 55566666677777888888889999999999
 150.00     11 . 000000000111111122222333333344444444
 111.00     11 . 555555566666777777888889999
  97.00     12 . 000000111111222333444 4
  43.00     12 . 55667778899
  16.00     13 . 012&
   4.00     13 . &
   4.00 Extremes    (>=137)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves .
```

A20_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<123)
    .00     12 .
  13.00     12 . 6789&
  26.00     13 . 11223344&
  59.00     13 . 555566666777888888999
  89.00     14 . 000000011111222223333334444444444
 120.00     14 . 555555566666666677777777888888899999999999
 125.00     15 . 000000001111111122222222223333333333444444
 109.00     15 . 555555556666666677777777888888899999999
  75.00     16 . 000000111111222222333344 44
  27.00     16 . 555666789
  10.00     17 . 12&
   4.00     17 . 6&
   4.00 Extremes    (>=178)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01: Mean		112.9261	.35626
95% Confidence Inte for Mean	Lower Bound	112.2266	
	Upper Bound	113.6256	
5% Trimmed Mean		112.9615	
Median		113.0000	
Variance		84.147	
Std. Deviation		9.17317	
Minimum		79.00	
Maximum		139.00	
Range		60.00	
Interquartile Range		12.0000	
Skewness		-.031	.095
Kurtosis		.135	.190

Descriptives

		Statistic	Std. Error
A20_01: Mean		150.1765	.39568
95% Confidence Inte for Mean	Lower Bound	149.3995	
	Upper Bound	150.9534	
5% Trimmed Mean		150.1578	
Median		150.0000	
Variance		103.801	
Std. Deviation		10.18828	
Minimum		121.00	
Maximum		182.00	
Range		61.00	
Interquartile Range		14.0000	
Skewness		.011	.095
Kurtosis		-.029	.190

N=5,000

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<34)
   3.00      3 . 5
   6.00      3 . 77&
  12.00      3 . 88899
  32.00      4 . 00000011111111
  42.00      4 . 22222222233333333333
  62.00      4 . 44444444444445555555555555555
  88.00      4 . 66666666666666666666677777777777777777777
  81.00      4 . 88888888888888888999999999999999999999
  63.00      5 . 000000000000111111111111111111
  84.00      5 . 222222222222222222222222333333333333333333
  59.00      5 . 44444444444444445555555555555
  49.00      5 . 66666666666666677777777
  35.00      5 . 88888888888999999
  17.00      6 . 00000011
  17.00      6 . 22222333
   5.00      6 . 45
   4.00 Extremes    (>=66)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A5_02



A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<76)
   2.00      7 . &
  20.00      8 . 2344&
  37.00      8 . 677788899&
 110.00      9 . 00000011111222222333344444
 141.00      9 . 55555555566666777777788888889999999
 147.00     10 . 000000001111112222222333333344444444
 119.00     10 . 55555666666677777777788889999
  57.00     11 . 0001112223344
  22.00     11 . 56789
   6.00     12 . 2&
   1.00 Extremes    (>=124)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_02



Descriptives

			Statistic	Std. Error
A5_02	Mean		49.8793	.24346
	95% Confidence Inter for Mean	Lower Bound	49.4013	
		Upper Bound	50.3574	
	5% Trimmed Mean		49.8391	
	Median		50.0000	
	Variance		39.297	
	Std. Deviation		6.26870	
	Minimum		26.00	
	Maximum		70.00	
	Range		44.00	
	Interquartile Range		8.0000	
	Skewness		.081	.095
	Kurtosis		.077	.190

Descriptives

			Statistic	Std. Error
A10_02	Mean		100.1750	.32526
	95% Confidence Int for Mean	Lower Bound	99.5363	
		Upper Bound	100.8136	
	5% Trimmed Mean		100.1271	
	Median		100.0000	
	Variance		70.142	
	Std. Deviation		8.37506	
	Minimum		76.00	
	Maximum		124.00	
	Range		48.00	
	Interquartile Range		12.0000	
	Skewness		.063	.095
	Kurtosis		-.211	.190

N=5,000

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<120)
   6.00      12 . 9&
  25.00      13 . 223344&
  48.00      13 . 566677888899
 102.00      14 . 000111112222333333444444
 136.00      14 . 555555555666666777777788889999999
 139.00      15 . 000000011112222222223333334444444
 105.00      15 . 555556666666777778888899999
  59.00      16 . 000011122233444
  25.00      16 . 56677&
   8.00      17 . 3&
   9.00 Extremes    (>=174)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<164)
   6.00      17 . 23&
  12.00      17 . 578&
  45.00      18 . 00111222333444
  50.00      18 . 55566677778889999
  90.00      19 . 000000011112222222233333344444
 128.00      19 . 555555555566666677777777788888888899999999
 112.00      20 . 000000000111111122222222233333333344444
  96.00      20 . 555555666667777777888888888999999
  63.00      21 . 000011111222223334444
  28.00      21 . 555566678&
  18.00      22 . 001234
   9.00      22 . 5678
   5.00 Extremes    (>=230)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_02



Normal Q-Q Plot of A20_02



Descriptives

		Statistic	Std. Error
A15_02 Mean		150.1569	.36330
95% Confidence Inte for Mean	Lower Bound	149.4435	
	Upper Bound	150.8702	
5% Trimmed Mean		150.0551	
Median		150.0000	
Variance		87.507	
Std. Deviation		9.35452	
Minimum		120.00	
Maximum		182.00	
Range		62.00	
Interquartile Range		12.0000	
Skewness		.164	.095
Kurtosis		.112	.190

Descriptives

		Statistic	Std. Error
A20_02 Mean		199.7496	.43966
95% Confidence I for Mean	Lower Bound	198.8863	
	Upper Bound	200.6129	
5% Trimmed Mean		199.6215	
Median		199.0000	
Variance		128.161	
Std. Deviation		11.32081	
Minimum		164.00	
Maximum		240.00	
Range		76.00	
Interquartile Range		15.0000	
Skewness		.123	.095
Kurtosis		.179	.190

N=5,000

A5_025 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	4 . &
3.00	4 . 6&
9.00	4 . 8889
12.00	5 . 00111
24.00	5 . 223333333333
32.00	5 . 44444555555555
60.00	5 . 666666666666777777777777777
66.00	5 . 888888888888888999999999999999
80.00	6 . 00000000000000000111111111111111111
86.00	6 . 22222222222222222222333333333333333333
84.00	6 . 44444444444444444444455555555555555555
65.00	6 . 66666666666666666677777777777777
61.00	6 . 88888888888888888999999999999
37.00	7 . 0000000001111111111
14.00	7 . 222233
16.00	7 . 4444555
9.00	7 . 6667
3.00	7 . 8&
1.00 Extremes	(>=83)

Stem width: 10.00

Each leaf: 2 case(s)

& denotes fractional leaves.

A10_025 Stem-and-Leaf Plot

Frequency	Stem & Leaf
5.00	10 . 3&
23.00	10 . 56789
47.00	11 . 000111123344
97.00	11 . 55566677778888889999999
133.00	12 . 0000000111111222223333344444444
151.00	12 . 5555555566666677777777788888889999999
116.00	13 . 00000001111112222222333334444
61.00	13 . 55556677778889
23.00	14 . 00123&
3.00	14 . &
4.00 Extremes	(>=149)

Stem width: 10.00

Each leaf: 4 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_025



Normal Q-Q Plot of A10_025



Descriptives

		Statistic	Std. Error
A5_025	Mean	62.4887	.23789
	95% Confidence Inte: for Mean — Lower Bound	62.0216	
	Upper Bound	62.9558	
	5% Trimmed Mean	62.4721	
	Median	62.0000	
	Variance	37.519	
	Std. Deviation	6.12529	
	Minimum	45.00	
	Maximum	83.00	
	Range	38.00	
	Interquartile Range	9.0000	
	Skewness	.022	.095
	Kurtosis	-.029	.190

Descriptives

		Statistic	Std. Error
A10_02	Mean	125.0739	.33717
	95% Confidence Ir for Mean — Lower Bound	124.4118	
	Upper Bound	125.7360	
	5% Trimmed Mean	125.1109	
	Median	125.0000	
	Variance	75.374	
	Std. Deviation	8.68180	
	Minimum	103.00	
	Maximum	151.00	
	Range	48.00	
	Interquartile Range	12.0000	
	Skewness	-.067	.095
	Kurtosis	-.109	.190

N=5,000

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<160)
   5.00      16 . 24&
   9.00      16 . 789&
  57.00      17 . 0011122222333334444
  62.00      17 . 55566666777778899999
 113.00      18 . 00000001111111111222222233333334444444
 122.00      18 . 5555555666666666677777778888888889999999
 114.00      19 . 000000001111111222222223333333344444444
  91.00      19 . 555555566666667777788888899999
  53.00      20 . 00001112223333444
  18.00      20 . 567789
  13.00      21 . 01234
   2.00 Extremes    (>=216)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<213)
   2.00      21 . 9
   9.00      22 . 1234
  17.00      22 . 567789
  47.00      23 . 011222333334444
  61.00      23 . 55556666777788899999
  74.00      24 . 00000111111222233334444
 103.00      24 . 555555555666666777777888888999999999
  94.00      25 . 000000111111222222333333334444444
  90.00      25 . 555555566666677777888889999999
  81.00      26 . 000000000111122222233333444
  38.00      26 . 5555678888999
  23.00      27 . 0112234
  17.00      27 . 5667899
   3.00      28 . &
   1.00 Extremes    (>=292)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_025



Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02: Mean		187.8431	.40603
95% Confidence Inte for Mean	Lower Bound	187.0459	
	Upper Bound	188.6404	
5% Trimmed Mean		187.7991	
Median		188.0000	
Variance		109.302	
Std. Deviation		10.45474	
Minimum		157.00	
Maximum		216.00	
Range		59.00	
Interquartile Range		14.0000	
Skewness		.000	.095
Kurtosis		-.175	.190

Descriptives

		Statistic	Std. Error
A20_02: Mean		250.2519	.49833
95% Confidence Inte for Mean	Lower Bound	249.2734	
	Upper Bound	251.2304	
5% Trimmed Mean		250.2495	
Median		250.0000	
Variance		164.645	
Std. Deviation		12.83140	
Minimum		209.00	
Maximum		292.00	
Range		83.00	
Interquartile Range		18.0000	
Skewness		-.022	.095
Kurtosis		-.100	.190

N=5,000

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<53)
   4.00      5 . 9&
  43.00      6 . 00122333444
  99.00      6 . 555666667777788888889999
 173.00      7 . 00000111111112222222233333333444444444444
 165.00      7 . 555556666666677777777778888888889999999
 125.00      8 . 00000000011111122222333334444
  47.00      8 . 55566677789
   5.00      9 . &
   1.00 Extremes    (>=95)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

A10_03 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<123)
   8.00      12 . 789&
  23.00      13 . 0112334
  53.00      13 . 555666777778888999
 112.00      14 . 00000000111111222223333333334444444
 132.00      14 . 555555555666666667777777778888888888999999
 127.00      15 . 00000000111111122222222223333333344444444
 112.00      15 . 555555556666666677777777778888888999
  47.00      16 . 001122223333344
  35.00      16 . 555556667789
   8.00      17 . 01&
   4.00 Extremes    (>=176)

Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_03



Normal Q-Q Plot of A10_03



Descriptives

		Statistic	Std. Error
A5_03	Mean	74.9457	.26600
	95% Confidence In Lower Bound for Mean	74.4234	
	Upper Bound	75.4680	
	5% Trimmed Mean	74.9785	
	Median	75.0000	
	Variance	46.912	
	Std. Deviation	6.84927	
	Minimum	53.00	
	Maximum	95.00	
	Range	42.00	
	Interquartile Range	10.0000	
	Skewness	-.092	.095
	Kurtosis	-.277	.190

Descriptives

		Statistic	Std. Error
A10_03	Mean	149.7541	.36917
	95% Confidence Inte Lower Bound for Mean	149.0293	
	Upper Bound	150.4790	
	5% Trimmed Mean	149.7369	
	Median	150.0000	
	Variance	90.358	
	Std. Deviation	9.50568	
	Minimum	122.00	
	Maximum	180.00	
	Range	58.00	
	Interquartile Range	13.0000	
	Skewness	.075	.095
	Kurtosis	-.052	.190

N=5,000

A15_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  1.00 Extremes    (=<192)
  2.00     19 . 4
  7.00     19 . 68&
 26.00     20 . 11223344&
 37.00     20 . 55566778889999
 56.00     21 . 00111222333334444
 88.00     21 . 55555666667777788888889999999
117.00     22 . 000000111111122222222233333334444444
112.00     22 . 5555555556666667777778888889999999999
 87.00     23 . 000000011111112222333334444444
 78.00     23 . 555555566666677778888899999
 30.00     24 . 0012233344
 12.00     24 . 5679&
  6.00     25 . 012
  1.00     25 . &
  3.00 Extremes    (>=256)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A15_03



A20_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  5.00 Extremes    (=<264)
   .00     26 .
  3.00     26 . &
 11.00     27 . 0344&
 17.00     27 . 577899&
 34.00     28 . 00112234444
 76.00     28 . 5556666777778888889999999
 87.00     29 . 000001111122223333334444444
 98.00     29 . 55555666666677777788888889999999
 91.00     30 . 000000001111122222333333344444444
 92.00     30 . 5555556666677777788888889999999
 52.00     31 . 001112222333334444
 60.00     31 . 555556667777788888899
 19.00     32 . 001224&
 13.00     32 . 5579&
  3.00     33 . &
  2.00 Extremes    (>=338)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A15_03 Mean		224.2775	.44777
95% Confidence Inte for Mean	Lower Bound	223.3983	
	Upper Bound	225.1568	
5% Trimmed Mean		224.3153	
Median		224.0000	
Variance		132.932	
Std. Deviation		11.52961	
Minimum		192.00	
Maximum		261.00	
Range		69.00	
Interquartile Range		16.0000	
Skewness		-.062	.095
Kurtosis		-.075	.190

Descriptives

		Statistic	Std. Error
A20_03 Mean		299.8477	.50489
95% Confidence Inte for Mean	Lower Bound	298.8563	
	Upper Bound	300.8390	
5% Trimmed Mean		299.9466	
Median		300.0000	
Variance		169.005	
Std. Deviation		13.00021	
Minimum		256.00	
Maximum		341.00	
Range		85.00	
Interquartile Range		18.0000	
Skewness		-.081	.095
Kurtosis		.087	.190

N=5,000

A5_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<66)
   3.00      6 . &
  20.00      7 . 1234&
  71.00      7 . 56667777889999
 123.00      8 . 000111112222223333334444
 204.00      8 . 55555555666666667777777788888888889999999
 135.00      9 . 000000001111111222233334444
  69.00      9 . 555566667778899
  27.00     10 . 00123&
   2.00     10 . &
   7.00 Extremes    (>=106)
Stem width:    10.00
Each leaf:     5 case(s)
& denotes fractional leaves.
```

A10_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<148)
   6.00     14 . 99
  19.00     15 . 022334&
  26.00     15 . 56678899
  54.00     16 . 001111112223333444
  91.00     16 . 55556666666777777888889999999
 125.00     17 . 0000000001111111222222223333333344444444444
 133.00     17 . 5555555556666666677777777778888888889999999999
 103.00     18 . 000000000011111112222223333334444444
  59.00     18 . 55555666667788889999
  26.00     19 . 001123334
  13.00     19 . 5788&
   1.00     20 . &
   2.00 Extremes    (>=201)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_035



Normal Q-Q Plot of A10_035



Descriptives

		Statistic	Std. Error
A5_035 Mean		87.2956	.28594
95% Confidence Inte for Mean	Lower Bound	86.7342	
	Upper Bound	87.8571	
5% Trimmed Mean		87.2391	
Median		87.0000	
Variance		54.209	
Std. Deviation		7.36265	
Minimum		63.00	
Maximum		112.00	
Range		49.00	
Interquartile Range		10.0000	
Skewness		.116	.095
Kurtosis		.336	.190

Descriptives

		Statistic	Std. Error
A10_03: Mean		174.2459	.40620
95% Confidence Inte for Mean	Lower Bound	173.4483	
	Upper Bound	175.0434	
5% Trimmed Mean		174.3725	
Median		175.0000	
Variance		109.394	
Std. Deviation		10.45917	
Minimum		144.00	
Maximum		202.00	
Range		58.00	
Interquartile Range		13.0000	
Skewness		-.195	.095
Kurtosis		.017	.190

N=5,000

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<224)
   3.00     23 .  &
   6.00     23 .  57&
  23.00     24 .  0122334
  42.00     24 .  55667778899999
  74.00     25 .  00000111122222333333344444
 105.00     25 .  555555566666777778888888888999999
  97.00     26 .  00000011111122222233334444444444
 102.00     26 .  555555556666667777777788888888899999
  88.00     27 .  00000000111112222222333344444
  58.00     27 .  55555666777788889999
  36.00     28 .  00001112234
  17.00     28 .  567788
   5.00     29 .  01
   3.00     29 .  7
   2.00 Extremes    (>=300)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<312)
    .00     31 .
   3.00     31 .  &
   9.00     32 .  23&
  16.00     32 .  57899&
  48.00     33 .  0111222233354444
  66.00     33 .  555556666777788889999
  69.00     34 .  00001111122223333444444
 109.00     34 .  555556666666667777777888888889999999999
  97.00     35 .  00000000111111122222223333344444
  75.00     35 .  555556666667777778888899
  67.00     36 .  00001111122222233334444
  50.00     36 .  55566677778889999
  29.00     37 .  00111234444
  18.00     37 .  556789
   2.00     38 .  &
   3.00     38 .  5&
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A15_03: Mean		263.5762	.46801
95% Confidence Inte for Mean	Lower Bound	262.6572	
	Upper Bound	264.4951	
5% Trimmed Mean		263.5494	
Median		264.0000	
Variance		145.220	
Std. Deviation		12.05074	
Minimum		221.00	
Maximum		306.00	
Range		85.00	
Interquartile Range		17.0000	
Skewness		.035	.095
Kurtosis		.193	.190

Descriptives

		Statistic	Std. Error
A20_035 Mean		350.3876	51660
95% Confidence Inter for Mean	Lower Bound	349.3850	
	Upper Bound	351.3902	
5% Trimmed Mean		350.3694	
Median		350.0000	
Variance		172.851	
Std. Deviation		13.14728	
Minimum		309.00	
Maximum		387.00	
Range		78.00	
Interquartile Range		19.0000	
Skewness		.031	.095
Kurtosis		-.240	190

N=5,000

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<79)
   1.00      8 . &
   4.00      8 . 2&
  10.00      8 . 4555
  17.00      8 . 66667777
  27.00      8 . 888889999999
  23.00      9 . 00000111111
  48.00      9 . 222222223333333333333
  58.00      9 . 444444444445555555555555
  69.00      9 . 666666666666667777777777777777
  58.00      9 . 888888888888899999999999
  78.00     10 . 000000000000000000001111111111111111
  61.00     10 . 2222222222222222223333333333
  52.00     10 . 4444444444444555555555555
  52.00     10 . 6666666666666677777777777
  37.00     10 . 888888888899999999
  25.00     11 . 000000111111
  12.00     11 . 22233
  10.00     11 . 44455
   8.00     11 . 6777
   5.00     11 . 99&
   4.00 Extremes    (>=120)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_04



A10_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<173)
   1.00     17 . &
  13.00     17 . 5789&
  28.00     18 . 011233444
  62.00     18 . 55566677778888999999
  89.00     19 . 00000111111122222233333344444
 126.00     19 . 555555666666666677777777778888889999999
 136.00     20 . 0000000000111111112222222223333333344444444
 103.00     20 . 5555555666666777777778888889999999
  61.00     21 . 00000111111222223344
  27.00     21 . 556677899
   9.00     22 . 0123
   3.00     22 . 5
   1.00 Extremes    (>=226)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		99.7632	.29763
	95% Confidence Inte for Mean	Lower Bound	99.1788	
		Upper Bound	100.3476	
	5% Trimmed Mean		99.7170	
	Median		100.0000	
	Variance		58.731	
	Std. Deviation		7.66351	
	Minimum		75.00	
	Maximum		124.00	
	Range		49.00	
	Interquartile Range		10.0000	
	Skewness		.060	.095
	Kurtosis		.136	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		199.4329	.38656
	95% Confidence Inter for Mean	Lower Bound	198.6739	
		Upper Bound	200.1919	
	5% Trimmed Mean		199.4958	
	Median		200.0000	
	Variance		99.071	
	Std. Deviation		9.95342	
	Minimum		164.00	
	Maximum		226.00	
	Range		62.00	
	Interquartile Range		13.0000	
	Skewness		-.138	.095
	Kurtosis		.033	.190

N=5,000

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<267)
   1.00     26 . &
  10.00     27 . 023&
  15.00     27 . 56789
  37.00     28 . 011122333444
  61.00     28 . 555566677788889999
  82.00     29 . 00011111122223333344444444
 113.00     29 . 5555555555666666777777888888899999999
  97.00     30 . 000001111111122222233333333344444
  95.00     30 . 555555566666666777778888888999999
  69.00     31 . 00000011122222233334444
  44.00     31 . 55566667788999
  23.00     32 . 0012234
   7.00     32 . 5&
   3.00     33 . 1&
   1.00 Extremes    (>=335)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<365)
   7.00     36 . 89&
  13.00     37 . 0344&
  21.00     37 . 5677899
  32.00     38 . 0112233444
  52.00     38 . 5556666667778889999
  87.00     39 . 000000111111222222333333444444
  94.00     39 . 5555556666666777777888888899999
  91.00     40 . 000001111112222223333344444444
  82.00     40 . 5555666667777777888888889999
  67.00     41 . 0000000111222223333334
  46.00     41 . 5556666777888899
  34.00     42 . 0001122234
  21.00     42 . 5566889&
   8.00     43 . 1&
   2.00     43 . 5
   4.00 Extremes    (>=437)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_04



Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A15_04	Mean	299.9819	.47517
	95% Confidence Int Lower Bound for Mean	299.0489	
	Upper Bound	300.9149	
	5% Trimmed Mean	300.1106	
	Median	300.0000	
	Variance	149.695	
	Std. Deviation	12.23497	
	Minimum	264.00	
	Maximum	335.00	
	Range	71.00	
	Interquartile Range	17.0000	
	Skewness	-.128	.095
	Kurtosis	-.067	.190

Descriptives

		Statistic	Std. Error
A20_04	Mean	401.1116	.54318
	95% Confidence Inter Lower Bound for Mean	400.0451	
	Upper Bound	402.1782	
	5% Trimmed Mean	401.1003	
	Median	401.0000	
	Variance	195.613	
	Std. Deviation	13.98617	
	Minimum	364.00	
	Maximum	439.00	
	Range	75.00	
	Interquartile Range	18.0000	
	Skewness	.037	.095
	Kurtosis	-.202	.190

N=5,000

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00      9 . &
  18.00      9 . 57899&
  70.00     10 . 00111222333344444
 141.00     10 . 555555566666777777778888888999999999
 168.00     11 . 00000011111112222222222333333333344444444
 141.00     11 . 555555555666666777777778888889999999
  81.00     12 . 00000011112222333344
  31.00     12 . 5566679&
   9.00     13 . 03&
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes   (=<196)
   1.00     19 . &
  10.00     20 . 124&
  30.00     20 . 5667788899
  73.00     21 . 00001112222233333444444
  83.00     21 . 555566667777788888888999999
 132.00     22 . 00000000111111222222222333333344444444444
 114.00     22 . 555555555566666777777778888888889999999
 103.00     23 . 00000000011111111122222233333344444
  60.00     23 . 5555666677788889999
  35.00     24 . 01112333344
  18.00     24 . 5567789
   1.00     25 . &
   1.00 Extremes   (>=259)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_045



Normal Q-Q Plot of A10_045



Descriptives

		Statistic	Std. Error
A5_045 Mean		112.6094	.28900
95% Confidence Int for Mean	Lower Bound	112.0419	
	Upper Bound	113.1768	
5% Trimmed Mean		112.5743	
Median		113.0000	
Variance		55.374	
Std. Deviation		7.44139	
Minimum		91.00	
Maximum		133.00	
Range		42.00	
Interquartile Range		11.0000	
Skewness		.058	.095
Kurtosis		-.194	.190

Descriptives

		Statistic	Std. Error
A10_045 Mean		224.8220	.40092
95% Confidence Inter for Mean	Lower Bound	224.0348	
	Upper Bound	225.6093	
5% Trimmed Mean		224.7869	
Median		225.0000	
Variance		106.569	
Std. Deviation		10.32325	
Minimum		194.00	
Maximum		259.00	
Range		65.00	
Interquartile Range		14.0000	
Skewness		.056	.095
Kurtosis		-.188	.190

N=5,000

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<302)
    .00     30 .
   4.00     30 . 8&
   9.00     31 . 0234&
  26.00     31 . 56677899
  37.00     32 . 0112223334444
  75.00     32 . 555555666677888889999999
 100.00     33 . 0000000111111112222222333333444444
 121.00     33 . 555555666666666677777777888888888888999999
  87.00     34 . 000000111112222233333333444444
  74.00     34 . 5555666666677777777889999
  72.00     35 . 000001111122223333344444
  36.00     35 . 556666677899
  10.00     36 . 123&
   5.00     36 . 68
   1.00     37 . &
   3.00 Extremes    (>=373)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_045



A20_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<411)
    .00     41.
   3.00     41 . &
   9.00     42 . 0124
  18.00     42 . 678899
  47.00     43 . 00011112233444
  59.00     43 . 5556667777888999999
  85.00     44 . 000011111222222233333344444444
  99.00     44 . 555555556666667777777888888999999
  85.00     45 . 000000111111222222333333334444
  82.00     45 . 5555555566666667777788899999
  63.00     46 . 00000111122233334444
  49.00     46 . 5555566667778889
  30.00     47 . 0012333444
  18.00     47 . 566899&
   5.00     48 . 4&
   6.00 Extremes    (>=488)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A15_045 Mean		338.1086	.47287
95% Confidence Inte for Mean	Lower Bound	337.1801	
	Upper Bound	339.0371	
5% Trimmed Mean		338.1832	
Median		338.0000	
Variance		148.251	
Std. Deviation		12.17584	
Minimum		291.00	
Maximum		379.00	
Range		88.00	
Interquartile Range		17.0000	
Skewness		-.062	.095
Kurtosis		.338	.190

Descriptives

		Statistic	Std. Error
A20_04. Mean		450.4781	.54897
95% Confidence Int for Mean	Lower Bound	449.4002	
	Upper Bound	451.5561	
5% Trimmed Mean		450.4098	
Median		450.0000	
Variance		199.809	
Std. Deviation		14.13537	
Minimum		398.00	
Maximum		498.00	
Range		100.00	
Interquartile Range		19.0000	
Skewness		.065	.095
Kurtosis		.444	.190

N=5,000

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<105)
   9.00     10 . 9&
  46.00     11 . 0012223344
 103.00     11 . 55556666677788888999
 137.00     12 . 00000111112222223333344444
 191.00     12 . 55555555666666677777777888888899999999
 106.00     13 . 00000111112222333344
  52.00     13 . 55556777899
  10.00     14 . 23&
   5.00 Extremes    (>=145)
Stem width:    10.00
Each leaf:     5 case(s)
& denotes fractional leaves.
```

A10_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<221)
   1.00     22 . &
  16.00     22 . 6778&
  27.00     23 . 012233444
  58.00     23 . 5556666777888889999
  85.00     24 . 00011111122222222333333344
 124.00     24 . 55555556666666667777777788888888888899999
 135.00     25 . 000000000111111122222222223333333344444444444
 101.00     25 . 55555555666666667777777888889999999
  55.00     26 . 000111112223333444
  34.00     26 . 56667778899
  14.00     27 . 0124
   2.00     27 . 6
   7.00 Extremes    (>=278)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_05



Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		124.8718	.29857
	95% Confidence Int for Mean	Lower Bound	124.2855	
		Upper Bound	125.4581	
	5% Trimmed Mean		124.8612	
	Median		125.0000	
	Variance		59.103	
	Std. Deviation		7.68784	
	Minimum		103.00	
	Maximum		149.00	
	Range		46.00	
	Interquartile Range		10.0000	
	Skewness		-.028	.095
	Kurtosis		-.071	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		250.0106	.41786
	95% Confidence Int for Mean	Lower Bound	249.1901	
		Upper Bound	250.8311	
	5% Trimmed Mean		249.9646	
	Median		250.0000	
	Variance		115.766	
	Std. Deviation		10.75945	
	Minimum		217.00	
	Maximum		290.00	
	Range		73.00	
	Interquartile Range		14.0000	
	Skewness		.105	.095
	Kurtosis		.414	.190

N=5,000

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<340)
   3.00      34 . 1&
  11.00      34 . 679&
  26.00      35 . 01223444
  34.00      35 . 556688889999
  48.00      36 . 0011112222333444
 106.00      36 . 555555666666667777777788888899999
 103.00      37 . 000000001111122222223333334444444444
  88.00      37 . 5555566666677777788888999999
 105.00      38 . 000000111111122222222223333334444444
  65.00      38 . 55555556666677788889999
  39.00      39 . 0000111234444
  18.00      39 . 55677&
  10.00      40 . 0123
   1.00      40 . &
   2.00 Extremes    (>=410)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<457)
   2.00      46 . 4
   8.00      46 . 789
  16.00      47 . 01234
  23.00      47 . 5566789
  38.00      48 . 0122333334444
  73.00      48 . 555566667777788888899999
  78.00      49 . 000011111222222233333344444
  77.00      49 . 5555566666777778888899999999
 112.00      50 . 00000001111111122222233333334444444444
  74.00      50 . 55566666677777888889999
  59.00      51 . 00000011122223333444
  45.00      51 . 555556677778899
  33.00      52 . 00112223344
  17.00      52 . 567899
   6.00      53 . 1&
   1.00      53 . &
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

		Statistic	Std. Error
A15_05	Mean	374.3544	.48169
	95% Confidence Inte Lower Bound for Mean	373.4086	
	Upper Bound	375.3003	
	5% Trimmed Mean	374.4729	
	Median	374.0000	
	Variance	153.833	
	Std. Deviation	12.40296	
	Minimum	337.00	
	Maximum	412.00	
	Range	75.00	
	Interquartile Range	17.0000	
	Skewness	-.135	.095
	Kurtosis	.006	.190

Descriptives

		Statistic	Std. Error
A20_05	Mean	499.6968	.54048
	95% Confidence Inter Lower Bound for Mean	498.6356	
	Upper Bound	500.7581	
	5% Trimmed Mean	499.7726	
	Median	500.0000	
	Variance	193.677	
	Std. Deviation	13.91678	
	Minimum	457.00	
	Maximum	537.00	
	Range	80.00	
	Interquartile Range	19.0000	
	Skewness	-.052	.095
	Kurtosis	-.242	.190

N=5,000

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00      11 .  &
  20.00      12 .  0234&
  74.00      12 .  556677777888889999
 126.00      13 .  000000011111122222233333344444
 178.00      13 .  55555555566666667777777778888888999999999
 138.00      14 .  000001111112222222222333333334444
  87.00      14 .  555555666777777788899
  29.00      15 .  0012334
   7.00      15 .  &&&

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

A10_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00 Extremes    (=<246)
   3.00      24 .  9&
  12.00      25 .  02334&
  27.00      25 .  556778999
  61.00      26 .  0001112222333344444
  96.00      26 .  555566667777778888888899999999
 122.00      27 .  00000000111111112222222222333333334444444
 105.00      27 .  555555666667777777788888888899999999
  96.00      28 .  000000001111111111222222333344
  73.00      28 .  555556666666777788888999
  42.00      29 .  00001112233344
  18.00      29 .  5566779
   1.00      30 .  &
   3.00 Extremes    (>=304)
Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_055



Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A5_055	Mean	137.5490	.29195
	95% Confidence Int Lower Bound for Mean	136.9758	
	Upper Bound	138.1223	
	5% Trimmed Mean	137.5274	
	Median	137.0000	
	Variance	56.511	
	Std. Deviation	7.51737	
	Minimum	116.00	
	Maximum	159.00	
	Range	43.00	
	Interquartile Range	11.0000	
	Skewness	.026	.095
	Kurtosis	-.249	.190

Descriptives

		Statistic	Std. Error
A10_055	Mean	275.1297	.41769
	95% Confidence Inter Lower Bound for Mean	274.3096	
	Upper Bound	275.9499	
	5% Trimmed Mean	275.2193	
	Median	275.0000	
	Variance	115.672	
	Std. Deviation	10.75509	
	Minimum	235.00	
	Maximum	308.00	
	Range	73.00	
	Interquartile Range	14.0000	
	Skewness	-.091	.095
	Kurtosis	.003	.190

N=5,000

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<376)
   7.00     38 . 24&
  16.00     38 . 68889&
  26.00     39 . 00112234
  42.00     39 . 5556677889999
  68.00     40 . 00011111222223333334444
 100.00     40 . 5555566777777778888888889999999
 105.00     41 . 000000011111122222233333334444444444
 100.00     41 . 5555555666666777777778888899999999
  69.00     42 . 000000111222233334444
  62.00     42 . 5555666666777778899999
  35.00     43 . 01122222334
  15.00     43 . 55678&&
   6.00     44 . 2&
   5.00     44 . 6&
   4.00 Extremes    (>=449)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_055



Descriptives

		Statistic	Std. Error
A15_055 Mean		413.0407	.50590
95% Confidence Inter for Mean	Lower Bound	412.0474	
	Upper Bound	414.0341	
5% Trimmed Mean		413.0371	
Median		413.0000	
Variance		169.686	
Std. Deviation		13.02634	
Minimum		371.00	
Maximum		454.00	
Range		83.00	
Interquartile Range		17.0000	
Skewness		.005	.095
Kurtosis		.157	.190

A20_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<514)
    .00     51 .
  11.00     51 . 689&
  11.00     52 . 0334&
  22.00     52 . 56777889
  39.00     53 . 0011223333344
  67.00     53 . 556666677777888889999
  89.00     54 . 000011111122222223333333334444
  97.00     54 . 5555666666667777777888888888999999
  83.00     55 . 000000011111222233333444444444
  79.00     55 . 5555566667777778888888899999
  67.00     56 . 00000111111222233344
  46.00     56 . 5555566777888889
  27.00     57 . 00112224&
  12.00     57 . 5568&
   8.00     58 . 04&
   2.00 Extremes    (>=590)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A20_05: Mean		549.5641	.53401
95% Confidence Inte for Mean	Lower Bound	548.5155	
	Upper Bound	550.6127	
5% Trimmed Mean		549.6316	
Median		549.0000	
Variance		189.065	
Std. Deviation		13.75009	
Minimum		509.00	
Maximum		590.00	
Range		81.00	
Interquartile Range		18.0000	
Skewness		-.032	.095
Kurtosis		-.106	.190

N=5,000

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<130)
    .00    13 .
   7.00    13 . 233
   9.00    13 . 4455
   9.00    13 . 6777
  22.00    13 . 8888889999
  35.00    14 . 00000000011111111
  41.00    14 . 22222222333333333333
  45.00    14 . 444444444455555555555
  71.00    14 . 66666666666677777777777777777777
  77.00    14 . 88888888888888888888999999999999999999
  74.00    15 . 0000000000000000000011111111111111111111
  57.00    15 . 222222222222222333333333333333
  50.00    15 . 44444444444445555555555555
  42.00    15 . 666666666666777777777
  54.00    15 . 888888888889999999999999999
  21.00    16 . 0000011111
  20.00    16 . 2222233333
  10.00    16 . 44445
   7.00    16 . 667
   4.00    16 . 8&
   3.00 Extremes    (>=170)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		150.0166	.29548
	95% Confidence Inte for Mean	Lower Bound	149.4364	
		Upper Bound	150.5968	
	5% Trimmed Mean		150.0383	
	Median		150.0000	
	Variance		57.886	
	Std. Deviation		7.60831	
	Minimum		126.00	
	Maximum		174.00	
	Range		48.00	
	Interquartile Range		10.0000	
	Skewness		-.021	.095
	Kurtosis		.026	.190

A10_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<272)
   1.00    27 . &
  16.00    27 . 567889
  31.00    28 . 0012334444
  57.00    28 . 5556667777888889999
  86.00    29 . 00000111112222223333333344444
 129.00    29 . 555555556666666677777777788888888899999999999
 126.00    30 . 000000000011111112222222223333333334444444
  92.00    30 . 5555555666666777777888888899999
  76.00    31 . 00000111111222333334444
  32.00    31 . 5557778889&
  10.00    32 . 023&
   2.00    32 . &
   1.00 Extremes    (>=332)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A10_06	Mean		299.6923	.40151
	95% Confidence Inte for Mean	Lower Bound	298.9039	
		Upper Bound	300.4807	
	5% Trimmed Mean		299.7891	
	Median		300.0000	
	Variance		106.881	
	Std. Deviation		10.33833	
	Minimum		269.00	
	Maximum		332.00	
	Range		63.00	
	Interquartile Range		14.0000	
	Skewness		-.110	.095
	Kurtosis		-.116	.190

N=5,000

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   1.00 Extremes    (=<414)
   9.00     42 .  234&
  12.00     42 .  779&
  42.00     43 .  00011222333444
  62.00     43 .  556667777788888899999
 105.00     44 .  000000011111112222233333344444444
 103.00     44 .  555666666777777778888888999999999
 103.00     45 .  000000001111122222223333333444444
  79.00     45 .  5555566666666777788888889999
  68.00     46 .  00000111112222222333344
  42.00     46 .  55555677788899
  26.00     47 .  0011123344
   8.00     47 .  56&
   2.00     48 .  &
   1.00 Extremes    (>=490)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<560)
   2.00     56 .  3
   3.00     56 .  &
  12.00     57 .  0124
  27.00     57 .  567788889
  43.00     58 .  00011222333444
  57.00     58 .  555667778888899999
  71.00     59 .  000001112222233334444444
  93.00     59 .  555555666666777777888888899999
 100.00     60 .  0000000001111112222333333333344444
  83.00     60 .  5555566666677777778888889999
  72.00     61 .  000011111122222333334444
  49.00     61 .  5556666778888999
  28.00     62 .  0000112234
  10.00     62 .  5699&
   8.00     63 .  01&
   1.00     63 .  &
   2.00 Extremes    (>=639)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_06



Normal Q-Q Plot of A20_06



Descriptives

			Statistic	Std. Error
A15_06	Mean		449.8703	.46033
	95% Confidence Inter for Mean	Lower Bound	448.9664	
		Upper Bound	450.7742	
	5% Trimmed Mean		449.8188	
	Median		449.0000	
	Variance		140.494	
	Std. Deviation		11.85300	
	Minimum		414.00	
	Maximum		490.00	
	Range		76.00	
	Interquartile Range		17.0000	
	Skewness		.094	.095
	Kurtosis		-.220	.190

Descriptives

			Statistic	Std. Error
A20_06	Mean		600.1855	.53197
	95% Confidence Ir for Mean	Lower Bound	599.1410	
		Upper Bound	601.2301	
	5% Trimmed Mean		600.2667	
	Median		600.0000	
	Variance		187.623	
	Std. Deviation		13.69754	
	Minimum		546.00	
	Maximum		640.00	
	Range		94.00	
	Interquartile Range		19.0000	
	Skewness		-.132	.095
	Kurtosis		.080	.190

N=5,000

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   7.00 Extremes    (=<143)
    .00     14 .
  18.00     14 . 7899&
  66.00     15 . 0011122333344444
 132.00     15 . 55566666777777888888888999999999
 178.00     16 . 00000000001111111122222222333333334444444444
 136.00     16 . 5555555555666666777777778888888999
  90.00     17 . 00000011111222233344 4
  30.00     17 . 556789
   3.00     18 . &
   3.00 Extremes    (>=185)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<296)
   4.00     29 . 7&
   6.00     30 . 4&
  34.00     30 . 555677788999
  60.00     31 . 00111112222333334444
  87.00     31 . 555556666667777778888889999999
 121.00     32 . 000000111111122222222233333333344444444444
 130.00     32 . 5555555566666666667777777788888888889999999999
  83.00     33 . 00000011111112222333334444 4
  73.00     33 . 555555556666667788888999
  41.00     34 . 0000011223334
  17.00     34 . 55669&
   2.00     35 . &
   2.00 Extremes    (>=356)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065 Mean		162.6214	.29042
95% Confidence Int for Mean	Lower Bound	162.0512	
	Upper Bound	163.1917	
5% Trimmed Mean		162.6366	
Median		162.0000	
Variance		55.918	
Std. Deviation		7.47786	
Minimum		141.00	
Maximum		188.00	
Range		47.00	
Interquartile Range		10.0000	
Skewness		.007	.095
Kurtosis		.166	.190

Descriptives

		Statistic	Std. Error
A10_065 Mean		325.1523	.40909
95% Confidence Inter for Mean	Lower Bound	324.3491	
	Upper Bound	325.9556	
5% Trimmed Mean		325.1925	
Median		325.0000	
Variance		110.957	
Std. Deviation		10.53362	
Minimum		294.00	
Maximum		357.00	
Range		63.00	
Interquartile Range		15.0000	
Skewness		-.044	.095
Kurtosis		-.120	.190

N=5,000

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<454)
   3.00     45 . 8&
  18.00     46 . 134444&
  16.00     46 . 566889
  43.00     47 . 000112222333444
  75.00     47 . 555666667777777888999999999
  94.00     48 . 0000001111111222223333333344444
 117.00     48 . 555555556666667777777778888888888999999
 112.00     49 . 0000000000111111222222223333333344444
  84.00     49 . 555556666666667777788888889999
  50.00     50 . 00001111223334444
  33.00     50 . 55566677789
  10.00     51 . 002&
   6.00     51 . 5&
   1.00 Extremes    (>=523)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_065



A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  11.00 Extremes    (=<620)
   5.00     62 . 4&
  17.00     62 . 567889
  39.00     63 . 0012222333344
  59.00     63 . 55666666777788899999
  60.00     64 . 00001111222233344444
 129.00     64 . 555555555566666667777777778888888899999999999
 114.00     65 . 0000000000111111222222233333333344444
  83.00     65 . 555555666677777778888899999
  56.00     66 . 0001111222223334444
  41.00     66 . 55566677888999
  28.00     67 . 0011222234
  14.00     67 . 56789
   1.00     68 . &
   6.00 Extremes    (>=681)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_065



Descriptives

		Statistic	Std. Error
A15_065 Mean		487.7451	.44513
95% Confidence Inter for Mean	Lower Bound	486.8711	
	Upper Bound	488.6191	
5% Trimmed Mean		487.8178	
Median		488.0000	
Variance		131.365	
Std. Deviation		11.46148	
Minimum		454.00	
Maximum		523.00	
Range		69.00	
Interquartile Range		16.0000	
Skewness		-.056	.095
Kurtosis		-.074	.190

Descriptives

		Statistic	Std. Error
A20_06 Mean		650.2519	.49736
95% Confidence Int for Mean	Lower Bound	649.2753	
	Upper Bound	651.2285	
5% Trimmed Mean		650.2877	
Median		650.0000	
Variance		164.007	
Std. Deviation		12.80654	
Minimum		609.00	
Maximum		689.00	
Range		80.00	
Interquartile Range		15.0000	
Skewness		-.009	.095
Kurtosis		.140	.190

N=5,000

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00 Extremes    (=<156)
   4.00      15 .  &
  40.00      16 .  0112333444
 101.00      16 .  555666677777788888899999
 160.00      17 .  0000111111112222222333333333444444444
 170.00      17 .  555556666666666777777788888888899999999
 125.00      18 .  00000000011111112222233334444444
  46.00      18 .  55556677889
  11.00      19 .  02&
   1.00 Extremes    (>=196)
Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   3.00 Extremes    (=<323)
   1.00      32 .  &
  15.00      32 .  77899&
  29.00      33 .  012223444
  57.00      33 .  555666677778888999
  98.00      34 .  00000011111222222233333444444444
 124.00      34 .  555555666666666677777888888888999999999999
 130.00      35 .  0000000011111111122222222333333334444444444
 108.00      35 .  555555556666666777777788888888899999999
  53.00      36 .  00001111222223344
  27.00      36 .  555677789
  14.00      37 .  0012
   1.00      37 .  &
   3.00 Extremes    (>=376)
Stem width:     10.00
Each leaf:       3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_07



Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		175.1041	.27716
	95% Confidence Inter for Mean	Lower Bound	174.5599	
		Upper Bound	175.6483	
	5% Trimmed Mean		175.1544	
	Median		176.0000	
	Variance		50.930	
	Std. Deviation		7.13654	
	Minimum		153.00	
	Maximum		196.00	
	Range		43.00	
	Interquartile Range		10.0000	
	Skewness		-.134	.095
	Kurtosis		-.121	.190

Descriptives

			Statistic	Std. Error
A10_07	Mean		349.5505	.39008
	95% Confidence Inte for Mean	Lower Bound	348.7846	
		Upper Bound	350.3165	
	5% Trimmed Mean		349.5729	
	Median		350.0000	
	Variance		100.882	
	Std. Deviation		10.04402	
	Minimum		321.00	
	Maximum		379.00	
	Range		58.00	
	Interquartile Range		13.0000	
	Skewness		-.058	.095
	Kurtosis		-.124	.190

N=5,000

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<496)
   3.00      49 . 9
  13.00      50 . 0234&
  33.00      50 . 56667778899
  62.00      51 . 00000111111233334444
  83.00      51 . 55566666677777778888888889999
 109.00      52 . 0000011111111122222333333333344444444
 119.00      52 . 55555555556666666667777777778888888999999
 108.00      53 . 000000001111112222222223333333344444
  64.00      53 . 5555666677778889999999
  37.00      54 . 0000011122344
  17.00      54 . 56789
   7.00      55 . 01&
   2.00 Extremes    (>=555)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<664)
   4.00      66 . 7&
   8.00      67 . 234
  11.00      67 . 679&
  43.00      68 . 001111223333444
  67.00      68 . 55566667777788889999999
  94.00      69 . 00000011111122222222333334444444
  91.00      69 . 55555556666667777788888889999999
 110.00      70 . 0000000011111111222222233333444444
  90.00      70 . 55555666666777777778888899999
  53.00      71 . 00000112222233344444
  45.00      71 . 5555667778888899
  22.00      72 . 00011224
  14.00      72 . 5669&
   4.00      73 . 3&
   4.00 Extremes    (>=734)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_07



Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	525.0422	.43539
	95% Confidence Int Lower Bound for Mean	524.1873	
	Upper Bound	525.8972	
	5% Trimmed Mean	525.0924	
	Median	525.0000	
	Variance	125.684	
	Std. Deviation	11.21089	
	Minimum	490.00	
	Maximum	556.00	
	Range	66.00	
	Interquartile Range	15.0000	
	Skewness	-.110	.095
	Kurtosis	-.024	.190

Descriptives

		Statistic	Std. Error
A20_07	Mean	699.9351	.49404
	95% Confidence Inte Lower Bound for Mean	698.9651	
	Upper Bound	700.9052	
	5% Trimmed Mean	699.8487	
	Median	700.0000	
	Variance	161.822	
	Std. Deviation	12.72093	
	Minimum	660.00	
	Maximum	739.00	
	Range	79.00	
	Interquartile Range	17.0000	
	Skewness	.107	.095
	Kurtosis	.089	.190

N=5,000

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<169)
   3.00      17 . 1&
   6.00      17 . 23
  14.00      17 . 444555
  24.00      17 . 666666777777
  41.00      17 . 88888889999999999999
  45.00      18 . 000000000111111111111
  50.00      18 . 22222222222233333333333
  70.00      18 . 4444444444444555555555555555555555
  73.00      18 . 6666666666666667777777777777777777
  97.00      18 . 88888888888888888888888999999999999999999999
  70.00      19 . 0000000000000000011111111111111111
  55.00      19 . 2222222222222333333333333
  32.00      19 . 444445555555555
  35.00      19 . 6666666777777777
  19.00      19 . 88888999999
  15.00      20 . 0000111
   6.00      20 . 22&
   3.00      20 . 4&
   2.00 Extremes    (>=206)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_075



A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<348)
   1.00      34 . &
   5.00      35 . &
  24.00      35 . 67899&
  63.00      36 . 00011222333444
 101.00      36 . 555566667777788888899999
 134.00      37 . 0000001111112222222333333444444444
 142.00      37 . 55555556666667777788888888999999999
  97.00      38 . 00001111112222223334444
  63.00      38 . 555566666777889
  20.00      39 . 1123&
   9.00      39 . 5&
   2.00 Extremes    (>=401)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_075



Descriptives

			Statistic	Std. Error
A5_075	Mean		187.2745	.26223
	95% Confidence Inter for Mean	Lower Bound	186.7596	
		Upper Bound	187.7894	
	5% Trimmed Mean		187.2679	
	Median		188.0000	
	Variance		45.592	
	Std. Deviation		6.75220	
	Minimum		168.00	
	Maximum		206.00	
	Range		38.00	
	Interquartile Range		9.0000	
	Skewness		-.003	.095
	Kurtosis		-.134	.190

Descriptives

			Statistic	Std. Error
A10_07.	Mean		374.4917	.35578
	95% Confidence Int for Mean	Lower Bound	373.7931	
		Upper Bound	375.1903	
	5% Trimmed Mean		374.4841	
	Median		375.0000	
	Variance		83.924	
	Std. Deviation		9.16101	
	Minimum		347.00	
	Maximum		402.00	
	Range		55.00	
	Interquartile Range		13.0000	
	Skewness		-.024	.095
	Kurtosis		-.117	.190

A15_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00      53 . 9&
  26.00      54 . 12234444&
  47.00      54 . 556666778888999
  79.00      55 . 0000001111222222333344444
 108.00      55 . 555555566666666677777778888899999999
 118.00      56 . 00000000111111112222222223333333444444
 113.00      56 . 5555555566666667777777778888888899999
  83.00      57 . 000000000111111112222233344
  46.00      57 . 55566667778888899
  22.00      58 . 00112234
  10.00      58 . 578&
   3.00      59 . 0&
   2.00 Extremes    (>=594)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_075



A20_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<713)
   3.00      71 . 9&
  14.00      72 . 0234&
  16.00      72 . 567899
  25.00      73 . 01223344
  72.00      73 . 55566667777888899999999
  77.00      74 . 00111122222223333333444444
 100.00      74 . 5555555566666667777777778888889999
  99.00      75 . 000000000111111122222233334444444
  98.00      75 . 55555566666666677777888889999999
  67.00      76 . 00011111222222222333344
  52.00      76 . 5555666677778888899
  24.00      77 . 00012334
   7.00      77 . 57&
   6.00      78 . 01&
   1.00 Extremes    (>=787)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_07	Mean	562.2474	.41231
	95% Confidence Int Lower Bound for Mean	561.4378	
	Upper Bound	563.0570	
	5% Trimmed Mean	562.1070	
	Median	562.0000	
	Variance	112.712	
	Std. Deviation	10.61660	
	Minimum	536.00	
	Maximum	598.00	
	Range	62.00	
	Interquartile Range	15.0000	
	Skewness	.163	.095
	Kurtosis	-.179	.190

Descriptives

		Statistic	Std. Error
A20_07	Mean	750.3771	.48445
	95% Confidence Ir Lower Bound for Mean	749.4258	
	Upper Bound	751.3283	
	5% Trimmed Mean	750.5131	
	Median	750.0000	
	Variance	155.601	
	Std. Deviation	12.47401	
	Minimum	706.00	
	Maximum	787.00	
	Range	81.00	
	Interquartile Range	17.0000	
	Skewness	-.117	.095
	Kurtosis	.015	.190

N=5,000

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   .00       18 .
  3.00       18 . 3&
  7.00       18 . 445
 12.00       18 . 66777
 24.00       18 . 888888899999
 28.00       19 . 00001111111111
 44.00       19 . 22222222333333333333
 52.00       19 . 4444444444444555555555
 64.00       19 . 6666666666666777777777777777
 87.00       19 . 888888888888888999999999999999999999999
 81.00       20 . 000000000000000000000111111111111111111
 82.00       20 . 2222222222222222222253333333333333333333
 60.00       20 . 444444444444444555555555555
 43.00       20 . 6666666666666777777
 40.00       20 . 8888888888888999999
 19.00       21 . 000001111
  9.00       21 . 2233
  6.00       21 . 44&
  2.00       21 . &
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  5.00 Extremes    (=<376)
  6.00       37 . &
 20.00       38 . 1234&
 45.00       38 . 5566778899
 97.00       39 . 000001112222233334444444
139.00       39 . 5555555566666777777888888899999999999
160.00       40 . 0000000001111112222222233333344444444444
103.00       40 . 5555556666667777788888999999
 61.00       41 . 000111222333444
 23.00       41 . 55689&
  2.00       42 . &
  2.00 Extremes    (>=424)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

			Statistic	Std. Error
A5_08	Mean		199.5762	.24738
	95% Confidence Inte for Mean	Lower Bound	199.0904	
		Upper Bound	200.0619	
	5% Trimmed Mean		199.6234	
	Median		200.0000	
	Variance		40.574	
	Std. Deviation		6.36976	
	Minimum		182.00	
	Maximum		217.00	
	Range		35.00	
	Interquartile Range		9.0000	
	Skewness		-.126	.095
	Kurtosis		-.223	.190

Descriptives

			Statistic	Std. Error
A10_08	Mean		399.7964	.34363
	95% Confidence Inter for Mean	Lower Bound	399.1216	
		Upper Bound	400.4711	
	5% Trimmed Mean		399.9449	
	Median		400.0000	
	Variance		78.289	
	Std. Deviation		8.84812	
	Minimum		361.00	
	Maximum		425.00	
	Range		64.00	
	Interquartile Range		12.0000	
	Skewness		-.269	.095
	Kurtosis		.415	.190

N=5,000

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

  10.00 Extremes    (=<574)
    .00     57 .
  10.00     57 . 6789&
  17.00     58 . 001234
  48.00     58 . 5566677788888999
  94.00     59 . 00011111122222222233333344444444
 138.00     59 . 555555566666666677777777778888888889999999999
 130.00     60 . 0000000111111111122222222223333333444444444
  94.00     60 . 5555555666666677777778888999999
  70.00     61 . 00000111112222233344444
  36.00     61 . 555666777889
  12.00     62 . 0012&
   4.00 Extremes    (>=627)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A15_08



Descriptives

		Statistic	Std. Error
A15_08 Mean		600.2383	.39490
95% Confidence Int for Mean	Lower Bound	599.4629	
	Upper Bound	601.0137	
5% Trimmed Mean		600.4156	
Median		600.0000	
Variance		103.390	
Std. Deviation		10.16810	
Minimum		564.00	
Maximum		630.00	
Range		66.00	
Interquartile Range		13.0000	
Skewness		-.191	.095
Kurtosis		.359	.190

A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<770)
   4.00     77 . &
  12.00     77 . 68899
  37.00     78 . 0011122233344
  53.00     78 . 5556666778888889999
  83.00     79 . 00000011112222223333333444444
 115.00     79 . 555555666666667777777788888888999999999
 119.00     80 . 0000000001111111122222222333334444444444
  89.00     80 . 5555566666777777888888888899999
  90.00     81 . 000000001111122222222233344444
  31.00     81 . 5556677899
  17.00     82 . 001234
   8.00     82 . 567
   1.00     83 . &

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_08



Descriptives

		Statistic	Std. Error
A20_08 Mean		800.3137	.43190
95% Confidence In for Mean	Lower Bound	799.4657	
	Upper Bound	801.1618	
5% Trimmed Mean		800.3790	
Median		800.0000	
Variance		123.672	
Std. Deviation		11.12078	
Minimum		762.00	
Maximum		830.00	
Range		68.00	
Interquartile Range		15.0000	
Skewness		-.152	.095
Kurtosis		-.087	.190

N=5,000

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   8.00 Extremes    (=<198)
   1.00     19 . &
   5.00     20 . 01
  22.00     20 . 2222223333
  34.00     20 . 4444444445555555
  40.00     20 . 6666677777777777777
  70.00     20 . 8888888888888888999999999999999
  95.00     21 . 00000000000000000011111111111111111111111
  86.00     21 . 2222222222222222223333333333333333333333
  98.00     21 . 4444444444444444444444444555555555555555555555
  85.00     21 . 6666666666666666666667777777777777777777
  57.00     21 . 8888888888888888999999999999
  31.00     22 . 000000011111111
  18.00     22 . 222223333
   8.00     22 . 4445
   1.00     22 . &
   4.00 Extremes    (>=227)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<407)
   9.00     40 . 89
  36.00     41 . 011223344
  86.00     41 . 55566777778888899999
 159.00     42 . 000000111111112222222233333333334444444
 173.00     42 . 5555555666666667777777777888888888899999999
 125.00     43 . 000000000111122222223333334444
  52.00     43 . 555566778899
  11.00     44 . 012&
   3.00 Extremes    (>=444)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_085



Normal Q-Q Plot of A10_085



Descriptives

			Statistic	Std. Error
A5_085	Mean		212.6003	.21589
	95% Confidence Inter for Mean	Lower Bound	212.1764	
		Upper Bound	213.0242	
	5% Trimmed Mean		212.6771	
	Median		213.0000	
	Variance		30.902	
	Std. Deviation		5.55895	
	Minimum		189.00	
	Maximum		230.00	
	Range		41.00	
	Interquartile Range		7.0000	
	Skewness		-.282	.095
	Kurtosis		.585	.190

Descriptives

			Statistic	Std. Error
A10_085	Mean		425.2112	.28974
	95% Confidence Inter for Mean	Lower Bound	424.6422	
		Upper Bound	425.7801	
	5% Trimmed Mean		425.3069	
	Median		426.0000	
	Variance		55.659	
	Std. Deviation		7.46051	
	Minimum		399.00	
	Maximum		449.00	
	Range		50.00	
	Interquartile Range		9.0000	
	Skewness		-.194	.095
	Kurtosis		.085	.190

N=5,000

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<613)
   2.00      61 . &
  14.00      61 . 99&
  30.00      62 . 12344&
  76.00      62 . 5556666667777888999
 122.00      63 . 00000011111122222233334444444
 161.00      63 . 555556666666667777788888888889999999999
 111.00      64 . 000000111122222223333334444
  96.00      64 . 555555666666777778889999
  32.00      65 . 00112234
  11.00      65 . 7&&
   5.00 Extremes    (>=661)
Stem width:    10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<822)
    .00      82 .
  14.00      82 . 5789&
  19.00      83 . 0112334
  66.00      83 . 555667778888899999999
  98.00      84 . 00000011111222223333333344444444
 108.00      84 . 555555666666677777778888888899999999
 134.00      85 . 0000000000111111112222222223333333334444444
  92.00      85 . 555555666667777777778888889999
  70.00      86 . 0000000011111222233344444
  39.00      86 . 555666788899
  11.00      87 . 012
   2.00      87 . 6
   6.00 Extremes    (>=879)
Stem width:    10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_085



Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_085 Mean		637.2036	.34791
95% Confidence Inte for Mean	Lower Bound	636.5205	
	Upper Bound	637.8868	
5% Trimmed Mean		637.2095	
Median		638.0000	
Variance		80.250	
Std. Deviation		8.95824	
Minimum		609.00	
Maximum		666.00	
Range		57.00	
Interquartile Range		12.0000	
Skewness		-.016	.095
Kurtosis		.100	.190

Descriptives

		Statistic	Std. Error
A20_085 Mean		850.2112	.40697
95% Confidence Inter for Mean	Lower Bound	849.4120	
	Upper Bound	851.0103	
5% Trimmed Mean		850.2408	
Median		850.0000	
Variance		109.810	
Std. Deviation		10.47904	
Minimum		813.00	
Maximum		881.00	
Range		68.00	
Interquartile Range		14.0000	
Skewness		-.022	.095
Kurtosis		.247	.190

N=5,000

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<213)
    .00     21 .
   7.00     21 . 455
  22.00     21 . 66667777
  42.00     21 . 88888889999999
  72.00     22 . 000000000111111111111111
  81.00     22 . 222222222222333333333333
 113.00     22 . 44444444444444444555555555555555555
 128.00     22 . 666666666666666666666677777777777777777777
  95.00     22 . 888888888888888888888999999999999999
  48.00     23 . 0000000001111111
  34.00     23 . 22222223333
  12.00     23 . 4555
   5.00     23 . 66
   1.00 Extremes    (>=240)
Stem width:     10.00
Each leaf:      3 case(s)
```



Descriptives

			Statistic	Std. Error
A5_09	Mean		225.0980	.17428
	95% Confidence Int for Mean	Lower Bound	224.7558	
		Upper Bound	225.4402	
	5% Trimmed Mean		225.1106	
	Median		225.0000	
	Variance		20.137	
	Std. Deviation		4.48742	
	Minimum		211.00	
	Maximum		240.00	
	Range		29.00	
	Interquartile Range		6.0000	
	Skewness		-.076	.095
	Kurtosis		-.042	.190

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<429)
    .00     43 .
   9.00     43 . 4455
   6.00     43 . 66&
  13.00     43 . 889999
  30.00     44 . 000011111111111
  24.00     44 . 22222333333
  68.00     44 . 44444444444444555555555555555555
  67.00     44 . 66666666666666667777777777777777
  78.00     44 . 888888888888888888888999999999999999
  81.00     45 . 000000000000000000011111111111111111111
  89.00     45 . 22222222222222222223333333333333333333333
  72.00     45 . 44444444444444555555555555555555555
  43.00     45 . 66666666666677777777
  30.00     45 . 888888888899999
  32.00     46 . 00000000011111111
   9.00     46 . 2233
   8.00     46 . 445
   2.00     46 . 6
   1.00 Extremes    (>=469)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```



Descriptives

			Statistic	Std. Error
A10_09	Mean		450.2308	.24297
	95% Confidence Inte for Mean	Lower Bound	449.7537	
		Upper Bound	450.7078	
	5% Trimmed Mean		450.2712	
	Median		450.0000	
	Variance		39.139	
	Std. Deviation		6.25608	
	Minimum		429.00	
	Maximum		469.00	
	Range		40.00	
	Interquartile Range		9.0000	
	Skewness		-.084	.095
	Kurtosis		-.017	.190

N=5,000

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   6.00 Extremes    (=<657)
   5.00      65 . 9&
  41.00      66 . 0122233444
  81.00      66 . 5566677777888899999
 162.00      67 . 000000111111112222222223333333334444444
 176.00      67 . 55555555666666667777777778888888889999999
 115.00      68 . 000000111111112222233334444
  59.00      68 . 55555667788999
  16.00      69 . 0123
   2.00 Extremes    (>=695)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

A20_09 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   7.00 Extremes    (=<878)
   3.00      87 . 9
  16.00      88 . 234&
  33.00      88 . 56779999&
 100.00      89 . 00000111222223333344444
 143.00      89 . 55555556666667777777888888899999999
 165.00      90 . 000000001111111122222223333333334444444444
 101.00      90 . 55555566666677777888899999
  64.00      91 . 0001111122223344
  30.00      91 . 55666789
   1.00 Extremes    (>=923)

Stem width:     10.00
Each leaf:       4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_09



Normal Q-Q Plot of A20_09



Descriptives

			Statistic	Std. Error
A15_09	Mean		675.4087	.28879
	95% Confidence Inte for Mean	Lower Bound	674.8417	
		Upper Bound	675.9758	
	5% Trimmed Mean		675.4506	
	Median		676.0000	
	Variance		55.293	
	Std. Deviation		7.43595	
	Minimum		650.00	
	Maximum		695.00	
	Range		45.00	
	Interquartile Range		9.0000	
	Skewness		-.108	.095
	Kurtosis		.003	.190

Descriptives

			Statistic	Std. Error
A20_09	Mean		900.2519	.32593
	95% Confidence Ir for Mean	Lower Bound	899.6119	
		Upper Bound	900.8919	
	5% Trimmed Mean		900.3855	
	Median		900.0000	
	Variance		70.430	
	Std. Deviation		8.39228	
	Minimum		870.00	
	Maximum		923.00	
	Range		53.00	
	Interquartile Range		11.0000	
	Skewness		-.192	.095
	Kurtosis		.078	.190

N=5,000

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<227.0)
   2.00     228 . 0
   8.00     229 . 0000
   9.00     230 . 0000
  21.00     231 . 000000000
  27.00     232 . 000000000000
  28.00     233 . 0000000000000
  47.00     234 . 00000000000000000000
  56.00     235 . 000000000000000000000000
  62.00     236 . 0000000000000000000000000000
  85.00     237 . 00000000000000000000000000000000000000
  73.00     238 . 0000000000000000000000000000000
  68.00     239 . 00000000000000000000000000000
  55.00     240 . 0000000000000000000000000
  48.00     241 . 000000000000000000000000
  40.00     242 . 00000000000000000000
  21.00     243 . 000000000
   5.00     244 . 00
   5.00     245 . 00
    .00     246 .
   1.00     247 . &
Stem width:     1.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<464.0)
  10.00     465 . 00000
   4.00     466 . 00
  10.00     467 . 00000
  17.00     468 . 00000000
  24.00     469 . 000000000000
  40.00     470 . 0000000000000000000
  44.00     471 . 00000000000000000000
  52.00     472 . 000000000000000000000000
  57.00     473 . 0000000000000000000000000
  54.00     474 . 000000000000000000000000
  64.00     475 . 0000000000000000000000000000
  72.00     476 . 00000000000000000000000000000000
  48.00     477 . 000000000000000000000
  40.00     478 . 00000000000000000000
  28.00     479 . 0000000000000
  29.00     480 . 00000000000000
  23.00     481 . 00000000000
  17.00     482 . 00000000
   8.00     483 . 0000
  10.00     484 . 00000
   7.00 Extremes    (>=485.0)
Stem width:     1.00
Each leaf:      2 case(s)
```

Normal Q-Q Plot of A5_095



Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A5_095	Mean	237.1870	.13424
	95% Confidence Inte for Mean Lower Bound	236.9234	
	Upper Bound	237.4506	
	5% Trimmed Mean	237.2433	
	Median	237.0000	
	Variance	11.947	
	Std. Deviation	3.45642	
	Minimum	227.00	
	Maximum	247.00	
	Range	20.00	
	Interquartile Range	5.0000	
	Skewness	-.241	.095
	Kurtosis	-.243	.190

Descriptives

		Statistic	Std. Error
A10_095	Mean	474.6802	.16796
	95% Confidence Interv for Mean Lower Bound	474.3504	
	Upper Bound	475.0100	
	5% Trimmed Mean	474.6833	
	Median	475.0000	
	Variance	18.704	
	Std. Deviation	4.32484	
	Minimum	459.00	
	Maximum	488.00	
	Range	29.00	
	Interquartile Range	5.0000	
	Skewness	.004	.095
	Kurtosis	.021	.190

N=5,000

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<698)
   3.00     69 . 9
  12.00     70 . 00111
  28.00     70 . 2222222333333
  36.00     70 . 4444444555555555
  43.00     70 . 6666666677777777777
  71.00     70 . 88888888888888999999999999999999
  86.00     71 . 00000000000000000000011111111111111111
  79.00     71 . 2222222222222222222333333333333333333
  93.00     71 . 444444444444444444444555555555555555555555
  75.00     71 . 666666666666666666666777777777777
  54.00     71 . 888888888888888999999999999
  36.00     72 . 000000000111111111
  26.00     72 . 222222223333
  11.00     72 . 44555
   2.00     72 . 6
   4.00 Extremes    (>=727)
Stem width:    10.00
Each leaf:     2 case(s)
```

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<929)
   1.00     93 . &
   5.00     93 . 67
  11.00     93 . 89999
  33.00     94 . 0000001111111111
  39.00     94 . 2222222233333333333
  40.00     94 . 4444444455555555555
  88.00     94 . 6666666666666666667777777777777777777777777
  83.00     94 . 88888888888888888888999999999999999999999
  88.00     95 . 00000000000000000000011111111111111111111
  78.00     95 . 2222222222222222333333333333333333333
  71.00     95 . 4444444444444444555555555555555555
  65.00     95 . 66666666666666666677777777777777
  26.00     95 . 88888999999
  13.00     96 . 000011
  13.00     96 . 222233
   7.00     96 . 445
   1.00 Extremes    (>=967)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_095



Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_09: Mean		712.5415	.22651
95% Confidence Inte for Mean	Lower Bound	712.0967	
	Upper Bound	712.9862	
5% Trimmed Mean		712.5732	
Median		713.0000	
Variance		34.016	
Std. Deviation		5.83233	
Minimum		695.00	
Maximum		727.00	
Range		32.00	
Interquartile Range		7.0000	
Skewness		-.089	.095
Kurtosis		-.261	.190

Descriptives

		Statistic	Std. Error
A20_09: Mean		950.2142	.22483
95% Confidence Inte for Mean	Lower Bound	949.7727	
	Upper Bound	950.6556	
5% Trimmed Mean		950.1908	
Median		950.0000	
Variance		33.513	
Std. Deviation		5.78904	
Minimum		929.00	
Maximum		967.00	
Range		38.00	
Interquartile Range		8.0000	
Skewness		-.019	.095
Kurtosis		-.113	.190

N=10,000

A5_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<13)
    .00      1.
   3.00      1. 5&
  22.00      1. 6666777
  38.00      1. 8889999999999
  73.00      2. 0000000000111111111111
 103.00      2. 2222222222222222333333333333333
 105.00      2. 444444444444444455555555555555555
 112.00      2. 6666666666666666666777777777777777
  86.00      2. 8888888888888888999999999999
  44.00      3. 0000000111111111
  35.00      3. 222222222333
  28.00      3. 444444455
   6.00      3. 66
   6.00 Extremes    (>=37)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_005 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
    .00      3.
   8.00      3. 4555
   5.00      3. 67
  16.00      3. 8888999
  34.00      4. 0000000000111111
  48.00      4. 2222222223333333333333
  38.00      4. 4444444555555555555
  69.00      4. 6666666666666677777777777777777777
  83.00      4. 8888888888888888888999999999999999999999
  83.00      5. 0000000000000000111111111111111111111111
  75.00      5. 2222222222222222333333333333333333333
  70.00      5. 4444444444444444455555555555555555
  54.00      5. 666666666666777777777777777
  30.00      5. 888888999999999
  24.00      6. 000000111111
  12.00      6. 222333
   7.00      6. 445
   4.00      6. 7&
   1.00      6. &
   2.00 Extremes    (>=70)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```





Descriptives

		Statistic	Std. Error
A5_005 Mean		25.3620	.18222
95% Confidence Ir for Mean	Lower Bound	25.0042	
	Upper Bound	25.7198	
5% Trimmed Mean		25.3045	
Median		25.0000	
Variance		22.014	
Std. Deviation		4.69188	
Minimum		12.00	
Maximum		42.00	
Range		30.00	
Interquartile Range		6.0000	
Skewness		.243	.095
Kurtosis		-.048	.190

Descriptives

		Statistic	Std. Error
A10_005 Mean		50.2594	.25052
95% Confidence Interv for Mean	Lower Bound	49.7675	
	Upper Bound	50.7513	
5% Trimmed Mean		50.2226	
Median		50.0000	
Variance		41.609	
Std. Deviation		6.45053	
Minimum		34.00	
Maximum		70.00	
Range		36.00	
Interquartile Range		9.0000	
Skewness		.053	.095
Kurtosis		-.112	.190

N=10,000

A15_005 Stem-and-Leaf Plot

Frequency Stem & Leaf

1.00 Extremes (=<52)
2.00 5 . &
10.00 5 . 78&
46.00 6 . 00123334444
110.00 6 . 556667777778888888999999999
157.00 7 . 0000001111111122222233333333334444444
156.00 7 . 5555556666666677777788888888888999999
106.00 8 . 00000001111112222333344
53.00 8 . 55556678899
16.00 9 . 013&
1.00 9 . &
5.00 Extremes (>=98)

Stem width: 10.00
Each leaf: 4 case(s)
& denotes fractional leaves.

Normal Q-Q Plot of A15_005



A20_005 Stem-and-Leaf Plot

Frequency Stem & Leaf

10.00 7 . 89&
18.00 8 . 1234
53.00 8 . 5567788888999
92.00 9 . 00001111122233333444444
150.00 9 . 555555566666677777777888888899999999
144.00 10 . 000000001111111122222223333333444444
109.00 10 . 5555666677777778888888999999
56.00 11 . 0001111223344
24.00 11 . 55667&
6.00 12 . 0&
1.00 Extremes (>=129)

Stem width: 10.00
Each leaf: 4 case(s)
& denotes fractional leaves.

Normal Q-Q Plot of A20_005



Descriptives

		Statistic	Std. Error
A15_00 Mean		74.9653	.30501
95% Confidence Int for Mean	Lower Bound	74.3664	
	Upper Bound	75.5642	
5% Trimmed Mean		74.8791	
Median		75.0000	
Variance		61.680	
Std. Deviation		7.85367	
Minimum		52.00	
Maximum		106.00	
Range		54.00	
Interquartile Range		11.0000	
Skewness		.232	.095
Kurtosis		.390	.190

Descriptives

		Statistic	Std. Error
A20_0C Mean		99.8567	.33740
95% Confidence Ir for Mean	Lower Bound	99.1942	
	Upper Bound	100.5192	
5% Trimmed Mean		99.8980	
Median		100.0000	
Variance		75.476	
Std. Deviation		8.68772	
Minimum		77.00	
Maximum		129.00	
Range		52.00	
Interquartile Range		12.0000	
Skewness		-.042	.095
Kurtosis		-.138	.190

N=10,000

A5_01 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

   .00      3 .
  2.00      3 . 4
 10.00      3 . 6677
 14.00      3 . 8899999
 35.00      4 . 00000000111111111
 41.00      4 . 22222222233333333
 60.00      4 . 444444444444445555555555555555
 70.00      4 . 6666666666677777777777777777777777
 78.00      4 . 888888888888888999999999999999999999
 79.00      5 . 0000000000000000000111111111111111111
 64.00      5 . 2222222222222222333333333333333
 68.00      5 . 4444444444444455555555555555555555
 52.00      5 . 66666666666667777777777777
 33.00      5 . 888888888999999
 20.00      6 . 0000111111
 19.00      6 . 222223333
  7.00      6 . 445
  7.00      6 . 677
  1.00      6 . &
  3.00 Extremes    (>=69)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_01



A10_01 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf

  4.00 Extremes    (=<78)
  1.00      7 . &
 12.00      8 . 023&
 48.00      8 . 55677778899
 98.00      9 . 00000011111222233334444
160.00      9 . 55555556666777777777888888889999999999
145.00     10 . 00000001111111122222222333333344444
 99.00     10 . 55555566666667777788888999
 52.00     11 . 000111123344
 24.00     11 . 55668&
 14.00     12 . 01&
  6.00 Extremes    (>=124)

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_01



Descriptives

			Statistic	Std. Error
A5_01	Mean		50.3348	.25634
	95% Confidence Int for Mean	Lower Bound	49.8315	
		Upper Bound	50.8382	
	5% Trimmed Mean		50.2207	
	Median		50.0000	
	Variance		43.564	
	Std. Deviation		6.60034	
	Minimum		34.00	
	Maximum		71.00	
	Range		37.00	
	Interquartile Range		9.0000	
	Skewness		.232	.095
	Kurtosis		-.142	.190

Descriptives

			Statistic	Std. Error
A10_01	Mean		100.2640	.34695
	95% Confidence Inte for Mean	Lower Bound	99.5827	
		Upper Bound	100.9452	
	5% Trimmed Mean		100.1199	
	Median		100.0000	
	Variance		79.808	
	Std. Deviation		8.93352	
	Minimum		71.00	
	Maximum		132.00	
	Range		61.00	
	Interquartile Range		11.0000	
	Skewness		.243	.095
	Kurtosis		.368	.190

N=10,000

A15_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<121)
   1.00      12 . &
   7.00      12 . 99&
  29.00      13 . 011222334
  56.00      13 . 55566667777888999
  98.00      14 . 00000011111222223333333344444444
 112.00      14 . 555555566666667777778888888899999999
 124.00      15 . 000000001111111112222222233333444444444444
 105.00      15 . 5555555566666667777777788888889999
  64.00      16 . 00001111122223333344
  44.00      16 . 55556677788899
  14.00      17 . 01123&
   4.00      17 . 67
   1.00 Extremes    (>=180)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_01 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<169)
   7.00      17 . 12&
  13.00      17 . 56789
  37.00      18 . 001222334444
  54.00      18 . 55566667777888999
  94.00      19 . 00001111111222222333333333344444
 120.00      19 . 555555566666666677777788888889999999999
 109.00      20 . 000001111111222222233333333344444444444
  86.00      20 . 5555556666777777888888999999
  68.00      21 . 00000111122222333334444
  40.00      21 . 555556667788899
  17.00      22 . 022333&
  11.00      22 . 569&
   1.00      23 . &
   4.00 Extremes    (>=233)

Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_01



Normal Q-Q Plot of A20_01



Descriptives

			Statistic	Std. Error
A15_01	Mean		150.3846	.40385
	95% Confidence Inte for Mean	Lower Bound	149.5916	
		Upper Bound	151.1776	
	5% Trimmed Mean		150.4170	
	Median		150.0000	
	Variance		108.134	
	Std. Deviation		10.39877	
	Minimum		118.00	
	Maximum		180.00	
	Range		62.00	
	Interquartile Range		14.0000	
	Skewness		-.042	.095
	Kurtosis		-.169	.190

Descriptives

			Statistic	Std. Error
A20_01	Mean		200.2504	.45419
	95% Confidence Inte for Mean	Lower Bound	199.3587	
		Upper Bound	201.1420	
	5% Trimmed Mean		200.1523	
	Median		200.0000	
	Variance		136.714	
	Std. Deviation		11.69246	
	Minimum		169.00	
	Maximum		238.00	
	Range		69.00	
	Interquartile Range		16.0000	
	Skewness		.116	.095
	Kurtosis		.018	.190

N=10,000

A5_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<55)
  15.00     5 . 679&
  35.00     6 . 012233344
 102.00     6 . 555566667777778888899999
 168.00     7 . 000000111111111222222222333333334444444444
 157.00     7 . 555555556666666667777777888888899999999
 100.00     8 . 000001111112222333334444
  60.00     8 . 55556667788999
  16.00     9 . 0223&
   7.00 Extremes    (>=95)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A10_015 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<118)
   8.00    12 . 44&
  14.00    12 . 55689&
  28.00    13 . 001122334
  66.00    13 . 555566667777788888899999
 104.00    14 . 000000011111111122222233333344444444
 130.00    14 . 555555566666666667777777778888888889999999999
 111.00    15 . 000000111111122222222333333333344444444
  82.00    15 . 555555666667777778888889999
  62.00    16 . 00000011122223333444 4
  36.00    16 . 55556677889
  12.00    17 . 0234&
   7.00    17 . 578&
   1.00 Extremes    (>=182)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_015



Normal Q-Q Plot of A10_015



Descriptives

		Statistic	Std. Error
A5_015 Mean		75.1086	.31094
95% Confidence Int for Mean	Lower Bound	74.4981	
	Upper Bound	75.7191	
5% Trimmed Mean		75.0682	
Median		75.0000	
Variance		64.100	
Std. Deviation		8.00625	
Minimum		47.00	
Maximum		101.00	
Range		54.00	
Interquartile Range		10.0000	
Skewness		.097	.095
Kurtosis		.227	.190

Descriptives

		Statistic	Std. Error
A10_015 Mean		149.1373	.42424
95% Confidence Inter for Mean	Lower Bound	148.3042	
	Upper Bound	149.9703	
5% Trimmed Mean		149.1492	
Median		149.0000	
Variance		119.324	
Std. Deviation		10.92355	
Minimum		118.00	
Maximum		182.00	
Range		64.00	
Interquartile Range		15.0000	
Skewness		.032	.095
Kurtosis		-.037	.190

N=10,000

A15_015 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   1.00 Extremes    (=<180)
   2.00     19 .  4
   6.00     19 .  79&
  13.00     20 .  0124&
  41.00     20 .  5566678899999
  60.00     21 .  001112222333344444
  86.00     21 .  555556666777777888888999999
 109.00     22 .  0000000111111111222222333333334444444
  94.00     22 .  5555555566666677777888888999999
  90.00     23 .  000000111111111222233333334444
  76.00     23 .  5555555666667777788888999
  42.00     24 .  00011122223344
  22.00     24 .  5568889&
  10.00     25 .  04&
   7.00     25 .  59&
   4.00 Extremes    (>=260)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A20_015 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<261)
   1.00     26 .  &
   3.00     26 .  9&
  18.00     27 .  22334&
  24.00     27 .  56778899
  46.00     28 .  001112233344444
  58.00     28 .  5566667788888899999
  72.00     29 .  000112222223333333344444
  98.00     29 .  555556666666777777788888889999999
 100.00     30 .  0000111111122222233333334444444444
  66.00     30 .  555556666777788889999999
  71.00     31 .  000001111122222253334444
  47.00     31 .  5555666777888999
  33.00     32 .  00011122344
  14.00     32 .  5677&
   3.00     33 .  0
   4.00     33 .  8&
   3.00 Extremes    (>=339)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_015



Normal Q-Q Plot of A20_015



Descriptives

		Statistic	Std. Error
A15_01: Mean		225.6923	.48384
95% Confidence Inte for Mean	Lower Bound	224.7423	
	Upper Bound	226.6423	
5% Trimmed Mean		225.5341	
Median		225.0000	
Variance		155.207	
Std. Deviation		12.45822	
Minimum		180.00	
Maximum		268.00	
Range		88.00	
Interquartile Range		17.0000	
Skewness		.172	.095
Kurtosis		.251	.190

Descriptives

		Statistic	Std. Error
A20_01: Mean		300.2413	.54287
95% Confidence Inte for Mean	Lower Bound	299.1754	
	Upper Bound	301.3073	
5% Trimmed Mean		300.2349	
Median		300.0000	
Variance		195.395	
Std. Deviation		13.97837	
Minimum		255.00	
Maximum		344.00	
Range		89.00	
Interquartile Range		19.0000	
Skewness		.016	.095
Kurtosis		-.082	.190

N=10,000

A5_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   2.00 Extremes    (=<75)
   5.00      7 . 9&
  26.00      8 . 012344
  50.00      8 . 5566777889999
  96.00      9 . 00011112222233333444444
 143.00      9 . 5555555566666677777888888888899999
 149.00     10 . 000000000111111112222222233333344444
  92.00     10 . 5556666667777788888999
  61.00     11 . 0000011122233344
  27.00     11 . 566789
   9.00     12 . 1&
   3.00 Extremes    (>=124)

Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_02



A10_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   6.00 Extremes    (=<165)
   9.00     17 . 134&
  13.00     17 . 5899&
  29.00     18 . 01223334
  69.00     18 . 5555556667777778889999
  80.00     19 . 00000011111222223333444444
 107.00     19 . 555555666666667777788888888899999999
 113.00     20 . 000000001111112222333333333344444444
  93.00     20 . 5555556666666777778888888899999
  68.00     21 . 00000011111122223333 44
  35.00     21 . 556667778899
  19.00     22 . 0012234
  16.00     22 . 56788&
   1.00     23 . &
   5.00 Extremes    (>=232)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_02



Descriptives

		Statistic	Std. Error
A5_02	Mean	99.8854	.35445
	95% Confidence Ir Lower Bound for Mean	99.1894	
	Upper Bound	100.5814	
	5% Trimmed Mean	99.8456	
	Median	100.0000	
	Variance	83.298	
	Std. Deviation	9.12677	
	Minimum	72.00	
	Maximum	131.00	
	Range	59.00	
	Interquartile Range	12.0000	
	Skewness	.081	.095
	Kurtosis	.017	.190

Descriptives

		Statistic	Std. Error
A10_02	Mean	200.3183	.47592
	95% Confidence Inter Lower Bound for Mean	199.3837	
	Upper Bound	201.2528	
	5% Trimmed Mean	200.2710	
	Median	200.0000	
	Variance	150.172	
	Std. Deviation	12.25447	
	Minimum	165.00	
	Maximum	243.00	
	Range	78.00	
	Interquartile Range	16.0000	
	Skewness	.047	.095
	Kurtosis	.168	.190

N=10,000

A15_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<260)
   1.00      26 .  &
   1.00      26 .  &
  18.00      27 .  001334&
  25.00      27 .  566778899
  35.00      28 .  01223333444
  62.00      28 .  555566677788888999999
  83.00      29 .  00000111111222223333344444
  78.00      29 .  555556666677777788888999999
  96.00      30 .  000001111222222233333334444444444
  91.00      30 .  555555666667777778888889999999
  66.00      31 .  00000111112222333334444
  43.00      31 .  555666777888999
  37.00      32 .  0001122333444
  13.00      32 .  56789
  10.00      33 .  1134
   2.00      33 .  &
   1.00 Extremes    (>=341)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A20_02 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<354)
   6.00      36 .  234
  12.00      36 .  6799&
  11.00      37 .  2334&
  29.00      37 .  5556667778899
  47.00      38 .  00011122222333334444444
  55.00      38 .  5555666667777788888889999999
  75.00      39 .  000000001111111122222223333334444444
  75.00      39 .  555555666666677777788888889999999999999
  88.00      40 .  0000000011111112222222233333333344444444444
  71.00      40 .  55555556666666777788888888889999999
  59.00      41 .  00000001111122223333334444444
  48.00      41 .  555566666777788888899999
  32.00      42 .  0001112233444
  22.00      42 .  5567778899
  20.00      43 .  001111223&
   3.00      43 .  &
   2.00      44 .  &
   4.00 Extremes    (>=445)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_02



Normal Q-Q Plot of A20_02



Descriptives

			Statistic	Std. Error
A15_02	Mean		300.7451	.53904
	95% Confidence Inte for Mean	Lower Bound	299.6867	
		Upper Bound	301.8035	
	5% Trimmed Mean		300.7288	
	Median		301.0000	
	Variance		192.643	
	Std. Deviation		13.87960	
	Minimum		260.00	
	Maximum		341.00	
	Range		81.00	
	Interquartile Range		19.0000	
	Skewness		.023	.095
	Kurtosis		-.241	.190

Descriptives

			Statistic	Std. Error
A20_02	Mean		400.6350	.64157
	95% Confidence Ir for Mean	Lower Bound	399.3752	
		Upper Bound	401.8947	
	5% Trimmed Mean		400.6294	
	Median		401.0000	
	Variance		272.897	
	Std. Deviation		16.51959	
	Minimum		349.00	
	Maximum		468.00	
	Range		119.00	
	Interquartile Range		21.0000	
	Skewness		.074	.095
	Kurtosis		.290	.190

N=10,000

A5_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   1.00 Extremes    (=<100)
   6.00      10 . 34
  28.00      10 . 556788999
  50.00      11 . 0011112223334444
 104.00      11 . 555566666677777778888888899999999
 128.00      12 . 00000001111111112222222222333333344444444444
 132.00      12 . 555555556666666777777777788888888889999999
 106.00      13 . 000000000011111111222222223333344444
  66.00      13 . 55555556666677778888999
  33.00      14 . 000111223344
   5.00      14 . 7&
   4.00 Extremes    (>=150)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<216)
   1.00      21 . &
  10.00      22 . 0124&
  16.00      22 . 67789&
  29.00      23 . 0011222334
  60.00      23 . 555666666777778888999
  87.00      24 . 000000111112222223333334444444
 107.00      24 . 555555556666677777777888888889999999999
 100.00      25 . 000000011111112222222223333334444444
  90.00      25 . 555555556666666777777888888999
  66.00      26 . 000000011111222233344444
  51.00      26 . 555566777788888899
  28.00      27 . 001123334
  10.00      27 . 5679&
   4.00      28 . &
   1.00 Extremes    (>=292)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_025



Normal Q-Q Plot of A10_025



Descriptives

			Statistic	Std. Error
A5_025	Mean		125.0528	.36173
	95% Confidence Inter for Mean	Lower Bound	124.3425	
		Upper Bound	125.7631	
	5% Trimmed Mean		125.0302	
	Median		125.0000	
	Variance		86.751	
	Std. Deviation		9.31402	
	Minimum		100.00	
	Maximum		154.00	
	Range		54.00	
	Interquartile Range		12.0000	
	Skewness		.044	.095
	Kurtosis		-.158	.190

Descriptives

			Statistic	Std. Error
A10_02:	Mean		250.5641	.48311
	95% Confidence Inte for Mean	Lower Bound	249.6155	
		Upper Bound	251.5127	
	5% Trimmed Mean		250.6064	
	Median		250.0000	
	Variance		154.742	
	Std. Deviation		12.43952	
	Minimum		214.00	
	Maximum		292.00	
	Range		78.00	
	Interquartile Range		17.0000	
	Skewness		-.008	.095
	Kurtosis		-.043	.190

N=10,000

A15_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00      33 . &
    .00      33 .
  10.00      34 . 1134&
  19.00      34 . 56777999&
  40.00      35 . 0001112223333344 4
  50.00      35 . 5555555666777788899999
  63.00      36 . 000111111222222333333344444
  78.00      36 . 555555566666667777778888888899999999
  90.00      37 . 000000000001111111222222233333333333444444
  74.00      37 . 5555555566677778888888888999999999
  81.00      38 . 000000000111111112222222233333333334444
  45.00      38 . 555555667777777788999
  46.00      39 . 000000011122233344444
  26.00      39 . 556667777889
  22.00      40 . 001223444
  10.00      40 . 689&
   4.00      41 . 1&
   4.00 Extremes    (>=413)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_025



A20_025 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<453)
   4.00      45 . 7&
   6.00      46 . 34&
  16.00      46 . 5567889
  14.00      47 . 0011234
  29.00      47 . 556777778888999
  48.00      48 . 000111122222233334444
  50.00      48 . 555566666777788889999999
  62.00      49 . 000011112222222333333333344444
  76.00      49 . 5555555556666677777777788888888899999
  74.00      50 . 000001111111222222222233333344444444
  82.00      50 . 55555555556666666677777777778888888999999
  64.00      51 . 000000111111222222233333344444
  48.00      51 . 555566666777777788889999
  27.00      52 . 000112223334
  25.00      52 . 556677788899
  17.00      53 . 0012234
   6.00      53 . 7&&
   4.00      54 . 4&
   1.00      54 . &
   3.00 Extremes    (>=549)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_025



Descriptives

		Statistic	Std. Error
A15_02	Mean	374.1041	.59872
	95% Confidence In Lower Bound for Mean	372.9284	
	Upper Bound	375.2797	
	5% Trimmed Mean	373.8400	
	Median	373.0000	
	Variance	237.664	
	Std. Deviation	15.41637	
	Minimum	334.00	
	Maximum	428.00	
	Range	94.00	
	Interquartile Range	20.0000	
	Skewness	.245	.095
	Kurtosis	-.136	.190

Descriptives

		Statistic	Std. Error
A20_025	Mean	500.1282	.70001
	95% Confidence Inter Lower Bound for Mean	498.7537	
	Upper Bound	501.5027	
	5% Trimmed Mean	500.3622	
	Median	501.0000	
	Variance	324.879	
	Std. Deviation	18.02441	
	Minimum	433.00	
	Maximum	560.00	
	Range	127.00	
	Interquartile Range	23.0000	
	Skewness	-.237	.095
	Kurtosis	.740	.190

N=10,000

A5_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<121)
   1.00      12 . &
  11.00      12 . 789&
  34.00      13 . 001123344
  55.00      13 . 5567777788899
  92.00      14 . 00011111222333344444
 144.00      14 . 555555566666777778888888889999999999
 125.00      15 . 00000111111222222333333344444
  97.00      15 . 5555666667777778888899
  58.00      16 . 0000011223344
  30.00      16 . 5567789
  11.00      17 . 0&
   1.00      17 . &
   3.00 Extremes    (>=176)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A10_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<261)
   5.00      26 . 89&
  17.00      27 . 02344&
  23.00      27 . 5677899
  43.00      28 . 000111222333344
  54.00      28 . 555667777888889999
  86.00      29 . 00000111111222222233333334444
  87.00      29 . 555556666666777777888888999999
  85.00      30 . 00000001111122222333333344444
 104.00      30 . 5555556666667777777888888888899999
  59.00      31 . 0000011112223333444
  44.00      31 . 555566778888999
  30.00      32 . 0111223344
  10.00      32 . 5679&
  10.00      33 . 013&
   2.00 Extremes    (>=339)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_03



Normal Q-Q Plot of A10_03



Descriptives

			Statistic	Std. Error
A5_03	Mean		149.5686	.38403
	95% Confidence Int for Mean	Lower Bound	148.8146	
		Upper Bound	150.3227	
	5% Trimmed Mean		149.5375	
	Median		149.0000	
	Variance		97.780	
	Std. Deviation		9.88840	
	Minimum		121.00	
	Maximum		184.00	
	Range		63.00	
	Interquartile Range		13.0000	
	Skewness		.051	.095
	Kurtosis		-.021	.190

Descriptives

			Statistic	Std. Error
A10_03	Mean		299.8974	.54235
	95% Confidence Interv for Mean	Lower Bound	298.8325	
		Upper Bound	300.9624	
	5% Trimmed Mean		299.9765	
	Median		300.0000	
	Variance		195.020	
	Std. Deviation		13.96494	
	Minimum		254.00	
	Maximum		340.00	
	Range		86.00	
	Interquartile Range		18.0000	
	Skewness		-.103	.095
	Kurtosis		-.001	.190

N=10,000

A15_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   4.00 Extremes    (=<404)
   1.00     40 .  &
   3.00     41 .  4&
  18.00     41 .  56777999&
  27.00     42 .  0001112233344
  23.00     42 .  5667778889
  50.00     43 .  00000111122233333333444
  53.00     43 .  555556666677777888889999
  71.00     44 .  00000001111112222233333333333444444
  88.00     44 .  555566666667777777888888888888888999999999
  83.00     45 .  00000000011111111222222223333333344444444
  73.00     45 .  555555556666667777788888888888899999
  46.00     46 .  0000011112223333344444
  50.00     46 .  55555566667777888999999999
  30.00     47 .  00001222233344
  21.00     47 .  556778899
  13.00     48 .  01244&
   8.00     48 .  57&
   1.00     49 .  &
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_03 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<549)
   3.00     55 .  &
  25.00     56 .  589&&&
  44.00     57 .  0123456789
 111.00     58 .  00111223344555666667788999
 129.00     59 .  00111222333444455566667777788999
 140.00     60 .  0001111222233334444566677777889999
 101.00     61 .  00011122233344556677888999
  69.00     62 .  000112334566779&
  24.00     63 .  01256&
  13.00     64 .  2&&
   1.00     65 .  &

Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves .
```

Normal Q-Q Plot of A15_03



Normal Q-Q Plot of A20_03



Descriptives

		Statistic	Std. Error
A15_03	Mean	449.1765	.63842
	95% Confidence Inte Lower Bound for Mean	447.9229	
	Upper Bound	450.4300	
	5% Trimmed Mean	449.2229	
	Median	449.0000	
	Variance	270.227	
	Std. Deviation	16.43859	
	Minimum	400.00	
	Maximum	490.00	
	Range	90.00	
	Interquartile Range	22.0000	
	Skewness	-.065	.095
	Kurtosis	-.209	.190

Descriptives

		Statistic	Std. Error
A20_03	Mean	600.6833	.71565
	95% Confidence Int Lower Bound for Mean	599.2780	
	Upper Bound	602.0885	
	5% Trimmed Mean	600.6634	
	Median	601.0000	
	Variance	339.558	
	Std. Deviation	18.42710	
	Minimum	545.00	
	Maximum	650.00	
	Range	105.00	
	Interquartile Range	25.0000	
	Skewness	.000	.095
	Kurtosis	-.159	.190

N=10,000

A5_035 Stem-and-Leaf Plot

Frequency	Stem & Leaf
5.00	Extremes (=<147)
1.00	14 . &
9.00	15 . 124&
33.00	15 . 55567788999
55.00	16 . 000111112222333444
102.00	16 . 555555566666677778888888888999999
133.00	17 . 0000000001111111112222222222333333334444444
119.00	17 . 55555555556666667777777778888888899999999
92.00	18 . 00000011111112222233333334444
65.00	18 . 55555566666677778889
23.00	19 . 00112234
20.00	19 . 5567789
3.00	20 . 0&
3.00	Extremes (>=203)

Stem width: 10.00

Each leaf: 3 case(s)

& denotes fractional leaves.

A10_035 Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	30 . &
4.00	31 . 3&
9.00	31 . 899&
12.00	32 . 0134&
31.00	32 . 555556677888899
52.00	33 . 0000011111112223333334444
63.00	33 . 555556666666777888888888999999
69.00	34 . 000000011111111222222233333444444
77.00	34 . 5555566666666677777788888888899999999
92.00	35 . 00000011111111222222222333333333344444444444
75.00	35 . 555556666666667777777778888889999999999
56.00	36 . 00000111111222222233334444444
54.00	36 . 555556666667777777788888999
33.00	37 . 000122223334444
15.00	37 . 5556799
10.00	38 . 233&
8.00	38 . 5679
1.00	39 . &

Stem width: 10.00

Each leaf: 2 case(s)

& denotes fractional leaves.

Normal Q-Q Plot of A5_035



Normal Q-Q Plot of A10_035



Descriptives

			Statistic	Std. Error
A5_035	Mean		174.5098	.40767
	95% Confidence Inter for Mean	Lower Bound	173.7093	
		Upper Bound	175.3103	
	5% Trimmed Mean		174.4771	
	Median		174.0000	
	Variance		110.187	
	Std. Deviation		10.49699	
	Minimum		137.00	
	Maximum		208.00	
	Range		71.00	
	Interquartile Range		14.0000	
	Skewness		.008	.095
	Kurtosis		.242	.190

Descriptives

			Statistic	Std. Error
A10_035	Mean		349.9713	.59660
	95% Confidence Interva for Mean	Lower Bound	348.7999	
		Upper Bound	351.1428	
	5% Trimmed Mean		349.9296	
	Median		351.0000	
	Variance		235.980	
	Std. Deviation		15.36163	
	Minimum		307.00	
	Maximum		392.00	
	Range		85.00	
	Interquartile Range		22.0000	
	Skewness		.022	.095
	Kurtosis		-.285	.190

N=10,000

A15_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<482)
   2.00     48 . 4
   9.00     48 . 899&
  12.00     49 . 0223&
  26.00     49 . 55566888999&
  22.00     50 . 011123344
  44.00     50 . 5555556677788889999
  56.00     51 . 00000111112222233333444444
  82.00     51 . 555555566666666677777788888899999999
  87.00     52 . 000000001111111122222223333333333444444
  71.00     52 . 55555566666777777788888999999999
  75.00     53 . 000001111111122222223333333344444444
  53.00     53 . 5555566666667777888889999
  51.00     54 . 00011111122222233334444
  22.00     54 . 5555667889
  16.00     55 . 0112234
  16.00     55 . 5567789
   6.00     56 . 34&
   1.00     56 . &
   6.00 Extremes    (>=567)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_035



Descriptives

		Statistic	Std. Error
A15_03. Mean		524.0709	.65957
95% Confidence Int for Mean	Lower Bound	522.7758	
	Upper Bound	525.3660	
5% Trimmed Mean		524.0522	
Median		523.0000	
Variance		288.422	
Std. Deviation		16.98301	
Minimum		474.00	
Maximum		580.00	
Range		106.00	
Interquartile Range		21.0000	
Skewness		.007	.095
Kurtosis		.136	.190

A20_035 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00     65 . &&
  23.00     66 . 145678&
  45.00     67 . 012345678&
 110.00     68 . 001112223334445566778888999
 132.00     69 . 000001112233444455566777788889999
 138.00     70 . 000000111222223334455566777888999
 101.00     71 . 00011223333445666778889
  56.00     72 . 01223444555567&
  30.00     73 . 016778&
  13.00     74 . &&&
   1.00     75 . &
   5.00 Extremes    (>=751)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_035



Descriptives

		Statistic	Std. Error
A20_035 Mean		700.7753	.74408
95% Confidence Inter for Mean	Lower Bound	699.3142	
	Upper Bound	702.2363	
5% Trimmed Mean		700.5566	
Median		700.0000	
Variance		367.072	
Std. Deviation		19.15912	
Minimum		651.00	
Maximum		753.00	
Range		102.00	
Interquartile Range		25.0000	
Skewness		.171	.095
Kurtosis		-.082	.190

N=10,000

A5_04 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   4.00 Extremes    (=<171)
    .00      17 .
   5.00      17 . 9&
  21.00      18 . 0123334
  50.00      18 . 5566667778889999
 108.00      19 . 000000111111222222333333444444444444
 134.00      19 . 5555555555666666677777777788888888999999999
 120.00      20 . 000000000111111222222222333333334444444
 102.00      20 . 555555666666677777777888888999999
  59.00      21 . 00000111222233334444
  36.00      21 . 55667778899
  17.00      22 . 00124&
   2.00      22 . 5
   5.00 Extremes    (>=229)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_04 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   2.00 Extremes    (=<361)
   3.00      36 . 4&
   4.00      36 . 8&
  17.00      37 . 012344
  31.00      37 . 5556677899
  36.00      38 . 00122334444
  51.00      38 . 555667777888889999
  79.00      39 . 000001111222222333333344444
  85.00      39 . 555556666667777778888888889999
 114.00      40 . 000000011111122222222233333333344444444
  74.00      40 . 555566666677777888889999
  56.00      41 . 000001122223334444
  47.00      41 . 566677778888899
  29.00      42 . 0001122344
  15.00      42 . 66899&
  14.00      43 . 01234
   3.00      43 . 5&
   3.00 Extremes    (>=439)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_04



Normal Q-Q Plot of A10_04



Descriptives

			Statistic	Std. Error
A5_04	Mean		200.5068	.39249
	95% Confidence Ir for Mean	Lower Bound	199.7361	
		Upper Bound	201.2775	
	5% Trimmed Mean		200.4199	
	Median		200.0000	
	Variance		102.136	
	Std. Deviation		10.10621	
	Minimum		169.00	
	Maximum		234.00	
	Range		65.00	
	Interquartile Range		13.0000	
	Skewness		.157	.095
	Kurtosis		.165	.190

Descriptives

			Statistic	Std. Error
A10_04	Mean		400.4495	.56611
	95% Confidence Inte for Mean	Lower Bound	399.3379	
		Upper Bound	401.5611	
	5% Trimmed Mean		400.3835	
	Median		401.0000	
	Variance		212.477	
	Std. Deviation		14.57661	
	Minimum		360.00	
	Maximum		441.00	
	Range		81.00	
	Interquartile Range		19.0000	
	Skewness		.033	.095
	Kurtosis		-.081	.190

N=10,000

A15_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   .00       55 .
  7.00       55 . 889&
  7.00       56 . 224&
 21.00       56 . 556777899
 19.00       57 . 00013344&
 40.00       57 . 5555666788888999
 44.00       58 . 0001122223333334444
 46.00       58 . 55555666677788899999
 70.00       59 . 0000011111122222233333333334444444
 69.00       59 . 555556666666777777788888999999999
 69.00       60 . 0000011111112222223333333344444444
 80.00       60 . 55555666666666677777777888888888899999
 61.00       61 . 00000011111112222223333334444
 39.00       61 . 555666677777888999
 46.00       62 . 0000111111112222234444
 19.00       62 . 56678899
 13.00       63 . 012234
 10.00       63 . 569&
  1.00       64 . &
  2.00 Extremes   (>=650)
Stem width:   10.00
Each leaf:    2 case(s)
& denotes fractional leaves.
```

A20_04 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
  2.00 Extremes   (=<743)
  1.00       74 . &
 11.00       75 . &&&
 30.00       76 . 1456789&
 56.00       77 . 012344567889
 98.00       78 . 00112233344455567788899
126.00       79 . 000111223344455555667778888999999
134.00       80 . 00000011112222233344556677888899999
 94.00       81 . 00011223344556667778889
 69.00       82 . 0011223344456789
 22.00       83 . 0128&&&
 13.00       84 . 6&&&
  3.00       85 . &
  4.00 Extremes   (>=856)
Stem width:   10.00
Each leaf:    4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_04



Normal Q-Q Plot of A20_04



Descriptives

		Statistic	Std. Error
A15_04	Mean	599.5611	.67865
	95% Confidence Inte Lower Bound for Mean	598.2285	
	Upper Bound	600.8936	
	5% Trimmed Mean	599.6103	
	Median	600.0000	
	Variance	305.352	
	Std. Deviation	17.47433	
	Minimum	555.00	
	Maximum	651.00	
	Range	96.00	
	Interquartile Range	23.0000	
	Skewness	-.065	.095
	Kurtosis	-.314	.190

Descriptives

		Statistic	Std. Error
A20_04	Mean	800.0015	.78834
	95% Confidence Int Lower Bound for Mean	798.4536	
	Upper Bound	801.5495	
	5% Trimmed Mean	799.8360	
	Median	800.0000	
	Variance	412.041	
	Std. Deviation	20.29879	
	Minimum	732.00	
	Maximum	869.00	
	Range	137.00	
	Interquartile Range	28.0000	
	Skewness	.085	.095
	Kurtosis	.205	.190

N=10,000

A5_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<197)
   1.00      19 . &
  19.00      20 . 023334&
  32.00      20 . 5567788999
  49.00      21 . 0011122233344444
 102.00      21 . 555555666667777778888888889999999999
 116.00      22 . 00000000011111122222222333344444444444
 113.00      22 . 5555556666666667777777778888889999999
 113.00      23 . 00000001111111122222222333333344444444
  62.00      23 . 5555556666777778889999
  27.00      24 . 000112234
  17.00      24 . 56789
   6.00      25 . 0&
   3.00 Extremes    (>=253)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_045 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<407)
   5.00      41 . 3&
  11.00      41 . 7999&
  16.00      42 . 0023444&
  32.00      42 . 5556777888889999
  35.00      43 . 00011122233344444
  66.00      43 . 555555566666667777777778888889999
  87.00      44 . 000000001111111111222222222333444444444
  82.00      44 . 5555555566666666777777777888888889999999
  83.00      45 . 000000000011111111122223333333344444444
  82.00      45 . 555555555555566666777777778888888889999999
  59.00      46 . 00001112222223333333444444
  31.00      46 . 55556667778889
  33.00      47 . 000111112223334
  19.00      47 . 5666678 8&
   6.00      48 . 0&
   6.00      48 . 67&
   7.00 Extremes    (>=489)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_045



Normal Q-Q Plot of A10_045



Descriptives

		Statistic	Std. Error
A5_045 Mean		224.9155	.41447
95% Confidence Int for Mean	Lower Bound	224.1017	
	Upper Bound	225.7294	
5% Trimmed Mean		224.8913	
Median		225.0000	
Variance		113.896	
Std. Deviation		10.67222	
Minimum		193.00	
Maximum		258.00	
Range		65.00	
Interquartile Range		14.0000	
Skewness		.005	.095
Kurtosis		.008	.190

Descriptives

		Statistic	Std. Error
A10_04 Mean		449.3228	.60524
95% Confidence Ir for Mean	Lower Bound	448.1344	
	Upper Bound	450.5112	
5% Trimmed Mean		449.2308	
Median		449.0000	
Variance		242.868	
Std. Deviation		15.58424	
Minimum		396.00	
Maximum		499.00	
Range		103.00	
Interquartile Range		20.0000	
Skewness		.095	.095
Kurtosis		.166	.190

N=10,000

A15_045 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   3.00 Extremes    (=<624)
   4.00      62 .  &
  10.00      63 .  7&&
  29.00      64 .  1456789&
  86.00      65 .  01112344455667778899
 123.00      66 .  000112233344455566677788888999
 133.00      67 .  0011222333344445556667777888999
 125.00      68 .  0000111222233445556777788899 9
  89.00      69 .  00000111223344556889&
  43.00      70 .  0012346689&
  13.00      71 .  0&&
   3.00      72 .  &
   2.00 Extremes    (>=726)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

A20_045 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   3.00 Extremes    (=<842)
   1.00      84 .  &
  11.00      85 .  67&
  30.00      86 .  246789&&
  53.00      87 .  01235677899&
 103.00      88 .  00112223334445556677778899
 127.00      89 .  0011222333345566677788888899 99
 146.00      90 .  000011122223333444455566677778888899 99
  93.00      91 .  00011122234445556789 99
  52.00      92 .  001223446789&
  33.00      93 .  0134667&
   9.00      94 .  &&
   2.00 Extremes    (>=951)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_045



Normal Q-Q Plot of A20_045



Descriptives

		Statistic	Std. Error
A15_04. Mean		675.2624	.70401
95% Confidence Int for Mean	Lower Bound	673.8801	
	Upper Bound	676.6448	
5% Trimmed Mean		675.2942	
Median		675.0000	
Variance		328.605	
Std. Deviation		18.12746	
Minimum		618.00	
Maximum		734.00	
Range		116.00	
Interquartile Range		25.0000	
Skewness		-.034	.095
Kurtosis		.032	.190

Descriptives

		Statistic	Std. Error
A20_04: Mean		899.2745	.75214
95% Confidence Inte for Mean	Lower Bound	897.7976	
	Upper Bound	900.7514	
5% Trimmed Mean		899.2928	
Median		900.0000	
Variance		375.067	
Std. Deviation		19.36663	
Minimum		841.00	
Maximum		956.00	
Range		115.00	
Interquartile Range		25.0000	
Skewness		-.035	.095
Kurtosis		-.030	.190

N=10,000

A5_05 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00      22 .  24&
   8.00      22 .  78&
  34.00      23 .  1122333444&
  56.00      23 .  5566666777778899999
 107.00      24 .  00000001111111222223333334444444444
 129.00      24 .  555555556666666667777778888888888999999999
  95.00      25 .  00000111111112222222333333444444
  84.00      25 .  555556666666777788888899999
  78.00      26 .  000000111111122223333344444
  37.00      26 .  5566666788899
  17.00      27 .  011234
  13.00      27 .  56778
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_05 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   1.00 Extremes    (=<450)
   1.00      45 .  &
   4.00      46 .  &&
  13.00      46 .  55789&
  15.00      47 .  022234&
  29.00      47 .  5667778889999
  48.00      48 .  00001112222233333344444
  58.00      48 .  555666667777778888999999999
  76.00      49 .  0000000011111222222233333333344444
  88.00      49 .  555555556666666666677777778888888889999999
  73.00      50 .  0000000001111122222222233334444444
  74.00      50 .  555555555666666666677778888999999
  60.00      51 .  000000111112222222233344444
  47.00      51 .  555556666777778888999
  34.00      52 .  00000001112223334
  23.00      52 .  55666778889
  12.00      53 .  1133&
   3.00      53 .  &
   1.00      54 .  &
   3.00 Extremes    (>=551)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_05



Normal Q-Q Plot of A10_05



Descriptives

			Statistic	Std. Error
A5_05	Mean		250.2911	.42382
	95% Confidence Inter for Mean	Lower Bound	249.4589	
		Upper Bound	251.1233	
	5% Trimmed Mean		250.1805	
	Median		249.0000	
	Variance		119.092	
	Std. Deviation		10.91292	
	Minimum		222.00	
	Maximum		278.00	
	Range		56.00	
	Interquartile Range		15.0000	
	Skewness		.154	.095
	Kurtosis		-.331	.190

Descriptives

			Statistic	Std. Error
A10_05	Mean		499.9382	.61462
	95% Confidence Inter for Mean	Lower Bound	498.7313	
		Upper Bound	501.1450	
	5% Trimmed Mean		499.8961	
	Median		499.0000	
	Variance		250.454	
	Std. Deviation		15.82573	
	Minimum		450.00	
	Maximum		559.00	
	Range		109.00	
	Interquartile Range		22.0000	
	Skewness		.109	.095
	Kurtosis		.106	.190

N=10,000

A15_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<703)
   2.00     70 . &
  10.00     71 . 0233&
  11.00     71 . 57789
  26.00     72 . 0002223334 44&
  31.00     72 . 556777888999999
  38.00     73 . 0000011112223333444
  59.00     73 . 55555556666677788888899999999
  65.00     74 . 00000111111122233333334444444
  66.00     74 . 555555556666667777788889999999999
  85.00     75 . 0000000000011111111122223333333344444444444
  60.00     75 . 555555666777777888888889999
  63.00     76 . 000000111111112222222253334444
  51.00     76 . 555555566677777888899999
  36.00     77 . 000000111222333 4
  17.00     77 . 5566778
  19.00     78 . 000122344
   9.00     78 . 6678&
   4.00     79 . 0&
   5.00 Extremes    (>=792)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A20_05 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<927)
  10.00     95 . &&
  30.00     96 . 035689&
  52.00     97 . 012345677889
 103.00     98 . 00111223334455667778888999
 129.00     99 . 001111223334444555566677788899 9
 124.00    100 . 000011222233334445566677778888 9
 104.00    101 . 00011223333445566677889
  55.00    102 . 001245566789&
  35.00    103 . 0123457&
  17.00    104 . 14&&&
   1.00    105 . &
   2.00 Extremes    (>=1056)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_05



Normal Q-Q Plot of A20_05



Descriptives

			Statistic	Std. Error
A15_05	Mean		750.0694	.70214
	95% Confidence Inter	Lower Bound	748.6907	
	for Mean	Upper Bound	751.4481	
	5% Trimmed Mean		750.1207	
	Median		750.0000	
	Variance		326.859	
	Std. Deviation		18.07925	
	Minimum		688.00	
	Maximum		805.00	
	Range		117.00	
	Interquartile Range		24.0000	
	Skewness		-.082	.095
	Kurtosis		.158	.190

Descriptives

			Statistic	Std. Error
A20_05	Mean		1000.4268	.77073
	95% Confidence Int	Lower Bound	998.9074	
	for Mean	Upper Bound	1001.9342	
	5% Trimmed Mean		1000.3414	
	Median		1000.0000	
	Variance		393.839	
	Std. Deviation		19.84538	
	Minimum		927.00	
	Maximum		1059.00	
	Range		132.00	
	Interquartile Range		27.0000	
	Skewness		.054	.095
	Kurtosis		-.069	.190

N=10,000

A5_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<244)
   4.00      24 . &
  12.00      25 . 0234&
  33.00      25 . 55667888999
  46.00      26 . 0011112222233344
 113.00      26 . 555555556666666677777778888889999999
 119.00      27 . 00000000111111222222222333333334444444
 109.00      27 . 5555555566666666777777788888888999999
 105.00      28 . 000000011111112222222223333344444444
  60.00      28 . 55555566666777788899
  34.00      29 . 00111223344
  20.00      29 . 555679&
   5.00      30 . 03&
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_055 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<512)
   5.00      51 . 34
   8.00      51 . 779&
  14.00      52 . 01244&
  22.00      52 . 5566777788&
  42.00      53 . 00111122223333344444
  48.00      53 . 555555566667788888999999
  83.00      54 . 000001111112222222223333333344444444444
  85.00      54 . 55555555566666666667777788888889999999999
  92.00      55 . 00000011111111111222222222233333333344444
  81.00      55 . 555556666666677777788888888888888899999
  62.00      56 . 00000000111111222233333444444
  41.00      56 . 55555666667788888899
  44.00      57 . 00001111222222344444
  13.00      57 . 577889
   8.00      58 . 004&
   4.00      58 . 7&
   5.00 Extremes    (>=589)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_055



Normal Q-Q Plot of A10_055



Descriptives

		Statistic	Std. Error
A5_055	Mean	274.7496	.41599
	95% Confidence Inte Lower Bound for Mean	273.9328	
	Upper Bound	275.5664	
	5% Trimmed Mean	274.7888	
	Median	275.0000	
	Variance	114.729	
	Std. Deviation	10.71115	
	Minimum	244.00	
	Maximum	304.00	
	Range	60.00	
	Interquartile Range	15.0000	
	Skewness	-.038	.095
	Kurtosis	-.092	.190

Descriptives

		Statistic	Std. Error
A10_055	Mean	550.4344	.59236
	95% Confidence Inter Lower Bound for Mean	549.2713	
	Upper Bound	551.5975	
	5% Trimmed Mean	550.5349	
	Median	551.0000	
	Variance	232.639	
	Std. Deviation	15.25250	
	Minimum	510.00	
	Maximum	597.00	
	Range	87.00	
	Interquartile Range	19.0000	
	Skewness	-.053	.095
	Kurtosis	.089	.190

N=10,000

A15_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   10.00 Extremes    (=<780)
    3.00      78 .  2&
   13.00      78 .  56789
    9.00      79 .  013&
   14.00      79 .  556679&
   29.00      80 .  0011112223344
   43.00      80 .  556667777778888999999
   52.00      81 .  0001111112222223333344444
   77.00      81 .  5555555566666677777788888888889999999
   70.00      82 .  0000000111111112222233333444444
   86.00      82 .  5555555566666667777777777888888888999999
   64.00      83 .  0000011111122222223333334444444
   63.00      83 .  555555566666667777788888999999
   32.00      84 .  00011222233344
   40.00      84 .  5555556666677888899
   25.00      85 .  00112223334
   15.00      85 .  666788&
   10.00      86 .  0133&
    4.00      86 .  5&
    4.00 Extremes    (>=873)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A20_055 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

    5.00 Extremes    (=<1045)
    2.00      104 .  &
    6.00      105 .  &
   28.00      106 .  123467&
   55.00      107 .  1234566777899
   91.00      108 .  0011223344556667778899
  128.00      109 .  00111222223334445566667778888999
  115.00      110 .  00112333444555556667778888899
  115.00      111 .  00001111222233444455566678899
   70.00      112 .  00111233445567899
   32.00      113 .  0123459&
   14.00      114 .  467&
    1.00      115 .  &
    1.00 Extremes    (>=1159)
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_055



Normal Q-Q Plot of A20_055



Descriptives

		Statistic	Std. Error
A15_05	Mean	824.9005	.70360
	95% Confidence In Lower Bound for Mean	823.5189	
	Upper Bound	826.2820	
	5% Trimmed Mean	825.1080	
	Median	825.0000	
	Variance	328.217	
	Std. Deviation	18.11675	
	Minimum	773.00	
	Maximum	879.00	
	Range	106.00	
	Interquartile Range	22.0000	
	Skewness	-.123	.095
	Kurtosis	.161	.190

Descriptives

		Statistic	Std. Error
A20_05	Mean	1100.7511	.77915
	95% Confidence Inte Lower Bound for Mean	1099.2212	
	Upper Bound	1102.2810	
	5% Trimmed Mean	1100.9608	
	Median	1101.0000	
	Variance	402.495	
	Std. Deviation	20.06229	
	Minimum	1035.00	
	Maximum	1159.00	
	Range	124.00	
	Interquartile Range	27.0000	
	Skewness	-.151	.095
	Kurtosis	.018	.190

N=10,000

A5_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<270)
   2.00      27 . &
  10.00      27 . 7789
  30.00      28 . 0122334444
  60.00      28 . 5556666677888899999
  91.00      29 . 000001111112222233333334444444
 112.00      29 . 5555566666667777777888888888999999999
 130.00      30 . 0000000001111111111222222233333333334444444444
  91.00      30 . 555555666667777778888899999999
  63.00      31 . 00000111122222333344
  46.00      31 . 5556666677788999
  20.00      32 . 0001234
   6.00      32 . 68&
   1.00 Extremes    (>=338)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_06 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<561)
    .00      56 .
   8.00      56 . 568&
  13.00      57 . 2334&
  26.00      57 . 555677788999
  42.00      58 . 00001111222222333344444
  64.00      58 . 555555566677777788888899999999999
  81.00      59 . 000000111112222222233333333344444444444
  85.00      59 . 5555555566666666667777777888888899999999999
  84.00      60 . 0000000000111111222222222333333344444444
  84.00      60 . 55555555566666666667777777888888899999999
  51.00      61 . 000000011111222233333444
  40.00      61 . 5555566666678889999
  28.00      62 . 000011223344
  29.00      62 . 55666777777899
   8.00      63 . 03&
   6.00      63 . 56&
   3.00 Extremes    (>=638)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_06



Normal Q-Q Plot of A10_06



Descriptives

			Statistic	Std. Error
A5_06	Mean		300.6305	.41606
	95% Confidence Ir for Mean	Lower Bound	299.8135	
		Upper Bound	301.4474	
	5% Trimmed Mean		300.5774	
	Median		300.0000	
	Variance		114.771	
	Std. Deviation		10.71313	
	Minimum		270.00	
	Maximum		338.00	
	Range		68.00	
	Interquartile Range		15.0000	
	Skewness		.093	.095
	Kurtosis		-.177	.190

Descriptives

			Statistic	Std. Error
A10_06	Mean		599.9729	.58691
	95% Confidence Inte for Mean	Lower Bound	598.8204	
		Upper Bound	601.1253	
	5% Trimmed Mean		599.9305	
	Median		600.0000	
	Variance		228.377	
	Std. Deviation		15.11214	
	Minimum		552.00	
	Maximum		641.00	
	Range		89.00	
	Interquartile Range		19.0000	
	Skewness		.072	.095
	Kurtosis		-.074	.190

N=10,000

A15_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   3.00 Extremes    (=<853)
   4.00      85 .  6&
   5.00      86 .  2&
  12.00      86 .  68899&
  21.00      87 .  01222344
  36.00      87 .  567777788899999
  48.00      88 .  000000011122223333444
  60.00      88 .  555555556666777788888999999
  77.00      89 .  000011111122222233333333333334444444
  65.00      89 .  555555566666666777777888888999
  89.00      90 .  00000000000111111222222223333333344444444
  69.00      90 .  555555556666666667777888889999999
  57.00      91 .  000001111122223333334444444
  45.00      91 .  555556666677778889999
  25.00      92 .  00012223344
  22.00      92 .  5556667789
  12.00      93 .  2334&
   8.00      93 .  579&
   3.00      94 .  0&
   2.00 Extremes    (>=945)
Stem width:     10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

A20_06 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   4.00 Extremes    (=<1147)
  12.00     115 .  9&&
  23.00     116 .  11678&
  64.00     117 .  2345556778899&
 102.00     118 .  000112234566667778889999
 114.00     119 .  001222333334445556677888999999
 136.00     120 .  00011111222333444555666777888899
 109.00     121 .  00011122233444566677788999
  60.00     122 .  00112344556788&
  26.00     123 .  023579&&
  10.00     124 .  03&
   3.00     125 .  1
Stem width:     10.00
Each leaf:      4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_06



Normal Q-Q Plot of A20_06



Descriptives

			Statistic	Std. Error
A15_06	Mean		899.0573	.65092
	95% Confidence Ir for Mean	Lower Bound	897.7792	
		Upper Bound	900.3354	
	5% Trimmed Mean		899.0148	
	Median		900.0000	
	Variance		280.912	
	Std. Deviation		16.76043	
	Minimum		845.00	
	Maximum		950.00	
	Range		105.00	
	Interquartile Range		22.0000	
	Skewness		.019	.095
	Kurtosis		-.021	.190

Descriptives

			Statistic	Std. Error
A20_06	Mean		1199.6003	.75818
	95% Confidence Inte for Mean	Lower Bound	1198.1116	
		Upper Bound	1201.0890	
	5% Trimmed Mean		1199.7455	
	Median		1201.0000	
	Variance		381.119	
	Std. Deviation		19.52228	
	Minimum		1135.00	
	Maximum		1251.00	
	Range		116.00	
	Interquartile Range		26.0000	
	Skewness		-.128	.095
	Kurtosis		.023	.190

N=10,000

A5_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<297)
   8.00     30 . 034&
  34.00     30 . 55667788899
  70.00     31 . 00011111122223333334444
  89.00     31 . 555555666677777778888888999999
 124.00     32 . 00000001111111122222222222333333334444444
 111.00     32 . 5555555666666777777788888888889999999
 112.00     33 . 0000000011111111111222222222333334444444
  66.00     33 . 555566666777778888999
  35.00     34 . 0001112233344
  10.00     34 . 789&
   1.00 Extremes    (>=356)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

A10_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<607)
   1.00     60 . &
   5.00     61 . &&
  10.00     61 . 6799&
  11.00     62 . 1223&
  25.00     62 . 6777888999&
  37.00     63 . 0001122233344444
  75.00     63 . 555555566666667777777888888889999999
  76.00     64 . 0000111111122222222333333334444444
  81.00     64 . 555555566666666677777777778888889999999
  76.00     65 . 0000001111111111222222333333444444
  81.00     65 . 555556666666667777777777778888888889999
  76.00     66 . 0000000001111111111222222333333334444
  51.00     66 . 555555666667777788889999
  32.00     67 . 000001112233444
  17.00     67 . 5567788&
   3.00     68 . &
   4.00 Extremes    (>=692)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_065



Normal Q-Q Plot of A10_065



Descriptives

		Statistic	Std. Error
A5_065	Mean	324.6456	.39605
	95% Confidence Inter for Mean — Lower Bound	323.8679	
	Upper Bound	325.4232	
	5% Trimmed Mean	324.6751	
	Median	325.0000	
	Variance	103.997	
	Std. Deviation	10.19787	
	Minimum	284.00	
	Maximum	356.00	
	Range	72.00	
	Interquartile Range	14.0000	
	Skewness	-.094	.095
	Kurtosis	-.110	.190

Descriptives

		Statistic	Std. Error
A10_06.	Mean	649.8371	.57048
	95% Confidence Int for Mean — Lower Bound	648.7169	
	Upper Bound	650.9573	
	5% Trimmed Mean	649.9983	
	Median	650.0000	
	Variance	215.774	
	Std. Deviation	14.68925	
	Minimum	600.00	
	Maximum	702.00	
	Range	102.00	
	Interquartile Range	21.0000	
	Skewness	-.106	.095
	Kurtosis	.128	.190

N=10,000

A15_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<923)
   1.00      92 .  &
   5.00      93 .  33&
   8.00      93 .  689&
  17.00      94 .  1223334&
  26.00      94 .  556666677899
  27.00      95 .  001122233444
  54.00      95 .  555556666667777888899999999
  55.00      96 .  0000011111222222333344444
  64.00      96 .  5555566666677777788888889999999
  61.00      97 .  0000001111112222333333444444
  75.00      97 .  555555566666667777777888888888999999
  73.00      98 .  0000000011111112222222333333344444
  66.00      98 .  555555566666667777788888888999999
  40.00      99 .  0000111222223333 4
  38.00      99 .  555556666677788999
  17.00     100 .  0011344&
  20.00     100 .  55667799&
  11.00     101 .  0014&
   1.00     101 .  &
   1.00 Extremes    (>=1023)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_065



A20_065 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   5.00 Extremes    (=<1248)
   9.00     125 .  3&
  28.00     126 .  23689&&
  45.00     127 .  2356677899&
 102.00     128 .  011123345666677778889 99
 131.00     129 .  00111122223344455556677788888899
 129.00     130 .  000111122223344555666667778899 99
 101.00     131 .  0011112233445566667788 99
  61.00     132 .  01122223445589&
  30.00     133 .  0136&&
  16.00     134 .  2&&&
   3.00     135 .  &
   3.00 Extremes    (>=1353)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_065



Descriptives

			Statistic	Std. Error
A15_065	Mean		974.2896	.69025
	95% Confidence Inter	Lower Bound	972.9343	
	for Mean	Upper Bound	975.6449	
	5% Trimmed Mean		974.3989	
	Median		975.0000	
	Variance		315.883	
	Std. Deviation		17.77309	
	Minimum		917.00	
	Maximum		1023.00	
	Range		106.00	
	Interquartile Range		24.0000	
	Skewness		-.131	.095
	Kurtosis		-.220	.190

Descriptives

			Statistic	Std. Error
A20_06	Mean		1300.7255	.77328
	95% Confidence In	Lower Bound	1299.2071	
	for Mean	Upper Bound	1302.2439	
	5% Trimmed Mean		1300.7168	
	Median		1300.0000	
	Variance		396.444	
	Std. Deviation		19.91091	
	Minimum		1233.00	
	Maximum		1357.00	
	Range		124.00	
	Interquartile Range		26.0000	
	Skewness		.003	.095
	Kurtosis		.179	.190

N=10,000

A5_07 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00 Extremes    (=<322)
    .00     32 .
  10.00     32 . 7899&
  31.00     33 . 0012333444
  58.00     33 . 5556667778888899999
 107.00     34 . 00000011111111222223333334444444444
 123.00     34 . 5555555556666666677777778888888889999999999
 126.00     35 . 000000000011111111122222223333333334444444
  96.00     35 . 555555566666666777777778888899999
  66.00     36 . 000000111122223333444 4
  33.00     36 . 55566678899
   8.00     37 . 34&

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_07 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf

   5.00     66 . 8&
  11.00     67 . 1133&
  21.00     67 . 555888999&
  51.00     68 . 000000111112233333344444
  79.00     68 . 5555555666677777777888888888999999999999
  79.00     69 . 000000111111222222223333333334444444
  91.00     69 . 555555566666777777777778888888889999999999999
  84.00     70 . 00000000011111111222222223333333334444444
  75.00     70 . 555555555666677777777778888888999999
  73.00     71 . 000000000011111112222222333333344444
  43.00     71 . 5555666777777899999
  29.00     72 . 0111122223334 4
  13.00     72 . 55688&
   7.00     73 . 1&&
   2.00     73 . 8

Stem width:     10.00
Each leaf:      2 case(s)

& denotes fractional leaves.
```

Normal Q-Q Plot of A5_07



Normal Q-Q Plot of A10_07



Descriptives

			Statistic	Std. Error
A5_07	Mean		349.2775	.38198
	95% Confidence Int for Mean	Lower Bound	348.5275	
		Upper Bound	350.0276	
	5% Trimmed Mean		349.3419	
	Median		349.0000	
	Variance		96.736	
	Std. Deviation		9.83542	
	Minimum		320.00	
	Maximum		374.00	
	Range		54.00	
	Interquartile Range		13.0000	
	Skewness		-.074	.095
	Kurtosis		-.195	.190

Descriptives

			Statistic	Std. Error
A10_07	Mean		699.6968	.52393
	95% Confidence Inte for Mean	Lower Bound	698.6681	
		Upper Bound	700.7256	
	5% Trimmed Mean		699.6059	
	Median		699.0000	
	Variance		181.997	
	Std. Deviation		13.49063	
	Minimum		666.00	
	Maximum		738.00	
	Range		72.00	
	Interquartile Range		21.0000	
	Skewness		.110	.095
	Kurtosis		-.388	.190

N=10,000

A15_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   7.00 Extremes    (=<1007)
   1.00    100 . &
   5.00    101 . 0&
  16.00    101 . 57789
  19.00    102 . 011234
  30.00    102 . 56777778899
  31.00    103 . 01123334444
  57.00    103 . 555666677778888889999
  66.00    104 . 000001111222233334444
  78.00    104 . 555556666777777888889999999
  93.00    105 . 000000011111111222222333334444
  78.00    105 . 555555566667777778888899999
  60.00    106 . 00011111122223333 4444
  52.00    106 . 55566667778888999
  32.00    107 . 00112223344
  13.00    107 . 56789
  14.00    108 . 01134&
   7.00    108 . 567
   2.00    109 . 2
   2.00 Extremes    (>=1095)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_07



Descriptives

		Statistic	Std. Error
A15_07	Mean	1049.8824	.64040
	95% Confidence Ir Lower Bound for Mean	1048.6249	
	Upper Bound	1051.1398	
	5% Trimmed Mean	1050.0393	
	Median	1051.0000	
	Variance	271.902	
	Std. Deviation	16.48944	
	Minimum	1002.00	
	Maximum	1095.00	
	Range	93.00	
	Interquartile Range	22.0000	
	Skewness	-.176	.095
	Kurtosis	.068	.190

A20_07 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<1351)
   3.00    135 . 2&
   6.00    135 . 589
   5.00    136 . 34&
  16.00    136 . 567889
  24.00    137 . 01122223344
  22.00    137 . 5566667799&
  40.00    138 . 001112223333344444
  53.00    138 . 556666666667777788888999
  83.00    139 . 000000111111222222233333333334444444444
  54.00    139 . 555555556666777788888999999
  75.00    140 . 000000001111111222233333333333444444
  67.00    140 . 555555556666677777788888889999999
  61.00    141 . 000000111111112222333333344444
  41.00    141 . 555566667777788889999
  38.00    142 . 00001111222233344
  28.00    142 . 5566677778889 9
  23.00    143 . 0001122344
  10.00    143 . 5567&
   6.00    144 . 4&
   1.00    144 . &
   4.00 Extremes    (>=1451)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_07



Descriptives

		Statistic	Std. Error
A20_07	Mean	1400.8929	.73720
	95% Confidence Inte Lower Bound for Mean	1399.4454	
	Upper Bound	1402.3404	
	5% Trimmed Mean	1400.9315	
	Median	1401.0000	
	Variance	360.316	
	Std. Deviation	18.98200	
	Minimum	1330.00	
	Maximum	1485.00	
	Range	155.00	
	Interquartile Range	25.0000	
	Skewness	.049	.095
	Kurtosis	.568	.190

N=10,000

A5_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   3.00 Extremes    (=<349)
   7.00     35 . 24&
  22.00     35 . 5678999
  53.00     36 . 000011112223334444
  98.00     36 . 55555555566667777888888999999999
 124.00     37 . 00000001111111122222222223333333444444444
 130.00     37 . 55555566666666677777777888888888888999999999
 133.00     38 . 000000000001111111112222222222333333444444444
  62.00     38 . 55566666667777888899
  22.00     39 . 1112344&
   7.00     39 . 58&
   2.00     40 . 0

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A10_075 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf

   5.00 Extremes    (=<713)
   3.00     71 . 9&
  15.00     72 . 012344
  25.00     72 . 566677899
  39.00     73 . 00111123334444
  64.00     73 . 55666777888888899999
  86.00     74 . 000000111112222333333444444
 106.00     74 . 55555556666666677777888888899999999999
 104.00     75 . 000000011111122222233333334444444444
  86.00     75 . 55555666667777778888889999999
  57.00     76 . 000001111222333444
  32.00     76 . 55666677889
  18.00     77 . 012234
  14.00     77 . 5567
   4.00     78 . 2&
   5.00 Extremes    (>=785)

Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves
```

Normal Q-Q Plot of A5_075



Normal Q-Q Plot of A10_075



Descriptives

			Statistic	Std. Error
A5_075	Mean		375.0784	.35864
	95% Confidence Inte for Mean	Lower Bound	374.3742	
		Upper Bound	375.7826	
	5% Trimmed Mean		375.1427	
	Median		376.0000	
	Variance		85.278	
	Std. Deviation		9.23460	
	Minimum		348.00	
	Maximum		400.00	
	Range		52.00	
	Interquartile Range		13.0000	
	Skewness		-.155	.095
	Kurtosis		-.156	.190

Descriptives

			Statistic	Std. Error
A10_075	Mean		749.0317	.51408
	95% Confidence Inter for Mean	Lower Bound	748.0222	
		Upper Bound	750.0411	
	5% Trimmed Mean		748.9947	
	Median		749.0000	
	Variance		175.218	
	Std. Deviation		13.23699	
	Minimum		706.00	
	Maximum		790.00	
	Range		84.00	
	Interquartile Range		18.0000	
	Skewness		.013	.095
	Kurtosis		.320	.190

N=10,000

A15_075 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
   4.00 Extremes    (=<1082)
   1.00     108 . &
   4.00     108 . 6&
   7.00     109 . 014&
  12.00     109 . 677899&
  27.00     110 . 0012233344
  46.00     110 . 555566667888999
  58.00     111 . 00001111122222333344
  59.00     111 . 5555566677778888999
  89.00     112 . 000000111112222233333334444444
  93.00     112 . 555555566666677777777888899999
  71.00     113 . 00000001111122233334444
  65.00     113 . 5555666777778888999999
  49.00     114 . 00000011223333444
  28.00     114 . 566778899
  29.00     115 . 0012233444
  11.00     115 . 599&
   3.00     116 . 2&
   1.00     116 . &
Stem width:    10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_075



A20_075 Stem-and-Leaf Plot

```
Frequency   Stem & Leaf
   4.00 Extremes    (=<1454)
    .00     145 .
   2.00     145 . &
   5.00     146 . 34
  15.00     146 . 5556799&
  20.00     147 . 01223334
  31.00     147 . 5566677777889
  47.00     148 . 00000111122223344444444
  54.00     148 . 555566667777788889999999999
  65.00     149 . 000000011111222222233333344444444
  67.00     149 . 5555555566666666777777888889999999
  87.00     150 . 000000011111111112222222222333333334444444
  73.00     150 . 5555555566666666666777777788888999999
  61.00     151 . 000001111112222233333444444444
  46.00     151 . 555556666666777778899999
  33.00     152 . 0000111123334444
  19.00     152 . 55677889
  18.00     153 . 0001234
   9.00     153 . 5678
   4.00     154 . 2&
   1.00     154 . &
   2.00 Extremes    (>=1547)
Stem width:    10.00
Each leaf:      2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_075



Descriptives

		Statistic	Std. Error
A15_07. Mean		1125.2051	.60716
95% Confidence Int for Mean	Lower Bound	1124.0129	
	Upper Bound	1126.3973	
5% Trimmed Mean		1125.3115	
Median		1125.0000	
Variance		244.411	
Std. Deviation		15.63365	
Minimum		1080.00	
Maximum		1165.00	
Range		85.00	
Interquartile Range		21.0000	
Skewness		-.104	.095
Kurtosis		-.177	.190

Descriptives

		Statistic	Std. Error
A20_07. Mean		1500.1463	.67019
95% Confidence Int for Mean	Lower Bound	1498.8303	
	Upper Bound	1501.4623	
5% Trimmed Mean		1500.1285	
Median		1501.0000	
Variance		297.790	
Std. Deviation		17.25659	
Minimum		1451.00	
Maximum		1556.00	
Range		105.00	
Interquartile Range		23.0000	
Skewness		.003	.095
Kurtosis		-.056	.190

N=10,000

A5_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<377)
   4.00     37 . 8
  14.00     38 . 034&
  46.00     38 . 556677888999
  99.00     39 . 000111112222333334444444
 139.00     39 . 555555666667777777888888889999999
 155.00     40 . 0000000000111111122222333333344444444
 111.00     40 . 555555666666677777788888999
  60.00     41 . 00001111112344
  25.00     41 . 56678&
   6.00     42 . 0&
   1.00 Extremes    (>=424)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A10_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<770)
   6.00     77 . 24&
  15.00     77 . 57889&
  40.00     78 . 0122333344444
  58.00     78 . 5566677778888888999
  83.00     79 . 000001111122223333333444444
  97.00     79 . 555556666667777777788888999999
 116.00     80 . 0000001111111122222222333333444444444
 105.00     80 . 555555555666666777777888888888999999
  70.00     81 . 000011112222233333344444
  37.00     81 . 556677778899
  20.00     82 . 011223&
   8.00     82 . 57&
   2.00     83 . 0
   3.00 Extremes    (>=833)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_08



Normal Q-Q Plot of A10_08



Descriptives

		Statistic	Std. Error
A5_08	Mean	400.2564	.32784
	95% Confidence Int Lower Bound for Mean	399.6127	
	Upper Bound	400.9001	
	5% Trimmed Mean	400.2933	
	Median	400.0000	
	Variance	71.260	
	Std. Deviation	8.44159	
	Minimum	375.00	
	Maximum	424.00	
	Range	49.00	
	Interquartile Range	12.0000	
	Skewness	-.073	.095
	Kurtosis	-.043	.190

Descriptives

		Statistic	Std. Error
A10_08	Mean	800.4585	.45546
	95% Confidence Inter Lower Bound for Mean	799.5642	
	Upper Bound	801.3528	
	5% Trimmed Mean	800.4556	
	Median	801.0000	
	Variance	137.533	
	Std. Deviation	11.72743	
	Minimum	765.00	
	Maximum	838.00	
	Range	73.00	
	Interquartile Range	15.0000	
	Skewness	-.007	.095
	Kurtosis	-.032	.190

N=10,000

A15_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<1158)
   1.00     115 .  &
   1.00     116 .  &
   7.00     116 .  578&
  16.00     117 .  011233&
  21.00     117 .  556789
  41.00     118 .  0011112233344
  59.00     118 .  55566677778888999999
  80.00     119 .  00000000111222223333444444
  96.00     119 .  555555556666677777777888899999999
  84.00     120 .  000000111112222223333344444
  76.00     120 .  5555566667777777888889999
  70.00     121 .  0000111112222333334444444
  52.00     121 .  556666677777889999
  26.00     122 .  00012334
  18.00     122 .  567899
   7.00     123 .  013&
   6.00     123 .  59
Stem width:    10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

A20_08 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<1560)
   2.00     156 .  3
  10.00     156 .  789&
  17.00     157 .  011234
  32.00     157 .  556778888899
  43.00     158 .  0001222334444
  58.00     158 .  5556667777888899999999
 102.00     159 .  000001111112222222223333334444444444
  70.00     159 .  5555666667777888889999
  74.00     160 .  00000111122222333333344
  78.00     160 .  555556666666777777888888999
  55.00     161 .  0000001111222333444
  56.00     161 .  5555666677788899999
  26.00     162 .  001123344
  17.00     162 .  556789
  15.00     163 .  00123
   3.00     163 .  6&
   2.00 Extremes    (>=1645)
Stem width:    10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_08



Normal Q-Q Plot of A20_08



Descriptives

			Statistic	Std. Error
A15_08	Mean		1200.2142	.56246
	95% Confidence Inte for Mean	Lower Bound	1199.1098	
		Upper Bound	1201.3186	
	5% Trimmed Mean		1200.2698	
	Median		1200.0000	
	Variance		209.749	
	Std. Deviation		14.48270	
	Minimum		1158.00	
	Maximum		1239.00	
	Range		81.00	
	Interquartile Range		21.0000	
	Skewness		-.051	.095
	Kurtosis		-.140	.190

Descriptives

			Statistic	Std. Error
A20_08	Mean		1599.5686	.59446
	95% Confidence Inte for Mean	Lower Bound	1598.4014	
		Upper Bound	1600.7359	
	5% Trimmed Mean		1599.5308	
	Median		1599.0000	
	Variance		234.291	
	Std. Deviation		15.30657	
	Minimum		1555.00	
	Maximum		1647.00	
	Range		92.00	
	Interquartile Range		20.0000	
	Skewness		.055	.095
	Kurtosis		-.177	.190

N=10,000

A5_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<405)
  12.00     40 . 78&
  47.00     41 . 011222333444
  83.00     41 . 55566667777888899999
 169.00     42 . 00000011111111222222233333333334444444
 164.00     42 . 55555555556666666677777777788888889999999
 108.00     43 . 000000011111222233333344
  53.00     43 . 5555666778899
  20.00     44 . 0123&
   3.00 Extremes    (>=446)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A10_085 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<820)
   1.00     82 . &
  14.00     82 . 57789
  37.00     83 . 0111233333444
  58.00     83 . 5555566667778889999
  96.00     84 . 000011111122222222233333344444444
 120.00     84 . 555555555666666666777778888888889999999999
 125.00     85 . 00000000011111111222222222333333344444444
 100.00     85 . 5555555666666667777777888888899999
  57.00     86 . 000011111122233344
  35.00     86 . 55667777899
  11.00     87 . 012
   2.00     87 . 5
   4.00 Extremes    (>=877)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_085



Normal Q-Q Plot of A10_085



Descriptives

		Statistic	Std. Error
A5_085	Mean	425.0724	.30288
	95% Confidence Inte Lower Bound for Mean	424.4777	
	Upper Bound	425.6671	
	5% Trimmed Mean	425.0654	
	Median	425.0000	
	Variance	60.820	
	Std. Deviation	7.79869	
	Minimum	403.00	
	Maximum	448.00	
	Range	45.00	
	Interquartile Range	10.0000	
	Skewness	-.003	.095
	Kurtosis	.005	.190

Descriptives

		Statistic	Std. Error
A10_085	Mean	849.4329	.40686
	95% Confidence Inter Lower Bound for Mean	848.6340	
	Upper Bound	850.2318	
	5% Trimmed Mean	849.4168	
	Median	850.0000	
	Variance	109.747	
	Std. Deviation	10.47604	
	Minimum	820.00	
	Maximum	885.00	
	Range	65.00	
	Interquartile Range	14.0000	
	Skewness	.018	.095
	Kurtosis	-.058	.190

N=10,000

A15_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   3.00 Extremes    (=<1239)
   4.00     124 .  4
   6.00     124 .  78&
  20.00     125 .  012344
  36.00     125 .  5566777888999
  66.00     126 .  011122222333334444444
  72.00     126 .  555566667777788888899999
 107.00     127 .  000011112222222233333333344444444
  95.00     127 .  555555556666667777777788888899999
  90.00     128 .  000001111112222223333344444444
  83.00     128 .  555556666666777777888899999999
  45.00     129 .  00011222233334
  25.00     129 .  55667789
   6.00     130 .  0&
   2.00     130 .  5
   3.00 Extremes    (>=1310)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_085



A20_085 Stem-and-Leaf Plot

```
Frequency    Stem &  Leaf
   2.00 Extremes    (=<1661)
   2.00     166 .  &
   8.00     166 .  59&
  12.00     167 .  1234&
  19.00     167 .  567899
  55.00     168 .  000112222333344444
  65.00     168 .  555566666777788889999
  75.00     169 .  000001111112222233333444444
 101.00     169 .  555566666677777788888888999999999999
  93.00     170 .  000000111111112222233333344444
  73.00     170 .  555555566666777778889999
  72.00     171 .  000000111122222233334444
  42.00     171 .  55555677888899
  25.00     172 .  011223444
  10.00     172 .  568
   5.00     173 .  01
   1.00     173 .  &
   3.00 Extremes    (>=1740)
Stem width:     10.00
Each leaf:      3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_085



Descriptives

		Statistic	Std. Error
A15_08: Mean		1275.4148	.48517
95% Confidence Inte for Mean	Lower Bound	1274.4621	
	Upper Bound	1276.3674	
5% Trimmed Mean		1275.5279	
Median		1275.0000	
Variance		156.062	
Std. Deviation		12.49247	
Minimum		1235.00	
Maximum		1327.00	
Range		92.00	
Interquartile Range		17.0000	
Skewness		-.090	.095
Kurtosis		.235	.190

Descriptives

		Statistic	Std. Error
A20_08: Mean		1699.2081	.53526
95% Confidence Inte for Mean	Lower Bound	1698.1571	
	Upper Bound	1700.2592	
5% Trimmed Mean		1699.2260	
Median		1699.0000	
Variance		189.954	
Std. Deviation		13.78237	
Minimum		1657.00	
Maximum		1747.00	
Range		90.00	
Interquartile Range		19.0000	
Skewness		.018	.095
Kurtosis		.093	.190

N=10,000

A5_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<424)
   2.00      43 . 3
   3.00      43 . 4&
   8.00      43 . 6667
  15.00      43 . 8899999
  42.00      44 . 000000001111111111111
  33.00      44 . 2222222233333333
  62.00      44 . 44444444444444555555555555555
  86.00      44 . 66666666666666667777777777777777777777777
  65.00      44 . 88888888888888999999999999999999999
  90.00      45 . 000000000000000000011111111111111111111111
  75.00      45 . 222222222222222233333333333333333333333
  54.00      45 . 444444444444444444555555555
  47.00      45 . 66666666666777777777777
  36.00      45 . 88888888888999999
  16.00      46 . 00001111
  14.00      46 . 222233
   6.00      46 . 45
   2.00      46 . 6
   6.00 Extremes    (>=467)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

A10_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<876)
   4.00      87 . &
  25.00      88 . 012344
  55.00      88 . 5566677889999
  79.00      89 . 0001112223333344444
 141.00      89 . 555555566666667777778888888899999999
 142.00      90 . 000000111112222222223333333344444444
 125.00      90 . 5555555566666777777888888889999
  56.00      91 . 0001112223344
  27.00      91 . 556789
   3.00      92 . &
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_09



Normal Q-Q Plot of A10_09



Descriptives

			Statistic	Std. Error
A5_09	Mean		449.8582	.25375
	95% Confidence Ir for Mean	Lower Bound	449.3600	
		Upper Bound	450.3565	
	5% Trimmed Mean		449.7752	
	Median		450.0000	
	Variance		42.690	
	Std. Deviation		6.53375	
	Minimum		424.00	
	Maximum		474.00	
	Range		50.00	
	Interquartile Range		9.0000	
	Skewness		.161	.095
	Kurtosis		.450	.190

Descriptives

			Statistic	Std. Error
A10_09	Mean		899.8567	.34848
	95% Confidence Inte for Mean	Lower Bound	899.1724	
		Upper Bound	900.5410	
	5% Trimmed Mean		900.0089	
	Median		900.0000	
	Variance		80.516	
	Std. Deviation		8.97305	
	Minimum		870.00	
	Maximum		921.00	
	Range		51.00	
	Interquartile Range		12.0000	
	Skewness		-.308	.095
	Kurtosis		.008	.190

N=10,000

A15_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   1.00 Extremes    (=<1320)
   8.00     132 . 23&
  13.00     132 . 56789
  21.00     133 . 01233344
  58.00     133 . 5555666677788889999
  87.00     134 . 000000111111222223333333344444
 119.00     134 . 55555556666666777777778888888899999999
 105.00     135 . 000000001111112222233333333344444444
 109.00     135 . 5555555556666666777777888888888889999
  79.00     136 . 0000001111111222222333333444
  41.00     136 . 5555566677788&
  14.00     137 . 0013&
   7.00     137 . 568&
   1.00     138 . &
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A15_09



A20_09 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   4.00 Extremes    (=<1768)
   1.00     176 . &
   5.00     177 . 3&
  16.00     177 . 66789&
  45.00     178 . 00111223333444
  68.00     178 . 5556666667777888899999
  93.00     179 . 000001111111222222233333444444
  98.00     179 . 55555566666667777888888899999999
 116.00     180 . 0000000011111111222222222333333344444444
  90.00     180 . 5555555566666666667777888888899
  56.00     181 . 000000111223334444
  42.00     181 . 55556667778889
  16.00     182 . 01234
   7.00     182 . 56&
   6.00 Extremes    (>=1829)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A20_09



Descriptives

			Statistic	Std. Error
A15_09	Mean		1350.5189	.41833
	95% Confidence Inte for Mean	Lower Bound	1349.6974	
		Upper Bound	1351.3403	
	5% Trimmed Mean		1350.6402	
	Median		1351.0000	
	Variance		116.023	
	Std. Deviation		10.77142	
	Minimum		1320.00	
	Maximum		1380.00	
	Range		60.00	
	Interquartile Range		15.0000	
	Skewness		-.149	.095
	Kurtosis		-.121	.190

Descriptives

			Statistic	Std. Error
A20_09	Mean		1799.2700	.46436
	95% Confidence Int for Mean	Lower Bound	1798.3582	
		Upper Bound	1800.1818	
	5% Trimmed Mean		1799.2109	
	Median		1800.0000	
	Variance		142.965	
	Std. Deviation		11.95679	
	Minimum		1758.00	
	Maximum		1843.00	
	Range		85.00	
	Interquartile Range		15.0000	
	Skewness		.060	.095
	Kurtosis		.251	.190

N=10,000

A5_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   6.00 Extremes    (=<463)
    .00     46 .
   8.00     46 . 455
  23.00     46 . 66777777
  42.00     46 . 888888899999999
  69.00     47 . 000000000111111111111
  91.00     47 . 2222222222222233333333333333
 113.00     47 . 44444444444444445555555555555555555
 109.00     47 . 6666666666666666777777777777777777
  88.00     47 . 88888888888888889999999999999
  66.00     48 . 000000000001111111111
  34.00     48 . 22222233333
   9.00     48 . 455
   1.00     48 . &
   4.00 Extremes    (>=487)
Stem width:    10.00
Each leaf:     3 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A5_095



Descriptives

		Statistic	Std. Error
A5_095 Mean		475.0271	.17947
95% Confidence Inte for Mean	Lower Bound	474.6747	
	Upper Bound	475.3796	
5% Trimmed Mean		475.0740	
Median		475.0000	
Variance		21.356	
Std. Deviation		4.62123	
Minimum		459.00	
Maximum		488.00	
Range		29.00	
Interquartile Range		6.0000	
Skewness		-.182	.095
Kurtosis		.052	.190

A10_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   3.00 Extremes    (=<931)
    .00     93 .
   3.00     93 . 3&
   5.00     93 . 45
  11.00     93 . 66777
  20.00     93 . 899999999
  37.00     94 . 0000000111111111111
  33.00     94 . 2222222333333333
  74.00     94 . 4444444444444445555555555555555555555
  61.00     94 . 6666666666666666777777777777777
  72.00     94 . 888888888888888899999999999999999999
  81.00     95 . 000000000000000000001111111111111111111
  78.00     95 . 2222222222222233333333333333333333333333
  62.00     95 . 4444444444444444444555555555555
  50.00     95 . 66666666666666677777777777
  35.00     95 . 88888888899999999
  21.00     96 . 0000011111
   8.00     96 . 2223
   4.00     96 . 4&
   4.00     96 . 7&
   1.00 Extremes    (>=970)
Stem width:    10.00
Each leaf:     2 case(s)
& denotes fractional leaves.
```

Normal Q-Q Plot of A10_095



Descriptives

		Statistic	Std. Error
A10_095 Mean		949.5656	.25388
95% Confidence Inte for Mean	Lower Bound	949.0671	
	Upper Bound	950.0641	
5% Trimmed Mean		949.6047	
Median		950.0000	
Variance		42.732	
Std. Deviation		6.53701	
Minimum		925.00	
Maximum		970.00	
Range		45.00	
Interquartile Range		9.0000	
Skewness		-.123	.095
Kurtosis		.062	.190

N=10,000

A15_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   2.00 Extremes    (=<1405)
  12.00     140 . 899&
  50.00     141 . 011233334444
  93.00     141 . 555666777888889999999
 159.00     142 . 000000001111111111222222233333344444444
 169.00     142 . 555555555666666677777777888888888899999999
 113.00     143 . 000000111111122222233334444
  46.00     143 . 5566777889
  17.00     144 . 0134&
   2.00 Extremes    (>=1445)
Stem width:    10.00
Each leaf:     4 case(s)
& denotes fractional leaves.
```

A20_095 Stem-and-Leaf Plot

```
Frequency    Stem & Leaf
   9.00 Extremes    (=<1880)
   2.00     188 . 1
   8.00     188 . 2233
  12.00     188 . 445555
  18.00     188 . 666667777
  29.00     188 . 88888889999999
  28.00     189 . 0000011111111
  43.00     189 . 2222222223333333333
  43.00     189 . 4444555555555555555
  59.00     189 . 66666666666666666667777777777
  66.00     189 . 888888888888888999999999999999999
  63.00     190 . 000000000000011111111111111111
  67.00     190 . 2222222222222223333333333333333
  52.00     190 . 4444444444445555555555555
  42.00     190 . 66666666667777777777
  33.00     190 . 8888888888999999
  29.00     191 . 00000000111111
  23.00     191 . 22222223333
  18.00     191 . 444445555
  12.00     191 . 66677
   5.00     191 . 89
   2.00 Extremes    (>=1921)
Stem width:    10.00
Each leaf:     2 case(s)
```

Normal Q-Q Plot of A15_095



Normal Q-Q Plot of A20_095



Descriptives

		Statistic	Std. Error
A15_095 Mean		1424.8808	.29361
95% Confidence Inte for Mean	Lower Bound	1424.3043	
	Upper Bound	1425.4574	
5% Trimmed Mean		1424.8525	
Median		1425.0000	
Variance		57.153	
Std. Deviation		7.55999	
Minimum		1404.00	
Maximum		1448.00	
Range		44.00	
Interquartile Range		10.0000	
Skewness		.037	.095
Kurtosis		-.190	.190

Descriptives

		Statistic	Std. Error
A20_095 Mean		1899.8401	.32885
95% Confidence Interv for Mean	Lower Bound	1899.1944	
	Upper Bound	1900.4858	
5% Trimmed Mean		1899.9380	
Median		1900.0000	
Variance		71.696	
Std. Deviation		8.46738	
Minimum		1872.00	
Maximum		1922.00	
Range		50.00	
Interquartile Range		10.0000	
Skewness		-.182	.095
Kurtosis		.035	.190

ประวัติผู้เขียนวิทยานิพนธ์

นางสาวสมจิตต์ บัวบาน เกิดเมื่อวันที่ 2 ธันวาคม 2520 สำเร็จการศึกษาระดับปริญญาบัณฑิต หลักสูตรวิทยาศาสตรบัณฑิต (สถิติ) จากมหาวิทยาลัยศิลปากร ปีการศึกษา 2541 เข้าศึกษาระดับปริญญามหาบัณฑิต หลักสูตรสถิติศาสตรมหาบัณฑิต ที่คณะพาณิชยศาสตร์และการบัญชี จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2542

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย