

REFERENCES

- Akimov, Y.K. (2003) Fields of application of aerogels. Instrument and Experimental Techniques, 46(3), 287-299.
- Amin, S.P., Marmur, E.S., and Golderg, D.J. (2004) Complications from injectable polyacrylamide gels, a new nonbiodegradable soft tissue filler. Dermatology Surgery Part 2, 30(12), 1507-1509.
- Bandi, S. (2006) High Performance Blends and Composites: Part (I) Clay-Aerogel/Polymer Composites. Unpublished Ph.D. Thesis.
- Bandi, S., and Schiraldi, D.A. (2006) Glass transition behavior of clay aerogel/poly(vinyl alcohol) composites. Macromolecules, 39, 6537-6545.
- Bandi, S., Bell, M., and Schiraldi, D.A. (2005) Temperature-responsive clay aerogel-polymer composites. Macromolecules, 38, 9216-9220.
- Bock, V., Emmerling, A., and Fricke, J. (1998) Influence of monomer and catalyst concentration on RF and carbon aerogel structure. Proceeding of the Fifth International Symposium on Aerogels (ISA 5) Journal of Non-Crystalline Solids, 225, 69-73.
- Bouwstra, J.A., Jungiger, H.E., Swarbrick, J., and Boylan, J.C., (1993) Encyclopedia of Pharmaceutical Technology. New York: Marcel Dekker.
- Cai, J., Kimura, S., Wada, M., Kuga, S., and Zhang, L. (2008) Cellulose aerogels from aqueous alkali hydroxide-urea solution. ChemSusChem : chemistry & sustainability : energy & materials, 1, 149-154.
- Chu, K.C., and Rutt, B.K. (1997) Polyvinyl alcohol cryogel: an ideal phantom materials for MR studies of arterial flow and elasticity. Magnetic Resonance in Medicine, 3, 314-319.
- Daniliuc, L., De Kesel, C., and David, C. (1992) Intermolecular interactions in blends of poly(vinyl alcohol) with poly(acrylic acid)-1. FTIR and DSC studies. European Polymer Journal, 28(11), 1365-1371.
- Dukjoon, K., and Kinam, P. (2004) Swelling and mechanical properties of super porous hydrogels of poly(acrylamide-co-acrylic

- acid)/polyethyleimine interpenetrating networks. *Polymer*, 45, 189-196.
- Fricke, J., and Tillotson, T. (1997) Aerogels: production, characterization, and applications. *Thin Solid Films*, 297, 212-233.
- Haraguchi, K., Takehisa, Y., and Fan, S. (2002) Effect of clay content on the properties of nanocomposites hydrogels composed of poly(*N*-isopropylacrylamide) and clay. *Macromolecules*, 35, 10162-10171.
- Hassan, C.M., and Peppas, N.A. (2000) Structure and applications of poly(vinyl alcohol) hydrogels produced by conventional crosslinking or by freezing/thawing methods. *Advances in Polymer Science*, 153, 37-65.
- Hrubesh, L.W., and Poco, J.F. (1995) Thin aerogel films for optical, thermal, acoustic and electronic applications. *Journal of Non-Crystalline Solids*, 188, 46-53.
- Husing, N., and Schubert, U. (1998) Aerogels-airy materials: chemistry, structure, and properties. *Angewandte Chemistry International Edition*, 37, 22-45.
- Jagur-Grodinski, J. (1999) Biomedical application of functional polymers. *Reactive and Functional Polymers*, 39, 99-138.
- Kelkar, R.S., Mahen, A.A., Saoji, A.M., Kelkar, S.S. (1986) *N*-*N*'diallyltartardiamide (DATD) as a cross-linking agent for polyacrylamide gel disc electrophoresis of human serum proteins. *Journal of Postgraduate Medicine*, 32, 27-31.
- Kim, D., and Park, K. (2004) Swelling and mechanical properties of superporous hydrogels of poly(acrylamide-co-acrylic acid)/polyethyleimine interpenetrating networks. *Polymer*, 45, 189-196.
- Kim, S.J., Yoon, S.G., Lee, Y.M., Kim, H.C., and Kim, S.I. (2004) Electrical behavior of polymer hydrogel composed of poly(vinyl alcohol)-hyaluronic acid in solution. *Biosensors and Bioelectronics*, 19, 531-536.

- King, D.J., and Noss, R.R. (1989) Toxicity of polyacrylamide and acrylamide monomer. Review of Environmental Health, 8, 3-44.
- Kistler, S.S. (1931) Coherent expanded aerogels and jellies. Nature, 127, 741.
- Kistler, S.S. (1932) Coherent expanded aerogels. Journal of Phtsical Chemistry, 36(1), 52-64.
- Ku, B.C., Froio, D., Steeves, D., Kim, D.W., Ahn, H.J., Ratto, J.A., Blumstein, A., Kumar, J., and Samuelson, L.A. (2004) Cross-linked multilayer polymer-clay nanocomposites and permeabilities. Journal of Macromolecular Science Part A-Pure and Applied Chemistry, 41(12), 1401-1410.
- Kumeta, K., Nagashima, I., Matsui, S., and Mizoguchi, K. (2003) Crosslinking reaction of poly(vinyl alcohol) with poly(acrylic acid) (PAA) by heat treatment: Effect of neutralization of PAA. Journal of Applied Polymer Science, 90, 2420-2427.
- Lee, W.F., and Chen, Y.C. (2006) Effect of intercalated hydrotalcite on drug release behavior for poly(lactic acid-co-N-isopropylacrylamide)/intercalated hydrotalcite hydrogels. European Polymer Journal, 42, 1634-1642.
- Lobmann, P., Glaubitt, W., Geis, S., and Fricke, J. (1999) Development of ferroelectric aerogels. Journal of Sol-Gel Science Technology, 16, 173-182.
- Lui, R.H., Yu, Q., and Beebe, D. (2002) Fabrication and characterization of hydrogel-based micro-valves. Journal of Microelectromechanic System, 11, 45-53.
- Ohkura, M., Kanaya, T., and Kaj, K. (1992) Gelation rates of poly(vinyl alcohol) solution. Polymer, 33(23), 5044-5048.
- Okay, O., and Oppermann, W. (2007) Polyacrylamide-clay nanocomposite hydrogels: rheological and light scattering characterization. Macromolecules, 40, 3378-3387.
- Pekala, R.W. (1989) Organic aerogels from the polycondensation of resorcinol formaldehyde. Journal of Materials Science, 24, 3221-3227.

- Pekala, R.W., Farmer, J.C., Alviso, C.T., Tran, T.D., Mayer, S.T., Miller, J.M., and Dunn, B. (1998) Carbon aerogels for electrochemical applications. Journal of Non-Crystalline Solids, 255, 74-80.
- Peppas, N. A. (1975) Turbidimetric studies of aqueous PVA solutions. Makromolekulare Chemie, 176(11), 3433-3440.
- Petricevic, R., Reichenauer, G., Bock, V., Emmerling, A., and Fricke, J. (1998) Structure of carbon aerogels near the gelation limit of the resorcinol-formaldehyde precursor. Proceeding of the Fifth International Symposium on Aerogels (ISA 5) Journal of Non-Crystalline Solids, 225, 41-45.
- Pierre, A.C., and Pajonk, G.M. (2002) Chemistry of aerogels and their applications. Chemical Reviews, 102(11), 4243-4265.
- Ray, S., Quek, S.Y., Easteal, A., and Chen, X.D. (2006) The potential used of polymer-clay nanocomposites in food packaging. International Journal of Food Engineering, 2(4), article 5.
- Reichenauer, G., Emmerling, A., Fricke, J., and Pekala, R.W. (1998) Micro-porosity in carbon aerogels. Proceeding of the Fifth International Symposium on Aerogels (ISA 5) Journal of Non-Crystalline Solids, 225, 210-214.
- Ruckenstein, E., and Liang, L. (1996) Poly(acrylic acid)-poly(vinyl alcohol) semi- and interpenetrating polymer network pervaporation membranes. Journal of Applied Polymer Science, 62(7), 973-987.
- Somlai, L.S., Bandi, S., and Schiraldi, D.A. (2006) Facile processing of clay into organically-modified aerogels. AIChE Journal, 52(3), 1162-1168.
- Tamon, H., and Ishizawa, H. (2000) Influence of gelation temerature and catalysts on the mesoporous structure of resorcinol-formaldehyde aerogels. Journal of Colloid and Interface Science, 223, 305-307.
- Van Olphen, H. (1977) Introduction to Clay Colloid Chemistry. New York: Kreiger Publication.
- Wichterle, O., and Lim, D. (1960) Hydrophilic gels for biological use. Nature, 185, 117-118.

- Wiria, F.E., Chua, C.K., Leong, K.F., Quah, Z.Y., Chandrasekaran, M., and Lee, M.W. (2008) Improved biocomposite development of poly(vinyl alcohol) and hydroxyapatite for tissue engineering scaffold fabrication using selective laser sintering. Journal of Material Science: Material Medicine, 19, 989-996.
- Xia, X., Yih, J., and D'Souza, N.A. (2003) Swelling and mechanical behavior of poly(*N*-isopropylacrylamide)/Na-montmorillonite layered silicates composite gels. Polymer, 44, 3389-3393.
- Yin, L., Fei, L., Cui, F., Tang, C., and Yin, C. (2007) Superporous hydrogel containing poly(acrylic acid-co-acrylamide)/*O*-carboxymethyl chitosan interpenetrating networks. Biomaterials, 28, 1258-1266.
- Yokoyama, F., Masada, I., Shimamura, K., Ikawa, T., and Monobe, K. (1986) Morphology and structure of highly elastic poly(vinyl alcohol) hydrogel prepared by repeated freezing-and-melting. Colloid & Polymer Science, 264, 595-601.

CURRICULUM VITAE

Name: Mr. Sutima Chatrabhuti

Date of Birth: January 26, 1982

Nationality: Thai

University Education:

2006-2008 Master Degree of Polymer Science, the Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

1999-2003 Bachelor Degree of Industrial Chemistry, Faculty of Science, King Monkut's Institute of Technology Ladkrabang, Bangkok, Thailand

Working Experience:

2003-2006 Production Engineer, NEC-TOKIN Electronics (Thailand) Co., Ltd.

Presentation:

1. Sutima C., Chirachanchai S., (2008, April) Interpolymer Compexation: A Simple System to Produce Hydrogel and Aerogel. Poster Presentation at The 14th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

Award:

1. Silver Award Student Seminar Presentation at the Petroleum and Petrochemical College, Academic year of 2007.

