

REFERENCES

- Afonso, J.C., Aranda, D.A.G., Schmal, M., and Frety, R. (1995). Importance of pretreatment on regeneration of a Pt-Sn catalyst. Fuel Processing Technology, 42, 3-17.
- Afonso, J.C., Aranda, D.A.G., Schmal, M., and Frety, R. (1997). Regeneration of a Pt-Sn/Al₂O₃ catalyst: Influence of heating rate, temperature and time of regeneration. Fuel Processing Technology, 50, 35-48.
- Alvarez, W.E. and Resasco, D.E. (1996). Methylcyclopentane ring opening as a reaction test for Pt catalysts supported on non-acidic materials. Journal of Catalysis, 164(2), 467-476.
- Antos, G.J., Aitani, A.M., and Parera, J.M. Catalytic Naphtha Reforming: Science and Technology 61 (1995).
- Arteaga, A., Fierro, J.L.G., Grange, P., and Delmon, B. (1986). Simulated deactivation and regeneration of an industrial CoMo/Al₂O₃ hydrodesulphurization Catalyst. Applied Catalysis A: General, 26, 227-249.
- Arteaga, G.J., Anderson, J.A., Becker, S.M., and Rochester, C.H. (1999). Influence of oxychlorination treatment on the surface and bulk properties of a Pt-Sn/Al₂O₃ catalyst. Journal of Molecular Catalysis A: Chemical, 145, 183-201.
- Barrer, R.M. and Villiger, H. (1969). The crystal structure of the synthetic zeolite L. Zeitschrift fur Kristallographie, 128, 352-370.
- Bartholomew, C.H. (1984). Catalyst deactivation. Chemical Engineering, 91, 96-112.
- Bartholomew, C.H. (2001). Mechanisms of catalyst deactivation. Applied Catalysis A: General, 212, 17-60.
- Bernard, J.R. (1980). Proceedings of 5th International Conference on Zeolite, L.V.C. Ress (Ed), Heyden, London, 686.
- Biloen, P., Duatzenberg, F.M., and Sachtler, W.M. (1997). Catalytic dehydrogenation of propane to propene over platinum and platinum gold-alloys. Journal of Catalysis, 50, 77.
- Breck, D.W. and Nancy, A. (1965). Crystalline zeolite L. US Patent 3 216 789.

- Chenier, P.J. (2002). Survey of Industrial Chemistry. New York: Kluwer Academic/Plenum Publishers, (3), 136-138.
- Cho, S.J. and Ryoo, R. (2004). Characterization of PtSn nanoparticles in KL zeolite and *n*-hexane aromatization activity. Catalysis Letters, 97(1&2), 71-75.
- Chu, P. and Dwyer, F.G. (1998). Crystallization method employing microwave radiation. US Patent 4 778 666.
- Coq, B. and Figueras, F. (1984). Conversion of methylcyclopentane on platinum-tin reforming catalysts. Journal of Catalysis, 85, 197-205.
- Cortright, R.D., Hill, J.M., and Dumesic, J.A. (2000). Selective dehydrogenation of isobutene over supported Pt/Sn catalysts. Catalysis Today, 55, 213-223.
- Dautzenberg, F.M., Helle, J.N., Biloen, P., and Sachtler, W.M.H. (1980). Conversion of *n*-hexane over monofunctional supported and unsupported PtSn catalysts. Journal of Catalysis, 63, 119-128.
- Davis, B.H. and Venuto, P.B. (1969). Paraffin dehydrocyclization: Distribution of aromatic products obtained with "nonacidic" supported Pt catalysts. Journal of Catalysis, 15(4), 363-372.
- Davis, R.J. (1993). Aromatization on zeolite L-supported Pt clusters. HCR Concise Review, 41-53.
- Ertl, G., Knozinger, H., and Weitkamp, J. (1997). Dehydrogenation reaction. Handbook of Heterogeneous Catalysis, 4, 2140-2144.
- Furimsky, E. (1988). Effect of oxygen concentration on temperature runaway during regeneration of hydrotreating catalyst. Applied Catalysis A: General, 44, 189-198.
- Gallezot, P., Leclercq, C., Barbier, J., and Marecot, P. (1989). Location and structure of coke deposits on alumina-supported platinum catalysts by EELS associated with electron microscopy. Journal of Catalysis, 116, 164-170.
- Gontier, S. and Tuel, A. (1996). Synthesis of titanium silicate-1 using amorphous SiO₂ as silicon source. Zeolites, 16, 184-195.
- Hoang, D.L., Farrage, S.A.-F., Radnik, J., Pohl, M.-M., Schneider, M., Lieske, H., and Martin, A. (2007). A comparative study of zirconia and alumina supported Pt and Pt-Sn catalysts used for dehydrocyclization of *n*-octane. Applied Catalysis A: General 333, 67-77.

- Jacobs, G., Ghadiali, F., Pisanu, A., Borgna, A., Alvarez, W.E., and Resasco, D.E. (1999). Characterization of the morphology of Pt clusters incorporated in a KL zeolite by vapor phase impregnation and incipient wetness impregnation. Influence of Pt particle morphology on aromatization activity and deactivation. Applied Catalysis A: General, 188, 79-98.
- Jacobs, G., Alvarez, W.E., and Resasco, D.E. (2001). Study of preparation parameters of powder and palletized Pt/KL catalysts for *n*-hexane aromatization. Applied Catalysis A: General, 206, 267-282.
- Jongpatiwut, S., Sackamduang, P., Rirksomboon, T., Osuwan, S., and Resasco, D.E. (2003). *n*-Octane aromatization on a Pt/KL catalyst prepared by vapor-phase impregnation. Journal of Catalysis, 218, 1-11.
- Jongpatiwut, S., Trakarnroek, S., Rirksomboon, T., Osuwan, S., and Resasco, D.E. (2005). *n*-Octane aromatization on Pt-containing non-acidic large pure zeolite catalyst. Catalysis Letters, 100, Nos 1-2, 7-15.
- Joshi, P.N., Kotasthane, A.N., and Shiralkar, V.P. (1990). Zeolites, 10, 598-602.
- Kern, C. and Jess, A. (2005). Regeneration of coked catalysts-modelling and verification of coke burn-off in single particles and fixed bed reactors. Chemical Engineering Science, 60, 4249-4264.
- Klusacek, K., Davidora, H., Fott, P., and Schneider, P. (1985). HDS catalyst regeneration: coke burning-off by air in a shallow bed. Chem. Eng. Sci., 40, 1717-1721.
- Ko, Y.S. and Ahn, W.S. (1999). Synthesis and characterization of zeolite L. Bulletin of the Korean Chemical Society, 20, 1-6.
- Lee, S.H. and Lee, H.I. (1994). The effect of catalyst modification on the catalytic activity in the dehydrocyclization of paraffins over Pt/ γ -Al₂O₃. Korean Journal of Chemical Engineering, 11(3), 185-189.
- Lertkijcharoenwong, D. (2003). Regeneration of Pt/KL catalysts utilized for *n*-octane aromatization. M.S. Thesis in Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.

- Li, Q., Mihailova, B., Creaser, D., and Sterte, J. (2001). Aging effect on the nucleation and crystallization kinetics of colloidal TPA-silicalite-1. Microporous and Mesoporous Materials, 43, 51-59.
- Ma, H., Kojima, R., Ohnishi, R., and Ichikawa, M. (2004). Efficient regeneration of Mo/HZSM-5 catalyst by using air with NO in methane dehydroaromatization reaction. Applied Catalysis A: General, 275, 183-187.
- Macleod, N., Fryer, J.R., Stirling, D., and Webb, G. (1998). Deactivation of bi- and multimetallic reforming catalysts: influence of alloy formation on catalyst activity. Catalysis Today, 46(1), 37.
- Marécot, P., Peyrovi, S., Bahloul, D., and Barbier, J. (1990). Regeneration by hydrogen treatment of bifunctional catalysts deactivated by coke deposition I: regeneration of precoked catalysts. Applied Catalysis A: General, 66, 191-198.
- Matín, N., Viniegra, M., Zarate, R., Espinosa, G., and Batina, N. (2005). Coke characterization for an industrial Pt-Sn/ γ -Al₂O₃ reforming catalyst. Catalysis Today, 107-108(1), 719-725.
- Meriaudeau, P. and Naccache, C. Catal. Rev.-Sci. Eng. 39(1&2), 3(1997).
- Merlen, E., Beccat, P., Bertolini, J.C., Delichère, P., Zanier, N., and Didillon, B. (1995). Characterization of bimetallic Pt-Sn/Al₂O₃ Catalysts: Relationship between particle size and structure. Journal of Catalysis, 159, 178-188.
- Neri, G., Rizzo, G., Arico, A.S., Crisafulli, C., Luca, L. De., Donato, A., Musolino, M.G., and Pietropaolo, R. (2007). One-pot synthesis of nauranol from α -pinene oxide on bifunctional Pt-Sn/SiO₂ heterogeneous catalysts. Part I: The catalytic system. Applied Catalysis A: General, 325, 15-24.
- Ostgard, D.J., Kustov, L., Poepelmeier, K.R., and Sachtler, W.M.H. (1992). Comparison of Pt/KL catalysts prepared by ion exchange or incipient wetness impregnation. Journal of Catalysis, 133(2), 342-357.
- Pall, Z., Gyory, A., Uszkurat, I., Olivier, S., Guerin, M., and Kappenstein, C. (1997). Pt/Al₂O₃ catalysts and Pt-Sn/Al₂O₃ catalysts prepared by two different methods: hydrogen pressure effects in the reactions of *n*-hexane. Journal of Catalysis, 168, 164-175.

- Park, M. and Komarneni, S. (1998). Rapid synthesis of $\text{AlPO}_4\text{-11}$ and cloverite by microwave-hydrothermal processing. Microporous and Mesoporous Material, 20, 39-44.
- Pieck, C.L., Jablonski, E.L., Verderone, R.J., and Parera, J.M. (1989a). Selective regeneration of catalytic functions of $\text{Pt-Re-S/Al}_2\text{O}_3\text{-Cl}$ during coke burning. Applied Catalysis A: General, 56, 1-8.
- Pieck, C.L., Verderone, R.J., Jablonski, E.L., and Parera, J.M. (1989b). Burning of coke on $\text{Pt-Re/Al}_2\text{O}_3$ catalyst. Activation energy and oxygen reaction order. Applied Catalysis A: General, 55, 1-10.
- Pieck, C.L., Jablonski, E.L., and Parera, J.M. (1991). Recovering of the catalytic function of naphtha reforming catalysts by partial coke burning. Applied Catalysis A: General, 70, 19-28.
- Pieck, C.L., Vera, C.R., Querini, C.A., and Parera, J.M. (2005). Differences in coke burning-off from $\text{Pt-Sn/Al}_2\text{O}_3$ catalyst with oxygen or ozone. Applied Catalysis A: General, 278, 173-180.
- Poutsma, M.L., Elek, L.F., Ibarbia, P.A., Risch, A.P., and Rabo, J.A. (1978). Selective formation of methanol from synthesis gas over palladium catalysts. Journal of Catalysis, 52(1), 157-168.
- Praliaud, H., Dalmon, J.A., Mirodatos, C., and Martin, G.A. (1986). Influence of potassium salt addition on the catalytic properties of silica-supported nickel. Journal of Catalysis, 97(2), 344-356.
- Rangel, M.C., Carvaltio, L.S., Reyes, P., Parera, J.M., and Figoli, N.S. (2000). *n*-octane reforming over alumina-supported Pt, Pt-Sn and Pt-W catalyst. Catalysis Letters, 64, 171-178.
- Raseev, S. (2003). Thermal and Catalytic Processes in Petroleum Refining. New York: Marcel Dekker, (1), 749.
- Renzo, D.F. (1998). Zeolites as tailor-made catalysts: Control of the crystal size. Catalysis Today, 41, 37-40.
- Rickard, J.M., Genovese, L., Moata, A., and Nitsche, S. (1990). Redispersión of platinum on $\text{Pt/Al}_2\text{O}_3$ model catalysts in oxygen studied by transmission electron microscopy. Journal of Catalysis, 121, 141-152.

- Rodríguez, D., Sánchez, J., and Arteaga, G. (2005). Effect of tin and potassium addition on the nature of platinum supported on silica. Journal of Molecular Catalysis A: Chemical, 228, 309-317.
- Rombi, E., Cutrufello, M.G., Solinas, V., De Rossi, S., Ferraris, G., and Pistone, A. (2003). Effects of potassium addition on the acidity and reducibility of chromia/alumina dehydrogenation catalysts. Applied Catalysis A: General, 251, 255-266.
- Romero, M.D., Gomez, J.M., Ovejero, G., and Rodríguez, A. (2004). Síntesis of LSX zeolite by microwave heating. Material Research Bulletin, 39, 389-400.
- Ruiz, A.Z., Ban, B.T., and Calzaferri, G. (2002). Synthesis of zeolite. Tuning Size and Morphology. Monashfte Fur Chemie, 136, 77-89.
- Sackamduang, P. (2001). The aromatization of *n*-hexane and *n*-octane on Pt/KL catalyst prepared by vapor-phase impregnation method. M.S. Thesis in Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.
- Sahoo, S.K., Rao, P.V.C., Rajeshwer, Dongara., Krishnamurthy, K.R., and Singh, I.D. (2003). Structural characterization of coke deposits on industrial spent paraffin dehydrogenation catalysts. Applied Catalysis A: General, 244, 311-321.
- Schoeman, B.J., Sterte, J., and Otterstedt, J.E. (1995). Dynamic light scattering applied to the synthesis of colloidal zeolite. Journal of Porous Materials, 1, 185-198.
- Sharma, L.D., Kumar, M., Saxena, A.K., Rawat, T.S.R., and Prasada, Rao. (1997). The determination of accessible Pt metal fraction in Pt-Sn/Al₂O₃ reforming catalyst. Applied Catalysis A: General, 168, 251-259.
- Sharma, L.D., Kumar, M., Saxena, A.K., Chand, M., and Gupta, J.K. (2001). Influence of pore size distribution on Pt dispersion in Pt-Sn/Al₂O₃ reforming catalyst. Journal of Molecular Catalysis A: Chemical, 185, 135-141.
- Shi, B. and Davis, B.H. (1995). Dehydrocyclization of *n*-octane: H/D exchange and reversible adsorption for a Pt-Sn-SiO₂ Catalyst. Journal of Catalysis, 157, 626-630.

- Siri, G.J., Bertolini, G.R., Casella, M.L., and Ferretti, O.A. (2005). PtSn/ γ -Al₂O₃ isobutane dehydrogenation catalyst: The effect of alkaline metals addition. Material Letters, 59, 2319-2324.
- Slang, P.M., Jansen, J.C., and Bekkum, H.V. (1997). The effect of ageing on the microwave synthesis of zeolite NaA. Microporous Material, 9, 259-265.
- Stagg, S.M., Querini, C.A., Alvarez, W.E., and Resasco, D.E. (1997). Isobutane Dehydrogenation on Pt-Sn/SiO₂ Catalysts: Effect of Preparation Variables and Regeneration Treatments. Journal of Catalysis, 168, 75-94.
- Tasbihi, M., Feyzi, F., Amlashi, M.A., Abdullah, A.Z., and Mohamed, A.R. (2007). Effect of the addition of potassium and lithium in Pt-Sn/Al₂O₃ catalysts for the dehydrogenation of isobutane. Fuel Processing Technology, 88, 883-889.
- Trakarnroek, S. (2007). *n*-octane aromatization on Pt supported on novel zeolites. D.P. Dissertation in Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.
- Treacy, M.M.J. (1999). Pt agglomeration and entombment in single channel zeolites: Pt/LTL. Microporous and Mesoporous Materials, 28, 271-292.
- Tsapatsis, M., Lovallo, M., Okubo, T., Davis, M.E., and Sadakata, M. (1994). Characterization of zeolite L nanocluster. Chemistry of Material, 7, 1734-1741.
- Vaarkamp, M. (1992). Sulfur poisoning of a Pt/BaK-LTL catalyst: A catalytic and structural study using hydrogen chemisorption and x-ray absorption spectroscopy. Journal of Catalysis, 138, 675-685.
- Vaughan, D.W.E., and Strohmeier, K.G. (1994). US Pat.5,318,776.
- Vázquez-Zavala, A., Ostoa-Montes, A., Acosta, D., and Gómez-Cortés. (1998). Characterization of structure and catalytic activity of Pt-Sn catalysts supported in Al₂O₃, SiO₂ and TiO₂. Applied Surface Science, 136, 62-72.
- Verduijn, J.P. (1987). Improved zeolite L. European Patent Application 219 354.
- Verduijn, J.P. (1991). Zeolite L. Internacional Patent WO 91/06367.
- Verduijn, J.P., Mertens, M.M., and Anthonis, M. (2001). Zeolites and Processes for their manufacture. US Patent 6 258 991 B1.

- Viswanathan, B., Sivasanker, S., and Ramaswamy, A.V. (2002). Catalysis: Principle and application. New Delhi: Narosa Publishing House, (1), 253-263.
- Westfall, G.A., Pezzanite, J.O., Davis, B.H., and Watkins, J. (1976). Paraffin dehydrocyclization: VI. The influence of metal and gaseous promoters on the aromatic selectivity. Journal of catalysis, 42(2), 247-256.
- Weisz, P., Goodwin, R.D. (1963). Combustion of carbonaceous deposits within porous catalyst particles I. Diffusion-controlled kinetics. Journal of Catalysis, 2, 397.
- Weisz, P., Goodwin, R.D. (1966). Combustion of carbonaceous deposits within porous catalyst particles II. Intrinsic burning rate. Journal of Catalysis, 6, 227.
- Wortel, T.M. (1985). Zeolite L with cylindrical morphology. US Patent 4 544 539.
- Yoshimura, Y., Furimsky, E., Sato, T., Shimada, H., Matsubayashi, N., and Nishijima, A. (1988). Oxidative regeneration of nickel-molybdate and cobalt-molybdate hydrotreating catalysts. Proc. 9th. Cong. Catal., July, 1988, Calgary. The Chemical Institute of Canada, 1, 136-143.
- Zheng, J., Dong, J., Xu, Q., and Hu, C. (1996). The function of zeolite on Pt autoreduction and dispersion in Pt/L and Pt/ β catalysts. Catalysis Letters, 37, 25-28.

CURRICULUM VITAE

Name: Ms. Worarat Charoennam

Date of Birth: November 25, 1983

Nationality: Thai

University Education:

2002-2006 Bachelor Degree of Chemical Engineering, Faculty of Engineering, King Mongkut Institute of Technology North Bangkok (KMITNB), Bangkok, Thailand

Presentations:

1. Charoennam, W., Trakarnroek, S., Rirksomboon, T., Osuwan, S., Resasco, D.E., and Jongpatiwut, S. (2007, November 22) *n*-Octane Aromatization over PtSn Supported on Nano-Crystal KL Catalysts. Paper presented at the 5th Eco-Energy and Materials Science and Engineering Symposium (JGSEE), Pattaya, Thailand.
2. Charoennam, W., Trakarnroek, S., Rirksomboon, T., Osuwan, S., Resasco, D.E., and Jongpatiwut, S. (2008, April 23) Aromatization of *n*-Octane over Pt-Sn/KL Catalysts: Activity and Regeneration. Paper presented at the 14th PPC Symposium on Petroleum, Petrochemical and Polymers, Bangkok, Thailand.

