

## REFERENCES

- Alberti, G., Casciola, M., Massinelli, L., and Bauer, B. (2001) Polymeric proton conducting membranes for medium temperature fuel cells (110-160°C). Journal of Membrane Science, 185, 73-81.
- Bozkurt, A., and Meyer, W.H. (2001) Proton conducting blends of poly(4-vinylimidazole) with phosphoric acid. Solid State Ionics, 138, 259-265.
- Bozkurt, A., Meyer, W.H., and Wegner, G. (2003) PAA/imidazole-based proton conducting polymer electrolytes. Journal of Power Sources, 123, 126-131.
- Carollo, A., Quartarone, E., Tomasi, C., Mustarelli, P., Belotti, F., Magistris, A., Maestroni, F., Parachini, M., Garlaschelli, L., and Righetti, P.P. (2006) Developments of new proton conducting membranes based on different polybenzimidazole structures for fuel cells applications. Journal of Power Sources, 160, 175-180.
- Fu, Y., Manthiram, A., and Guiver, M.D. (2006) Blend membranes based on sulfonated poly(ether ether ketone) and polysulfone bearing benzimidazole side groups for proton exchange membrane fuel cells. Electrochemistry Communications, 8, 1386-1390.
- Farrauto, R.J. (2005) Introduction to solid polymer membrane fuel cells and reforming natural gas for production of hydrogen. Applied Catalysis B: Environmental, 56, 3-7.
- Herz, H.G., Kreuer, K.D., Scharfenberger, G., Schuster, M.F.H., and Meyer, W.H. (2003) New fully polymeric proton solvents with high proton mobility. Electrochimica Acta, 48, 2165-2171.
- Karadedeli, B., Bozkurt, A., and Baykal, A. (2005) Proton conduction in adipic acid/benzimidazole hybrid electrolytes. Physica B, 364, 279-284.
- Kreuer, K.D. (1996) Proton conductivity: materials and applications. Chemistry of Materials, 8, 610-641.
- Kreuer, K.D. (2001) On the development of proton conducting polymer membranes for hydrogen and methanol fuel cells. Journal of Membrane Science, 185, 29-39.

- Munch, W., Kreuer, K.D., Silvestri, W., Maier, J., and Seifert, G. (2001) The diffusion mechanism of an excess proton in imidazole molecule chains: first results of an ab initio molecular dynamics study. *Solid State Ionics*, 145, 437-443.
- Persson, J.C., and Jannasch, P. (2003) Self-conducting benzimidazole oligomers for proton transport. *Chemistry of Materials*, 15, 3044-3045.
- Persson, J.C., Josefsson, K., and Jannasch, P. (2006) Polysulfones tethered with benzimidazole. *Polymer*, 47, 991-993.
- Pivovar, B.S. (2006) An overview of electro-osmosis in fuel cell polymer electrolytes. *Polymer*, 47, 4194-4202.
- Rikukawa, M., and Sanui, K. (2000) Proton-conducting polymer electrolyte membranes based on hydrocarbon polymer. *Progress in Polymer Science*, 25, 1463-1502.
- Smitha, B., Sridhar, S., and Khan, A.A. (2005) Solid polymer electrolyte membranes for fuel cell applications—a review. *Journal of Membrane Science*, 259, 10-26.
- Vinodkumar, R., Vaidya, S.D., Kumar, B.V.S., Bhise, U.N., Bhirud, S.B., and Mashelkar, U.C. (2007) Synthesis, anti-bacterial, anti-asthmatic and anti-diabetic activities of novel of *N*-substituted-2-(4-phenylethynyl-phenyl)-1*H*-benzimidazoles and *N*-substituted 2[4-(4,4-dimethyl-thiochroman-6-yl-ethynyl)-phenyl)-1*H*-benzimidazoles. *European Journal of Medicinal Chemistry*, xx, 1-10.
- Xiao, L., Zhang, H., Jana, T., Scanlon, E., Chen, R., Choe, E.W., Ramanathan, L.S., Yu, S., and Benicewicz, B.C. (2005) Synthesis and characterization of pyridine-based polybenzimidazoles for high temperature polymer electrolyte membrane fuel cell applications. *Fuel Cells*, 5, No.2.
- Xue, S. and Yin, G. (2006) Methanol permeability in sulfonated poly(etheretherketone) membranes: A comparison with Nafion membranes. *European Polymer Journal*, 42, 776-785.
- Yamada, M., and Honma, I. (2003) Proton conducting acid—base mixed materials under water-free condition. *Electrochimica Acta*, 48, 2411-2415.

- Yoksan, R., Akashi, M., Biramonti, S. and Chirachanchai, S. (2001) Hydrophobic chain conjugation at hydroxyl group onto  $\gamma$ -ray irradiated chitosan. *Biomacromolecules*, 2, 1038-1044.
- Zhai, Y., Zhang, H., Zhang, Y., and Xing, D. (2007) A novel H<sub>3</sub>PO<sub>4</sub>/Nafion-PBI composite membrane for enhanced durability of high temperature PEM fuel cells. *Journal of Power Sources*, 169, 259-264.
- Zhang, J., Xie, Z., Zhang, J., Tang, Y., Song, C., Navessin, T., Shi, Z., Song, D., Wang, H., Wilkkinson, D.P., Liu, Z.S., and Holdcroft, S. (2006) Review: High temperature PEM fuel cells. *Journal of Power Sources*, 160, 872-891.

## CURRICULUM VITAE

**Name:** Ms. Prieu Eiamlamai

**Date of Birth:** August 23, 1983

**Nationality:** Thai

**University Education:**

2002-2006 Bachelor Degree of Chemistry, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand

**Honors and Scholarships:**

1. First class honor in B.Sc. (Chemistry)
2. Development and Promotion of Science and Technology Talents Project (DPSP) Scholarship since 1999-2008.

**Presentations:**

1. Eiamlamai, P., Tossatitpaisan, P., and Chirachanchai, S. (2008, June) Model Heterocyclic Molecule to Investigate Hydrogen Bond and its Protonic Channel (Part 1) : Molecular Design and Synthesis. Paper presented at MACRO 2008. Taipei, Taiwan.
2. Eiamlamai, P., and Chirachanchai, S. (2008, April) Molecular Design and Synthesis of Benzimidazole Heterocycle: A Model Molecule for a Hydrogen Bonded Proton Transfer Network. Paper presented at the 14<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals and Polymers, Bangkok, Thailand.

