

## REFERENCES

- Antonucci, P.L., Arico, A.S., Creti, P., Ramunni, E., and Antonucci, V. (1999) Investigation of a direct methanol fuel cell based on a composite Nafion®-silica electrolyte for high temperature operation. Solid State Ionics, 125(1-4), 431-437.
- Bae, J.M., Honma, I., Murata, M., Yamamoto, T., Rikukawa, M., and Ogata, N. (2002) Properties of selected sulfonated polymers as proton-conducting electrolytes for polymer electrolyte fuel cells. Solid State Ionics, 147(1-2), 189-194.
- Bahar, B., Hobson, A.R., Kolde, J.A., and Zukerbrod, D. (1996) U.S. Patent 5 547 551.
- Baradie, B., Dodelet, J.P., and Guay, P. (2000) Hybrid Nafion® – inorganic membrane with potential applications for polymer electrolyte fuel cells. Journal of Electroanalytical Chemistry, 489(1-2), 101-105.
- Basile, A., Patuzzo, L., Lulianelli, A., Gatto, I., Passalacqua, E. (2006) Sulfonated PEEK-WC membrana for proton exchange membrane fuel cell: Effect of the increasing level of sulfonation on electrochemical performance. Journal of Membrane Science, 281(1-2), 377-385.
- Bockris, J.O'M. and Srinivasan, S., (1969) Fuel Cells: Their electrochemistry, McGraw-Hill, New York.
- Carter, R., Wycisk, R., Yoo, H., and Pintauro, P.N. (2002) Blended polyphosphazene polyacrylonitrile membranes for direct methanol fuel cells. Electrochemical Solid State Letter, 5, A195-A197.
- Costamagna, P. and Srinivasan, S. (2001) Quantum jumps in the PEMFC science and technology from the 1960s to the year 2000 Part I. Fundamental scientific aspects. Journal of Power Sources, 102 (1-2), 242-252.
- Eikerling, M., Kornyshev, A.A., and Stimming, U. (1997) Electrophysical Properties of Polymer Electrolyte Membranes: A Random Network Model. Journal of Physical Chemistry, B101(50), 10807-10820.
- Fuel Cell Scientific, LLC “Nafion™ membrane cost” Fuelcellscientific 13 Dec 2007  
2001 <<http://www.fuelcellscientific.com/nafion.html>>

- Finsterwalder, F. and Hambitzer, G. (2001) Proton conductive thin films prepared by plasma polymerization. *Journal of Membrane Science*, 185(1), 105-124.
- Gaowen, Z. and Zhento, Z. (2005) Organic/inorganic composite membranes for application in DMFC. *Journal of Membrane Science*, 261(1-2), 107-113.
- Gasa, J.V., Weiss, R.A., and Shaw, M.T. (2007) Ionic crosslinking of ionomer polymer electrolyte membranes using barium cation. *Journal of Membrane Science*, 304(1-2), 173-180.
- Gierke, T.D., Hsu, W.Y., Eisenberg, A., and Yeager, H.L. (Eds.) (1982) Perfluorinated Ionomer Membranes. Paper presented at *ACS Symposium Series No. 180*, American Chemical Society, Washington, DC, USA.
- Gomes, D., Roeder, J., Ponce, M. L., Nunes, S. P. (2008) Single-step síntesis of sulfonated polyoxadiazoles and their use as proton conducting membranas. *Journal of Power Sources*, 175(1), 49-59.
- Gosalawit, R., Chirachanchai, S., Manuspiya, H., and Traversa, E. (2006) Krytox-Silica-Nafion® composite membranes: A hybrid system for maintaining proton conductivity in a wide range of operating temperature. *Catalysis Today*, 118(1-2), 259-265.
- Guo, Q., Pintauro, P.N., Tang, H., and O'Connor, S. (1999) Sulfonated and crosslinked polyphosphazene-based proton-exchange membranes. *Journal of Membrane Science*, 154(2), 175-181.
- Guth, T.S. (1999) International Patent WO99129763.
- Hong, Y.T., Lee, C.H., Park, H.S., Min, K.A., Him, H.J., Nam, S.Y., and Lee, Y.M. (2008) Improvement of electrochemical performance of sulfonated poly(arylene ether sulfone) via incorporation of sulfonated poly(arylene ether benzimidazole). *Journal of Power Sources*, 175(2), 724-731.
- Ion Power, Inc. “Nafion® Material Safety Data Sheet (MSDS)” Ion-power 2 Nov 2001 2001 <<http://ion-power.com/nafion/naf001.html>>
- Jaga, S., Matsumoto, H., Saito, K., Minagawa, M., and Tanioka, A. (2007) Polyelectrolyte membranes based on hydrocarbon polymer containing fullerene. *Journal of Power Sources*, in press.

- Jansen, J. C., Macchione, M., Drioli, E. (2007) On the unusual solvent retention and the effect on the gas transport in perfluorinated Hyflon® AD membrane. Journal of Membrane Science, 287(1), 132-137.
- Jiang, R., Kunz, H. R., Fenton, J. M. (2006) Composite silica/Nafion® membranes prepared by tetraethylorthosilicate sol-gel reaction and solution casting for direct methanol fuel cells. Journal of Membrane Science, 272(1-2), 116-124.
- Jin, Y., Costa, J.C.D., and Lu, G.Q. (2007) Proton conductive composite membrane of phosphosilicate and polyvinyl alcohol. Solid State Ionics, 178(13-14), 937-942.
- Karthikeyan, C.S., Nunes, S.P., Prado, L.A.S.A., Ponce, M.L., Silva, H., Ruffmann, B., and Schulte, K. (2005) Polymer nanocomposite membranes for DMFC application. Journal of Membrane Science, 254(1-2), 139-146.
- Kice, J.L. and Puls, A.R. (1977) The reaction of lypochlonic with various oxidized derivatives of disulfides and with sulfinate ions. Journal American Chemical Society, 99(10), 3455-3460.
- Kim, H. - J., Shul, Y. – G., Han, H. (2006) Sulfonic-functionalized heteropoly acid-silica nanoparticles for high temperature operation of a direct methanol fuel cell. Journal of Power Sources, 158(1), 137-142.
- Kobayashi, T., Rikukawa, M., Sanui, K., and Ogata, N. (1998) Proton conductivng polymers derived from poly(ether ether ketone) and poly(4-phenoxybenzoyl-1,4-phenylene). Solid State Ionics, 106(3-4), 219-225.
- Kumar, B. and Fellner, J.P. (2003) Polymer-ceramic composite protonic conductors. Journal of Power Sources, 123(2), 132-136.
- Li, L., Zhang, J., Wang, Y. (2003) Sulfonated poly(ether ether ketone) membranes for direct methanol fuel cell. Journal of Membrane Science, 226 (1-2), 159-167.
- Li, X., Xu, D., Zhang, G., Wang, Z., Zhao, C., and Na, H. (2007) Influence of casting conditions on the properties of sulfonated poly (ether ether ketone ketone)/phosphotungstic acid composite proton exchange membranes. Journal of Applied Polymer Science, 103(6), 4020-4026.

- Lin, C.W., Thangamuthu, R., and Yang, C.J. (2005) Proton-conducting membranes with high selectivity from phosphotungstic acid-doped poly(vinyl alcohol) for DMFC applications. *Journal of Membrane Science*, 253(1-2), 23-31.
- Lufrano, F., Baglio, V., Staiti, P., Arico, A.S., and Antonucci, V. (2006) Development and characterization of sulfonated polysulfone membranas for direct methanol fuel cells. *Desalination*, 199(1-3), 283-285.
- Maget, H.J.R. (1968) Berger, C. (Ed.), *Handbook of Fuel Cell Technology* (pp. 425). Prentice-Hall, Englewood Cliffs, NJ, USA.
- Mex, L. and Muller, J. (1999) Plasma-polymerized electrolyte membrane for miniaturized DMFC. *Membrane Technology*, 1999(115), 5-9.
- Mokrini, A. and Huneault, M.A. (2006) Proton exchange membranes based on PVDF/SEBS blends. *Journal of Power Sources*, 154(1), 51-58.
- Nikolic, V.M., Zorica, A.K., Popovic, K., Lausevic, Z.V., and Milijanic, S.S. (2007) On the use of gamma irradiation crosslinked PVA membranes in hydrogen fuel cells. *Electrochemistry Communications*, 9(11), 2661-2665.
- Nunes, S.P., Ruffmann, B., Rikowski, E., Vetter, S., and Richau, K. (2002) Inorganic modification of proton conductive polymer membranes for direct methanol fuel cells. *Journal of Membrane Science*, 203(1-2), 215-225.
- Park, Y.S., Hatae, T., Itoh, H., Yang, M.Y., and Yamazaki, Y. (2004) High proton-conducting Nafion/calcium hydroxyphosphate composite membranes for fuel cells *Electrochimica Acta*, 50(2-3), 595-599.
- Pivovar, S.B., Wang, Y., and Cussler, E.L. (1999) Pervaporation membranes in direct methanol fuel cells. *Journal of Membrane Science*, 154(2), 155-162.
- Ponce, M.L., Prado, L., Ruffmann, B., Richau, K., Mohr, R., and Nunes, S.P. (2003) Reduction of methanol permeability in polyetherketone-heteropolyacid membranes. *Journal of Membrane Science*, 217(1-2), 5-15.
- Qinfeng, L., Hjirker, H.A., and Bjerrum, N.J. (2001) Phosphoric acid doped polybenzimidazole membranes. *Journal of Applied Electrochemistry*, 31, 773-779.
- Rikukawa, M. and Sanui, K. (2000) Proton conducting polymer electrolyte membranes based on hydrocarbon polymers. *Progress in Polymer Science*, 25(10), 1463-1502.

- Sambandam, S. and Ramani, V. (2007) SPEEK/functionalized silica composite membranes for polymer electrolyte fuel cells. Journal of Power Sources, 170(2), 259-267.
- Shao, Z.-G., Joghee, P., and Hsing, I.-M. (2004) Preparation and characterization of hybrid Nafion® - silica membrane doped with phosphotungstic acid for high temperature operation of proton exchange membrane fuel cells. Journal of Membrane Science, 229(1-2), 43-51.
- Smitha, B., Sridhar, S., and Khan, A.A. (2005) Solid polymer electrolyte membranes for fuel cell applications-a review. Journal of Membrane Science, 259(1-2), 10-26.
- Sopian, K. and Daud, W.R.W. (2006) Challenges and future developments in proton exchange membrane fuel cells. Renewable Energy, 31(5), 719-727.
- Steiner, P. and Sandor, R. (1991) Polybenzimidazole prepreg: improved elevated temperature properties with autoclave possibility. High Performance Polymer, 3, 139-150.
- Tazi, B. and Savadago, O. (2001) New cation exchange membranes based on Nafion®, silicotungstic acid and thiophene. Journal of New Materials for Electrochemical Systems, in press.
- Vallejo, E., Pourcelly, G., Gavach, C., Mercier, R., and Pineri, M. Sulfonated polyimides a proton conductor exchange membranes. Physicochemical properties and separation  $H^+/M^{2+}$  by electrodialysis comparison with a perfluorosulfonic membrane. Journal of Membrane Science, 160(1), 127-137.
- Wakizoe, M. and Velve, O.A. (1995) Analysis of proton exchange membrane fuel cell performance with alternate membrane. Electrochimica Acta, 40(3), 335-344.
- Wang, Z., Li, X., Zhao, C., Ni, H., and Na, H (2006) Synthesis and characterization of sulfonated poly(arylene ether ketone ketone sulfone). Journal of Power Sources, 160(2), 969-976.
- Wasmus, S., Valeriu, A., Mateescu, G.D., Tryk, D.A., and Savinell, R.F. (2000) Characterization of  $H_3PO_4$ -equilibrated Nafion® 117 membranes using  $^1H$  and  $^{13}P$  NMR spectroscopy. Journal of Membrane Science, 185(1), 78-85.

- Wee, J.-H. (2007) Applications of proton exchange membrane fuel cell systems. *Renewable and Sustainable Energy Reviews*, 11(8), 1720-1738.
- Williams, M. C. (2002) *Fuel Cell Handbook* (pp. 2-1 – 2-14). U.S. department of Energy, Office of Fossil Energy, National Energy Technology Laboratory, Morgantown West Virginia Press.
- Wintersgill, M. C., Fontanella, J. J. (1998) Complex Impedance measurements on Nafion®. *Electrochimica Acta*, 43(10-11), 1533-1538.
- Yen, C.-Y., Lee, C.-H., Lin, Y.-F., Lin, H.-L., Hsiao, Y.-H., Liao, S.-H., Chuang, C.-Y., and Ma, C.-C. (2007) Sol-gel derived sulfonated-silica/Nafion® composite membrane for direct methanol fuel cell. *Journal of Power Sources*, 173(1), 36-44.
- Zaidi, S.M.J., Mikhailenko, S.O., Robertson, G.P., Guiver, M.D., and Kaliaguine, S. (2000) Proton conducting composite membranes from poly ether ether ketone and heteropolyacids for fuel cell applications. *Journal of Membrane Science*, 173(1), 17-34.
- Zhu, W. H., Payne, R. U., Tatarchuk, B. J. (2007) PEM stack test and analysis in a power system at operational load via ac impedance. *Journal of Power Sources*, 168(1), 211-217.
- Zou, J., Zhao, Y., and Shi, W. (2004) Preparation and properties of proton conducting organic-inorganic hybrid membranes based on hyperbranches aliphatic polyester and phosphoric acid. *Journal of Membrane Science*, 245(1-2), 35-40.

## CURRICULUM VITAE

**Name:** Ms. Rapee Gosalawit

**Date of Birth:** November 29, 1980

**Nationality:** Thai

**University Education:**

1999-2002 Bachelor Degree from Chemistry Department, Faculty of Science, Khon Kaen University, Khon Kaen, Thailand.

**Honors and Scholarship:**

1. The Development of Promotion of Science and Technology Talents Project (DPST) from the Institute for the Promotion of Teaching Science and Technology (IPST), Thailand.
2. First Class Honor, Department of Chemistry, Faculty of Science, Khon Kaen University (2002)
3. Department Best Student Award, Department of Chemistry for 4 years, Faculty of Science, Khon Kaen University (1999-2002)
4. Best Performance Student Award, Tab Foundation, (2002)
5. Scholarship for the participation in XXIV EMS Summer School on Membranes for Reactive Processes, University of Genoa, Genoa, Italy, September 10-14, 2007.
6. First poster prize for the outstanding contribution at the Chemical Nanotechnology Talks VIII (CNT VIII) for Energising a Sustainable Future, Frankfurt Exhibition Hall, Frankfurt, Germany, November 20-23, 2007.

**Publications:**

1. Gosalawit, R., Chirachanchai, S., Manuspiya, H., and Traversa, E. (2006) Krytox-Silica-Nafion® composite membrane: A hybrid system for maintaining proton conductivity in a wide range of operating temperatures. Catalysis Today, 118, 259-265.
2. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007) Krytox-Montmorillonite-Nafion nanocomposite membrane for effective methanol crossover reduction in DMFCs. Solid State Ionics, 178, 1627-1635.



3. Gosalawit, R., Chirachanchai, S., Basile, A., and Iulianelli, A. Thermo and electrochemical characterization of Sulfonated PEEK-WC membranes and Krytox-Si-Nafion® composite membranes. Desalination, Accepted.
4. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. Sulfonated montmorillonite (SMMT)/sulfonated poly(ether ether ketone) (SPEEK) nanocomposite membrane for direct methanol fuel cells (DMFCs), Journal of Power Sources, In revision.

**Proceeding:**

1. Gosalawit, R., Chirachanchai, S., Manuspiya, H., and Traversa, E. (2005, September 11-14) Development of New Polymeric Hybrid Membrane for High Thermal Stability Polymer Electrolyte Membrane Fuel Cells (PEMFCs). Proceeding of the 7<sup>th</sup> International Conference on Catalysis in Membrane Reactors, Cetraro (CS), Italy.
2. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, June 4-6) Sulfonic acid functionalized montmorillonite/sulfonated PEEK composite membrane for direct methanol fuel cells (DMFCs). Proceeding in Marie Curie Workshop, New Materials for Membranes, GKSS Forschungszentrum, Geesthacht, Germany.
3. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, September 10-14) Krytox-Montmorillonite-Nafion® nanocomposite membrane for effective methanol crossover reduction in DMFCs. Proceeding in XXIV EMS Summer School on Membranes for Reactive Processes, University of Genoa, Genoa, Italy.
4. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, November 20-23) Sulfonated montmorillonite (SMMT)/sulfonated polyether ether ketone (SPEEK) nanocomposite membrane for DMFC systems. Proceeding in the Chemical Nanotechnology Talks VIII (CNT VIII) for Energising a Sustainable Future, Frankfurt, Germany.

**Presentations:**

1. Gosalawit, R., Chirachanchai, S., Manuspiya, H., and Traversa, E. (2005, September 11-14) Development of New Polymeric Hybrid Membrane for High Thermal Stability Polymer Electrolyte Membrane Fuel Cells (PEMFCs). Paper

presented at the 7<sup>th</sup> International Conference on Catalysis in Membrane Reactors, Cetraro (CS), Italy.

2. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, June 4-6) Sulfonic acid functionalized montmorillonite/sulfonated PEEK composite membrane for direct methanol fuel cells (DMFCs). Paper presented at Marie Curie Workshop, New Materials for Membranes, GKSS Forschungszentrum, Geesthacht, Germany.
3. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, September 10-14) Krytox-Montmorillonite-Nafion® nanocomposite membrane for effective methanol crossover reduction in DMFCs. Paper presented at XXIV EMS Summer School on Membranes for Reactive Processes, University of Genoa, Genoa, Italy.
4. Gosalawit, R., Chirachanchai, S., Shishatskiy, S., and Nunes, S.P. (2007, November 20-23) Sulfonated montmorillonite (SMMT)/sulfonated polyether ether ketone (SPEEK) nanocomposite membrane for DMFC systems. Paper presented at the Chemical Nanotechnology Talks VIII (CNT VIII) for Energising a Sustainable Future, Frankfurt, Germany.