

## REFERENCES

- Agag, T., and Tsutomu, T. (2007). High-Molecular weight AB-Type Benzoxazines as New Precursors for High-Performance Thermosets. J. Polym. Sci. Part A: Polym. Chem., 45, 1878-1888.
- Agag, T., and Tsutomu, T. (2006). Preparation, Characterization and Polymerization of Maleimidobenzoxazine Monomers as Novel Class of Thermosetting Resins. Polym. Chem., 44, 1424-1435.
- Ahn, H., Lee, H., Lee, S.B., and Lee, Y. (2006). Pervaporation of an aqueous ethanol solution through hydrophilic zeolite membranes. Desalination, 193, 244-251.
- Allen, D.J., and Ishida, H. (2006). Physical and Mechanical Properties of Flexible Polybenzoxazine Resins. J. Appl. Polym. Sci. Part B: Polym. Phys., 101, 2798-2809.
- Ameri, M., Ghobadian, B., and Baratian, I. (2008). Technical comparison of a CHP using various blends of gasohol in an IC engine. Renewable Energy, 33, 1469-1474.
- Chaisuwan, T., and Ishida, H. (2006). High-Performance Maleimide and Nitrile Functionalized Benzoxazines with Good Processibility for Advanced Composites Applications. J. Appl. Polym. Sci., 101, 548-558.
- Chernykh, A., Jinping, L., and Hatsuo, I. (2006). Synthesis and properties of new crosslinkable polymer containing benzoxazine moiety in the main chain. Polymer, 47, 7664-7669.
- Fangfang, L., Li, L., and Xianshe, F. (2005). Separation of acetone-butanol-ethanol (ABE) from dilute aqueous solutions by pervaporation. Sep. Purif. Technol., 42, 273-282.
- Gonziilez, V.J.R., Gonzilez, M.J.A., and Lbpez, D.C. (2002). Pervaporation ethanol-water mixtures through poly(1-trimethylsilyl-1-propyne) (PTMSP) membranes. Desalination, 149, 61-65.

- Gonzalez, M.J.A., Lopez, D.C., and Gonzalez, V.J.R. (2004). Effect of Operation Conditions in the Pervaporation of Ethanol-Water Mixtures with Poly(1-Tri methylsilyl-1-Propyne) Membranes. J. Appl. Polym. Sci., 94, 1395-1403.
- Hailin, C., Radosz, M., Francis, B., and Youqing, S. (2007). Polymer-inorganic nanocomposite membranes for gas separation. Sep. Purif. Technol., 55, 281-291.
- Hajime, K., Akihiro, M., Kichi, H., and Akinori, F. (1999). New Thermosetting Resin From Bisphenol A-Based Benzoxazine and Bisoxazoline. J. Appl. Polym. Sci., 72, 1551-1558.
- Hajime, K., Shuuichi, T., and Akihiro, M. (2001). Studies on New Type of Phenolic Resin (IX) Curing Reaction of Bisphenol A-Based Benzoxazine with 42Bisoxazoline and the Properties of the Cured Resin. J. Appl. Polym. Sci., 79, 2331-2339.
- Hsueh, C.L., Kuo, J.F., Huang, Y.H., Wang, C.C., and Chen, C.Y. (2005). Separation of ethanol-water solution by poly(acrylonitrile-co-acrylic acid)membranes. Sep. Purif. Technol., 41, 39-47.
- Kim, Ho-D., and Ishida, H. (2001). Study on the Chemical Stability of Benzoxazine-Based Phenolic Resins in Carboxylic Acids. J. Appl. Polym. Sci., 79, 1207-1219.
- Kita, H., Horii, K., Ohtoshi, Y., Tanaka, K., and Okamoto, K.I. Synthesis of a zeolite NaA membrane for pervaporation of water/organic liquid mixtures.
- Kuanchertchoo, N., Suwanpreedee, R., Kulprathipanja, S., Aungkavattana, P., Atong, D., Hemra, K., Rirksomboon, T., and Wongkasemjit, S. (2007). Effects of synthesis parameters on zeolite membrane formation and performance by microwave technique. Appl. Organomet. Chem., 21, 841-848.
- Kurdi, J., and Tremblay, A.Y. (2003). Improvement in polyetherimide gas separation membranes through the incorporation of nanostructured metal complexes. Polymer, 44, 4533-4540.
- Kurdi, J., and Ashwani, K. (2006). Formation and thermal stability of BMI-based interpenetrating polymers for gas separation membranes. J. Membr. Sci., 280, 234-244.

- Ning, X., and Ishida, H. (1994). Phenolic materials via ring-opening polymerization synthesis and characterization of bisphenol-A based benzoxazine and their polymer. J. Polym. Sci., 32, 1121-1129.
- Paixao, R.L.C., T., Cardoso, L., J., and Bettotti, M. (2007). The use of a copper microelectrode to measure the ethanol content in gasohol samples. Fuel, 86, 1185-1191.
- Toraj, M., Aroujalian, A., and Bakhshi, A. (2005). Pervaporation of dilute alcoholic mixtures using PDMS membrane. Chem. Eng. Sci., 60, 1875-1880.
- Tsutomu, T., Takuya, K., and Agag, T. (2005). Synthesis and thermal cure of high molecular weight polybenzoxazine precursors and the properties of the thermosets. Polymer, 46, 12172-12180.
- Tsutomu, T., and Agag, T. (2006). High performance Polybenzoxazine as Novel Thermosets. High Perform. Polym., 18, 777-797.
- Yi-Chien, W., Shu-Hsien, H., Chien-Chien, H., Chi-Lan, L., Kueir-Rarn, L., Der-Jang, L., Juin-Yin, L. (2005). Sorption and transport properties of gases in aromatic polyimide membranes. J. Membr. Sci., 248, 15-25.
- Zhang, X., Zhu, W., Liu, H., and Wang, T. (2004). Novel tubular composite carbon-zeolite membranes. Materials Letters, 58, 2223-2226.

## CURRICULUM VITAE

**Name:** Ms. Ardia Boonmalert

**Date of Birth:** December 11, 1984

**Nationality:** Thai

**University Education:**

2007–2009 Bachelor Degree of Chemistry, Faculty of Science,  
Srinakarinwirot University, Bangkok, Thailand

**Proceedings:**

1. Boonmalert, A.; Pakkethati, K.,; Chaisuwan, T.; and Wongkasemjit, S. (2009, March 24) Development of Polybenzoxazine Membranes for Ethanol/Water Separation. Proceedings of the 237<sup>th</sup> ACS 2009, Utah, USA.
2. Boonmalert, A.; Pakkethati, K.,; Chaisuwan, T.; and Wongkasemjit, S. (2009, March 24) Development of Polybenzoxazine Membranes for Ethanol/Water Separation. Proceedings of the 15<sup>th</sup> PPC Symposium Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

**Presentations:**

1. Boonmalert, A.; Pakkethati, K.,; Chaisuwan, T.; and Wongkasemjit, S. (2009, March 24) Development of Polybenzoxazine Membranes for Ethanol/Water Separation. Poster presented at the 237<sup>th</sup> America Chemical Society Nation Meeting & Exposition, Utah, USA.
2. Boonmalert, A.; Pakkethati, K.,; Chaisuwan, T.; and Wongkasemjit, S. (2009, April 22) Development of Polybenzoxazine Membranes for Ethanol/Water Separation. Poster presented at the 15<sup>th</sup> PPC Symposium Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

