

REFERENCES

- AIDS Study Project, Faculty of Education, Chiangmai University. (1999). Manual for Using PRA in Working on AIDS in Communities, Book 1-3.
- Boonmongkon, P. and Suvarnanda (eds.). (1997). Community-based programs for

 Adolescent Sexual Health and Domestic Violence Against Women. Proceedings

 of the Regional Workshop. Health Social Science Program, Faculty of Social

 Sciences and Humanities, Mahidol University, Thailand.
- Boonmongkon, P. Reproductive Tract Infection, Sexually Transmitted Diseases and HIV/AIDS Transmission among Rural Married Thai Women: situational analysis and Community-based strategies. In P. Boonmongkon, N. Sanhajariya, and S. Rungsorn (eds.). (1998). Reframing Women's Health. The Women's Health Advocacy Network, Gender press.
- Boonmongkon, P. (1998). <u>Understanding of Women's Experiences of Gynecological problems: A Gender Analysis.</u> Paper presented at The Fourth Asia-Pacific Social Science and Medicine Conference Health Social Science Action and Partnership: Retrospective and Prospective Discourse. Organized by Population Studies Center, Gadjah Mada University, Yogyakarta, Indonesia between December 7-11.
- CARE International, Thailand. (1999). Evaluation Report for the Project of Free-from-AIDS from Having Sexual Relationship among Youth Group in Rural Area of Chiangrai Province, Bangkok: Kul Printing Co.
- Chaisilwattana, P., Bhiraleus, P., Patanapanich, P., Bhadrakom, C., Roongpisuthipong, A., Sukroongreung, S. (1986). Treatment of vaginal candidiasis with oral ketoconazole. <u>J Med Ass of Thailand</u>. 69, 373-7.
- Chaivatana, P. (200). <u>Common Infectious Diseases in Female Genital Organ and Vagina</u>. 1st edition. S.T.P. Press.

- Department of Disease Control, Ministry of Public Health. Sexually Transmitted Diseases,. (2001). <u>J of Venereal Disease</u>. 10,8.
- Department of Mental Health, Communicable Disease Department, Ministry of Public Health. (1998). <u>Quality Development of Counseling on STD's and AIDS-Indicative Measures for Servicing Quality</u>, 3rd Edition, Religious Printing.
- Family Planning and Population Division, Department of Health, Ministry of Public Health. (1997). Reproductive Health Policies. Document for a National Workshop.
- Gardner HL, Dukes CD. (1976). "Haemophilus vaginalis: a newly defined specific infection previously classified "nonspecific" vaginitis" <u>Am J Obstet Gynecol</u>, . (1955). 69, 962-76. Vaginal candidosis. Br Med J. 1, 357-8.
- Health Promotion and Nursing Department, Public Health Office, Khonkaen Province. (1999). Conceptual and Skill of Reproductive Health.
- Husrok, T., Monkomb, K. and Komsiriluk, P. (1999). Journal of District Health

 <u>Participation study Number 5/2542</u>, Printing Klungnana Vitaya, Khonkaen

 Province April.
- Jamonman, U. (1996). <u>The Questionnaire Take and Ursing</u>. Faculty Chulalongkorn University.
- Lugsmecharatkul, P. (1996). <u>Research Process in Health Science</u>. Bangkok: Charuandee Printing.
- Mead PB. (1993). Epidemiology of bacterial vaginosis. Am J Obstet Gynecol. 169,446-9.
- Muller M, Meingassner JG, Millwe WA. And Ledger WJ. (1980). Three metronidazole-resistant strains of *Trichomonas vaginalis* from the United States. Am J Obstet Gynecol. 138, 808-12.

- Oranpradit, S. (2001). <u>Research Instrument and Search Quality Instrument SPSS for windows</u>. Sirindhon College of Public Health, Khonkaen Province.
- Oriel JD, Partidge BM, Denny MJ, Coleman JC. (1972). Genital yeast infections. Br Med J. 4, 761-4.
- Patarachchachai, W. (1996). <u>Principles of Research.</u> Bangkok: Printing Intertechge Printing Company Limited.
- Petel HS, Peter MD, and Smith CL. (1992). Is there a role for fluconazole in the treatment of vulvovaginal candidiasis? Ann Pharmacother. 26, 350-3.
- Phuwiang Hospital. (2001). <u>Summary report on clients who came for reproductive</u> health counseling services.
- Population Professional. (n.d.). <u>Servey Knowledge</u>, <u>Attitude and Practice about Aids</u> and <u>STDM</u>, Khonkaen Province.
- Preedasawat, P., Kaweevongprasert, P., Puranun, A. (eds.). (1987). <u>Socio-cultural aspects of self-care practices</u>. Center for Health Policy Study, Mahidol University, Thailand (in Thai).
- Public Health Ministry. (1997). The Key of Skill Life Teaching to Prevention for Sexual Transmitted Diseases.
- Schnell DJ. (1982). <u>Investigations into the Pathoaetiology and Diagnosis of Vaginal</u>
 <u>Mycoses Chemotherapy</u>. 28,14-21.
- Sobel JD. (1985). Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis. <u>Am J Obstet Gynecol</u>. 152,924-35.
- Sobel JD. (1985). Management of recurrent vulvovaginal candidiasis with intermittent ketoconazole prophylaxis. <u>Obstet Gynecol.</u> 65,435-40.

Srinakarin Journal. (2001). 14, 4.

Subsao, V. et al. (2002). <u>The Researcher Development Projected in district security</u>
Public health, Khonkaen Province.

Vaginal candidiasis. (1976). Br Med J. 1,357-8.



Ouestionnaire N	۱۰
-----------------	----

Research Questionnaire

about

Knowledge, attitude and practice in regard to sexually sransmitted diseases (STD's)

Instruction This questionnare was designed to question about knowledge, attitude and practice of women/husbands who encountered STD related problems. The questionnaire comprises of 4 components as follows.

Component 1 Demographic data of women and husbands

Component 2 STD prevention behaviours

Component 3 Attitudes towards STD's

Component 4 Awareness, risks behaviours related to sexual intercourse

Questionnaire

	Questionnaire	No
	Component 1 : Demographic data of women and husbands	3
Instruction	Please mark / in the box in responsive to answers matching to the fact about yours	elf.
		For researcher
1. Gender	1. Male 2. Female	Н1 🗌
2. Age (comp	letely reached)years	H2 🗌
3. Education		Н3 🗌
	1. Did not attend school at all	
	2. Elementary	
	3. Secondary	
	4. Diploma	
4. Marital stat	tus	H4 🗌
	Married and stay together 4. Widowed, divorced, separateed	
	2. Married but live separately 5. Others (Specify)	
	3. Stay together unmarried	
5. Occupation	1	Н5 🗌
	1. Unemployed 5. Agricultural	
	2. Laborer 6. Vending	
	3. Gov. (or public enterprise) employe 7. Others (Specify)	
	4. Employee of private sector	
6. Family inc	omeTHB/year	Н6 🗌
	1. 0 - 5,000	
	2. 5,001 - 10,000	
	3. 10,000 - 15,000	
	4. From 15,001 upward	
7. Have you	ever received health education about sexually transmitted diseases?	Н7 🗌
	1. No 2. Yes (then answer No. 8)	
8. If you have	e, from which source that you received most instructions about STD's	Н8
during the pas	st year? (Please choose only 1 answer)	
	1. Radio	
	2. Television	
	3. Newspapers	
	4. Advertisement signs	
	5. Journals/magazines	
	6. Exhibitions	
	7. Government officials/staff	
	8. Other sources	

	Component 2: STD prevention behaviours						
Instruction	Instruction Please mark / in the box in responsive to answers matching to the fact about yourself.						
1. What are S		K1	L				
	Diseases transmittable through sexual intercourse with infected persons						
	2. Diseases transmittable by touching the person or sharing utensils & suppli	es with					
	3. Diseases transmittable through sexual intercourse with persons who have	or do not l	nave	infections			
	4. Diseases transmittable by touching the blood of infected persons						
	5. Others (Specify)						
2. Which dise	eases are sexually transmittable? (Can give more than 1 answer)						
	1. Trichomoniasis 6. Bacterial vaginitis	K2	.1 [K2.6			
	2. Human papilloma viral infection 7. Chancroid	K2	.2	K2.7			
	3. Candidiasis (Fungus) 8. Syphilis	K2	.3 [K2.8			
	4. AIDS 9. Neisseria gonorrhoea	K2	.4	K2.9			
	5. Herpes simplex 10. Chlamydia trachormatis	K2	.5 [K2.1€			
3. What are the	he symptoms of Trichomoniasis? (Give only 1 answer)						
	1. Yellowish and foamy leukorrhea	К3					
	2. Lumpy leukorrhea in women and rashes at penis in men.						
	3. Burning and obstructed urination, presence of urethral pus discharge						
	4. Yellowish body skin and eyes/ dark color urine						
	5. Others						
4. How can T	Trichomoniasis be transmitted? (Give only 1 answer)						
	1. By having sexual intercourse with infected persons	K4	[
	2. By sharing utensils, supplies, etc. with infected persons						
	3. By touching or contacting blood						
	4. By giving birth or breast feeding						
	5. Others						
5. How could	d sexually transmitted Trichomoniasis be completely cured?	K	5 [
(Choose I ans	swer only)						
	1. Could be completely cured even by using herbs.						
	2. By taking medicines properly per doctor's prescription and not acquiring						
	the organism again, both the husband and wife						
	3. By using vaginal suppository tablets simultaneously with keeping good h	ygien					
	and not acquiring the organism again.						
	4. Others						

		Page
6. What is the best way to protect yourself from sexually transmitted Trichomoniasis?	K6	
(Choose 1 answer only)		
1. Stop having sex		
2. Avoid having sex with to commercial sex workers		
3. Use condom at each time of sexual intercourse		
4. Reduce the number of sexual partners		
5. Others		
7. What are the symptoms of sexulaly transmitted Candidiasis?	K7	
1. Yellowish and foamy leukorrhea		
2. Lumpy leukorrhea in women and rashes at penis in men.		
3. Burning and obstructed urination, presence of urethral pus discharge		
4. Yellowish body skin and eyes/ dark color urine		
5. Others		
8. How can Candidiasis be transmitted? (Give only 1 answer)	K8	
1. By having sexual intercourse with infected persons		
2. By sharing utensils, supplies, etc. with infected persons		
3. By touching or contacting blood		
4. By giving birth or breast feeding		
5. Others		
9. How can sexually transmitted Trichomoniasis be completely cured?	K9	
(Choose I answer only)		
Could be completely cured even by using herbs.		
2. By taking medicines properly per doctor's prescription and not acquiring		
the organism again, both the husband and wife		
3. By using vaginal suppository tablets simultaneously with keeping good hygien		
and not acquiring the organism again.		
4. Others		
10. What is the best way to protect yourself from sexually transmitted Candidiasis?	K10	
(Choose I answer only)		
1. Stop having sex		
2. Avoid having sex with to commercial sex workers		
3. Use condom at each time of sexual intercourse		
4. Reduce the number of sexual partners		
5. Others		

			50
			Page 4
11.	What are the	ne symptoms of AIDS? (Can choose more than 1 answer)	
		1. The symptoms are divided into several stages. There is no symptom at initial	K11.1
		stage, in which the infection could only be detected by blood tests.	1
		2. At terminal stage, the lymph nodes are enlarged.	K11.2
		3. Lumpy leukorrhea in women and rashes at penis in men.	K11.3
		4. Burning and obstructed urination, presence of urethral pus discharge	K11.4
		5. Others	K11.5
12.	How can A	AIDS be transmitted? (Choose 1 answer only)	
		1. By having sexual intercourse with infected persons	K12.1
		2. By sharing utensils, supplies, etc. with infected persons	K12.2
		3. By touching or contacting blood	K12.3
		4. By giving birth or breast feeding	K12.4
		5. Others	K12.5
13.	How could	HIV/AIDS be completely cured? (Give only 1 answer)	K13 🗌
		1. Could be completely cured even by using herbs.	
		2. By taking medicines properly per doctor's prescription and not acquiring	
		the organism again, both the husband and wife	
		3. By using vaginal suppository tablets simultaneously with keeping good hygien	
		and not acquiring the organism again.	
		4. Others	
14.	What is th	e best way to protect yourself from HIV/AIDS? (Can choose more than 1 answer)	
		1. Stop having sex	K14.1
		2. Avoid having with commercial sex workers	K14.2
		3. Use condom at each time of sexual intercourse	K14.3
		4. Reduce the number of sexual partners	K14.4
		5. Others	K14.5
			1

Component 3: Attitudes towards STD's

Instruction Please mark / in the box in responsive to answers matching to the fact about yourself.

No.	Opinions	Agreed	Not sure	Not agreed	For	r researche
1	Sexually transmitted disease means				Al	
	HIV/AIDS only.					
				ļ	l	
2	Vaginal Trichomoniasis and Candidiasis				A2	
	are not sexually transmitted diseases.					
3	Wearing condom could preventing	į		:	A3	
	sexually transmitted diseases (suchas HIV/AIDS,					
	vaginal Trichomoniasis & Candidiasis) by 100%.					
4	Candidiasis and Trichomoniasis can reside at				A4	
	the distal part of the penis without manifesting					
	any symptoms.					
			1			
5	You think that your wife/husband could not				A5	
	bring you diseases STD transmission.		Ì			
6	Having sex with bar or karaoke girls				A6	
	could not cause the transmission of vaginal					
	Candidiasis or Trichomoniasis.					
7	Cleaning genital area in both men and women				A7	
	before and after having intercourse it helps					
	decreasing the transmission of vaginal					
	Candidiasis/Trichomoniasis and HIV/AIDS.					
8	Sexually transmitted diseases could be				A8	
	completely cured, except AIDS.					
Ġ	Candidiasis and Trichomoniasis could be	Ì			A9	
	completely cured by taking medicines only.					
					(Cont.)	

Page 6

Opinions	Agreed	Not sure	Not agreed	For researcher
Candidiasis and Trichomoniasis should be treated				A10
in women only. There is no need to treat men,				
as they do not have any symptoms.				
Husband & wife should not talk about sexual intercrouse, as it is shameful.				A11 🗌
The health problemof uterus is the concern of women only. Men do not have to worry about it.				A12 🗌
	Candidiasis and Trichomoniasis should be treated in women only. There is no need to treat men, as they do not have any symptoms. Husband & wife should not talk about sexual intercrouse, as it is shameful. The health problemof uterus is the concern of	Candidiasis and Trichomoniasis should be treated in women only. There is no need to treat men, as they do not have any symptoms. Husband & wife should not talk about sexual intercrouse, as it is shameful. The health problemof uterus is the concern of	Candidiasis and Trichomoniasis should be treated in women only. There is no need to treat men, as they do not have any symptoms. Husband & wife should not talk about sexual intercrouse, as it is shameful. The health problemof uterus is the concern of	Candidiasis and Trichomoniasis should be treated in women only. There is no need to treat men, as they do not have any symptoms. Husband & wife should not talk about sexual intercrouse, as it is shameful. The health problemof uterus is the concern of

Component 4: Awareness, risks behaviours related to sexual intercourse

Instruction Please mark / in the box in responsive to answers matching to the fact about yourse	elf.	
(Questions for women only)		
1. At present, do you know that you have been transmitted with sexually transmitted diseases?	ΡI	
1. No (End of question) 2. Yes (Proceed to No. 8)		
2. If you know, what kind of agents you have been transmitted?	P2	
Specify the name of the agent		
3. From which source(s) of causative agents you were transmitted ? (Can choose more than 1 answ	Р3	
1. Inadequate cleaning of yourself		
2. From your husband/wife		
3. From a stranger whom you met by chance		
4. Others (Specify)		
4. How do you take care of yourself before and after having sex? (Can choose more than 1 answer	P4	
1. Wash the genital organ every time before and after having sex.		
2. Wash the genital organ before and after <i>only some times</i> of the intercourse.		
3. Do not take care of myself at all.		
4. Others		
(Questions for women only)		
5. Have you ever requested your spouse to use condom when having intercourse?	P5	
1. Yes (Proceed to No. 12) 2. No (End of question)		
6. If you have requested to use condom, then how often?	P6	
1. At every time of the intercourse		
2. Occasionally		
(Questions for men only)		
7. At present, do you know that you wife is suffering a sexually transmitted disease?	P7	
1. No (Skip to No.16) 2. Yes (Proceed to No.14)		
8. Do you know that you are part of the causes that have made your wife being suffered with	P8	
sexually transmitted diseases and recurrences?		
1. No (Skip to No.16) 2. Yes (Proceed to No.15)		
9. If you know, how could you help your wife? (Can choose more than 1 answer)	Р9	
1. Clean the body and sex organ before and after having sex.		
2. Wear condom at evry time of having intercourse.		
3. Don't have to do anything. Let it subside or recover by itself.		
4. Others (Specify)		

10. In the past	12 months, did you have sex with	any of the	following	persons?		
	The kinds of persons	Yes	No			
	Commercial sex workers				P10.1	
	2. Bar girls				P10.2	
	3. Strangers				P10.3	
	4. Friends				P10.4	
	5. Husband/wife				P10.5	
	6. Others (Specify)				P10.6	
11. Reference	to Question 10, Did you use cond	lom?		•	PII	
	1. No		2. Yes			
12. From whic	h source did you usually obtain c	ondoms?			P12	
	1. Public health facilities					
	2. Drug stores					
	3. Bars/discotheques					
	4. Hotels					
	5. Others (Specify)					
(Questions for	both men and women)					
13. In the past	12 months, have yopu ever discu	issed with y	our spous	e about sexual intercourse	? P13	
	l. Yes		2. No			
14. Have you	ever discussed with your spouse a	about chan	ces for you	two to get STD transmiss	sion P14	
from each othe	г?					
	1. Yes		2. No			

แบบสอบถามการวิจัย

เรื่อง

ความรู้ ทัศนคติ และการปฏิบัติตัว เกี่ยวกับโรคติดเชื้อทางเพศสัมพันธ์

คำชี้แจง	แบบสอบถามนี้เป็นการสอบถาม ความรู้ ทัศนคติ และการปฏิบัติตัว ในกลุ่มสตรี/สามี
	ที่พบปัญหา โรคติคต่อทางเพศสัมพันธ์ ซึ่งประกอบด้วย 4 ส่วน คือ
ส่วนที่ 1	แบบสอบถามข้อมูลทั่วไปของสตรี และสามี
ส่วนที่ 2	แบบสอบถามความรู้ เกี่ยวกับการป้องกัน โรคติคต่อทางเพศสัมพันธ์
ส่วนที่ 3	แบบสอบถามทัศนคติเกที่ยวกับโรคติดเชื้อทางเพศสัมพันธ์
ส่วนที่ 4	แบบสอบถาม พฤติกรรม การรับรู้ ความเสี่ยง และการปฏิบัติดัวเกี่ยวกับเพศสัมพันธ์

แบบสอบถาม

ความรู้ ทัศนคติ และการปฏิบัติตัวเกี่ยวกับโรคติดเชื้อทางเพศสัมพันธ์						
		แบบสอบถาม	หมายเลข			
ตอนที่ 1	ข้อมูลทั่วไปของผู้ตอบแบบสอง	บถาม	สำหรับผู้วิจัย			
คำชื้แจง	โปรคทำเครื่องหมาย / ให้ตรงกั	บความเป็นจริงของท่าน				
!. เพศ	🗌 1. ชาย	🗌 2. หญิง	ні 🗌			
2. อายุ(เค็ม)		H2 🗌			
3. การศึกษ	1		Н3 🗌			
] 1. ไม่ได้เรียนหนังสือ					
] 2. ประถมศึกษา					
] 3. มัธยมศึกษา					
] 4. อนุปริญญา					
4. สถานภา	าพสมรส		H4 🗌			
] 1. สมรสและอยู่ค้วยกัน	🔲 4. ม่าย หย่า แยก				
] 2. สมรสแค่แยกกันอยู่	🗌 5. อื่น ๆ (ระบุ)				
] 3. อยู่ค้วยกันเฉย ๆ					
 อาชีพ 			Н5 🗌			
] 1. ไม่ได้ทำงาน	5. งานเกษตรกรรม				
] 2. รับจ้างทั่วไป	🗌 6. ค้าขาย				
	3. รับราชการ/รัฐวิสาหกิจ	🗌 7. อื่น ๆ (ระบุ)				
] 4. ลูกจ้าง/พนักงานเอกชน					
6. รายใค้ข	องครอบครัว	บาท/ปี	Н6 🗌			
	1. 0 - 5,000					
	2. 5,001 - 10,000					
	3. 10,000 - 15,000					
] 4. ตั้งแต่ 15,001 ขึ้นไป					
7. ท่านได้	รับความรู้เกี่ยวกับโรคติคเชื้อทางเท	พศสัมพันธ์มาก่อนหรือไม่	Н7 🗌			
	1. ไม่เคย	2. เคย (ต่อข้อ 8)				

8. ถ้าเคย ในรอบปีที่ผ่านมา ท่านได้รับความรู้ คำแนะนำ เกี่ยวกับโรคติคเชื้อทางเพศสัมพันธ์	Н8
จากที่ใดมากที่สุด (ตอบเพียง 1 ข้อ)	
🗌 1. วิทยุ	
🗌 2. โทรทัศน์	
🗌 3. หนังสือพิมพ์	
🗌 4. ป้ายโฆษณา	
5. วารสาร/นิตยสาร	
🗌 6. นิทรรศการ	
🗌 7. เจ้าหน้าที่ราชการ	
🗌 8. อื่น ๆ	

ส่วนที่ 2 ความรู้เกี่ยวกับโรคที่ติดต่อทางเพศสัมพันธ์		
1. ท่านคิดว่าโรคติดต่อทางเพศสัมพันธ์เป็นอย่า	งไร	кі 🗌
🔲 1. โรคที่ดิดต่อกันโดยการร่วมเพ	ศกับผู้ที่มีเชื้อ	
🗌 2. โรคที่ติดต่อกันโดยการถูกเนื้อ	ต้องตัวและใช้สิ่งของร่วมกัน	
🔲 3. โรคที่ดิดต่อกันโดยการร่วมเพ	ศกับคนที่มีเชื้อหรือไม่มีก็ได้	
🗌 4. โรคที่ติดต่อโดยการถูกเลือด เร็	ปื้อนเลือดของคนที่มีเชื้อ	
🗌 5. อื่น ๆ (ระบุ)		
2. โรคใดบ้างที่ดิดต่อทางเพศสัมพันธ์ (ตอบได้	มากกว่า 1 ข้อ)	
🔲 1. พยาธิในช่องคลอด	🗌 6. แบคทีเรียในช่องคลอด	K2.1 K2.6
🗌 2. หูดหงอนไก่	7. โรคแผลริมอ่อน	K2.2 K2.7
🗌 3. เชื้อราในช่องคลอด	8. ซิฟิลิส	K2.3 K2.8
🗌 4. โรคเอคส์	🦳 9. หนองในแท้	K2.4 K2.9
🗌 5. เริ่ม	🗌 10. หนองในเทียม	K2.5 K2.10
3. ท่านคิดว่าโรคติดเชื้อพยาธิในช่องคลอดจะมี	อาการอย่างไร (ตอบเพียง 1 ข้อ)	
🗌 1. ตกขาวจะมีสีเหลืองเป็นฟอง		К3
🗌 2. ตกขาวเป็นก้อน เพศชายจะมีดู	ุ่มขึ้นบริเวณอวัยวะเพศ	
🔲 3. ปัสสาวะ แสบขัด มีหนองออก	าจากท่อปัสสาวะ	
🗌 4. ตัว ตา เหลือง ปัสสาวะเข้ม		
🗌 5. ຄື່ນໆ		
4. ท่านคิดว่าโรคพยาธิในช่องคลอดติคต่ออย่าง	ไร (ตอบเพียง 1 ข้อ)	
🔲 !. ติดต่อโดยการร่วมเพสกับผู้มีเ	ชื่อ	K4
🗌 2. ใช้สิ่งของร่วมกัน		
🔲 3. ถูกเลือด เปื้อนเลือด		
🗌 4. การคลอดให้บุตรกินนม		
🗍 5. อื่นๆ		

5. ท่านคิดว่าโรคติดเพื้อทางเพศสัมพันธ์ประเภทเชื้อพยาธิในช่องคลอดสามารถรักษาให้	K5	
หายขาคได้อย่างไร (ตอบเพียง 1 ข้อ)	N.	
1. รักษาโดยใช้สมุนไพร ก็สามารถหายได้		
2. รักษาโดยรับประทานยาให้ถูกต้องตามแพทย์สั่ง และไม่ได้รับเชื้อซ้ำอีก ทั้งสามี/ภรรยา		
3. รักษาโดยใช้ยาเหน็บช่องคลอด ร่วมกับการรักษาความสะอาด และไม่ได้ รับเชื้อซ้ำอีก		
🗌 4. อื่นๆ		
6. ท่านคิดว่าวิธีป้องกันตนเองจากโรคติดต่อทางเพศสัมพันธ์ ประเภทเชื้อพยาธิในช่องคลอด	K6	
ที่ดีที่สุดทำอย่างไร (ตอบเพียง 1 ข้อ)		
🔲 เ. งคการมีเพศสัมพันธ์		
🔲 2. หลีกเลี่ยงการเที่ยวโสเภฉี		
3. ใช้ถุงยางอนามัยขณะมีเพศสัมพันธ์		
🔲 4. ลดจำนนคู่นอน		
5. อื่น ๆ		
7. ท่านคิดว่าโรคติดต่อประเภทเชื้อราในช่องคลอดมีอาการอย่างไร	K7	
🔲 1. ตกขาวมีสีเหลืองเป็นฟอง		
🔲 2. ตกขาวเป็นก้อน เพศชายจะมีคุ่มขึ้นบริเวณอวัยวะเพศ		
3. ปัสสาวะแสบขัค มีหนองออกจากท่อปัสสาวะ		
🗌 4. ตัว ตา เหลือง ปัสสาวะเข้ม		
🗌 5. อื่นๆ		
8. ท่านคิดว่าโรคเชื้อราในช่องคลอดติดต่ออย่างไร (ตอบเพียง 1 ข้อ)	K8	
🔲 1. ติดต่อโดยการร่วมเพศกับผู้มีเชื้อ		
🗌 2. ใช้สิ่งของร่วมกัน		
🔲 3. ถูกเลือด เบื้อนเลือด		
4. การคลอดให้บุตรกินนมตนเอง		
5. อื่น ๆ		

9. ท่านคิดว่าโรคติดเชื้อประเภทเชื้อราในช่องคลอด สามารถรักษาให้หายขาดได้อย่างไร	К9 П
(คอบเพียง 1 ข้อ)	
🗍 1. รักษาโคยใช้สมุนไพร ก็สามารถหายได้	
ทั้งสามี/ภรรยา	
3. รักษาโคยใช้ยาเหน็บช่องคลอค ร่วมกับการรักษาความสะอาค และไม่ได้ รับเชื้อซ้ำอีก	
🗌 4. อื่นๆ	
10. ท่านคิดว่าวิธีป้องกันตนเองจากโรคคิดเชื้อ ประเภทเชื้อราในช่องคลอดที่ดีที่สุดทำอย่างไร	K10 🗌
(ตอบเพียง ! ข้อ)	
🔲 1. งคการมีเพศสัมพันธ์	
🔲 2. หลีกเลี่ยงการเที่ยวโสเภณี	
3. ใช้ถุงขางอนามัขขณะมีเพศสัมพันธ์	
4. ลดจำนนคู่นอน	
🗌 5. อื่น ๆ	
11. ท่านคิดว่า โรคเอคส์ มีอาการอย่างไร (ตอบมากกว่า 1 ข้อ)	
🔲 1. แบ่งเป็นหลายระยะ ระยะแรกไม่มีอาการ จะทราบได้โดยวิธี	K11.1
ตรวจเลือดเท่านั้น	
2. ระยะสุคท้ายค่อมน้ำเหลืองโต	K11.2
🔲 3. เพศหญิงตกขาวเป็นก้อน เพศชายจะมีคุ่มขึ้นตามอวัยวะเพศ	K11.3
🔲 4. ปัสสาวะแสบขัค มีหนองออกจากอวัยวะเพศ	K11.4
🗌 5. อื่นๆ	K11.5
12. ท่านกิคว่าโรคเอคส์ติคต่ออย่างไร (ตอบมากกว่า 1 ข้อ)	
🔲 1. ดิคต่อโคยการร่วมเพศกับผู้มีเชื้อ	K12.1
2. ใช้สิ่งของร่วมกัน	K12.2
3. ถูกเลือด เปื้อนเลือด	K12.3
4. การคลอดให้บุตรกินนมตนเอง	K12.4
5. อื่น ๆ	K12.5

K13 [
K14.1
K14.2
K14.3
K14.4
K14.5

ส่วนที่ 3 ทัศนคติเกี่ยวกับโรคติดต่อเชื้อทางเพศสัมพันธ์

ลำคับที่	ข้อกิดเห็น	เห็นด้วย	ไม่แน่ใจ	ไม่เห็นค้วย	สำห	รับผู้วิจัย
1	โรคติดต่อทางเพศสัมพันธ์ได้แก่ โรคเอดส์				Al	
	เท่านั้น					
2	โรคติคเชื้อพยาธิในช่องคลอด และเชื้อราใน				A2	
	ช่องคลอดไม่ใช่โรคติดต่อทางเพศสัมพันธ์					
3	การใส่ถุงยางอนามัย สามารถป้องกัน				A3	
1	 โรคติคเชื้อทางเพศสัมพันธ์ เช่น โรคเอคส์					
	โรคเชื้อรา และพยาธิในช่องคลอค ไค้ 100%					
	มากกว่า 90 %					
	เชื้อรา และเชื้อพยาธิในช่องคลอคสามารถ	:				
4					A4	لـا
	อยู่ในปลายอวัยวะเพศของเพศชายได้ โดย					
	ที่ไม่ปรากฏอาการ					
5	 คุณคิคว่า ภรรยา/สามีคุณไม่สามารถนำเชื้อ				A5	
	` มาสู่คุณได้		li i			
6	การมีเพศสัมพันธ์กับพนักงานในบาร์ หรือ				A6	
	คาราโอเกะ ไม่ทำให้ติดเชื้อรา พยาธิใน					
	ช่องคลอดได้					
-	/ การรักษาความสะอาคอวัยวะเพศทั้งชาย/หญิง				A7	
	ก่อนและหลังมีเพศสัมพันธ์ทำให้ลดความเสี่ยง				Α,	
	 ต่อการติดเชื้อรา พยาธิในช่องคลอค และ					
	โรคเอคส์					
8	โรคติดเชื้อที่ติดต่อทางเพศสัมพันธ์สามารถ				A8	
	รักษาให้หายขาดได้ ยกเว้นโรคเอคส์					

หน้าที่	8
---------	---

ลำคับที่	ข้อกิดเห็น	เห็นด้วย	ไม่แน่ใจ	ไม่เห็นค้วย	สำหรับผู้วิจัย
9	โรคติคเชื้อประเภอเชื้อ, พยาธิในช่องคลอค				A9 🗌
	รักษาให้หาขขาค โคขการกินขาเท่านั้น				
10	การรักษาโรคคิดเชื้อทางเพศสัมพันธ์ประเภท เชื้อรา, พยาธิในช่องคลอดรักษาเฉพาะหญิง เท่านั้น ชายไม่จำเป็นต้องรักษา เพราะไม่มีอาการ				A10 🗌
11	การพูคคุยเรื่องเพศสัมพันธ์ระหว่างสามี/ภรรยา ไม่ควรทำ เพราะเป็นเรื่องน่าอาย				All [
12	การเจ็บป่วยของสตรี เกี่ยวกับมคลูกเป็นเรื่อง ของสตรีเท่านั้น ชายไม่จำเป็นต้องรับรู้				A12 🗍

ส่วนที่ 4 พฤติกรรมการรับรู้ ความเสียง และการปฏิบัติต่อการติดเชื้อทางเพล	าสัมพั น:	Ŕ
(ถามเฉพาะหญิง)		
1. ปัจจุบันท่านทราบหรือไม่ว่าท่านติคเชื้อ จากครคติคต่อทางเพศสัมพันธ์	P1	
🗌 1. ไม่ทราบ(จบคำถาม) 🔲 2. ทราบ(ค่อข้อ 8)		
2. ถ้าทราบ ท่านติคเชื้อประเภทใด	P2	
🗌 เชื้อ		
3. ท่านคิคว่าท่านได้รับเชื้อที่เป็นสาเหตุจากแหล่งใด (ตอบได้มากกว่า 1 ข้อ)	Р3	
1. จากการรักษาความสะอาคไม่เพียงพอของท่านเอง		
2. ได้รับเชื้อจากสามี/ภรรยา		
🔲 3. ได้รับเชื้อจากคนแปลกหน้าที่พบกันโดยบังเอิญ		
🗌 4. อื่น ๆ (ระบุ)		
4. ก่อนและหลังมีเพศสัมพันธ์ท่านดูแลตนเองอย่างไร (ตอบได้มากกว่า 1 ข้อ)	P4	
1. ชำระล้างอวัยวะเพศก่อน และหลังมีเพศสัมพันธ์ทุกครั้ง		
2. ชำระถ้างอวัยวะเพศก่อน และหลังมีเพศสัมพันธ์บางครั้ง		
🔲 3. ไม่ได้ปฏิบัติ		
4. อื่น ๆ		
 (ถามเฉพาะหญิง)	Ì	
5. ท่านเคยขอให้คู่สมรสของคุณใช้ถุงยางอนามัยเมื่อมีเพศสัมพันธ์กันหรือไม่	P5	
🔲 1. เคย(ต่อข้อ 12) 🔲 2. ไม่เคย(จบคำถาม)		
6. ถ้าเคย บ่อยครั้งเพียงใค	P6	
🔲 1. ทุกครั้งที่มีเพศสัมพันธ์		
2. บางครั้ง		
(ถามเฉพาะชาย)		
7. ปัจจุบันท่านทราบว่า ภรรยาของท่านเจ็บป่วยค้วยโรคติคเชื้อทางเพศสัมพันธ์หรือไม่	P7	
🗌 1. ไม่ทราบ(ข้ามไปข้อ 16) 🔲 2. ทราบ(ต่อข้อ 14)		
8. ท่านทราบหรือไม่ว่าท่านมีส่วนทำให้ภรรยาของท่าน สามารถกลับเป็นโรคติดเชื้อทาง	Р8	
เพศสัมพันธ์ซ้ำอีก		
🗌 เ. ไม่ทราบ(ข้ามไปข้อ 16) 🔲 2. ทราบ(ต่อข้อ 15)		

9. ถ้าท่านทราบท่านคิดว่าท่านช่วยได้อย่างไร(ตอบได้มากกว่า 1 ข้อ)			Ì	9 🗌
🗌 1. ทำความสะอาคร่างกายและอ			มีเพศสัมพันธ์	
🗌 2. ใส่ถุงยางอนามัยทุกครั้งขณะ	มีเพศสัมพัน	าธ์		
🔲 3. ไม่ต้องทำอะไร ปล่อยให้หาย	ทอง			
🗌 4. อื่น ๆ (ระบุ)				
10. ในรอบ 12 เคือน ที่ผ่านมาท่านมีเพศสัมเ	พันธ์กับบุคค	าลต่อไปนี้ห	รือไม่	
ประเภทบุคคล	มี	ไม่มี		
1. ผู้ขายบริการทางเพศ			P	10.1
2. พนักงานในบาร์			P	10.2
3. คนแปลกหน้า			P	10.3
4. เพื่อน			P	10.4
ร. สามี/ภรรยา			P	10.5
6. อื่น ๆ ระบุ			P	10.6
11. ท่านใช้ถุงยางอนามัยหรือไม่	1		P	11
🗌 เ. ไม่ใช้		2. ใช้		
12. ปกติท่านได้ถุงยางอนามัยมาจากแหล่งใด			P	12
🔲 1. สถานบริการสาธารณสุข				
🔲 2. ร้านขายยา				
			Ì	
4. โรงแรม				
(ถามทั้งชายและหญิง)				
13. ในรอบ 12 เดือน ที่ผ่านมาท่านเคยพูดคุเ	ย หรือปรึกษ	าคู่สมรสเรื่	องเพศสัมพันธ์บ้างหรือไม่ P	13
่ 1. เคย	Γ_] 2. ไม่เคย		
 14. ท่านเคยพูคคุยกับคู่สมรส เกี่ยวกับโอกาส	 ที่ท่านทั้งสอ	้ เงจะติดเชื้อา	ทางเพศสัมพันธ์ P	P14 [
จากกันบ้านหรือไม่				
1. เคย] 2. ไม่เคย		
_		-		

Notification of Investigation Result for Cervical Carcinoma

Phuwiang Hospital
Phuwiang District,
Khon Khaen Province 40150

(.....)

To: MS	./Mrs HN
	me for Cervical Cancer Screening service at the Health Promotion mg Hospital on Date Month Year, the aled that:
	fer only to the text that has been marked with 🗸)
0	Normal: No carcinoma cells were found
	What you should do?: Visit doctor for Per Vaginal Examination yearly
	No carcinoma cells were found but there were infection(s)
	☐ Fungal infection
	☐ Trichomoniasis
	☐ Bacterial vaginosis
	Other
	 What you should do?: Please come to Health Promotion Section with this notification on the date of for counseling services and instruction as well as treatment for abnormal conditions. Please ask your husband to come along.
ū	Abnormal ()
	What you should do?: See the doctor close to your house taking this notification for further investigations.
	Thank you
	Health Promotion Section Phuwiang Hospital

Curriculum Vitae

Name : Mrs. Suchada Sriputtha,

Date of Birth: March 1, 1960

Place of Birth: Phuwiang District, Khon Kaen Province, Thailand

Education:

Bachelor of Science (Health Education), Rajabpat Institute, Loei Province,
 1992

• Bachelor of Nursing, Sukhothai Thammathirat Open University, 1995

Started to study in the postgraduate program for Master of Public Health,
 College of Public Health, Chulalongkorn University, since 1997

Employment: Currently employed by the government in Phuwiang Hospital,

Phuwiang District, Khon Kaen Province, Thailand

