

## CHAPTER VI

### REFERENCES

- Akhmetov, N.S. (1983). General and Inorganic Chemistry. New York: Interscience Publishing.
- Becker, W., Bonold, H.J., Kaufmann, W., Prager, F.H., Rupprecht, H., Sand, H., and Schiffer, H.W. (1990). International Plastics Flammability Handbook. Munich: Hanser Publishers.
- Blumstein, A., Parikh, K.K., and Malhotra, S.L. (1971). Influence of the nature of the exchangeable ion on the tacticity of insertion poly(methyl methacrylate). Journal of Polymer Science Part A, 1681-1691.
- Bolf, A., Jones, P., Lichtenhan, J.D., Kashiwaki, T., Lomakin, S.M., Gilman, J.W., and Harris, R.H. (1999). Additives and Modifiers for Polymers. London: Blackwell Scientific.
- Bourbigot, S., Devaux, E., and Flambard, X. (2002). Flammability of polyamide-6/clay hybrid nanocomposite textiles. Polymer Degradation and Stability, 75 (2), 397-402.
- Bradley, D.C., Mehrotra, R.C., and Gaur, D.P. (1978). Metal Alkoxides. New York: Academic Press.
- Burkett, S.L., Press, A., and Mann, S. (1997). Synthesis, characterization and reactivity of layered inorganic-organic nanocomposites based on 2:1 trioctahedral phyllosilicates. Chemistry of Materials, 9(5), 1071-1073.
- Burside, S.D., and Giannelis, E.P. (1995). Synthesis and properties of new poly(dimethylsiloxane) nanocomposites. Chemistry of Materials, 7(9), 1597-1600.
- Carrado, K.A. (2000). Synthetic organo- and polymer-clays: preparation, characterization, and materials applications. Applied Clay Science, 17(1-2), 1-23.
- Choy, J.H., Kwak, S.Y., Han, Y.S., and Kim, B.W. (1997). New organo-montmorillonite complexes with hydrophobic and hydrophilic functions. Materials Letters, 33, 143-147.

- Cotton, F.A., and Wilkinson, G.F. (1981). Advanced Inorganic Chemistry. New York: Interscience Publishing.
- Dai, J.C., and Huang, J.T. (1999). Surface modification of clays and clay-rubber composite. Applied Clay Science, 15(1-2), 51-65.
- Fujiwara, S., and Sakamoto, T. (1976). Kokai Patent. Application SHO 51 (1976)-109998.
- Elbing, I.N., and Finestone, A.B. (1964). Insulation for electrical machinery, building elements or apparatus with hardened epoxy resin. Chemical Abstract, 60(17), 4705.
- Giannelis, E.P. (1996). Polymer layered silicate nanocomposites. Advanced Materials, 8(1), 29-35.
- Gilman, J.W. (1999). Flammability and thermal stability studies of polymer layered-silicate (clay) nanocomposites. Applied Clay Science, 15(1-2), 31-49.
- Gilman, J.W., and Kashiwagi, T. (1997). Nanocomposites: A Revolutionary New Flame Retardant Approach. 42<sup>nd</sup> International SAMPE Symposium, 1077-1089.
- Higashi, H., and Namikawa, S. (1967). Studies on organometallic compound, ethanolamine catalyst (V): polymerization of acetaldehyde by All foil treated with HgCl<sub>2</sub>. Kogko Kagaku Zasshi, 70, 97.
- Icken, J.M., and Jahren, E.J. (1963). Aluminium tris(alkoxyalkoxides) and nitrilotrialkoxides. Chemical Abstract, 60, 2768.
- Kaviratna, P.D., Pinnavaia T.J., and Schroeder P.A. (1996). Dielectric properties of smectite clays. Journal of Physical Chemistry Solids, 57(12), 1897-1906.
- Kawasumi, M., Hasegawa, N., Kato, M., Usuki, A., and Okada, A. (1997). Preparation and mechanical properties of polypropylene-clay hybrids. Macromolecules, 30(20), 6333-6338.
- Kashiwaki, T., and Gilman, J.W., Harris, R.H., and Nyden, M.R. (1999). Flame Retardant Mechanism of Silica. New Flame Retardants Consortium (Final Report) National Institute of Standard and Technology, 1049-1062.
- Kirk-Othermer. (1979). Encyclopedia of Chemical Technology. New York: Wiley-Interscience Publishers.

- Kojima, Y., Usuki, A., Kawasumi, M., Okada, A., Kurauchi, T., and Kamigaito, O. (1993). One-pot synthesis of nylon 6-clay hybrid. Journal of Polymer Science: Part A: Polymer Chemistry, 31, 1755-1758.
- Laine, R.M., Ray, D.G., Robinson, T.R., and Viney, C. (1993). Thermotropic and lyotropic copolymers of bis(dioxyphenyl)silanes. Molecules of Crystalline Liquid Crystal, 225, 153-164.
- Lan, T., and Pinnavaia, T.J. (1994). Clay-reinforced epoxy nanocomposites. Chemistry of Materials, 6(12), 2216-2219.
- Lee, C.D., and Jang, W.L. (1997). Characterization of epoxy-clay hybrid composite prepared by emulsion polymerization. Journal of Applied Polymer Science, 68, 1997-2005.
- Lui, L., Qi, Z., and Zhu, X. (1999). Studies on nylon 6/clay nanocomposites by melt-intercalation process. Journal of Applied Polymer Science, 71(7), 1133-1138.
- Magaraphan, R., Lilayuthalert, W., Sirivat, A., and Schwank, J.W. (2001). Preparation, structure, properties and thermal behavior of rigid-rod polyimide/montmorillonite nanocomposites. Composites Science and Technology, 61(9), 1253-1264.
- Mehrotra, R.C., and Mehrotra, R.K. (1962). Reaction of aluminium alkoxides with acetyl chloride. Journal of Indian Chemical Society, 39, 677.
- Messersmith, P.B., and Giannelis, E.P. (1995). Synthesis and barrier properties of poly( $\epsilon$ -caprolactone)-layered silicate nanocomposites. Journal of Polymer Science: Part A: Polymer Chemistry, 33(x), 1047-1057.
- Moet, A.S., and Akelah, A. (1993). Polymer-clay nanocomposites: polystyrene-grafted onto montmorillonite interlayers. Materials Letters, 18(1-2), 97-102.
- Olphen, H.V. (1976). Clay Colloid Chemistry. New York, London: John Wiley.
- Opornsawad, Y., Ksapabutr, B., Wongkasemjit, S., and Laine, R.M. (2001). Formation and structure of tris(alumatranlyoxy-*i*-propyl)amine directly from Al(OH)<sub>3</sub> and triisopropanolamine. European Polymer Journal, 37(9), 1877-1885.

- Petchsuk, A., Dhumrongvaraporn, S., and Laine, R.M. (1995). Synthesis of Alumatrane Complexes Directly from Al(OH)<sub>3</sub> and TEA. M.S. Thesis in polymer science, The Petroleum and Petrochemical college, Chulalongkorn University, Bangkok, Thailand.
- Phiriyawirut, P., Magaraphan, R., and Ishida, H. (2001). Preparation and characterization of polybenzoxazine-clay immiscible nanocomposite. Material Research Innovation, 4(2), 187-196.
- Punchaipetch, P. (1995). Synthesis of Silatrane Complexes Directly from SiO<sub>2</sub> and TEA. M.S. Thesis in polymer science, The Petroleum and Petrochemical college, Chulalongkorn University, Bangkok, Thailand.
- Stanley, R.H. (1968). Water-based paints containing alkanolamine aluminate gelling agents. Chemical Abstract, 69, 78532.
- Thaijaroen, W. (2000). Preparation and mechanical properties of NR/clay nanocomposites. M.S. Thesis in polymer science, The Petroleum and Petrochemical college, Chulalongkorn University, Bangkok, Thailand.
- Thomas, W.M., Groszos, S.J., and Day, N.E. (1961). Alkanolamine aluminates as ester redistribution catalysts. Chemical Abstract, 55, 20966.
- Usuki, A., Kawasumi, M., Kojima, Y., Okada, A., Kurauchi, T., and Kamigaito, O. (1993). Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ε-caprolactam. Journal of Materials Research, 8(5), 1174-1178.
- Vaia, R.A., Vasudevan, S., Krawiec, W., Scanlon, J.G., and Giannelis, E.P. (1995). New polymer electrolyte nanocomposites: melt intercalation of poly(ethylene oxide) in mica-type silicates. Advanced Materials, 7(2), 154-156.
- Vais, R.A., Ishii, H., and Giannelis, E.P. (1993). Synthesis and properties of two dimensional nanostructures by direct interlating of polymer melts in layered silicates. Chemistry of Materials, 5(12), 1694-1696.
- VanderHart, D.L., Asano, A., and Gilman J.W. (2001). Solid-state NMR investigation of paramagnetic nylon-6 clay nanocomposites. 2. Measurement of clay dispersion, crystal stratification, and stability of organic modifiers. Chemistry of Materials, 13(10), 3796-3809.

- Verkade, J.K. (1993). Atranes: new examples with unexpected properties. Accounts of Chemical Research, 26, 483.
- Voorhoeve, R.J.H. (1967). Organohalosilanes: Precursors to Silicones. New York: Elsevier.
- Voronkov, M.G., Seltshan, G.I. Lapsina, A., and Pestunovitsch, V.A.Z. (1968). Metalatrane (cyclic metal alcoholates of triethanolamine). Chemistry, 8, 214.
- Wang, Z., and Pinnavaia, T.J. (1998). Hybrid organic-inorganic nanocomposites: exfoliation of magadiite nanolayers in an elastomeric epoxy polymer. Chemistry of Materials, 10(7), 1820-1826.
- Xu, W., Ge, M., and He, P. (2001). Non-isothermal crystallization kinetics of polyoxymethylene/montmorillonite nanocomposite. Journal of Applied Polymer Science, 82(9), 2281-2289.
- Yang, Y., Zhu, K.Z., Yin, J., Wang, X., and Qi, Z. (1999). Preparation and properties of hybrids of organo-soluble polyimide and montmorillonite with various chemical surface modification methods. Polymer, 40, 4407-4414.
- Yano, K., Usuki, A., Okada, A., Kurauchi, T., and Kamigaito, O. (1993). Synthesis and properties of polyimide-clay hybrid. Journal of Polymer Science: Part A: Polymer Chemistry, 31, 2493-2498.
- Zhu, J., and Wilkie, C.A. (2000). Thermal and fire studies on polystyrene-clay nanocomposites. Polymer International, 49(10), 1158-1163.