

REFERENCES

- ASTM Annual Book of ASTM standards. Vol. 05.02. Philadelphia:ASTM, 1983.
- Barbour, F.A., Peterson, J.C. Molecular interactions of asphaltene infrared study of hydrogen bonding basicity of asphalt. Analytical chemistry 46 (1974):273-277.
- Burger, J.W., and Li, N.C., eds. Chemistry of Asphaltenes;Advances in Chemistry Series 195. Washington,D.C.:American Chemical Society, 1981.
- Chang, C.L., Fogler, H.S. Asphaltene stabilization in alkyl solvents using oil-soluble amphiphiles. SPE 25185 (March 1993).
- Chang, C.L., Fogler, H.S. Stabilization of asphaltenes in aliphatic solvents using alkylbenzene-derived amphiphiles. 1. Effect of the chemical structure of amphiphiles on asphaltene stabilization. Langmuir 10 (1994): 1749-1757.
- Chang, C.L., Fogler, H.S. Stabilization of asphaltenes in aliphatic solvents using alkylbenzene-derived amphiphiles. 2. Study of the asphaltene-amphiphile interactions and structures using FTIR and SAXS techniques. Langmuir 10 (1994): 1758-1766.
- Fogler, H.S. Element of Chemical Reaction Engineering, 2nd ed. New Jersey:Prentice Hall, 1992.
- Jacobs, I.C. Chemical system for the control of asphaltene sludge during oil well acidizing treatments. SPE 18475 (February 1989).
- Kokal, S., et al. Asphaltene precipitation during enhanced recovery of heavy oils by gas injection. CIM/AOSTRA 91-10 (April 1991).

- Leontaritis, K.J., et al. A systematic approach for the prevention and treatment of formation damage caused by asphaltene deposition. SPE Production & Facilities. (August 1994):157-165.
- Mitchell, D.L., Speight, J.G. The solubility of asphaltenes in hydrocarbon solvents. Fuel 52 (1973):149.
- Pimental, G.C., McClellan, A.L. The Hydrogen Bond. San Francisco: W.B.Freeman, 1960.
- Permsukarome, P., Fogler, H.S. Dissolution Kinetics of Asphaltene. Bangkok:Chulalongkorn University, 1995.
- Sheu, E.Y., Mullins, O.C., eds. Asphaltenes:Fundamentals and Applications. New York:Plenum Press, 1995.
- Slifken, M.A. Charge Transfer Interactions of Biomolecules. New York:Academic Press, 1971.
- Speight, J.G. The Chemistry and Technology of Petroleum, 2nd ed. New York:Marcel Dekker, 1991.
- Strausz, O.P., et al. The molecular structure of asphaltene: an unfolding story. Fuel 71 (1992):1355-1363.
- Yen, T.F. Structure of petroluem asphaltene and its significance. Energy sources 1 (1974):447.

APPENDICES

APPENDIX A : List of the specific dissolution rate constant, k, for fractionated asphaltenes at different concentrations of amphiphile.

Concentration of Amphiphile (M)	The specific dissolution rate constant, k(min ⁻¹)	
	Asphaltenes fraction 1	Asphaltenes fraction 2
<u>DBSA</u>		
0.117	0.0346	0.0670
0.240	0.0728	0.1339
0.370	0.0943	0.1689
0.507	0.1195	0.2319
<u>NP</u>		
0.351	0.0054	0.0055
0.742	0.0844	0.0176
1.178	0.1761	0.0240
1.668	0.1782	0.0642

APPENDIX B : List of the specific dissolution rate constant, k, for fractionated asphaltenes at different flow rates of amphiphile-heptane solution.

Fractionated Asphaltenes in Amphiphile-heptane solution	k (min ⁻¹)		
	Flow rate of solutions (ml/min)		
	0.2	1.0	5.0
Asphaltene fraction 1-10 wt%DBSA	0.0626	0.1192	0.2919
Asphaltene fraction 2-10 wt%DBSA	0.0405	0.0642	0.1432
Asphaltene fraction 1-20 wt%NP	0.0727	0.1726	0.4151
Asphaltene fraction 2-20 wt%NP	0.0497	0.1782	0.3520

APPENDIX C : List of the specific dissolution rate constant, k, for fractionated asphaltenes at different temperatures of amphiphile-heptane solutions.

Fractionated Asphaltenes in Amphiphile-heptane solution	k (min ⁻¹)		
	Temperature of solutions (°C)		
	10	22	58
Asphaltene fraction 1-10 wt%DBSA	0.0715	0.1199	0.3328
Asphaltene fraction 2-10 wt%DBSA	0.0141	0.0642	0.2509
Asphaltene fraction 1-20 wt%NP	0.1286	0.2319	0.2662
Asphaltene fraction 2-20 wt%NP	0.1012	0.1638	0.3065

CURRICULUM VITAE

Name : Waraporn Pumpaisanchai

Birth Date : July 25, 1974

Nationality : Thai

University Education :

1991 - 1994 Bachelor of Science in Industrial Chemistry
(Petrochemistry), King Mongkut Institute of
Technology North Bangkok, Bangkok Thailand.