

REFERENCES

- Bellamy et al. Treatment of VOC-contaminated groundwater by hydrogen peroxide and ozone oxidation. Research Journal WPCF 63 (1991) : 120-127.
- Bhattacharyya D., et al. Two-phase ozonation of chlorinated organics J. Hazardous Materials 41 (1995): 73-93.
- Chainarong Thakulsukanant . Adsolubilization and stability characterizations of hydrocarbon aggregates chemically bonded to porous silica. Master's Thesis, The Petroleum and Petrochemical College, Chulalongkorn University, 1997.
- Colin, H. and Guiochon ,G. Introduction to reversed-phase high-performance liquid chromatography. Journal of Chromatography 141 (1977) : 289-312.
- Donald Boyd Peterson JR. Ozonation of effluent from surfactant based seperation processes. Master's Thesis ,Oklahoma University, 1989
- Dunn,R. O., et al. Use of micellar - enhanced ultrafiltration to remove dissolved organics from aqueous stream. J. Sep. Sci. Techol. 20 (1985) : 257-284.
- Eschweiler H., et al. Radiation - induced OH radical generation and its use for groundwater remediation J. Phys. Chem. 42 (1993): 711-714.
- Glaze, W.H. and Kang, J. W. Advanced oxidation processes for treating groundwater contaminated with TCE and PCE: Laboratory studies. Journal AWWA. 1 (1988) : 57-63.

- Harwell, J.H., Hoskins, J. C., Schechter, R. S. and Wade, W. H. Pseudophase separation model for surfactant adsorption: Isomerically pure surfactant. Langmuir (1985) : 251-262.
- Hennion, M.C., Picard, C., Caude, M. Influence of the number and length of alkyl chains on the chromatographic properties of hydrocarbonaceous bonded phases. Journal of chromatography 166 (197) : 21-35.
- Hogine, J. and Badder, H. Ozone initiated oxidations of solutes in wastewater: a reaction kinetic approach. Prog. Wat. Tech. 10 (1978) :657-671.
- Hogine, J. and Badder, H. The role of hydroxy radical reactions in ozonation processes in aqueous solutions. Wat. Res. 10 (1976) : 277-288.
- Karch, K., Sebastian, I., Halasz, I. Preparation and properties of reversed phases. Journal of chromatography 122 (1976) : 3-16.
- Kusakabe et al. Destruction rate of volatile organochlorine compounds in water by ozonation with ultraviolet-radiation. Wat. Res. 25 (1991) : 1199-1203.
- Lee, et.al Substituent group effects on the solubilization of polar aromatic solutes (Phenols, Anilines, and Benzaldehydes) by N-Hexadecylpyridinium Chloride. J. Phys. Chem. 95 (1991) : 360-365.
- Levitz, P. and Van Damme, H. and Keravis, D. Fluorescence decay study of the adsorption of nonionic surfactant at the solid-liquid interface.1. Structure of the adsorption layer on a hydrophilic Solid. J. Phys. Chem. 88 (1984) : 2228-2235.
- Levitz, P. and Van Damme, H. Fluorescence decay study of the adsorption of nonionic surfactant at the solid-liquid interface.2. Influence of polar chain length. J. Phys. Chem. 90 (1986) : 1302-1310.

- Never, N. D. Air pollution control engineering. Singapore: McGraw-Hill Book Co., 1995.
- Nunn, C.C., Schechter, R.S., and Wade, H.W. Visual evidence regarding the nature of hemmicelles though surface solubilization of pinacynao chloride. J. Phys. Chem. 86 (1982) : 3271-3272.
- O'Rear et al. Formation of Poly(tetrafluoroethylene) Thin films on alumna by admicellar polymerization. Langmuir 11 (1995) : 905-911.
- Ogawa, H., Koh, T., Taya, K. and Chihara, T. Catalysis at the toluene/water interface: Octadecyl immobilized H-ZSM-5 catalyst promoted hydrolysis of water-insoluble esters. Journal of catalysis 148 (1994) : 493-500.
- Peterson, D.B. Ozonation of effluent from surfactant-based seperation processes. Master's Thesis, University of Oklahoma.
- Rosen M.J. Surfactants and interfacial phenomena 2 nd ed. New York: John Willy and Sons Co., 1989.
- Scamehorn, et al. Adsorption of surfactants on mineral oxide surfaces from aqueous solution1. Isomerically pure anionic surfactants . J. Colloid Interface Sci. 85 (1982) : 463-478.
- Scamehorn, J.F. and Harwell, J.H. Surfactants and chemical engineering, New York: Marcell Dekker Book Co., 1986.
- Shambaugh, R.L. and Melnyk, P.B. The influence of spontaneous decomposition and mass transfer upon soluble ozone concentration. Proceedings of the International Ozone Institute's Forum on Ozone Disinfection, Chicago.
- Somasundaran, P. and Fuerstenau, D. W. Mechanism of Alkyl Sulfonate at the alumina-water interface. J. Phys. Chem. 79 (1966) : 90-96.

Yu, C.C. and Lobban, L.L. Catalysis by surfactant aggregates adsorbed on mineral oxide surfaces. Ph.D. Dissertation, University of Oklahoma.

Yurteri, C. and Gurol, M.D. Ozone consumption in natural water: Effects of background organic matter, pH and carbonate species. Journal of Ozone Science Engineering. 10 (1988) : 277.

APPENDIX

Table A-1 External limitation at 550 rpm

Data : Initial TCE concentration 400 ppm

Ozone concentration 50 g/m³

Flow rate 50 ml/min

25 g of catalyst

Temperature 20 °C

time (min)	TCE (mol/l)	d[C]/dt (gmol/min)	rate (gmole/g.l.min)
0	1.8151	0.0262	-0.0010
2	1.8788	0.0136	-0.0005
4	1.8671	0.0028	-0.0001
6	1.8445	-0.0060	0.0002
8	1.8343	-0.0128	0.0005
10	1.9297	-0.0178	0.0007
12	1.7635	-0.0208	0.0008
14	1.7041	-0.0220	0.0009
16	1.7097	-0.0212	0.0008
18	1.6494	-0.0184	0.0007
20	1.6340	-0.0138	0.0006
22	1.5986	-0.0072	0.0003

time (min)	TCE (mol/l)	d[C]/dt (gmol/min)	rate (gmole/g.l.min)
24	1.7356	0.0012	0.0000
26	1.6162	0.0116	-0.0005
28	1.6970	0.0240	-0.0010

Table A-2 External limitation at 750 rpm

Data : Initial TCE concentration 400 ppm

Ozone concentration 50 g/m³

Flow rate 50 ml/min

25 g of catalyst

Temperature 20 °C

time (min)	TCE (mol/l)	d[C]/dt (gmol/min)	rate (gmole/g.l.min)
0	1.8151	-0.0021	0.0001
2	1.8595	-0.0110	0.0004
4	1.9083	-0.0184	0.0007
6	1.6913	-0.0244	0.0010
8	1.7095	-0.0290	0.0012
10	1.7276	-0.0321	0.0013
12	1.4730	-0.0338	0.0014
14	1.4679	-0.0340	0.0014
16	1.4628	-0.0328	0.0013
18	1.4149	-0.0302	0.0012
20	1.3097	-0.0261	0.0010
22	1.2847	-0.0206	0.0008
24	1.1581	-0.0136	0.0005
26	1.1604	-0.0052	0.0002
28	1.1674	0.0046	-0.0002

Table A-3 External limitation at 900 rpm

Data : Initial TCE concentration 400 ppm

Ozone concentration 50 g/m³

Flow rate 50 ml/min

25 g of catalyst

Temperature 20 °C

time (min)	TCE (mol/l)	d[C]/dt (gmol/min)	rate(gmole/g.l.min)
0	1.8151	-0.0347	0.0014
2	1.8334	-0.0373	0.0015
4	1.7343	-0.0393	0.0016
6	1.5635	-0.0409	0.0016
8	1.5334	-0.0421	0.0017
10	1.4893	-0.0427	0.0017
12	1.3663	-0.0429	0.0017
14	1.2709	-0.0425	0.0017
16	1.2181	-0.0417	0.0017
18	1.1652	-0.0405	0.0016
20	1.0440	-0.0387	0.0015
22	0.9897	-0.0365	0.0015
24	0.9324	-0.0337	0.0013
26	0.9552	-0.0305	0.0012
28	0.8244	-0.0269	0.0011

Table A-4 External limitation at 1,000 rpm

Data : Initial TCE concentration 400 ppm

Ozone concentration 50 g/m³

Flow rate 50 ml/min

25 g of catalyst

Temperature 20 °C

time (min)	TCE (mol/l)	d[C]/dt (gmol/min)	rate (gmole/g.l.min)
0	1.8151	0.0262	-0.0010
2	1.8788	0.0136	-0.0005
4	1.8671	0.0028	-0.0001
6	1.8445	-0.0060	0.0002
8	1.8343	-0.0128	0.0005
10	1.9297	-0.0178	0.0007
12	1.7635	-0.0208	0.0008
14	1.7041	-0.0220	0.0009
16	1.7097	-0.0212	0.0008
18	1.6494	-0.0184	0.0007
20	1.6340	-0.0138	0.0006
22	1.5986	-0.0072	0.0003
24	1.7356	0.0012	0.0000
26	1.6162	0.0116	-0.0005
28	1.6970	0.0240	-0.0010

Table A-5 Effectiveness of catalyst

Data : Initial TCE concentration 400 ppm

Ozone concentration 130 g/m³

Flow rate 50 ml/min

Temperature 20 °C

time (min)	Conversion		
	no catalyst	10.2 g catalyst	25 g catalyst
0	0	0	0
5	0.2545	0.3234	0.4068
10	0.6137	0.7064	0.8590
15	0.8053	0.8573	0.9360
20	0.9467	0.9449	0.9980
25	0.9915	0.98667	1
30	0.9972	0.9938	1

Table A-6 Adsolubilization curve

Data : 25 g of catalyst

Temperature 20 °C

Stirring speed 550 rpm

Equilibrium time 2 hrs.

TCE initial (ppm)	TCE in aqueous (ppm)		TCE in admicelle (ppm)
	equilibrium	adsolubilize	
140	80.671	31.953	48.719
240	140.926	56.089	84.837
340	213.687	87.716	125.971
440	270.487	106.709	163.778

CURRICULUM VITAE

Name : Mr. Pornthep Santipornvit

Birth Date : Oct 24th, 1975

Nationality : Thai

University Education :

1992-1996 Bachelor's Degree of Science in Chemical Technology
Faculty of Science, Chulalongkorn University,
Bangkok, Thailand