

## REFERENCES

- Akaranta, O. and Oku, G. E. Some properties of Cassava Mesocarp carbohydrate-low density polyethylene blends. Carbohydrate Polymer. 34 (1997) : 403-405.
- Algertsson, A. C., Barenstedt, C. and Karlsson, S. Increased biodegradation of low-density polyethylene (LDPE) matrix in starch-filled LDPE materials. Journal of Environmental Polymer Degradation. 63 (1993) : 241-245.
- Bikiaris, D., Prinios, J. and Panayiotou, C. Effect of EAA and starch on the thermoxidative degradation of LDPE. Polymer Degradation and Stability 56 (1997) : 1-9.
- Bikiaris, D., Prinose, J. and Panayiotou, C. Effect of methyl methacrylate-butadiene-styrene copolymer on the thermooxidation and biodegradation of LDPE/plasticized starch blends. Polymer Degradation and Stability. 58 (1997) : 215-228.
- Bikiaris, D., Aburto, j., Alric, I., Borredon, E., Botev, M., Betchev, C., and Panayiotou, C. Mechanical properties and biodegradability of LDPE blends with fatty acid ester of amylose and starch Journal of Applied Polymer Science. 71 (1998) : 1089-1100.
- Bikiaris, D. and Panayiotou, C. LDPE/starch blends compatibilized with PE-g-MA copolymer. Journal of Applied Polymer Science. 70 (1998) : 1503-1521.
- Bong, G. K., Sung, H.Y., Suck, H. L., Jae, E. Y., Byung, S. Y. and Moon, H. S. Studies on the physical properties of modified starch-filled HDPE film. Journal of Applied Polymer Science. 60 (1996) : 1977-1984.

- Chandra, R. and Rustgi, R. Biodegradation of malated linear low density polyethylene and starch blends. Polymer Degradation and Stability. 56 (1997) : 185-202.
- Costa, L., Luda, M. and Trossarelli, L. Ultra high molecular weight polyethylene- II. Thermal- and photo-oxidation. Polymer Degradation and Stability. 58 (1997) : 41-54.
- Erlandsson, B., Karlsson, S. and Albertsson, A. C. The mode of action of corn starch and a prooxidant system in LDPE : influence of thermooxidation and UV-irradiation on the molecular weight changes. Polymer Degradation and Stability. 55 (1997) : 237-245.
- Grassie, N. Polymer Degradation & Stabilisation. Cambridge : Cambridge University Press, 1988.
- Griffin, G. J. L. British Patent 1,586,344 (1973).
- Griffin, G. J. L. International Patent PCT/GB88/00386 (1988).
- Griffin, G. J. L. United States Patent 5,212,219 (1993).
- Gugumus, F. Antioxidant. New York : Elsevier Science Publishers Ltd, 1990.
- Hakkarainen, M., Albertsson, A. C. and Karlsson, S. Susceptibility of starch-filled and starch based LDPE to oxygen in water and air. Journal of Applied Polymer Science. 66 (1997) : 956-967.
- Hinsken, H., Moss, S., Pauquet, J. R. and Zweifel, H. Degradation of polyolefins during melt processing. Polymer Degradation and Stability. 34 (1991) : 279-293.
- Khabbaz, F., Albertsson, A. C. and Karlsson, S. Chemical and morphological changes of environmentally degradable polyethylene films exposed to thermooxidation. Polymer Degradation and Stability. 63 (1999) : 127-138.
- Krishan-Sastry, P., Satyanarayana, D. and Mohan-Rao, D. V. Accelerated and environmental weathering studies on polyethylene-starch blend films. Journal of Applied Polymer Science. 70 (1998) : 2251-2257.

- Locost, J., Carlsson, D. L., Falicki, S. and Wiles, D. M. Polyethylene hydroperoxide decomposition products. Polymer Degradation and Stability. 34 (1991) : 309-323.
- Otey, F. H. and Doane, W. M. Starch Chemistry and Technology. London : Academic Press, 1984.
- Poutanen, K. and Forsell, P. Triip. 4 (1996) : 128-132.
- Prinos, J., Bikiaris, D., Theologidis, S. and Panayiotou, C. Preparation and characterization of LDPE/starch blends containing ethylene/vinyl acetate copolymer as compatibilizer. Polymer Engineering and Science. 38 (1998) : 954-964.
- Schnabel, W. Polymer Degradation. New York : Macmillan Publishing Co., Inc., 1981.
- Shah, P. B., Bandopadhyay, S. and Bellare, J. R. Environmentally degradable starch filled low density polyethylene. Polymer Degradation and Stability 47 (1995) : 165-173.
- Shogren, R. L., Thompson, A. R., Felker, F. C., Harry-O'Kuru, R. E., Gordon, S. H., Greene, R. V. and Gould, J. M. Polymer compatibility and biodegradation of starch-poly(ethylene-co-acrylic acid)-polyethylene blends. Journal of Applied Polymer Science. 44 (1992) : 1971-1978.
- Swanson, C. L., Shogren, R. L. and Fanta, C. F. Starch-plastic materials preparation, physical properties and biodegradability. Journal of Environmental Polymer Degradation. 1 (1993) : 155-166.
- Wei, S., and Nikolov, Z. L. Accelerated Degradation Studies of Starch-filled Polyethylene Films. Industrial Engineering Chemical Research 31 (1992): 2332-2338.
- Zuchowska, D., Steller, R. and Meissner, W. Structure and properties of degradable polyolefin-starch blends. Polymer Degradation and Stability. 60 (1998) : 471-480.

## **CURRICULUM VITAE**

**Name:** Harittapak Kiratisaevee  
**Date of Birth:** 7<sup>th</sup> of November, 1977  
**Nationality:** Thai  
**University Education:**  
1994-1998 Bachelor degree of Science in Materials Science,  
Chulalongkorn University