PERSUASIVE CAMPAIGN TO REDUCE AEDES MOSQUITO LARVAE FOR PREVENTING DENGUE HAEMORRHAGIC FEVER IN THA YAI VILLAGE, RATCHABURI PROVINCE, THAILAND

Usanee Kritsanavarin

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Public Health

Health Systems Development Programme

College of Public Health, Chulalongkorn University

Academic Year 2001

ISBN: 974-17-0749-5

©College of Public Health, Chulalongkorn University

Bangkok, Thailand

Thesis Title	: Persuasive Campaign to Reduce Aedes Mosquito Larvae for Preventing Dengue Haemorrhagic Fever in Tha Yai Village, Ratchaburi Province, Thailand
Ву	: Usanee Kritsanavarin
Programme	: Master of Public Health (Health Systems Development) College of Public Health
Thesis Advisor	: Assistant Professor Nuntavarn Vichit-Vadakan, MS., M.P.H. Dr.P.H.
Bangkok Thailand Samle Okianha	in Partial Fulfillment of the Requirements for the Master's Degree Dean of the College of Public Health chang, M.D., Dr.P.H.)
	(Wacharin Tanyanont, M.S.) Indum Wehit-Und Thesis Advisor Professor Nuntavarn Vichit-Vadakan, MS., M.P.H., Dr.P.H.)
	(Professor Edgar J. Love)

ABSTRACT

In 2001, over thirteen thousand people in Thailand were infected with Dengue Haemorrhagic Fever. The number rose from eighteen thousand in the previous year. This high Dengue Haemorrhagic Fever incidence cases are the evidence that after the success of Dengue Fever Control Project in Honor of His Majesty the King of Thailand's 6th Cycle Birth celebration in 1999-2000, there was no continuity of the project during the following year.

The persuasive Campaign would be an effective intervention to solve this problem. The campaign aim to motivate self-reliance in the community of getting rid of mosquitoes larvae. The messages included (that create) in the persuasive campaign come from the information gained from the data exercise. For example, some houses feed larval as the fish food, even though get rid of pupae because the fish do not eat pupa. The message can be delivered to convince the people to get rid of pupae after they feed fish with larva. The information gained from data exercise can also be used in improving the questionnaire which will be used in the evaluation part of the proposed project.

This study is aimed to improve the situation of Dengue Haemorrhagic Fever in Thailand.

ACKNOWLEDGEMENTS

I wish to thank Dr. Samlee Plianbangchang, the Dean of the College of Public Health, for his comments during Friday morning presentations the proposals.

My sincere thanks and gratitude go to my advisor, Dr. Nuntavarn Vichit-Vadakan, the Associate Dean for her invaluable guidance and suggestions.

Professor Edgar J Love had checked and advised me on my thesis and helped me keep the focus on the essential issues. I thank him for his critical comments. My thanks to Ajarn Wacharin for her time spent in guiding me in the right direction.

Special thanks to the kindness of public health Officials, Mrs. Kiriya Lapcharoenwong, Rathchaburi Provincial office and Mrs. Chintana Sawangnet,

Ban Phong public health office. I received warm cooperation from my friends at

Tha Pha sub-district and Tha Pha public health officers.

I also gratefully acknowledge with thanks the many professionals who have helped me.

I learnt a lot from them.

I also would like to thank the administrative and library staff of the College of Public Health for their help and cooperation.

ABBREVIATIONS AND ACRONYMS

CFR = Case Fatality Rate

DF = Dengue Fever

DHF = Dengue Haemorrhagic Fever

DSS = Dengue Shock Syndrome

MOPH = Ministry of Public Health

PR = Public Relations

PSA = Public Service Announcement

WHO = World Health Organization

List of Contents

		Page
		4
Abstract		iii
Acknowledgeme	ents	iv
Abbreviation an	nd Acronyms	v
List of Contents		vi
List of Tables		x
List of Figures		xi
CHAPTER I: I	NTRODUCTION	1
CHAPTER II:	ESSAY	4
2.1 Intr	oduction	4
2.2 Glo	bal situation and Epidemic	5
2.3 Der	ngue Haemorrhagic Fever Problem in South-East Asia	7
2.4 Der	ngue Haemorrhagic Fever Problem in Thailand	12
2.5 Der	ngue Haemorrhagic Fever Biology	14
2.5	.1 Cause of disease	. 15
2.5	.2 The epidemic	15
2.5	.3 Risk factors of DHF	16
2.5	.4 Diagnosis	17
2.5	.5 Clinical manifestation	19
2.5	.6 Treatment	20

		2.5.7 Prevention and control	21
(3	2.6	Previous Intervention	23
	2.7	Campaign Key Features	26
	Refe	erences	34
CHAI	PTER	R III: PROPOSAL	37
	3.1	Introduction	37
	3.2	Objective of the Project	40
	3.3	Project Description	40
		3.3.1 Overview_	40
4		3.3.2 Details Description	45
		Phase I Programme Development/Persuasive	
		Campaign Planning	76
		Campaign message	47
		Campaign activities (Supported activities)	66
		Phase 2 Implementation	70
		Phase 3 Evaluation	76
		3.3.3 Action Plan	83
	-	3.3.4 Budget	84
	Refe	erences	85
СНА	PTER	R IV: DATA EXERCISE	87
	4.1	Introduction	87
	4 2	Objective of Data Exercise	88

88
88
88
89
92
95
95
106
107
108
110
113
113
114
114
115
115
115
115
115 116 117
115
115

Appendix 4:	Ae.aegypti larval survey form (Thai)	154
Appendix 5:	Observation form (English version)	155
Appendix 6:	Observation form (Thai version)	156
Appendix 7:	Map of Tha Yai village	157
Appendix 8:	Reliability Analysis	158
Curriculum Vitae		. 161

List of Tables

		rage
Table 2.1:	Number of Cases and Deaths of DF and DHF in the South-East	
	Asia Region of WHO category A	8
Table 2.2:	Number of Cases and Deaths of DF and DHF in the South-East	
	Asia Region of WHO category B	10
Table 2.3:	Morbidity, Mortality and Case Fatality Rates of Dengue	-
	Haemorrhagic Fever in Thailand during 30 years, 1972-2001	14
Table 2.4:	Morbidity and Mortality rate/1,000,000 population of DHF in	
	Thailand and Ratchaburi Province from 1995-2001	25
Table 3.1:	Product development plan for "Just a weekly clean-up campaign"	
	in Tha Yai village	41
Table 3.2:	Resource needs for implementing the Persuasive Campaign	72
Table 3.3:	The schedule of activities for the year 2003	75
Table 3.4:	Action Plane	83
Table 3.5:	Budget for Persuasive Campaign	84
Table 4.1:	Demographic Characteristic of Tha Yai villagers	97
Table 4.2:	Frequency distribution of Dengue Haemorrhagic Fever	
	Information that received in Tha Yai village	99
Table 4.3:	Frequency distribution of Dengue Haemorrhagic Fever	
	Information that villagers interesting in Tha Yai village	100

* 6

U

+

Table 4.4:	Frequency distribution of Dengue Haemorrhagic Fever	
	Information that provide the most knoeledge	
	in Tha Yai village	100
Table 4.5:	Content of Dengue Haemorrhagic Fever Information	
	that villagers received in Tha Yai village	101
Table 4.6:	Amount of Dengue Haemorrhagic Fever Knowledge	
	that villagers received from the information channels	
	in Tha Yai village	102
Table 4.7:	Awareness of Dengue Haemorrhagic Fever Prevention	102
Table 4.8:	The Behavior of prevent mosquitoes from laying eggs	103
Table 4.9:	Knowledge of Dengue Haemorrhagic Fever Prevention	104

List of Figures

		Pag	ge
Figure 2.1:	Dengue Haemorrhagic Fever reported cases in		
	South-East Asia in 1998	1	12
Figure 2.2 :	The spectrum of Dengue Haemorrhagic Fever		20
Figure 2.3 :	Dengue Haemorrhagic Fever incidence cases		
	In Thailand during 1989-2001	2	23
Figure 2.4 :	Maslow theory of human needs		29
Figure 3.1:	Conceptual Framework of causes of DHF and		
	Strategies to reduce DHF	1 2	41
Figure 3.2 :	Poster used in the campaign		52
Figure 3.3:	Cartoon sticker		53
Figure 3.4:	Children cartoon book page 1		54
Figure 3.5:	Children cartoon book page 2		55
Figure 3.6:	Children cartoon book page 3		56
Figure 3.7:	Children cartoon book page 4		57
Figure 3.8:	Children cartoon book page 5		58
Figure 3.9:	Children cartoon book page 6		59
Figure 3.10:	Children cartoon book page 7		60
Figure 3.11:	Children cartoon book page 8		61
Figure 3.12:	The input-process-impact and outcome of		
	The Persuasive Campaign	, , , , , , , , , , , , , , , , , , ,	76
Figure 3.13:	Before-and-After Design with Control Group	- 1	78