

REFERENCES

- Adamson, A. W. (1990) Physical Chemistry of Surface; 5th ed. Toronto: John Wiley & Sons.
- Barraza, H. J., Hwa, M. J., Blakley, K., O'Rear, E. A. and Grady, B. P. (2001) Wetting Behavior of Elastomer-Modified Glass Fibers. Langmuir, 17(17), 5288-5296.
- Briggs, D. (1994) Characterization of Solid Polymer; New Techniques and Developments, Edited by Spell, S. J. London: SHAPMAN & HALL, 312-358.
- Chen, D. and McMorran, D. (1999) Measuring the Wettability of Porous Materials; Handling Power Samples. American Laboratory. 31(1), 35-37.
- Cho, G., Glatzhofer, D. T., Fung, B. M., Yuan, W. and O'Rear, E. A. (2000) Formation of Ultrathin Polypyrrole (PPY) Films on Alumina Particles Using Adsorbed Hexanoic Acid as a Template. Langmuir, 16(10) 4424-4429.
- Cooper, A. R. (1989) Determination of Molecular Weight. New York: John Wiley & Sons.
- De Boer, J. J. (1980) The Wettability of Scoured and Dried Cotton Fabrics. Textile Research Journal. 50, 624-631.
- Delker, T., Pengra, D. B. and Wong, P. (1996) Interface Pinning and the Dynamics of Capillary Rise in Porous Media. Physical Review Letters. 76(16), 2902-2905.
- Desimoni, E. and Zambonin, P. G. (1993) Surface Characterization of Advanced Polymer. Edited by Sabbatini, L. and Zambonin, P. G. Weinheim: VCH Verlagsgesellschaft mbH, 6-19.
- Downey, J. S., Frank, R. S., Li, W. and Stover H. D. (1999) Growth Mechanism of Poly(divinylbenzene) Microspheres in Precipitation Polymerization. Macromolecules, 32(9), 2838-2844.
- Dunn, A. S. (1997) Emulsion polymerization and Emulsion Polymers: Edited by Lovell, P. A. and El-Acasser, M. S. Chichester: John Wiley & Sons.

- Esumi, K., Watanabe, N. and Meguro, K. (1991) Polymerization of Styrene Adsolubilized in Polymerizable Surfactant Bilayer on Alumina. *Langmuir*, 7 (8), 1775-1778.
- Grady, B. P., O'Rear E. A., Penn, L. S. and Pedicini. A. (1998) Polymerization of Styrene-Isoprene on Glass Cloth for Use in Composite Manufacture. *Polymer Composites*, 19(5), 579-587.
- Grayson, M. (Eds). (1984) Encyclopedia of Textiles, Fibers, and Nonwoven Fabrics: Encyclopedia Reprint Series. Toronto: John Wiley & Sons.
- Harwell, J. H. and O'Rear, E. A. (1988) U.S. Patent 4,770,906.
- Hayashi, T., Ito, J., Mitani, K. and Mizutani, Y. (1987) Dynamic Mechanical Properties and Morphology of Styrene-Divinylbenzene Copolymer/Poly (vinyl Chloride) Systems. (II). Effect of Polymerization Temperature. *Journal of Applied Polymer Science*, 33(2), 375-388.
- Jaycock, M. J. and Parfitt, G. D. (1981) Chemistry of Interfaces. Chichester: John Wiley & Sons.
- Jang, J. and Kim B. S. (2000) Studies of Crosslinked Styrene-Alkyl Acrylate Copolymers for Oil Absorbency Application. I. Synthesis and Characterization. *Journal of Applied Polymer Science*, 77(4), 903-913.
- Jang, J. and Kim B. S. (2000) Studies of Crosslinked Styrene-Alkyl Acrylate Copolymers for Oil Absorbency Application. II. Effects of Polymerization Conditions on Oil Absorbency. *Journal of Applied Polymer Science*, 77(4), 914-920.
- Kissa, E. (1981) Capillary Sorption in Fibrous Assemblies. *Journal of Colloid and Interface Science*. 83(1), 265-272.
- Kissa, E. (1984) Handbook of Fiber Science and Technology: Volume II Chemical Processing of Fibers and Fabrics: Edited by Lewin, C. and Sello, S. B. New York: Marcell Dekker, Inc. 143-207.
- Kissa, E. (1996) Wetting and Wicking. *Textile Research Journal*. 66(10), 660-668.
- Lai, C., Harwell, J. H. and O'Rear, E. A. (1995) Formation of Poly(tetrafluoroethylene) Thin Films on Alumina by Admicellar Polymerization. *Langmuir*, 11(3), 905-911.

- Matsumoto, A. and Kitaguchi, Y. (1999) Approach to Ideal Network Formation Governed by Flory-Stockmayer Gelation Theory in Free-Radical Cross-Linking Copolymerization of Styrene with m-Divinylbenzene. Macromolecules, 32(25), 8336-8339.
- Miles, M. J. (1994) Characterization of Solid Polymer; New Techniques and Developments: Edited by Spell, S. J. London: SHAPMAN & HALL, 17-52.
- Moad, G. and Solomon, D. H. (1995) The Chemistry of Free Radical Polymerization. Bath: Pergamon.
- O'Haver, J., Harwell, J. H., O'Rear, E. A., Snodgrass, L. J. and Waddell, W. H. (1994) In Situ Formation of Polystyrene in Adsorbed Surfactant Bilayers on Precipitated Silica. Langmuir, 10(8), 2588-2593.
- Perwuelz, A., Mondon, P. and Caze, C. (2000) Experimental Study of Capillary Flow in Yarns. Textile Research Journal. 70(4) 333-339.
- Rajagopalan, D., Aneja, A. P. and Marchal J. M. (2000) Modeling Capillary Flow in Complex Geometries. Presented at the American Institute of Chemical Engineers Fall Meeting. Los Angeles CA.
- Rosen M. J. (1989) Surfactants and Interfacial Phenomena; 2nd Ed. New York: John Wiley & Sons.
- Sandler, S. R., Karo, W., Bonesteil, J. and Pears, E. M. (1998) Polymer Synthesis and Characterization: A Laboratory Manual. San Diego: ACADEMIC PRESS.
- Sakhalkar, S. S. and Hirt, D. E. (1995) Admicellar Polymerization of Polystyrene on Glass Fibers. Langmuir, 11(9), 3369-3373.
- Scamehorn, J. F., Schechter, R. S. and Wade, W. H. (1982) Adsorption of Surfactants on Mineral Oxide Surfaces from Aqueous Solutions. Journal of Colloid and Interface Science. 85(2) 463-478.
- Silverstein, R. M., Bassler, G. C. and Morrill T. C. (1991) Spectrometric Identification of Organic Compounds; Fifth Edition. New York: John Wiley & Sons.
- Takahashi, A., Haggkvist, M. and Li, T. (1997) Capillary Penetration in Fibrous Matrices Studied by Dynamic Spiral Magnetic Resonance Imaging. Physical Review E 56(2), 2035-2042.

- Thomas, J. M. and Thomas W. J. (1997) Principles and Practice of Heterogeneous Catalysis. New York:VCH Publisher Inc.
- Washburn, E. W. (1921) The Dynamics of Capillary Flow. The Physical Review, 17 (3), 273-283.
- Wu, J., Harwell, J. H. and O'Rear, E. A. (1987) Two-Dimensional Reaction Solvents: Surfactant Bilayers in the Formation of Ultrathin Films. Langmuir, 3(4), 531-537.
- Wu, J., Harwell, J. H. and O'Rear, E. A. (1987) Two-Dimensional Solvents: Kinetics of Styrene Polymerization in Admicelles at or near Saturation. Journal of Physical Chemistry. 91(3) 623-634.
- Wu, J., Harwell, J. H. O'Rear, E. A. and Christain, S. D. (1988) Application of Thin Films to Porous Mineral Oxides Using Two-Dimensional Solvents. AIChE Journal, 34(9), 1511-1518.
- Yuan, W. (2001) Thin Polypyrrole Films Formed on Mica and Alumina with and without Surfactant Present: Characterization by Scanning Probe and Optical Microscopy. Thin Solid Films, 358(1-2), 96-108.

APPENDICES

Appendix A: Adsorption Isotherms of LAS on Cotton.**A1: Adsorption isotherms varying pH and NaCl concentration.**

Sample	Condition							
	pH2, 0.15 M NaCl		pH2, 0.20 M NaCl		pH4, 0.15 M NaCl		pH4, 0.20 M NaCl	
	[LAS] final (μM)	LAS Ads. ($\mu\text{mole}/$ g cot)	[LAS] final μM	LAS Ads. ($\mu\text{mole}/$ g cot)	[LAS] final μM	LAS Ads. ($\mu\text{mole}/$ g cot)	[LAS] final μM	LAS Ads. ($\mu\text{mole}/$ g cot)
1	24	0.5	15	0.1	40	0.3	32	0.2
2	44	1.1	22	0.4	50	1.1	79	1.5
3	108	3.1	39	1.3	123	2.7	88	2.1
4	248	5.4	95	2.4	221	5.9	142	3.1
5	314	9.2	178	7.0	375	8.0	151	4.2
6	494	9.9	389	13.1	683	7.8	517	9.5
7	1412	14.3	652	12.7	1519	9.9	752	6.2
8	4532	14.5	1594	21.4	4523	9.8	1528	11.7
9	4322	17.0	4669	17.8	4688	12.1	4407	13.5
10			4270	18.1	4785	12.0	4599	15.7

A2: Adsorption isotherms with and without styrene by varying pH and NaCl concentration.

Sample	Condition					
	Without styrene		With styrene 4 μ M		With styrene 10 μ M	
	[LAS] final (μ M)	LAS Ads. (μ mole/ g cot)	[LAS] final (μ M)	LAS Ads. (μ mole/ g cot)	[LAS] final (μ M)	LAS Ads. (μ mole/ g cot)
1	37	0.3	23	0.3	29	0.4
2	63	0.8	62	0.9	55	0.9
3	112	3.0	139	3.8	82	3.2
4	256	6.9	197	5.4	169	8.4
5	449	8.9	427	8.7	196	11.7
6	692	9.3	603	9.3	381	14.8
7	1238	11.2	920	13.8	659	20.2
8	1742	13.4	1544	13.1	1185	21.6
9	2293	12.0	1825	15.0	1544	23.6
10	4254	13.0	4012	15.9	3500	25.4

Appendix B: Wettability Test by Welhelmy Method.**B1: Bare cotton.**

Sample	Initial Force (mg)	Absorbed Water (mg)
1	6.58	1.68
2	7.17	1.43
3	11.52	2.28
4	8.35	1.70
5	6.33	1.45
6	7.89	2.17
7	7.23	1.74
8	9.90	1.14
9	6.17	1.31
10	7.20	0.74
11	7.61	1.55
Average	7.81	1.56
Stand derivation	1.61	0.44

B2: Hydrophobic cotton modified by admicellar polymerization with 1:7 LAS/styrene and 1:1 persulfate initiator/styrene ratio.

Sample	Initial Force (mg)	Absorbed Water (mg)	Contact angle
1	2.15	0.03	74.0
2	1.56	0.04	78.5
3	2.00	0.03	75.2
4	2.18	0.07	73.8
5	1.65	0.03	77.8
6	3.49	0.08	63.5
7	0.15	0.07	88.9
8	2.75	0.06	69.4
9	3.83	0.05	60.7
10	3.07	0.06	66.9
11	0.98	0.00	82.8
12	3.38	0.09	64.4
13	3.62	0.06	62.4
14	3.02	0.06	67.8
15	3.52	0.06	63.2
16	1.84	0.05	76.4
Average	2.45	0.05	71.6
Stand derivation	1.06	0.02	8.1

B3: Admicellar-modified cotton by varying LAS/styrene ratio using 1:10 AIBN/styrene ratio.

Styrene:LAS	Jumping Force (mg)	Water Aborption (mg)	Contact Angle
3:1	6.96 ± 0.64	0.95 ± 0.28	27.2 ± 13.1
4:1	2.38 ± 0.99	0.05 ± 0.02	72.3 ± 7.7
5:1	2.01 ± 0.80	0.05 ± 0.02	75.1 ± 6.1
6:1	1.89 ± 0.72	0.03 ± 0.02	76.0 ± 5.4
7:1	1.81 ± 0.55	0.03 ± 0.01	76.6 ± 4.4

B4: Admicellar-modified cotton by varying AIBN/styrene ratio using 1:5 LAS/styrene ratio.

AIBN:styrene	Jumping Force (mg)	Water Aborption (mg)	Contact Angle
1:1	2.01 ± 0.89	0.06 ± 0.01	75.1 ± 6.8
1:2	2.27 ± 0.83	0.06 ± 0.02	73.12 ± 3.8
1:3	2.28 ± 0.91	0.07 ± 0.03	73.1 ± 5.2
1:5	2.43 ± 1.00	0.06 ± 0.03	71.9 ± 8.0
1:10	2.51 ± 0.90	0.05 ± 0.02	71.3 ± 1.7
1:15	3.94 ± 0.99	0.16 ± 0.05	59.7 ± 8.5
1:20	4.29 ± 1.11	0.51 ± 0.15	56.7 ± 10.0
1:25	4.52 ± 0.88	0.61 ± 0.23	54.7 ± 8.0

Appendix C: Signal Intensity from XPS Analysis.

Sample	C1s signal	O1s signal	O1s/C1s
Cotton	64.06	35.94	0.56
Cotton-Surfactant	64.29	32.18	0.50
Cotton-PS-0%DVB	76.02	23.98	0.31
Cotton-PS-1%DVB	83.29	16.70	0.20
Cotton-PS-2%DVB	83.00	17.00	0.20
Cotton-PS-5%DVB	72.49	27.51	0.38

CURRICULUM VITAE

Name: Mr. Thirawudh Pongprayoon

Date of Birth: February 22, 1966

Nationality: Thai

University Education:

1985–1989 Bachelor Degree of Science in Chemistry, Faculty of Science,
Prince of Songkhla University, Songkhla, Thailand

1992–1995 Master Degree of Engineering in Chemical Engineering, King
Mongkut's Institute of Technology Thonburi, Bangkok, Thailand

Work Experience:

1989–1990 Project Researcher

Bangkok Rubber Ltd., Co., Bangkok, Thailand

1991–1992 Researcher

Eternal Resin (Thailand) Ltd., Co., Bangkok, Thailand

1993–1995 Product Specialist

Scientific Promotion Ltd., Co., Bangkok, Thailand

1994–1997 Lecturer

Department of Material Technology, Faculty of Industrial
Technology, Silphakorn University, Nakornpatum, Thailand

1998–now Lecturer

Department of Chemical Engineering, Faculty of Engineering, King
Mongmut's Institute of Technology North Bangkok, Bangkok, Thailand

Publications:

1. Pongprayoon, T., O'Rear, E. A., Yanumet, N., and Yuan, W., (2003),
“Wettability of Cotton Modified by Admicellar Polymerization,” *Langmuir*. 19,
3770-3778.
2. Pongprayoon, T., Yanumet, N., and O'Rear, E. A., (2002), “Admicellar
Polymerization of Styrene on Cotton,” *Journal of Colloid and Interface Science*,
249, 227-234.

3. Methachan, B., Pongprayoon, T., Yanumet, N., and O'Rear, E. A., (2002), "Formation of Hydrophobic Cotton by Admicellar Polymerization," AATCC Review, 2, 60-64.
4. Pongprayoon, T., Yanumet, N., O'Rear, E. A., Alvarez, W. E., and Resasco, D. E., "Surface Characterization of Cotton Coated by a Thin Film of Polystyrene With and Without a Cross-Linking Agent," in preparation.

Proceedings:

1. Pongprayoon, T., Yanumet, N., and O'Rear, E. A.(2002), "Formation of Ultrathin Polystyrene Film to Produce Hydrophobic Cotton by *In-situ* Reaction Polymerization," in 9th APCCChE Congress and CHEMECA 2002, Christchurch, New Zealand.
2. Pongprayoon, T., Yanumet, N., and O'Rear, E. A.(2002), "Improving Hydrophobicity of Cotton Fabric by Admicellar Polymerization," in 12th Thailand National Conference in Chemical Engineering and Chemistry Application, Bangkok, Thailand.

Patent:

O'Rear, E. A., Yanumet, N., Pongprayoon, T., and Methachan, B., "Method for Making an Article Water Resistant and Articles Made Therefrom," application submitted in USA in 2001.