

REFERENCES

- Agag, T. and Takeichi, T. (2007). High-molecular-weight AB-type benzoxazines as new precursors for high-performance thermosets. Journal of Polymer Science Part A: Polymer Chemistry 45(10), 1878-1888.
- Brunovska, Z., Liu, J.P., and Ishida, H. (1999). 1,3,5-Triphenylhexahydro-1,3,5-triazine-active intermediate and precursor in the novel synthesis of benzoxazine monomers and oligomers. Macromolecule Chemical Physics(200). 1745-1752.
- Burke, W.J. (1949). 3,4-dihydro-1,3,2H-benzoxazines. reaction of p-substituted phenols with N,N-dimethylolamines. Journal of the American Chemical Society 71, 609-612.
- Chaisuwan, T., Hatsuo, I. and Tarek, A. (2011). Chapter 26 - Porous Materials from Polybenzoxazine. Handbook of Benzoxazine Resins. Amsterdam, Elsevier: 457-468.
- Chen, J.H., Li, W.Z., Wang, D.Z., Yang, S.X., Wen, J.G. and Ren, Z.F. (2002). Electrochemical characterization of carbon nanotubes as electrode in electrochemical double-layer capacitors. Carbon 40(8), 1193-1197.
- Dubal, D.P., Dhawale, D.S., Salunkhe, R.R., Pawar, S.M., Fulari, V.J. and Lokhande, C.D. (2009). A novel chemical synthesis of interlocked cubes of hausmannite Mn₃O₄ thin films for supercapacitor application. Journal of Alloys and Compounds 484(1-2), 218-221.
- Frackowiak, E. and Béguin, F. (2001). Carbon materials for the electrochemical storage of energy in capacitors. Carbon 39(6), 937-950.
- Ghosh, N.N., Kiskan, B. and Yagci, Y. (2007). Polybenzoxazines New high performance thermosetting resins: Synthesis and properties. Progress in Polymer Science 32(11), 1344-1391.
- Halper, M.S. and Ellenbogen, J.C. (2006). Supercapacitors: A Brief Overview. Virginia, USA, The MITRE Corporation: 34.
- Holly, F.W. and Cope, A.C. (1944). Condensation Products of Aldehydes and Ketones with o-Aminobenzyl Alcohol and o-Hydroxybenzylamine. Journal of the American Chemical Society 66(11), 1875-1879.

- Hwang, S.-W. and Hyun, S.-H. (2007). Synthesis and characterization of tin oxide/carbon aerogel composite electrodes for electrochemical supercapacitors. Journal of Power Sources 172(1), 451-459.
- Ingram, M.D., Pappin, A.J., Delalande, F., Poupard, D. and Terzulli, G. (1998). Development of electrochemical capacitors incorporating processable polymer gel electrolytes. Electrochimica Acta 43(10), 1601-1605.
- Ishida, H. (2011). Chapter 1 - Overview and Historical Background of Polybenzoxazine Research. Handbook of Benzoxazine Resins. Hatsuo, I. and Tarek, A. Amsterdam, Elsevier: 3-81.
- Ishida, H. and Allen, D.J. (1996). Mechanical characterization of copolymers based on benzoxazine and epoxy. Polymer 37(20), 4487-4495.
- Ishikawa, M., Sakamoto, A., Monta, M., Matsuda, Y. and Ishida, K. (1996). Effect of treatment of activated carbon fiber cloth electrodes with cold plasma upon performance of electric double-layer capacitors. Journal of Power Sources 60(2), 233-238.
- Katanyoota, P., Chaisuwan, T., Wongchaisuwat, A. and Wongkasemjit, S. (2010). Novel polybenzoxazine-based carbon aerogel electrode for supercapacitors. Materials Science and Engineering: B 167(1), 36-42.
- Kim, S.J., Hwang, S.W. and Hyun, S.H. (2005). Preparation of carbon aerogel electrodes for supercapacitor and their electrochemical characteristics. Journal of Materials Science 40(3), 725-731.
- Lee, J., Yoon, S., Hyeon, T., M. Oh, S. and Bum Kim, K. (1999). Synthesis of a new mesoporous carbon and its application to electrochemical double-layer capacitors. Chemical Communications(21), 2177-2178.
- Lee, Y.J., Jung, J.C., Park, S., Seo, J.G., Baek, S.-H., Yoon, J.R., Yi, J. and Song, I.K. (2011). Effect of preparation method on electrochemical property of Mn-doped carbon aerogel for supercapacitor. Current Applied Physics 11(1), 1-5.
- Li, J., Wang, X., Huang, Q., Gamboa, S. and Sebastian, P.J. (2006). Studies on preparation and performances of carbon aerogel electrodes for the application of supercapacitor. Journal of Power Sources 158(1), 784-788.
- Li, M. and Xue, J. (2012). Ordered mesoporous carbon nanoparticles with well-controlled morphologies from sphere to rod via a soft-template route. Journal of Colloid and Interface Science 377(1), 169-175.

- Liang, C., Hong, K., Guiochon, G.A., Mays, J.W. and Dai, S. (2004). Synthesis of a Large-Scale Highly Ordered Porous Carbon Film by Self-Assembly of Block Copolymers. Angewandte Chemie International Edition 43(43), 5785-5789.
- Liang, C.-H. and Hwang, C.-S. (2010). Effects of temperatures and cations of electrolyte on the capacitive characteristics of the manganese oxide deposited by hydrothermal electrochemical method. Journal of Alloys and Compounds 500(1), 102-107.
- Liu, J. (1995). Synthesis, characterization, reaction mechanism and kinetics of 3,4-dihydro-2H-1,3-benzoxazine and its polymers. Cleveland OH., Case Western Reserve University. **Ph.D.**
- Momma, T., Liu, X., Osaka, T., Ushio, Y. and Sawada, Y. (1996). Electrochemical modification of active carbon fiber electrode and its application to double-layer capacitor. Journal of Power Sources 60(2), 249-253.
- Obreja, V.V.N. (2008). On the performance of supercapacitors with electrodes based on carbon nanotubes and carbon activated material: A review. Physica E: Low-dimensional Systems and Nanostructures 40(7), 2596-2605.
- Pekala, R.W., Alviso, C.T., Kong, F.M. and Hulsey, S.S. (1992). Aerogels derived from multifunctional organic monomers. Journal of Non-Crystalline Solids 145(0), 90-98.
- Pekala, R.W., Farmer, J.C., Alviso, C.T., Tran, T.D., Mayer, S.T., Miller, J.M. and Dunn, B. (1998). Carbon aerogels for electrochemical applications. Journal of Non-Crystalline Solids 225(0), 74-80.
- Rajendra Prasad, K. and Miura, N. (2004). Electrochemically synthesized MnO₂-based mixed oxides for high performance redox supercapacitors. Electrochemistry Communications 6(10), 1004-1008.
- Ryoo, R., Joo, S.H. and Jun, S. (1999). Synthesis of Highly Ordered Carbon Molecular Sieves via Template-Mediated Structural Transformation. The Journal of Physical Chemistry B 103(37), 7743-7746.
- S. Rimdusit, B.R.C.J., I. Dueramae (2012). Characterizations of polybenzoxazine modified with isomeric biphenyltetracarboxylic dianhydrides. eXPRESS Polymer Letters 6(10), 773-782.
- Tanaka, S., Nishiyama, N., Egashira, Y. and Ueyama, K. (2005). Synthesis of ordered mesoporous carbons with channel structure from an organic-organic nanocomposite. Chemical Communications(16), 2125-2127.

- Takeichi, T., Kano, T. and Agag, T. (2005). Synthesis and thermal cure of high molecular weight polybenzoxazine precursors and the properties of the thermosets. Polymer 46(26), 12172-12180.
- Wang, H., Peng, C., Peng, F., Yu, H. and Yang, J. (2011). Facile synthesis of MnO₂/CNT nanocomposite and its electrochemical performance for supercapacitors. Materials Science and Engineering: B 176(14), 1073-1078.
- Xie, X. and Gao, L. (2007). Characterization of a manganese dioxide/carbon nanotube composite fabricated using an in situ coating method. Carbon 45(12), 2365-2373.
- Xia, Y., Yang, Z. and Mokaya, R. (2010). Templated nanoscale porous carbons. Nanoscale 2(5), 639-659.
- Yang, Y.-j., Liu, E.-H., Li, L.-m., Huang, Z.-z., Shen, H.-j. and Xiang, X.-x. (2009). Nanostructured MnO₂/exfoliated graphite composite electrode as supercapacitors. Journal of Alloys and Compounds 487(1-2), 564-567.
- Yang, Y.-j., Liu, E.-h., Li, L.-m., Huang, Z.-z., Shen, H.-j. and Xiang, X.-x. (2010). Nanostructured amorphous MnO₂ prepared by reaction of KMnO₄ with triethanolamine. Journal of Alloys and Compounds 505(2), 555-559.
- Zhang, L.L., Wei, T., Wang, W. and Zhao, X.S. (2009). Manganese oxide-carbon composite as supercapacitor electrode materials. Microporous and Mesoporous Materials 123(1-3), 260-267.

CURRICULUM VITAE

Name: Ms. Nattikarn Moonpho

Date of Birth: December 9th, 1988

Nationality: Thai

University Education:

2008–2011 Bachelor Degree of Apply Polymer Science and Textile Technology, Department of Materials Science, Faculty of Science, ChulalongkornUniversity, Bangkok, Thailand

Work Experience:

Mar-Jun 2011 Position: Student trainee

Company name: HMC Polymers Co., Ltd. Map Ta PhutIndustrial, Rayong, Thailand.

Mar-Jun 2010 Position: Trainee (work & travel program)

Company name: Coloriteplastics company, Waco, Texas, USA.

Proceedings:

Moonpho, N.; Wongkasemjit, S.; and Chaisuwan, T. Morphological design of polybenzoxazine-based carbon by soft templating method. Proceeding of the 5th Research symposium on Petrochemical and Materials technology and the 20th PPC symposium on Petroleum, Petrochemical, and Polymers. Bangkok, Thailand.

Presentations:

Moonpho, N.; Wongkasemjit, S.; and Chaisuwan, T. (2014, April) Preparation of Polybenzoxazine Based Mesoporous carbon by Soft-templating Method for Application in Supercapacitor. Poster presented at 2014 MRS Spring Meeting & Exhibit, Sanfrancisco, CA, USA