

REFERENCES

- Adler, S.B. (2004) Factors governing oxygen reduction in solid oxide fuel cell cathodes. *Chemical Review*, 104, 4791-4843.
- Aguadero, A., Escudero, M. J., Perez, M., Alonso, J. A., Pomjakushin, V., and Daza, L. (2006) Effect of Sr content on the crystal structure and electrical properties of the system $\text{La}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$ ($0 \leq x \leq 1$). *Dalton Transactions*, 4377-4383.
- Aguadero, A., Escudero, M. J., Pérez, M., Alonso, J. A., and Daza, L. (2007) Hyperstoichiometric $\text{La}_{1.9}\text{Sr}_{0.1}\text{NiO}_{4+\delta}$ mixed conductor as novel cathode for intermediate temperature solid oxide fuel cells. *Journal of Fuel Cell Science and Technology*, 4, 294-298.
- Aguadero, A., Fawcett, L., Taub, S., Woolley, R., Wu, K.-T., Xu, N., Kilner, J.A., and Skinner, S.J. (2012) Materials development for intermediate-temperature solid oxide electrochemical devices. *Journal of Materials Science*, 47, 3925-3948.
- Amow, G. and Skinner, S.J. (2006) Recent developments in Ruddlesden-Popper nickelate systems for solid oxide fuel cell cathodes. *Journal of Solid State Electrochemistry*, 10, 538-546.
- Bevilacqua, C.M., Montini, T., Tavagnacco, C., Vicario, G., Fornasiero, P., and Grazianni, M. (2006) Influence of synthesis route on morphology and electrical properties of $\text{LaNi}_{0.6}\text{Fe}_{0.4}\text{O}_3$. *Solid State Ionics*, 177, 2957-2965.
- Bilger, S., Syskakis, E., Naoumidis, A., and Nickel, H. (1992) Sol-Gel synthesis of strontium-doped lanthanum manganite. *Journal of the American Ceramic Society*, 75(4), 964- 970.
- Boehm, E., Bassat, J.-M., Steil, M.C., Dordor, P., Mauvy, F., and Grenier, J.-C. (2003) Oxygen transport properties of $\text{La}_2\text{Ni}_{1-x}\text{Cu}_x\text{O}_{4+\delta}$ mixed conducting oxides. *Solid State Sciences*, 5, 973-981.
- Chiba, R., Yoshimura, F., and Sakurai, Y. (1999) An investigation of $\text{LaNi}_{1-x}\text{Fe}_x\text{O}_3$ as a cathode material for solid oxide fuel cells. *Solid State Ionics*, 124, 281-288.

- Connihan, M.A. (1981) Dictionary of Energy. Routledge: Tabor & Francis Group.
- Cook, B. (2001) An Introduction to Fuel Cells and Hydrogen Technology. Heliocentris, Vancouver.
- Darcovich, K., Whitfield, P.S., Amow, G., Shinagawa, K., and Miyahara, R.Y. (2005) A microstructure based numerical simulation of microwave sintering of specialized SOFC materials. Journal of the European Ceramic Society, 25, 2235-2240.
- Dusastre, V. and Kilner, J.A. (1999) Optimisation of composite cathodes for intermediate temperature SOFC applications. Solid State Ionics, 126(1-2), 163-174.
- Figueiredo, F.M., Marques, F.M.B., and Frade, J.R. (1998) Electrochemical permeability of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ materials. Solid State Ionics, 111(3-4), 273-281.
- Fontaine, M. L., Laberty-Robert, C., Ansart, F., and Tailhades, P. (2006) Composition and porosity graded $\text{La}_{2-x}\text{NiO}_{4+\delta}$ ($x \geq 0$) interlayers for SOFC: Control of the microstructure via a sol-gel process. Journal of Power Sources, 156, 33-38.
- Fontaine, M.L., Laberty-Robert, C., Verelst, M., Pielašzec, J., Lenormand, P., Ansart, F., and Tailhades, P. (2006) Synthesis of $\text{La}_2\text{NiO}_{4+\delta}$ oxides by sol-gel process: Structural and microstructural evolution from amorphous to nanocrystallized powders. Materials Research Bulletin, 41, 1747-1753.
- Fuertes, V.C., Blanco, M.C., Franco, D.G., De Paoli, J.M., Sánchez, R.D., and Carbonio, R.E. (2011) Influence of the B-site ordering on the magnetic properties of the new $\text{La}_3\text{Co}_2\text{MO}_9$ double perovskites with M = Nb or Ta. Materials Research Bulletin, 46, 62-69.
- Gopalakrishnan, J., Colsmann, G., and Reuter, B. (1977) Studies on the $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($0 \leq x \leq 1$) system. Journal of Solid State Chemistry, 22, 145-149.
- Greenblatt, M. (1997) Ruddlesden-Popper $\text{Ln}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ nickelates: Structure and properties. Solid State and Materials Sciences, 2, 174-183.
- Hrovat, M., Katsarakis, N., Reichmann, K., Bernik, S., Kuscer, D., and Holc, J. (1996) Characterisation of $\text{LaNi}_{1-x}\text{Co}_x\text{O}_3$ as a possible SOFC cathode material. Solid State Ionics, 83(1-2), 99-105.

- Hu, Y., Bogicevic, C., Bouffanais, Y., Giot, M., Hernandez, O., and Dezanneau, G. (2013) Synthesis, physical-chemical characterization and electrochemical performance of $\text{GdBaCo}_{2-x}\text{Ni}_x\text{O}_{5-\delta}$ ($x = 0\text{-}0.8$) as cathode materials for IT-SOFC application. *Journal of Power Sources*, 242, 50-56.
- Hui, Z., Qiang, L., and LiPing, S. (2011) Ln_2MO_4 cathode materials for solid oxide fuel cells. *Science China Chemistry*, 54, 898-910.
- Ishikawa, K., Kondo, S., Okano, H., Suzuki, S., and Suzuki, Y. (1987) Nonstoichiometry and electrical resistivity in two mixed metal oxides, $\text{La}_2\text{NiO}_{4-x}$ and LaSrNiO_{4-x} . *Bulletin of the Chemical Society of Japan*, 60, 1295-1298.
- Ji, Y., Kilner, J.A., and Carolan, M.F. (2005) Electrical properties and oxygen diffusion in Yttria-stabilised zirconia (YSZ)- $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_{3\pm\delta}$ (LSM) composites. *Solid State Ionics*, 176, 937-943.
- Jiang, S.P. (2002) A comparison of O_2 reduction reactions on porous $(\text{La},\text{Sr})\text{MnO}_3$ and $(\text{La},\text{Sr})(\text{Co},\text{Fe})\text{O}_3$ electrodes. *Solid State Ionics*, 146, 1-22.
- Jiang, S.P. and Wang, W. (2005) Novel structured mixed ionic and electronic conducting cathodes of solid oxide fuel cells. *Solid State Ionics*, 176, 1351-1357.
- Jin, W., Li, S., Huang, P., Xu, N., and Shi, J. (2000) Fabrication of $\text{La}_{0.2}\text{Sr}_{0.8}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ mesoporous membranes on porous supports from polymeric precursors. *Journal of Membrane Science*, 170, 9-17.
- Liu, J., A.C., Paulson, S., and Birss, V.I. (2006). Oxygen reduction at sol-gel derived $\text{La}_{0.8}\text{Sr}_{0.2}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_3$ cathodes. *Solid State Ionics*, 177(3-4), 377-387.
- Kammer, K., Mikkelsen, L., and Bilde-Sorensen, J.B. (2006) Electrical and electrochemical characterization of $\text{La}_{0.99}\text{Fe}_{1-x}\text{Ni}_x\text{O}_{3-\delta}$ perovskiytes. *Journal of Solid State Electrochemistry*, 10, 934-940.
- Kharton, V.V., Kovalevsky, A.V., Tikhonovich, V.N., Naumovich, E.N., and Viskup, A.P. (1998) Mixed electronic and ionic conductivity of $\text{LaCo}(\text{M})\text{O}_3$ ($\text{M} = \text{Ga, Cr, Fe or Ni}$): II. Oxygen permeation through Cr- and Ni-substituted LaCoO_3 . *Solid State Ionics*, 110(1-2), 53-60.

- Kharton, V.V., Viskup, A.P., Naumovich, E.N., and Tikhonovich, V.N. (1999) Oxygen permeability of $\text{LaFe}_{1-x}\text{Ni}_x\text{O}_{3-\delta}$ solid solutions. Materials Research Bulletin, 34, 1311-1317.
- Kharton, V.V., Viskup, A.P., Kovalevsky, A.V., Naumovich, E.N., and Marques, F.M.B. (2001) Ionic transport in oxygen–hyperstoichiometric phases with K_2NiF_4 -type structure. Solid State Ionics, 143, 337-353.
- Kharton, V.V., Tsipis, E.V., Yaremchenko, A.A., and Frale, J.R. (2004) Surface-limited oxygen transport and electrode properties of $\text{La}_2\text{Ni}_{0.8}\text{Cu}_{0.2}\text{O}_{4+\delta}$. Solid State Ionics, 166, 327-337.
- Kim, J.W., Virkar, A.V., Fung, K.Z., Mehta, K., and Singhal, S.C. (1999) Polarization effects in intermediate temperature anode-supported solid oxide fuel cell. Journal of The Electrochemical Society, 146(1), 69-78.
- Kwok, C.K., Desu, S.B., and Vijay, D.P. (1999) Modified sol-gel process for preparation of lead zirconate titanate thin films. Ferroelectric Letters Section, 16(5-6), 143-156.
- Maguire, E., Gharbage, B., Marques, F.M.B., and Labrincha, J.A. (2000) Cathode materials for intermediate temperature SOFCs. Solid State Ionics, 127(3-4), 329-335.
- Makhnach, L.V., Pankov, V.V., and Strobel, P. (2008) High-temperature oxygen non-stoichiometry, conductivity and structure in strontium-rich nickelates $\text{La}_{2-x}\text{Sr}_x\text{NiO}_{4-\delta}$ ($x = 1$ and 1.4). Materials Chemistry and Physics, 111, 125-130.
- Minh, N.Q. (1993) Ceramics fuel cells. Journal of the American Ceramic Society, 76(3), 563-588.
- Nakamura, T., Misono, M., and Yoneda, Y. (1983) Reduction-oxidation and catalytic properties of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$. Journal of Catalysis, 83(1), 151-159.
- Nowick, A.S., Du, Y., and Liang, K.C. (1999) Some factors that determine proton conductivity in nonstoichiometric complex perovskites. Solid State Ionics, 125, 303-311.
- Ormerod, R. M. (2003) Solid oxide fuel cell. Chemical Society Reviews, 32, 17-28.

- Petrov, A.N., Cherepanov, V.A., and Zuev, A.Y. (2006) Thermodynamics, defect structure, and charge transfer in doped lanthanum cobaltites: An overview. *Journal of Solid State Electrochemistry*, 10, 517-537.
- Qiu, L., Ichikawa, T., Hirano, A., Imanishi, N., and Takeda, Y. (2003) $\text{Ln}_{1-x}\text{Sr}_x\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ ($\text{Ln} = \text{Pr}, \text{Nd}, \text{Gd}; x = 0.2, 0.3$) for the electrodes of solid oxide fuel cells. *Solid State Ionics*, 158, 55-65.
- Ralph, J.M., Schoeler, A.C., and Krumpelt, M. (2001) Materials for lower temperature solid oxide fuel cells. *Journal of Materials Science*, 36, 1161-1172.
- Routbort, J.L., Doshi, R., and Krumpelt, M. (1996) Oxygen tracer diffusion in $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$. *Solid State Ionics*, 90, 21-27.
- Rudberg, E.A., Wiik, K., Svensson, A.M., and Nisancioglu, K. (2005) Measurement and interpretation of oxygen diffusion and surface exchange data for strontium doped lanthanum cobaltite. *Proceedings of the 26th Risø International Symposium on Materials Science:Solid State Electrochem.*, 311-316.
- Schmidt, H. (1994) Multifunctional inorganic-organic composite sol-gel coatings for glass surfaces. *Journal of Non-Crystalline Solids*, 178, 302-312.
- Sekido, S., Tachibana, H., Yamamura, Y., and Kambara, T. (1990) Electric-ionic conductivity in perovskite-type oxides, $\text{Sr}_x\text{La}_{1-x}\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$. *Solid State Ionics*, 37, 253-259.
- Singhal, S.C. (2004) Solid oxide fuel cells: An overview. *Preprints of Papers-American Chemical Society, Division of Fuel Chemistry*, 49(2), 478-479.
- Singhal, S.C. (2007) Solid oxide fuel cells. *The Electrochemical Society Interface • Winter*, 41-44.
- Skinner, S. J. and Kilner, J.A. (2000) Oxygen diffusion and surface exchange in $\text{La}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$. *Solid State Ionics*, 135, 709-712.
- Søgaard, M., Hendriksen, P.V., Mogensen, M., Poulsen, F.W., and Skou, E. (2006) Oxygen nonstoichiometry and transport properties of strontium substituted lanthanum cobaltite. *Solid State Ionics*, 177(37-38), 3285-3296.
- Steele, B.C.H. and Heinzel, A. (2001) Materials for fuel cell technologies. *Nature*, 414, 345-352.

- Tai, L.-W., Nasrallah, M.M., Anderson, H.U., Sparlin, D.M., and Sehlin, S.R. (1995) Structure and electrical properties of $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-y}\text{Fe}_y\text{O}_3$. Part 1. The system $\text{La}_{0.8}\text{Sr}_{0.2}\text{Co}_{1-y}\text{Fe}_y\text{O}_3$. Solid State Ionics, 76, 259-271.
- Takahashi, S., Nishimoto, S., Matsuda, M., and Miyake, M. (2010) Electrode properties of the Ruddlesden-Popper series, $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ ($n = 1, 2$ and 3), as intermediate-temperature solid oxide fuel cells. Journal of the American Ceramic Society, 93(8), 2329-2333.
- Takada, Y., Kanno, R., Sakano, M., and Yamamoto, O. (1990) Crystal chemistry and physical Properties of $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($0 \leq x \leq 1.6$). Materials Research Bulletin, 25, 293-306.
- Tang, J.P., Dass, R.I., and Manthiram, A. (2000) Comparison of the crystal chemistry and electrical properties of $\text{La}_{2-x}A_x\text{NiO}_4$ ($A = \text{Ca}, \text{Sr}, \text{and Ba}$). Materials Research Bulletin, 35, 411-424.
- Tao, S. and Irvine, J.T.S. (2002) Structure and properties of nonstoichiometric mixed perovskites $\text{A}_3\text{B}'_{1+x}\text{B}''_{2-x}\text{O}_{9-\delta}$. Solid State Ionics, 154-155, 659-667.
- Teraoka, Y., Yoshimatsu, M., Yamazoe, N., and Seiyama, T. (1984) Oxygen-sorptive properties and defect structure of perovskite-type oxides. Chemistry Letters, 13, 893-896.
- Tu, H.Y., Takeda, Y., Imanishi, N., and Yamamoto, O. (1999) $\text{Ln}_{0.4}\text{Sr}_{0.6}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_3-\delta$ ($\text{Ln} : \text{La, Pr, Nd, Sm, Gd}$) for the electrode in solid oxide fuel cells. Solid State Ionics, 117(3-4), 277-281.
- Ullmann, H., Trofimenko, N., Tietz, F., Stöver, D., and Ahmad-Khanlou, A. (2000) Correlation between thermal expansion and oxide ion transport in mixed conducting perovskite-type oxides for SOFC cathodes. Solid State Ionics, 138(1-2), 79-90.
- Vashook, V.V., Yushkevich, I.I., Kokhanovsky, L.V., Makhnach, L.V., Tolochko, S.P., Kononyuk, I.F., Ullmann, H., and Altenburg, H. (1999) Composition and conductivity of some nickelates. Solid State Ionics, 119, 23-30.
- Wang, S., Katsuki, M., Dokiya, M., and Hashimoto, T. (2003) High temperature properties of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ phase structure and electrical conductivity. Solid State Ionics, 159, 71-78.

- Yaremchenko, A.A., Kharton, V.V., Viskup, A.P., Naumovich, E.N., Tikhonovich, V.N., and Lapchuk, N.M. (1999) Mixed electronic and ionic conductivity of LaCo(M)O₃ (M = Ga, Cr, Fe or Ni).: V. Oxygen Permeability of Mg-doped La(Ga,Co)O_{3-δ} perovskites. Solid State Ionics, 120(1-4), 65-74.
- Yi, G. and Sayer, M. (1991) Sol-Gel Processing of complex oxide films. American Ceramic Society Bulletin, 70, 1173-1179.
- Zhang, Z. and Greenblatt, M. (1995) Synthesis, structure and properties of Ln₄Ni₃O_{10-δ}. J. Solid State Chem., 117, 236-246.
- Zhao, H., Mauvy, F., Lalanne, C., Bassat, J.-M., Fourcade, S., and Grenier, J.-C. (2008) New cathode materials for ITSOFC: Phase stability, oxygen exchange and cathode properties of La_{2-x}NiO_{4+δ}. Solid State Ionics, 179(35-36), 2000-2005.
- Zuev, A.Y., Petrov, A.N., Vylkov, A.I., and Tsvetkov. D.S. (2007) Oxygen nonstoichiometry and defect structure of undoped and doped lanthanum cobaltites. Journal of Materials Science, 42, 1901-1908.

CURRICULUM VITAE

Name: Ms. Thitirat Inprasit

Date of Birth: May 8, 1983

Nationality: Thai

University Education:

2001–2005 Bachelor Degree of Chemistry, Faculty of Science, Chiang Mai University Chiang Mai, Thailand

2006–2007 Master Degree of Polymer Science, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

Publications:

1. Inprasit, T.; Limthongkul, P.; and Wongkasemjit, S. (2010) Sol-gel and solid state synthesis and property study of $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($x \leq 0.8$). *J. Electrochem. Soc.*, 157, B1726–B1730. (IF = 2.588)
2. Inprasit, T.; Wongkasemjit, S.; Skinner, S.J.; Burriel, M.; and Limthongkul, P. Effect of Sr substituted $\text{La}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$ ($x = 0, 0.2, 0.4, 0.6$, and 0.8) on oxygen stoichiometry and oxygen transport properties, to be submitted.
3. Inprasit, T.; Limthongkul, P.; Wongkasemjit, S.; and Skinner, S.J. Synthesis and electrical property study of $\text{La}_3\text{Ni}_2\text{MO}_9$ ($M = \text{Nb}$ and Ta), to be submitted.

Proceedings:

1. Inprasit, T.; Limthongkul, P.; and Wongkasemjit, S. (2009) Property study of $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($x \leq 0.8$) for IT-SOFCs cathode. *ECS Transactions*, 25(2), 2581–2588.

Presentations:

1. Inprasit, T.; Limthongkul, P.; and Wongkasemjit, S., (2009, October 4–9) Property study of $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($x \leq 0.8$) to be used for IT-SOFCs cathode. Poster presented at The 216th ECS Meeting, Vienna, Austria
2. Inprasit, T.; Wongkasemjit, S.; and Limthongkul, P. (2009, August 11) Synthesis and electrical property of Sr doped La_2NiO_4 to be used for IT-SOFCs. Oral presented at International Conference on Processing Materials for Properties-III, Thailand Session, Bangkok, Thailand

3. Inprasit, T.; Wongkasemjit, S.; Limthongkul, P.; (2008, October 22–24) Synthesis and electrical properties study of cathode materials for IT-SOFCs. Poster presented at The 6th International Conference on Asian Meeting on Electroceramics (AMEC6). Tsukuba, Japan
4. Inprasit, T.; Wongkasemjit, S.; Limthongkul, P.; Charojrochkul, S.; and Somroop, K. (2007, May 10–13) Gd substitution on LSCF cathodes for IT-SOFCs. Oral presented at The 5th China International Conference on High-Performance Ceramics, Tsinghua University, Shangsha, China
5. Inprasit, T.; Wongkasemjit, S.; Limthongkul, P.; Charojrochkul, S.; and Somroop, K. (2006, December 10–14) Gd substitution on lanthanum cobalt Iron oxide cathodes for IT-SOFCs. Oral presented at The 5th International Conference on Asian Meeting on Electroceramics (AMEC5), Bangkok, Thailand
6. Inprasit, T.; Limthongkul, P.; and Wongkasemjit, S. (2006, December 7–9) Preparation of doped lanthanum cobalt iron oxide cathodes for intermediate temperature solid oxide fuel cell. Oral presented at The Petroleum and Petrochemical Symposium. Pattaya. Chonburi, Thailand