

REFERENCES

- Adamson, W. (1997) Physical Chemistry of Surfaces. 6th ed. New York: Wiley-Interscience.
- Alexandrova, L. and Grigorov, I. (1996) Precipitate and adsorbing colloid flotation of dissolved copper, lead and zinc ions. International Journal of Mineral Processing, 48(1-2), 111-125.
- Boonyasuwat, S., Chavadej, S., Malakul, P., and Scamehorn J.F. (2003) Anionic and cationic surfactant recovery from water using a multistage foam fractionator. Chemical Engineering Journal, 93(3), 241-252.
- Boonyasuwat, S., Chavadej, S., Malakul, P., and Scamehorn J.F. (2005) Surfactant recovery from water using a multistage foam fractionator: Part I - Effects of air flow rate, foam height, feed flow rate and number of stages. Separation Science And Technology, 40(9), 1835-1853.
- Buzzacchi, M., Schmiedel, P., and von Rybinski, W. (2006) Dynamic surface tension of surfactant systems and its relation to foam formation and liquid film drainage on solid surfaces. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 273(1-3), 47-54.
- Charewicz, W., Holowiecka, B., and Walkowiak, W. (1999) Selective flotation of zinc(II) and silver(I) ions from dilute aqueous solutions. Separation Science and Technology, 34(12), 2447-2460.
- Cheng, H. and Lemlich, R. (1983) Errors in the measurement of bubble size distribution in foam. Industrial and Engineering Chemistry Fundamentals, 22(1), 105-109.
- Chuyingsakultrip, N. (2004) Surfactant recovery from aqueous phase using multi-Stage foam fractionation. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.
- Darton, R.C., Supino, S., and Sweeting K.J. (2004) Development of a multistaged foam fractionation column. Chemical Engineering and Processing, 43(3), 477-482.

- Doyle, F. (2003) Ion flotation - Its potential for hydrometallurgical operations. International Journal of Mineral Processing, 72(1-4), 387-399.
- Doyle, F. and Liu, Z. (2003) The effect of triethylenetetraamine (Trien) on the ion flotation of Cu^{2+} and Ni^{2+} . Journal of Colloid and Interface Science, 258(2), 396-403.
- Elsherief, A.E. (2003) Removal of cadmium from simulated wastewaters by electrodeposition on spiral wound steel electrode. Electrochimica Acta, 48(18), 2667-2673.
- Fang, G. and Yang, H. (2010) Heavy metals in the river sediments of Asian countries of Taiwan, China, Japan, India, and Vietnam during 1999–2009. Environmental Forensics, 11(3), 201.
- Fillipi, B.R., Scamehorn, J.F., Christian, S.D., and Taylor, R.W. (1998) A comparative economic analysis of copper removal from water by ligand-modified micellar-enhanced ultrafiltration and by conventional solvent extraction. Journal of Membrane Science, 145(1), 27-44.
- Grieves, R.B. and Wood, R.K. (1964) Continuous foam fractionation: The effect of operating variables on separation. AIChE Journal, 10(4), 456-460.
- Gupta, R., Ahuja, P., Khan, S., Saxena, R., and Mohapatra, H. (2000) Microbial biosorbents: Meeting challenges of heavy metal pollution in aqueous solutions. Current Science, 78(8), 967-973.
- Harmens, H., Buse, A., Bükler, P., Norris, D., Mills, G., Williams, B., Reynolds, B., Ashenden, T.W., Rühling, A., and Steinnes, E. (2004) Heavy metal concentrations in European mosses: 2000/2001 survey. Journal of Atmospheric Chemistry, 49(1), 425-436.
- Huang, S. and Wang, T. (1988) Removal of cadmium from aqueous solution using adsorptive bubble separation techniques. Separation Science and Technology, 23(10-11), 1083-1091.
- John, E. and Edward, C. (1996) Foam separation processes. In P.A. Schweitzer (Ed.), Handbook of Separation Technique for Chemical Engineering. 3rd ed. (pp. 2-173) New York: Mc Graw Hill.

- Jurkiewicz, K. (2006) Flotation of zinc and cadmium cations in presence of manganese dioxide. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 276(1-3), 207-212.
- Kinoshita, T., Akita, A., Ishigaki, Y., Yamaguchi, K., Yamada, Y., Nii, S., Kawaizumi, F., and Takahashi, K. (2007) Continuous foam separation of metals enhanced by down-flowing surfactant solution from column top. Chemical Engineering Research and Design, 85(2 A), 229-233.
- Kumpabooth, K., Scamehorn, J., Osuwan, S., and Harwell, J. (1999) Surfactant recovery from water using foam fractionation: Effect of temperature and added salt. Separation Science and Technology, 34(2), 157-172.
- Kurniawan, T., Chan, G., Lo, W., and Babel, S. (2006) Physico-chemical treatment techniques for wastewater laden with heavy metals. Chemical Engineering Journal, 118(1-2), 83-98.
- Lazaridis, N., Peleka, E., Karapantsios, T., and Matis, K. (2004) Copper removal from effluents by various separation techniques. Hydrometallurgy, 74(1-2), 149-156.
- Lemlich, R. (1972) Adsorptive Bubble Separation Techniques. New York: Academic Press.
- Liu, Z. (2001) Removal of metal ions from dilute aqueous solutions by ion flotation. Ph.D. Dissertation, University of California, Berkeley, USA.
- Liu, Z. and Doyle, F. (2001a) A thermodynamic approach to ion flotation. I. Kinetics of cupric ion flotation with alkylsulfates. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 178(1-3), 79-92.
- Liu, Z. and Doyle, F. (2001b) A thermodynamic approach to ion flotation. II. Metal ion selectivity in the SDS-Cu-Ca and SDS-Cu-Pb systems. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 178(1-3), 93-103.
- Martin, P., Dutton, H., Winterburn, J., Baker, S., and Russell, A. (2010) Foam fractionation with reflux. Chemical Engineering Science, 65(12), 3825-3835.
- Morgan, J., Napper, D., Warr, G., and Nicol, S. (1992) Kinetics of recovery of hexadecyltrimethylammonium bromide by flotation. Langmuir, 8(9), 2124-2129.

- Moussavi, M. and Javidnejad, M. (2007) Separation of Hg(II) by foam fractionation in the acidic range: Effect of complexation. Journal of Hazardous Materials, 144(1-2), 187-193.
- Mukherjee, A. B. and Kabata-Pendias, A. (2007) Trace Elements From Soil to Human (1st ed.) New York: Springer.
- Patungtod, C., Swaddiwudhipong, W., Nishijo, M., Ruangyuttikarn, W., and Inud, T. (2006, September) Health risk management for cadmium contamination in Thailand—are challenges overcome?, Paper presented at The Fifth Session of the Intergovernmental Forum on Chemical Safety (IFCS), World Health Organization, Budapest, Hungary.
- Pavel, L. and Gavrilescu, M. (2008) Overview of ex situ decontamination techniques for soil cleanup. Environmental Engineering and Management Journal, 7(6), 815-834.
- Perry, R.H. and Green, D.W. (2007) Perry's Chemical Engineers' Handbook. 8th ed. New York: McGraw-Hill.
- Polat, H. and Erdogan, D. (2007) Heavy metal removal from waste waters by ion flotation. Journal of Hazardous Materials, 148(1-2), 267-273.
- Porter, M. (1994) Handbook of Surfactants 2nd ed. London: Blackie Academic & Professional.
- Prudich, M.E. (2007), Alternative solid/liquid separations, in: R.H. Perry, D.W. Green (Eds.), Perry's Chemical Engineers' Handbook, 8th ed. New York: McGraw-Hill.
- Pugh, R.J. (1996) Foaming, foam films, antifoaming and defoaming. Advances in Colloid and Interface Science, 64, 67-142.
- Qu, Y., Zeng, G., Huang, J., Xu, K., Fang, Y., Li, X., and Liu, H. (2008) Recovery of surfactant SDS and Cd²⁺ from permeate in MEUF using a continuous foam fractionator. Journal of Hazardous Materials, 155(1-2), 32-38.
- Qu, Y., Zeng, G., Huang, J., Xu, K., Fang, Y., Li, X., and Liu, H. (2009) Treatment of the wastewater containing Cd²⁺ using micellar enhanced ultrafiltration combined with foam fractionation. Environmental Engineering Science, 26(4), 761-766.

- Rosen, M.J. (2004) Surfactants and Interfacial Phenomena. 3rd ed. Hoboken, N.J.: Wiley-Interscience.
- Rubio, J., Souza, M., and Smith, R. (2002) Overview of flotation as a wastewater treatment technique. Minerals Engineering, 15(3), 139-155.
- Schramm, L.L. (2005) Emulsions, Foams, and Suspensions: Fundamentals and Applications. Weinheim: Wiley-VCH.
- Scorzelli, I., Fragomeni, A., and Torem, M. (1999) Removal of cadmium from a liquid effluent by ion flotation. Minerals Engineering, 12(8), 905-917.
- Sebba, F. (1962) Ion Flotation. Amsterdam : Elsevier.
- Sreenivasarao, K. (1996) Removal of toxic metal from dilute synthetic solutions by ion- and precipitate-flotation. Ph.D. Dissertation, University of California, Berkeley, USA.
- Sreenivasarao, K. and Doyle, F. (1997) Solubility products of salts of selected metal ions and anionic C12 surfactants. Separation and Purification Technology, 12(2), 157-164.
- Stevenson, P., Li, X., and Evans, G.M. (2008) A mechanism for internal reflux in foam fractionation. Biochemical Engineering Journal, 39(3), 590-593.
- Stevenson, P., Sederman, A.J., Mantle, M.D., Li, X., and Gladden, L.F. (2010) Measurement of bubble size distribution in a gas-liquid foam using pulsed-field gradient nuclear magnetic resonance. Journal of Colloid and Interface Science, 352(1), 114-120.
- Tadros, T.F. (2005) Applied Surfactants: Principles and Applications Weinheim: Wiley-VCH.
- Tan, S.N., Fornasiero, D., Sedev, R., and Ralston, J. (2006) The interfacial conformation of polypropylene glycols and their foam properties. Minerals Engineering, 19(6-8), 703-712.
- Tharapiwattananon, N., Scamehorn, J., Osuwan, S., Harwell, J., and Haller, K. (1996) Surfactant recovery from water using foam fractionation. Separation Science and Technology, 31(9), 1233-1258.
- Triroj, M., (2005) Recovery of mixed surfactants from water using multi-stage foam fractionation. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.

- Wang, L. and Yoon, R. (2008) Effects of surface forces and film elasticity on foam stability. International Journal of Mineral Processing, 85(4), 101-110.
- Wang, L., Yan, Y., Hou, Y., and Li, H. (2008) Advances in research of floatation technology in the application of metal separation/enrichment and analysis. Yejin Fenxi/Metallurgical Analysis, 28(7), 36-41.
- Wang, Z. and Narsimhan, G. (2007) Rupture of draining foam films due to random pressure fluctuations. Langmuir, 23(5), 2437-2443.
- Wong, C., Hossain, M., and Davies, C. (2001) Performance of a continuous foam separation column as a function of process variables. Bioprocess and Biosystems Engineering, 24(2), 73-81.
- Yamagiwa, K., Iwabuchi, M., Tsubomizu, H., Yoshida, M., and Ohkawa, A. (2001) Effect of external reflux on foam fractionation of poly(vinyl alcohol). Journal of Chemical Engineering of Japan, 34(2), 126-131.
- Yapjakis, C. and Wang, L.K. (2005) Treatment of Soap and Detergent, in: L.K. Wang, Y. Hung, H.H. Lo, C. Yapjakis (Eds.), Waste Treatment in the Process Industries. (pp. 307-362) New York: CRC Press.
- Yuan, X., Meng, Y., Zeng, G., Fang, Y., and Shi, J. (2008) Evaluation of tea-derived biosurfactant on removing heavy metal ions from dilute wastewater by ion flotation. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 317(1-3), 256-261.
- Zamboulis, D., Pataroudi, S.I., Zouboulis, A.I., and Matis, K.A. (2004) The application of sorptive flotation for the removal of metal ions. Desalination, 162, 159-168.

APPENDIX

Appendix A Concentration of Heavy Metals by Various Foam Height

Table A1 Concentration of Cadmium

Concentration of Cd (mg/L)	Foam Height (cm)		
	30	60	90
Feed	10	10	10
Foamate	8.38	10.76	11.43
Effluent	1.1	1.0888	0.843

Table A2 Concentration of Copper

Concentration of Cu (mg/L)	Foam Height (cm)		
	30	60	90
Feed	10	10	10
Foamate	7.63	10.684	11.003
Effluent	2	0.8332	0.613

Table A2 Concentration of Nickel

Concentration of Cu (mg/L)	Foam Height (cm)		
	30	60	90
Feed	10	10	10
Foamate	9.86	10.023	13.75
Effluent	2.64	2.371	2.9

CURRICULUM VITAE

Name: Ms. Chanoknun Pongruang

Date of Birth: June 14, 1991

Nationality: Thai

University Education:

2008–2012 Bachelor Degree of Engineer, Faculty of Engineer, King Mongkut's University of Technology North Bangkok, Bangkok, Thailand

Work Experience:

2011 Position: Internship student
Company name: Thai Asahi Kasei Spandex, Thailand

Proceedings:

1. Pongruang, C.; and Chavadej, S. (2015, April 21) Competitive Removal of Mixed Heavy Metals from Water by Multistage Foam fractionation. Proceedings of The 6th Research Symposium on Petroleum, Petrochemicals, and Advance Materials and The 21st PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.