

## REFERENCES

- Audisio G.; Silvani A.; Zetta L. (1984). Inclusion asymmetric polymerization in deoxycholic acid by "through-space" asymmetric induction. *Macromolecules*, 17(1), 29–32.
- Ball, P. (1994). *Designing the Molecular World: Chemistry at the Frontier*. New Jersey: Princeton University Press.
- Balzani, V. (1987). *Supramolecular Photochemistry*. Dordrecht, Holland: D. Reidel Publ. Co.,
- Behr, J.P., Lehn, J.M. (1978). *J. Chem. Soc., Chem. Commun.* 143-146.
- Bender, M.L., Komiyama, M. (1978). *Cyclodextrin Chemistry*. Springer.
- Bordunov, A.V., Lukyanenko, N.G., Pastushok, V.N., Krakowiak, K.E., Bradshaw, J.S., Dalley, N.K. and Kout, X. (1995). A New Approach to the Synthesis of Phenol-Containing Macroheterocycles. *The Journal of Organic Chemistry*, 60(15), 4912-4918.
- Burke, W.J. (1949). 3,4-Dihydro-1,3,2H-Benzoxazines. Reaction of *p*-Substituted Phenols with N,N-Dimethylolamines. *Journal of the American Chemical Society*, 71(2), 609–612.
- Burke, W.J., Bishop, J.L., Glennie, E.L.M. and Bauer, W.N. (1965). A New Aminoalkylation Reaction. Condensation of Phenols with Dihydro-1,3- aroxazines. *The Journal of Organic Chemistry*. 30(10), 3423-3427.
- Chirachanchai, S., Laobuthee, A., Phongtamrug, S., Siripatanasarakit, W., Ishida, H. (2000). A novel ion extraction material using host-guest properties of oligobenzoxazine local structure and benzoxazine monomer molecular assembly. *Journal of Applied Polymer Science*, 77(12), 2561-2568.
- Chirachanchai, S., Phongtamrug, S., Laobuthee, A. (2003). A Simple, Effective, and Selective Synthesis Route without Template Effect (Part II) for [2 + 2] Difunctional 28-Membered Macroyclic Ethers Based on Benzoxazine Dimers and Its Inclusion Phenomena with Metal Ions. *Chemical Letter*, 32(5), 432-433.

- Cram, D.J. and Cram, J. M. (1974). Host-guest Chemistry. Science, 183(4127), 803-809.
- Cram, D.J., Cram, J. M. (1983). Designed Complexes-Science and Applications, Weinheim, Germany, 42-64.
- Dietrich, B., Viout, P., Lenh, J. M. (1993). Macrocyclic Chemistry: Aspects of Organic and Inorganic Supramolecular Chemistry. VCH: Weinheim.
- Durola, F., Sauvage, J. P., Wenger, O. S. (2007). Macrocycles Incorporating an Endocyclic But Non-Sterically-Hindering Chelate: Synthesis and Structural Studies. Helvetica Chimica Acta, 90(7), 1439-1446.
- Eaton, D.F. (1987). Cyclodextrin complexation as a probe of molecular photophysics. Tetrahedron, 43(7), 1551-1570.
- Frangmyr, T., Malmstrom, B.G. (1991). Nobel Lecturers, Chemistry. World Scientific, Singapore, 411-511.
- Fujita, M., Umemoto, k., Yoshizawa, M., Fujita, N., Kusukawa, T. and Biradha, K. (2001). Molecular paneling via coordination. Chemical Communications, 6, 509-518.
- Geibb, S.J., Vicent, C., Fan, E., Hamilton, A.D. (1993). Angewandte Chemie International Edition, 32, 392.
- Gennady, V.O., David, N.R., Willem, V. (2007). Supramolecular Chemistry in Water. Angewandte Chemie International Edition, 46(14), 2366 – 2393
- Gianneschi, N.C.; Masar III, M.S. and Mirkin, C.A. (2005). Development of a Coordination Chemistry-Based Approach for Functional Supramolecular Structures. Accounts of Chemical Research, 38 (11), 825-837.
- Gil, E.S. and Hudson, S.M. (2004). Stimuli-responsive polymers and their bioconjugates. Progress in Polymer Science, 29(12), 1173-1222.
- Groenedal, L., Zotti, G., Jonas, F. (2001). Optical, conductive and magnetic properties of electrochemically prepared alkylated poly(3,4-ethylenedioxythiophene)s. Synthetic Metals, 118, 105-109.
- Guarino, A.J. (1986). J. Photochem, 35, 1-11.

- Guo, H.X., Zhao, Z.P., Guo, H.L. and Zhao, G. (2003). Preparation of Porous  $\text{SiO}_2/\text{Ni/TiO}_2$  Multicoated Microspheres Responsive to Electric and Magnetic Fields. *Langmuir*, 19 (23), 9799–9803.
- Habaue, S., Morita, M., Okamoto, Y. (2002). Stereospecific Anionic Polymerization of  $\alpha$ -(Alkoxymethyl)acrylate Derivatives Affording Novel Vinyl Polymers with Macroyclic Side Chains. *Polymer*, 43(12), 3469–3474.
- Haddon, R.C., Lamola, A.A. (1985). The molecular electronic device and the biochip computer: present status. *Proceedings of the National Academy of Sciences of the United States of America*, 82(7), 1874–1878.
- Hayashita, T., Yamauchi, A., Tong, A., Chanlee, J., Smith, B.D., and Teramae, N. (2004). Design of Supramolecular Cyclodextrin Complex Sensors for Ion and Molecule Recognition in Water. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 50, 87–94.
- Holliday, B.J. and Mirkin, C.A. (2001). Strategies for the Construction of Supramolecular Compounds through Coordination Chemistry. *Angewandte Chemie International Edition*, 40(11), 2022–2043.
- Ikkala, O. and Brinke, G.T. (2002). Functional Materials Based on Self-Assembly of Polymeric Supramolecules. *Science*, 295, 2407.
- Izumi, A., Nomura, R., and Masuda, T. (2001). Design and Synthesis of Stimuli-Responsive Conjugated Polymers Having Azobenzene Units in the Main Chain. *Macromolecules*, 34, 4342–4347.
- Jeong, B. and Gutowska, A. (2002). Lessons from nature: stimuli-responsive polymers and their biomedical applications. *Trends in Biotechnology*, 20(7), 305–311.
- Kopolow, S., Hogen Esch, T. E., Smid, J. (1973). Poly(vinyl macrocyclic polyethers). Synthesis and Cation Binging Properties. *Macromolecules*, 6(1), 133–142.
- Laobuthee, A., Chirachanchai, S. (2002). A Simple, Effective, and Selective Synthesis Route for Difunctional 30-Membered Macroyclic Ester and

- Linear Oligoester Derived from Benzoxazine Dimers. Chemical Letter, 31(6), 613-614.
- Laobuthee, A., Chirachanchai, S., Ishida, H., Tashiro, K. (2001). Asymmetric Mono-oxazine: An Inevitable Product from Mannich Reaction of Benzoxazine Dimers. Journal of the American Chemical Society, 123(41), 9947-9955.
- Lehn, J.M. (1973). Design of Organic Complexing Agents. Strategies Towards Properties. Structure and Bonding, 16, 1.
- Lehn, J.M. (1978). Cryptates: Inclusion Complexes of Macropolycyclic Receptor Molecules. Pure and Applied Chemistry, 50, 871-892.
- Lehn, J.M. (1985). Supramolecular Chemistry: Receptors, Catalysts, and Carriers. Science, 227(4689), 849-856.
- Lindsten, G., Wennerstroem, O., Isaksson, R., (1987). Chiral biphenyl bis(crown ethers): synthesis and resolution. The Journal of Organic Chemistry, 52(4), 547–554.
- Mahbubul, M. A. (2011). Template Synthesis of New Type of Macroyclic Molecule Derived From Pyridine-2,6-dicarboxaldehyde and 1,2-Bis(2-Animoethoxy)Ethane. Journal of Bangladesh Academy of Sciences, 35(1), 61-65.
- McQuade, D.T., Pullen, A.E. and Swager, T.M. (2000). Conjugated Polymer-Based Chemical Sensors. Chemical Reviews, 100(7), 2537–2574.
- Mizoshita, N., Suzuki, Y., Kishimoto, K., Hanabusa, K. and Kato, T. (2002). Electrooptical properties of liquid-crystalline physical gels: a new oligo(amino acid) gelator for light scattering display materials. Journal of Materials Chemistry, 12(8), 2197-2201.
- Nepogodiev, S.A. and Stoddart, J.F. (1998). Cyclodextrin-Based Catenanes and Rotaxanes. Chemical Reviews, 98(5), 1959–1976.
- Ning, H., Ishida, H. (1994). Phenolic materials via ring-opening polymerization: Synthesis and characterization of bisphenol-A based benzoxazines and their polymers. Journal of Polymer Science Part A: Polymer Chemistry, 32(6), 1121-1129.

- Nishide, H., Shimazu, N., Tsuchida, E. (1982). Chelating resin: Pyridine derivatives attached to poly(styrene) beads with spacer group. Journal of Applied Polymer Science, 27(11), 4161-4169.
- Ogoshi, T., Harada, A. (2008). Chemical sensor Based on Cyclodextrin Derivatives. Sensors. 8, 4916-4982.
- Shah, R.R. and Abbott, N.L. (2001). Principles for Measurement of Chemical Exposure Based on Recognition-Driven Anchoring Transitions in Liquid Crystals. Science, 293(5533), 1296-1299.
- Shimbo, T; Yamaguchi, T; Nishimura, K.; Sugiura, M. (1987). Chromatographic separation of racemic amino acids by use of chiral crown ether-coated reversed phase packing. Journal of Chromatography, 405, 145-153
- Sogah, G.D.Y., Cram, D.J. (1976). Total chromatographic optical resolutions of .alpha.-amino acid and ester salts through chiral recognition by a host covalently bound to polystyrene resin. Journal of the American Chemical Society, 98(10), 3038-3041.
- Sun, Q., Wang, H., Yang, C., Li, Y. (2003). Synthesis and Electroluminescence of Novel Copolymers Containing Crown Ether Spacers. Journal of Materials Chemistry, 13(4), 800-806.
- Takemoto, K., Miyata, M. (1993). Advances in Supramolecular Chemistry, ed. G. W. Gokel. Greenwich: JAI Press, 3, 37-63.
- Tao, B.Y. (1991). Enzymes in Biomass Conversion. England: Oxford University Press, 372.
- Trippé, G., Levillain, E., Derf, F. L., Gorgues, A., Salle, M., Jeppesen, J. O., Nielsen, K., Becher, J. (2002). Electrochemical Recognition of Cations By Bis(pyrrolo)tetrathiafulvalene Macrocycles. Organic letters, 4, 2461-2464.
- Uekama, K., Otagiri, M. (1987). Cyclodextrins in drug carrier systems. Critical Reviews in Therapeutic Drug Carrier Systems, 3(1), 1-40.
- Vicens, J. Boehmer, V. (1991). Calixarenes, a Versatile Class of Macroyclic Compounds. Springer
- Wikipedia. "Supramolecular chemistry." Wikipedia. 4 May 2006. 29 April 2011 <[http://en.wikipedia.org/wiki/Supramolecular\\_chemistry](http://en.wikipedia.org/wiki/Supramolecular_chemistry)>

Wiskur, S.L., Ait-Haddou, H., Lavigne, J.J. and Anslyn, E.V. (2001). Teaching Old Indicators New Tricks. Accounts of Chemical Research, 34(12), 963-972.

## CURRICULUM VITAE

**Name:** Ms. Patcharida Chouwatat

**Date of Birth:** March 11, 1988

**Nationality:** Thai

**University Education:**

2006–2010 Bachelor Degree of Materials Science, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

**Proceedings:**

1. Chouwatat, P.; and Chirachachai, S. (2011, October 20-21) Benzoxazine-based Macrocyclic Polymer. Proceedings of the 2<sup>nd</sup> Polymer Conference of Thailand, Bangkok, Thailand.
2. Chouwatat, P.; and Chirachachai, S. (2012, April 24) From a Simple Approach of Benzoxazine Chemistry to a Development of Benzoxazine-based Macrocyclic Polymer. Proceedings of the 3<sup>rd</sup> Research Symposium on Petrochemicals, and Materials Technology and the 18<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

**Presentations:**

1. Chouwatat, P.; and Chirachachai, S. (2011, October 20-21) Benzoxazine-based Macrocyclic Polymer. Paper presented at the 2<sup>nd</sup> Polymer Conference of Thailand, Bangkok, Thailand.
2. Chouwatat, P.; and Chirachachai, S. (2012, January 11-13) Benzoxazine Macrocyclic Polymers: A Simple Approach via Benzoxazine Dimer. Paper presented at the Pure and Applied Chemistry International Conference (PACCON 2012), Chiang Mai, Thailand.
3. Chouwatat, P.; and Chirachachai, S. (2012, April 24) From a Simple Approach of Benzoxazine Chemistry to a Development of Benzoxazine-based Macrocyclic Polymer. Paper presented at the 3<sup>rd</sup> Research Symposium on Petrochemicals, and Materials Technology and the 18<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.