

REFERENCES

- <http://www.energy.go.th/?q=node/68>, Diesel consumption in Thailand, Retrieved August 23, 2012.
- Ahn, I.Y., Lee, J.H., Kim, S.K., and Moon, S.H. (2009). Three-stage deactivation of Pd/SiO₂ and Pd-Ag/SiO₂ catalysts during the selective hydrogenation of acetylene. Applied Catalysis A: General, 360(1), 38–42.
- Allen, R.R., Formo, M.W., Krishnamurthy, R.G., McDermott, G.N., Norris, F.A., and Sonntag, N.O.V. (1982) Hydrogenation. In Swern, D. (Ed.), Bailey's Industrial Oil and Fat Products (4th ed., pp. 1–95) New York: Wiley.
- Beers, A.E.W. (2007). Low *trans* hydrogenation of edible oils. Lipid Technology, 19(3), 56–58.
- Benjumea, P., Agudelo, J.R., and Agudelo, A.F. (2010). Effect of degree of unsaturation of biodiesel fuels on engine performance, combustion characteristics, and emission. Energy & Fuels, 25, 75–85.
- Bueres, R.F., Asedegbega-Nieto, E., Diaz, E., Ordonez, S., and Diez, F.V. (2008). Preparation of carbon nanofibres supported palladium catalysts for hydrodechlorination reactions. Catalysis Communications, 9(10), 2080–2084.
- Cheng, H.N., Dowd, M.K., Easson, M.W., and Condon, B.D. (2012). Hydrogenation of cottonseed oil with nickel, palladium and platinum catalysts. Journal of the American Oil Chemists' Society, doi:10.1007/s11746-012-2036-8
- Dijkstra, A.J. (2006). Revisiting the formation of *trans* isomers during partial hydrogenation of triacylglycerol oils. European Journal of Lipid Science and Technology, 108(3), 249–264.
- Dunn, R.O. (2008). Effect of temperature on the oil stability index (OSI) of biodiesel. Energy & Fuels, 22(1), 657–662.
- Fangrui, M. and Hanna, M. (1999). Biodiesel production: a review. Bioresource Technology, 70(1), 1–15.
- Frankel, E.N. (1998) Lipid Oxidation, Dundee, Scotland: The Oily Press.

- Fukuda, H., Kondo, A., and Noda, H. (2001). Review biodiesel production by transesterification of oils. Journal of Bioscience and Bioengineering, 92(5), 405–416.
- Ge, C., Li, Y., Zhao, J., and Zhou, R. (2010). Carbon nanotubes supported palladium catalysts for selective hydrogenation of cinnamaldehyde under atmospheric pressure. Indian Journal of Chemistry, 49A, 281–287.
- Harada, T., Ikeda, S., Miyazaki, M., Sakata, T., Mori, H., and Matsumura, M. (2007). A simple method for preparing highly active palladium catalysts loaded on various carbon supports for liquid-phase oxidation and hydrogenation reactions. Journal of Molecular Catalysis A: Chemical, 268(1–2), 59–64.
- Huang, W., Pyrz, W., Lobo, R.F., and Chen, J.G. (2007). Selective hydrogenation of acetylene in the presence of ethylene on K^+ - β -zeolite supported Pd and PdAg catalysts. Applied Catalysis A: General, 333(2), 254–263.
- Langthanarat, S. (2008). Transesterification of palm oil using KOH/ ZrO_2 and KOH/Mordenite as a heterogeneous catalyst. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand.
- Jackson, S.D. and Monaghan, A. (2007). Hydrogenation of unsaturated hydrocarbons-40 years on: Hydrogenation of 1,3-pentadiene over Pd/alumina. Catalysis Today, 128, 47–51.
- Jain, S., Sharma, M.P. (2010). Stability of biodiesel and its blends: a review. Renewable and Sustainable Energy Reviews, 14(2), 667–678.
- Jang, E.S., Jung, M.Y., and Min, D.B. (2005). Hydrogenation for low *trans* and high conjugated fatty acids. Comprehensive Reviews in Food Science and Food Safety, 1, 22–30.
- Karmee, S., and Chadha, A. (2005). Preparation of biodiesel from crude oil of *Pongamia pinnata*. Bioresource Technology, 96(13), 1425–1429.
- Knothe, G., Dunn, R.O. (2009). A comprehensive evaluation of the melting points of fatty acids and esters determined by differential scanning calorimetry. Journal of the American Oil Chemists' Society, 86, 843–856.
- Marchetti, J.M., Miguel, V.U., and Errazu, A.F. (2007). Possible methods for biodiesel production. Renewable and Sustainable Energy Reviews, 11, 1300–1311.

- McArdle, S., Girish, S., Leahy, J.J., and Curtin, T. (2011). Selective hydrogenation of sunflower oil over noble metal catalysts. Journal of Molecular Catalysis A: Chemical, 351, 179–187.
- Meher, L.C., Sagar, D., and Naik, S.N. (2006). Technical aspects of biodiesel production by transesterification: a review. Renewable and Sustainable Energy Reviews, 10(3), 248–268.
- Moser, B., Haas, M.J., Winkler, J.K., Jackson, M.A., Erhan, S.Z., and List, G.R. (2007). Evaluation of partially hydrogenated methyl esters of soybean oil as biodiesel. Europe Journal Lipid Science Technology, 109, 17–24.
- Nikolaou, N., Papadopoulos, C., Lazaridou, A., Koutsoumba, A., Bouriazos, A., and Papadogianakis, G. (2009). Partial hydrogenation of methyl esters of sunflower oil catalyzed by highly active rhodium sulfonated triphenylphosphite complexes. Catalysis Communications, 10(5), 451–455.
- Panpranot, J., Tangjitwattakorn, O., Praserttham, P., and Goodwin Jr., J.G. (2005). Effects of Pd precursors on the catalytic activity and deactivation of silica-supported Pd catalysts in liquid phase hydrogenation. Applied Catalysis A: General, 292, 322–327.
- Pattamakomsan, K., Ehret, E., Morfin, F., G lin, P., Jugnet, Y., Prakash, S., Bertolini, J.C., Panpranot, J., and Jose Cadete Santos Aires, F. (2011). Selective hydrogenation of 1,3-butadiene over Pd and Pd–Sn catalysts supported on different phases of alumina. Catalysis Today, 164(1), 28–33.
- Patterson, H.B.W. (2011) Catalysts. In List, G.R., King, J.W. (Eds.) Hydrogenation of Fats and Oils: Theory and Practice (2nd ed., pp. 169–187) Urbana: AOCS Press.
- Pekala, R.W. (1989). Low density, resorcinol-formaldehyde aerogels. U.S. Patent, 4873218.
- Ramos, M.J., Fernandez, C.M., Casas, A., Rodriguez, L., and Peres, A. (2009). Influence of fatty acid composition of raw materials on biodiesel properties. Bioresource Technology, 100(1), 261–268.
- Rodr guez, J.C., Santamar a, J., and Monzon, A. (1997). Hydrogenation of 1,3-butadiene on Pd/SiO₂ in the presence of H₂S-Deactivation and reactivation of the catalyst. Applied Catalysis A: General, 165(1–2), 147–157.

- Rylander, P.N. (1970). Hydrogenation of natural oils with platinum metal group catalysts. Journal of the American Oil Chemists' Society, 47, 482–486.
- Schmidt, S. (2000) Formation of *trans* unsaturation during partial catalytic hydrogenation. European Journal of Lipid Science and Technology, 102(10), 646–648.
- Schmitz, A.D., Bowers, G., and Song, C. (1996). Shape-selective hydrogenation of naphthalene over zeolite-supported Pt and Pd catalysts. Catalysis Today, 31(1–2), 45–56.
- Simakova, I.L., Simakova, O.A., Romaneko, A.V., and Murzin, D.Y. (2008). Hydrogenation of vegetable oils over Pd on nanocomposite carbon catalysts. Industrial & Engineering Chemistry Research, 47(19), 7219–7225.
- Snáre, M., Kubicková, I., Malki-Arvela, P., EraInen, K., and Murzin, D.Y. (2006). Heterogeneous catalytic deoxygenation of stearic acid for production of biodiesel. Industrial & Engineering Chemistry Research, 45(16), 5708–5715.
- Sonthisawate, T., Suemanotham, A., Yoshimura, Y., Makoto, T., and Abe, Y. (2009). Upgrading of biodiesel fuel quality by partial hydrogenation Process. Global Warming Conference: Biodiversity and their Sustainable Use, 90–97.
- Srivastava, A. and Prasad, R. (2000). Triglycerides-based diesel fuels. Renewable and Sustainable Energy Reviews, 4(2), 111–133.
- Swern, G.J. (Eds.). (1979). Bailey's Industrial Oil and Fat products. New York: John Wiley and Sons.
- Tamai, H., Nobuaki, U., and Yasuda, H. (2009). Preparation of Pd supported mesoporous activated carbons and their catalytic activity. Materials Chemistry and Physics, 114(1), 10–13.
- Wadumesthrige, K., Salley, S.O., and Ng, K.Y.S. (2009). Effects of partial hydrogenation, epoxidation, and hydroxylation on the fuel properties of fatty acid methyl esters. Fuel Processing Technology, 90(10), 1292–1299.
- Yamane, K., Kawasaki, K., Sone, K., Hara, T., and Prakoso, T. (2007). Oxidation stability of biodiesel and its effect on diesel combustion and emission characteristics. International Journal of Engine Research, 8(3), 307–319.

- Yoshimura, Y. (2008). Biodiesel fuel quality. In Goto, S., Oguma, M., and Chollacoop, N. (Eds.), EAS-ERIA Biodiesel Fuel Trade Handbook: 2010 (1st printed, pp. 27–62) Jakarta: Economic Research Institute for Asian and East Asia.
- Yoshimura, Y. (2009). Overview of research center of new fuels and vehicle technology (NFV)/AIST. NEDO Workshop on Glycerin Purification from Biodiesel by-Product.
- Zhu, J., Zhou, J., Zhao, T., Zhou, X., Chen, D., and Yuan, W. (2009). Carbon nanofiber-supported palladium nanoparticles as potential recyclable catalyst for the Heck reaction. Applied Catalysis A: General, 352(1–2), 243–250.

CURRICULUM VITAE

Name: Ms. Natthida Numwong

Date of Birth: January 27, 1985

Nationality: Thai

University Education:

2003–2007 Bachelor Degree of Science in Petrochemical Technology (First Class Honors), Faculty of Science, King Mongkut's Institute of Technology Ladkrabang, Bangkok, Thailand

Publications:

1. Numwong, N.; Luengnaruemitchai, A.; Yoshimura, Y.; and Chollacoop, N. (2012). Effect of support acidic properties on sulfur tolerance of Pd catalysts for partial hydrogenation of rapeseed oil-derived FAME. Journal of the American Oil Chemists' Society, DOI 10.1007/s11746-012-2112-0.
2. Numwong, N.; Luengnaruemitchai, A.; Yoshimura, Y.; and Chollacoop, N. (2012). Effect of SiO₂ pore size on partial hydrogenation of rapeseed oil-derived FAMEs. Applied Catalysis A: General, 441–442, 72–78.
3. Numwong, N.; Luengnaruemitchai, A.; Yoshimura, Y.; and Chollacoop, N. (2012). Partial hydrogenation of polyunsaturated fatty acid methyl esters over Pd/activated carbon: Effect of type of reactor. Chemical Engineering Journal, 210, 173–181.
4. Numwong, N.; Luengnaruemitchai, A.; Yoshimura, Y.; and Chollacoop, N. (2012). Effect of metal type on partial hydrogenation of rapeseed oil-derived FAMEs. (Submitted to Journal of the American Oil Chemists' Society, 2012, August 23).
5. Numwong, N.; Thachuangtumble, N.; Luengnaruemitchai, A.; and Yoshimura, Y. (2012). Partial hydrogenation of polyunsaturated fatty acid methyl esters over Pd/C: Effect of catalyst preparation. (In preparation).

Presentations:

1. Numwong, N.; Luengnaruemitchai, A.; and Yoshimura, Y. (2010, June 27–July 2). Effects of palladium precursor and catalyst calcination condition on the catalytic activity of activated carbon-supported palladium in partial hydrogenation of polyunsaturated fatty acid methyl esters. Paper presented at Renewable Energy 2010, Yokohama, Japan.
2. Numwong, N.; Thachuangtumle, N.; Luengnaruemitchai, A.; and Yoshimura, Y. (2011, December 4–8). Effects of Type and particle size of carbon support on the Catalytic Activity of Pd/C in Partial Hydrogenation of Polyunsaturated Fatty Acid Methyl Esters. Paper presented at Catalysis and Fine Chemicals 2011, Nara, Japan.
3. Numwong, N.; Thachuangtumle, N.; Luengnaruemitchai, A.; and Yoshimura, Y. (2011, December 10). Effects of Type and particle size of carbon support on the Catalytic Activity of Pd/C in Partial Hydrogenation of Polyunsaturated Fatty Acid Methyl Esters. Paper presented at International Symposium on Nano Science and Functional Materials Post-symposium of International Symposium on Catalysis and Fine Chemicals 2011, Tokyo, Japan.